

miarmario

Generated by Doxygen 1.8.14

Contents

1 Namespace Index	1
1.1 Packages	1
2 Hierarchical Index	3
2.1 Class Hierarchy	3
3 Class Index	5
3.1 Class List	5
4 File Index	7
4.1 File List	7
5 Namespace Documentation	9
5.1 Package grupo2	9
5.2 Package grupo2.LD	9
5.3 Package grupo2.LN	10
5.4 Package grupo2.LP	10
6 Class Documentation	11
6.1 grupo2.AppTest Class Reference	11
6.1.1 Detailed Description	11
6.1.2 Member Function Documentation	11
6.1.2.1 shouldAnswerWithTrue()	11
6.2 grupo2.LD.BaseDeDatos Class Reference	11
6.2.1 Constructor & Destructor Documentation	12
6.2.1.1 BaseDeDatos()	12

6.2.2 Member Function Documentation	12
6.2.2.1 close()	12
6.2.2.2 crearTablaBDCalendario()	12
6.2.2.3 crearTablaBDComplemento()	13
6.2.2.4 crearTablaBDConjunto()	13
6.2.2.5 crearTablaBDPrenda()	13
6.2.2.6 crearTablaBDPropuestas()	14
6.2.2.7 crearTablaBDUsuario()	14
6.2.2.8 crearTablaUsuarioSesion()	15
6.2.2.9 getConnection()	16
6.2.2.10 getStatement()	16
6.2.2.11 inicializarValores()	18
6.2.2.12 initBD()	18
6.3 grupo2.LN.Calendario Class Reference	19
6.3.1 Constructor & Destructor Documentation	20
6.3.1.1 Calendario()	20
6.3.2 Member Function Documentation	20
6.3.2.1 compareTo()	20
6.3.2.2 getFecha()	21
6.3.2.3 getId()	21
6.3.2.4 getIdConjunto()	21
6.3.2.5 getUsuario()	22
6.3.2.6 setFecha()	22
6.3.2.7 setId()	22
6.3.2.8 setIdConjunto()	23
6.3.2.9 setUsuario()	23
6.4 grupo2.CalendarioTest Class Reference	24
6.4.1 Member Function Documentation	24
6.4.1.1 getFecha()	25
6.4.1.2 getIdConjunto()	25

6.4.1.3	setFecha()	25
6.4.1.4	setIdConjunto()	26
6.4.1.5	test()	26
6.4.1.6	testGetId()	26
6.4.1.7	testGetUsuario()	27
6.4.1.8	testSetId()	27
6.4.1.9	testSetUsuario()	27
6.5	grupo2.LP.CalendarProgram Class Reference	28
6.5.1	Member Function Documentation	28
6.5.1.1	CrearCalendario()	28
6.5.1.2	refreshCalendar()	29
6.6	grupo2.LN.Complemento Class Reference	29
6.6.1	Constructor & Destructor Documentation	30
6.6.1.1	Complemento()	30
6.6.2	Member Function Documentation	30
6.6.2.1	compareTo()	30
6.6.2.2	getColor()	31
6.6.2.3	getId()	31
6.6.2.4	getImagen()	31
6.6.2.5	getNombre()	32
6.6.2.6	getUsuario()	32
6.6.2.7	setColor()	32
6.6.2.8	setId()	33
6.6.2.9	setImagen()	33
6.6.2.10	setNombre()	34
6.6.2.11	setUsuario()	34
6.7	grupo2.ComplementoTest Class Reference	35
6.7.1	Member Function Documentation	35
6.7.1.1	testCompareTo()	35
6.7.1.2	testComplemento()	35

6.7.1.3	testGetColor()	35
6.7.1.4	testGetId()	36
6.7.1.5	testGetNombre()	36
6.7.1.6	testGetUsuario()	36
6.7.1.7	testSetColor()	37
6.7.1.8	testSetId()	37
6.7.1.9	testSetNombre()	37
6.7.1.10	testSetUsuario()	38
6.8	grupo2.LN.Conjunto Class Reference	38
6.8.1	Constructor & Destructor Documentation	39
6.8.1.1	Conjunto()	39
6.8.2	Member Function Documentation	39
6.8.2.1	compareTo()	40
6.8.2.2	getFavorito()	40
6.8.2.3	getId()	40
6.8.2.4	getPrenda1()	41
6.8.2.5	getPrenda2()	41
6.8.2.6	getUsuario()	42
6.8.2.7	setFavorito()	42
6.8.2.8	setId()	42
6.8.2.9	setPrenda1()	43
6.8.2.10	setPrenda2()	43
6.8.2.11	setUsuario()	44
6.9	grupo2.ConjuntoTest Class Reference	44
6.9.1	Member Function Documentation	45
6.9.1.1	testCompareTo()	45
6.9.1.2	testConjunto()	45
6.9.1.3	testGetFavorito()	45
6.9.1.4	testGetId()	45
6.9.1.5	testGetPrenda1()	46

6.9.1.6	testGetPrenda2()	46
6.9.1.7	testGetUsuario()	46
6.9.1.8	testSetFavorito()	47
6.9.1.9	testSetId()	47
6.9.1.10	testSetPrenda1()	47
6.9.1.11	testSetPrenda2()	48
6.9.1.12	testSetUsuario()	48
6.10	grupo2.ContiperfTest Class Reference	48
6.10.1	Member Function Documentation	49
6.10.1.1	testanyadirFilaATablauUsuario()	49
6.10.1.2	testanyadirFilaATablauUsuario2()	49
6.10.1.3	testanyadirPrenda()	49
6.10.1.4	testchequearYaEnTabla2U()	49
6.10.1.5	testchequearYaEnTablaLOGIN()	50
6.10.1.6	testchequearYaEnTablaP()	50
6.10.1.7	testchequearYaEnTablaU()	50
6.10.1.8	testmodificarUsuarioSistema()	50
6.10.2	Member Data Documentation	50
6.10.2.1	i	50
6.11	grupo2.LN.Fecha Class Reference	51
6.11.1	Constructor & Destructor Documentation	51
6.11.1.1	Fecha()	52
6.11.2	Member Function Documentation	52
6.11.2.1	compareTo()	52
6.11.2.2	getAño()	52
6.11.2.3	getDia()	53
6.11.2.4	getMes()	53
6.11.2.5	setAño()	53
6.11.2.6	setDia()	54
6.11.2.7	setMes()	54

6.12 grupo2.FechaTest Class Reference	55
6.12.1 Member Function Documentation	55
6.12.1.1 getAño()	55
6.12.1.2 getDia()	56
6.12.1.3 getMes()	56
6.12.1.4 setAño()	56
6.12.1.5 setDia()	57
6.12.1.6 setMes()	57
6.12.1.7 test()	57
6.13 grupo2.LN.GestorComplemento Class Reference	57
6.13.1 Constructor & Destructor Documentation	58
6.13.1.1 GestorComplemento()	58
6.13.2 Member Function Documentation	58
6.13.2.1 anyadirComplemento()	58
6.13.2.2 EliminarComplemento()	59
6.13.2.3 maxIdComp()	59
6.13.2.4 selectComplementos()	60
6.14 grupo2.GestorComplementoTest Class Reference	60
6.14.1 Member Function Documentation	60
6.14.1.1 setUp()	61
6.14.1.2 testAnyadirComplemento()	61
6.14.1.3 testGestorComplemento()	61
6.14.1.4 testMaxIdComp()	62
6.14.1.5 testSelectComplementos()	62
6.15 grupo2.LN.GestorConjuntos Class Reference	62
6.15.1 Constructor & Destructor Documentation	63
6.15.1.1 GestorConjuntos()	63
6.15.2 Member Function Documentation	63
6.15.2.1 anyadirConjunto()	63
6.15.2.2 anyadirConjuntoA()	64

6.15.2.3 anyadirConjuntoCalendario()	65
6.15.2.4 anyadriFechaCalendario()	65
6.15.2.5 conjuntoconID()	66
6.15.2.6 crearAleatorio1()	66
6.15.2.7 crearAleatorio2()	67
6.15.2.8 crearCalor1()	67
6.15.2.9 crearCalor2()	68
6.15.2.10 crearFormal1()	69
6.15.2.11 crearFormal2()	69
6.15.2.12 crearFrio1()	70
6.15.2.13 crearFrio2()	71
6.15.2.14 crearLluvia1()	71
6.15.2.15 crearLluvia2()	72
6.15.2.16 crearUrbano1()	73
6.15.2.17 crearUrbano2()	73
6.15.2.18 deleteCalendario()	74
6.15.2.19 EliminarConjunto()	74
6.15.2.20 EliminarPropuesta()	75
6.15.2.21 maxIdCalendario()	76
6.15.2.22 maxIdConjunto()	76
6.15.2.23 maxIdPropuesta()	77
6.15.2.24 modifConjAleatorio()	77
6.15.2.25 modifFavAleatorio()	78
6.15.2.26 modifFavConjunto()	78
6.15.2.27 modifNoFavAleatorio()	79
6.15.2.28 modifNoFavConjunto()	79
6.15.2.29 selectCalendario()	80
6.15.2.30 selectConjuntos()	81
6.15.2.31 selectConjuntosFav()	81
6.15.2.32 selectPropuestaFav()	82

6.15.2.33 selectPropuestas()	82
6.16 grupo2.GestorConjuntosTest Class Reference	83
6.16.1 Member Function Documentation	83
6.16.1.1 setUp()	84
6.16.1.2 testanyadirConjunto()	84
6.16.1.3 testanyadirConjuntoA()	85
6.16.1.4 testconjuntoconID()	85
6.16.1.5 testmaxIdCalendario()	85
6.16.1.6 testmaxIdConjunto()	86
6.16.1.7 testmaxIdPropuesta()	86
6.16.1.8 testselectCalendario()	86
6.16.1.9 testselectConjuntos()	87
6.16.1.10 testselectConjuntosFav()	87
6.16.1.11 testselectPropuestas()	87
6.17 grupo2.LN.GestorPrendas Class Reference	88
6.17.1 Constructor & Destructor Documentation	88
6.17.1.1 GestorPrendas()	88
6.17.2 Member Function Documentation	88
6.17.2.1 anyadirPrenda()	89
6.17.2.2 EliminarPrenda()	89
6.17.2.3 maxIdPrenda()	90
6.17.2.4 nombrePrendaconID()	91
6.17.2.5 selectFavoritos()	91
6.17.2.6 selectPrendas()	91
6.18 grupo2.GestorPrendaTest Class Reference	92
6.18.1 Detailed Description	92
6.18.2 Member Function Documentation	92
6.18.2.1 setUp()	93
6.18.2.2 testanyadirPrendaP()	93
6.18.2.3 testmaxIdPrenda()	94

6.18.2.4	testnombrePrendaconID()	94
6.18.2.5	testselectPrendas()	94
6.19	grupo2.LN.GestorUsuario Class Reference	95
6.19.1	Constructor & Destructor Documentation	95
6.19.1.1	GestorUsuario()	95
6.19.2	Member Function Documentation	95
6.19.2.1	anyadirFilaATablauUsuario()	95
6.19.2.2	anyadirUsuario()	96
6.19.2.3	chequearYaEnTabla()	97
6.19.2.4	chequearYaEnTablaLOGIN()	98
6.19.2.5	eliminarUsuarioSistema()	99
6.19.2.6	modificarFilaEnTablaUsuario()	99
6.19.2.7	modificarUsuarioSistema()	100
6.19.2.8	nombreUsuario()	101
6.20	grupo2.GestorUsuarioTest Class Reference	102
6.20.1	Detailed Description	103
6.20.2	Member Function Documentation	103
6.20.2.1	setUp()	103
6.20.2.2	testchequearYaEnTablaU()	103
6.21	grupo2.LN.IEuskalment Interface Reference	104
6.21.1	Member Function Documentation	104
6.21.1.1	prevMet()	104
6.21.1.2	probLluvia()	104
6.21.1.3	sensacionTermica()	104
6.22	grupo2.LP.InsertarComplemento Class Reference	105
6.22.1	Constructor & Destructor Documentation	105
6.22.1.1	InsertarComplemento()	105
6.22.2	Member Function Documentation	106
6.22.2.1	actionPerformed()	106
6.23	grupo2.LP.InsertarConjunto Class Reference	106

6.23.1 Constructor & Destructor Documentation	107
6.23.1.1 InsertarConjunto()	107
6.23.2 Member Function Documentation	108
6.23.2.1 actionPerformed()	108
6.24 grupo2.LP.InsertarConjuntoAleatorio Class Reference	108
6.24.1 Constructor & Destructor Documentation	109
6.24.1.1 InsertarConjuntoAleatorio()	109
6.24.2 Member Function Documentation	109
6.24.2.1 actionPerformed()	110
6.24.2.2 gestionar()	110
6.25 grupo2.LP.InsertarPrenda Class Reference	111
6.25.1 Constructor & Destructor Documentation	112
6.25.1.1 InsertarPrenda()	112
6.25.2 Member Function Documentation	112
6.25.2.1 actionPerformed()	112
6.26 grupo2.InsertarPrendaTest Class Reference	113
6.26.1 Detailed Description	113
6.26.2 Member Function Documentation	113
6.26.2.1 setUp()	113
6.27 grupo2.Main Class Reference	113
6.27.1 Member Function Documentation	114
6.27.1.1 main()	114
6.28 grupo2.MockTestEuskalmet Class Reference	115
6.28.1 Member Function Documentation	115
6.28.1.1 setUp()	115
6.28.1.2 testGestorComplemento()	115
6.29 grupo2.LP.PanelArmario Class Reference	116
6.29.1 Constructor & Destructor Documentation	116
6.29.1.1 PanelArmario()	117
6.29.2 Member Function Documentation	118

6.29.2.1	actionPerformed()	118
6.30	grupo2.LP.PanelMenu Class Reference	119
6.30.1	Constructor & Destructor Documentation	119
6.30.1.1	PanelMenu()	120
6.30.2	Member Function Documentation	120
6.30.2.1	actionPerformed()	120
6.31	grupo2.LN.Prenda Class Reference	120
6.31.1	Constructor & Destructor Documentation	121
6.31.1.1	Prenda()	121
6.31.2	Member Function Documentation	121
6.31.2.1	compareTo()	122
6.31.2.2	getColor()	122
6.31.2.3	getId()	122
6.31.2.4	getImagen()	123
6.31.2.5	getNombre()	123
6.31.2.6	getTejido()	123
6.31.2.7	getUsuario()	124
6.31.2.8	setColor()	124
6.31.2.9	setId()	125
6.31.2.10	setImagen()	125
6.31.2.11	setNombre()	126
6.31.2.12	setTejido()	126
6.31.2.13	setUsuario()	127
6.32	grupo2.PrendaTest Class Reference	127
6.32.1	Member Function Documentation	127
6.32.1.1	testCompareTo()	128
6.32.1.2	testGetColor()	128
6.32.1.3	testGetId()	128
6.32.1.4	testGetImagen()	129
6.32.1.5	testGetNombre()	129

6.32.1.6 testGetTejido()	129
6.32.1.7 testGetUsuario()	130
6.32.1.8 testPrenda()	130
6.32.1.9 testSetColor()	130
6.32.1.10 testSetId()	131
6.32.1.11 testSetImagen()	131
6.32.1.12 testSetName()	131
6.32.1.13 testSetTejido()	132
6.32.1.14 testSetUsuario()	132
6.33 grupo2.LP.Principal Class Reference	132
6.33.1 Constructor & Destructor Documentation	133
6.33.1.1 Principal()	133
6.33.2 Member Function Documentation	133
6.33.2.1 actionPerformed()	134
6.34 grupo2.LP.Registrarse Class Reference	134
6.34.1 Constructor & Destructor Documentation	135
6.34.1.1 Registrarse()	135
6.34.2 Member Function Documentation	135
6.34.2.1 actionPerformed()	136
6.35 grupo2.LN.usuario Class Reference	136
6.35.1 Constructor & Destructor Documentation	137
6.35.1.1 usuario()	137
6.35.2 Member Function Documentation	137
6.35.2.1 compareTo()	137
6.35.2.2 getContrasenia()	137
6.35.2.3 getNombre()	138
6.35.2.4 setContrasenia()	138
6.35.2.5 setNombre()	139
6.36 grupo2.usuarioTest Class Reference	139
6.36.1 Member Function Documentation	139

6.36.1.1	testCompareTo()	139
6.36.1.2	testGetContrasenya()	140
6.36.1.3	testGetNombre()	140
6.36.1.4	testSetContrasenya()	140
6.36.1.5	testSetNombre()	141
6.36.1.6	testUsuario()	141
6.37	grupo2.LP.VerCalendario Class Reference	141
6.37.1	Constructor & Destructor Documentation	142
6.37.1.1	VerCalendario()	142
6.37.2	Member Function Documentation	143
6.37.2.1	actionPerformed()	143
6.38	grupo2.LP.VerFavoritos Class Reference	144
6.38.1	Constructor & Destructor Documentation	145
6.38.1.1	VerFavoritos()	145
6.38.2	Member Function Documentation	146
6.38.2.1	actionPerformed()	146
7	File Documentation	147
7.1	src/main/java/grupo2/LD/BaseDeDatos.java File Reference	147
7.2	src/main/java/grupo2/LN/Calendario.java File Reference	147
7.3	src/main/java/grupo2/LN/Complemento.java File Reference	147
7.4	src/main/java/grupo2/LN/Conjunto.java File Reference	148
7.5	src/main/java/grupo2/LN/Fecha.java File Reference	148
7.6	src/main/java/grupo2/LN/GestorComplemento.java File Reference	148
7.7	src/main/java/grupo2/LN/GestorConjuntos.java File Reference	148
7.8	src/main/java/grupo2/LN/GestorPrendas.java File Reference	149
7.9	src/main/java/grupo2/LN/GestorUsuario.java File Reference	149
7.10	src/main/java/grupo2/LN/IEuskalment.java File Reference	149
7.11	src/main/java/grupo2/LN/Prenda.java File Reference	149
7.12	src/main/java/grupo2/LN/usuario.java File Reference	150
7.13	src/main/java/grupo2/LP/CalendarProgram.java File Reference	150

7.14 src/main/java/grupo2/LP/InsertarComplemento.java File Reference	150
7.15 src/main/java/grupo2/LP/InsertarConjunto.java File Reference	150
7.16 src/main/java/grupo2/LP/InsertarConjuntoAleatorio.java File Reference	151
7.17 src/main/java/grupo2/LP/InsertarPrenda.java File Reference	151
7.18 src/main/java/grupo2/LP/PanelArmario.java File Reference	151
7.19 src/main/java/grupo2/LP/PanelMenu.java File Reference	151
7.20 src/main/java/grupo2/LP/Principal.java File Reference	152
7.21 src/main/java/grupo2/LP/Registrarse.java File Reference	152
7.22 src/main/java/grupo2/LP/VerCalendario.java File Reference	152
7.23 src/main/java/grupo2/LP/VerFavoritos.java File Reference	152
7.24 src/main/java/grupo2/Main.java File Reference	153
7.25 src/test/java/grupo2/AppTest.java File Reference	153
7.26 src/test/java/grupo2/CalendarioTest.java File Reference	153
7.27 src/test/java/grupo2/ComplementoTest.java File Reference	153
7.28 src/test/java/grupo2/ConjuntoTest.java File Reference	154
7.29 src/test/java/grupo2/ContiperfTest.java File Reference	154
7.30 src/test/java/grupo2/FechaTest.java File Reference	154
7.31 src/test/java/grupo2/GestorComplementoTest.java File Reference	154
7.32 src/test/java/grupo2/GestorConjuntosTest.java File Reference	155
7.33 src/test/java/grupo2/GestorPrendaTest.java File Reference	155
7.34 src/test/java/grupo2/GestorUsuarioTest.java File Reference	155
7.35 src/test/java/grupo2/InsertarPrendaTest.java File Reference	155
7.36 src/test/java/grupo2/MockTestEuskalmet.java File Reference	156
7.37 src/test/java/grupo2/PrendaTest.java File Reference	156
7.38 src/test/java/grupo2/usuarioTest.java File Reference	156
Index	157

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

grupo2	9
grupo2.LD	9
grupo2.LN	10
grupo2.LP	10

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

grupo2.AppTest	11
grupo2.LD.BaseDeDatos	11
grupo2.CalendarioTest	24
grupo2.LP.CalendarProgram	28
Comparable	
grupo2.LN.Calendario	19
grupo2.LN.Complemento	29
grupo2.LN.Conjunto	38
grupo2.LN.Fecha	51
grupo2.LN.Prenda	120
grupo2.LN.usuario	136
grupo2.ComplementoTest	35
grupo2.ConjuntoTest	44
grupo2.ContiperfTest	48
grupo2.FechaTest	55
grupo2.LN.GestorComplemento	57
grupo2.GestorComplementoTest	60
grupo2.LN.GestorConjuntos	62
grupo2.GestorConjuntosTest	83
grupo2.LN.GestorPrendas	88
grupo2.GestorPrendaTest	92
grupo2.LN.GestorUsuario	95
grupo2.GestorUsuarioTest	102
grupo2.LN.IEuskalment	104
grupo2.InsertarPrendaTest	113
grupo2.Main	113
grupo2.MockTestEuskalmet	115
grupo2.PrendaTest	127
grupo2.usuarioTest	139
ActionListener	
grupo2.LP.InsertarComplemento	105
grupo2.LP.InsertarConjunto	106
grupo2.LP.InsertarConjuntoAleatorio	108
grupo2.LP.InsertarPrenda	111
grupo2.LP.PanelArmario	116

grupo2.LP.PanelMenu	119
grupo2.LP.Principal	132
grupo2.LP.Registrarse	134
grupo2.LP.VerCalendario	141
grupo2.LP.VerFavoritos	144
JFrame	
grupo2.LP.InsertarComplemento	105
grupo2.LP.InsertarConjunto	106
grupo2.LP.InsertarConjuntoAleatorio	108
grupo2.LP.InsertarPrenda	111
grupo2.LP.PanelArmario	116
grupo2.LP.PanelMenu	119
grupo2.LP.Principal	132
grupo2.LP.Registrarse	134
grupo2.LP.VerCalendario	141
grupo2.LP.VerFavoritos	144

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

grupo2.AppTest	11
grupo2.LD.BaseDeDatos	11
grupo2.LN.Calendario	19
grupo2.CalendarioTest	24
grupo2.LP.CalendarProgram	28
grupo2.LN.Complemento	29
grupo2.ComplementoTest	35
grupo2.LN.Conjunto	38
grupo2.ConjuntoTest	44
grupo2.ContiperfTest	48
grupo2.LN.Fecha	51
grupo2.FechaTest	55
grupo2.LN.GestorComplemento	57
grupo2.GestorComplementoTest	60
grupo2.LN.GestorConjuntos	62
grupo2.GestorConjuntosTest	83
grupo2.LN.GestorPrendas	88
grupo2.GestorPrendaTest	92
grupo2.LN.GestorUsuario	95
grupo2.GestorUsuarioTest	102
grupo2.LN.IEuskalment	104
grupo2.LP.InsertarComplemento	105
grupo2.LP.InsertarConjunto	106
grupo2.LP.InsertarConjuntoAleatorio	108
grupo2.LP.InsertarPrenda	111
grupo2.InsertarPrendaTest	113
grupo2.Main	113
grupo2.MockTestEuskalmet	115
grupo2.LP.PanelArmario	116
grupo2.LP.PanelMenu	119
grupo2.LN.Prenda	120
grupo2.PrendaTest	127
grupo2.LP.Principal	132
grupo2.LP.Registrarse	134
grupo2.LN.usuario	136
grupo2.usuarioTest	139
grupo2.LP.VerCalendario	141
grupo2.LP.VerFavoritos	144

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

src/main/java/grupo2/Main.java	153
src/main/java/grupo2/LD/BaseDeDatos.java	147
src/main/java/grupo2/LN/Calendario.java	147
src/main/java/grupo2/LN/Complemento.java	147
src/main/java/grupo2/LN/Conjunto.java	148
src/main/java/grupo2/LN/Fecha.java	148
src/main/java/grupo2/LN/GestorComplemento.java	148
src/main/java/grupo2/LN/GestorConjuntos.java	148
src/main/java/grupo2/LN/GestorPrendas.java	149
src/main/java/grupo2/LN/GestorUsuario.java	149
src/main/java/grupo2/LN/IEuskalmet.java	149
src/main/java/grupo2/LN/Prenda.java	149
src/main/java/grupo2/LN/usuario.java	150
src/main/java/grupo2/LP/CalendarProgram.java	150
src/main/java/grupo2/LP/InsertarComplemento.java	150
src/main/java/grupo2/LP/InsertarConjunto.java	150
src/main/java/grupo2/LP/InsertarConjuntoAleatorio.java	151
src/main/java/grupo2/LP/InsertarPrenda.java	151
src/main/java/grupo2/LP/PanelArmario.java	151
src/main/java/grupo2/LP/PanelMenu.java	151
src/main/java/grupo2/LP/Principal.java	152
src/main/java/grupo2/LP/Registrarse.java	152
src/main/java/grupo2/LP/VerCalendario.java	152
src/main/java/grupo2/LP/VerFavoritos.java	152
src/test/java/grupo2/AppTest.java	153
src/test/java/grupo2/CalendarioTest.java	153
src/test/java/grupo2/ComplementoTest.java	153
src/test/java/grupo2/ConjuntoTest.java	154
src/test/java/grupo2/ContiperfTest.java	154
src/test/java/grupo2/FechaTest.java	154
src/test/java/grupo2/GestorComplementoTest.java	154
src/test/java/grupo2/GestorConjuntosTest.java	155
src/test/java/grupo2/GestorPrendaTest.java	155
src/test/java/grupo2/GestorUsuarioTest.java	155
src/test/java/grupo2/InsertarPrendaTest.java	155
src/test/java/grupo2/MockTestEuskalmet.java	156
src/test/java/grupo2/PrendaTest.java	156
src/test/java/grupo2/usuarioTest.java	156

Chapter 5

Namespace Documentation

5.1 Package grupo2

Packages

- package [LD](#)
- package [LN](#)
- package [LP](#)

Classes

- class [AppTest](#)
- class [CalendarioTest](#)
- class [ComplementoTest](#)
- class [ConjuntoTest](#)
- class [ContiperfTest](#)
- class [FechaTest](#)
- class [GestorComplementoTest](#)
- class [GestorConjuntosTest](#)
- class [GestorPrendaTest](#)
- class [GestorUsuarioTest](#)
- class [InsertarPrendaTest](#)
- class [Main](#)
- class [MockTestEuskalmet](#)
- class [PrendaTest](#)
- class [usuarioTest](#)

5.2 Package grupo2.LD

Classes

- class [BaseDeDatos](#)

5.3 Package grupo2.LN

Classes

- class [Calendario](#)
- class [Complemento](#)
- class [Conjunto](#)
- class [Fecha](#)
- class [GestorComplemento](#)
- class [GestorConjuntos](#)
- class [GestorPrendas](#)
- class [GestorUsuario](#)
- interface [IEuskalment](#)
- class [Prenda](#)
- class [usuario](#)

5.4 Package grupo2.LP

Classes

- class [CalendarProgram](#)
- class [InsertarComplemento](#)
- class [InsertarConjunto](#)
- class [InsertarConjuntoAleatorio](#)
- class [InsertarPrenda](#)
- class [PanelArmario](#)
- class [PanelMenu](#)
- class [Principal](#)
- class [Registrarse](#)
- class [VerCalendario](#)
- class [VerFavoritos](#)

Chapter 6

Class Documentation

6.1 grupo2.AppTest Class Reference

Public Member Functions

- void [shouldAnswerWithTrue \(\)](#)

6.1.1 Detailed Description

Unit test for simple App.

6.1.2 Member Function Documentation

6.1.2.1 [shouldAnswerWithTrue\(\)](#)

```
void grupo2.AppTest.shouldAnswerWithTrue ( )
```

Rigorous Test :-)

The documentation for this class was generated from the following file:

- [src/test/java/grupo2/AppTest.java](#)

6.2 grupo2.LD.BaseDeDatos Class Reference

Public Member Functions

- [BaseDeDatos \(\)](#)

Static Public Member Functions

- static Connection `initBD` (String nombreBD)
- static void `close` ()
- static Connection `getConnection` ()
- static Statement `getStatement` ()
- static void `crearTablaBDUsuario` ()
- static void `crearTablaBDPrenda` ()
- static void `crearTablaBDComplemento` ()
- static void `crearTablaUsuarioSesion` ()
- static void `crearTablaBDConjunto` ()
- static void `crearTablaBDPropuestas` ()
- static void `crearTablaBDCalendario` ()
- static void `inicializarValores` ()

6.2.1 Constructor & Destructor Documentation

6.2.1.1 `BaseDeDatos()`

```
grupo2.LD.BaseDeDatos.BaseDeDatos ( )
```

6.2.2 Member Function Documentation

6.2.2.1 `close()`


```
static void grupo2.LD.BaseDeDatos.close ( ) [static]
```

Cierra la conexión con la Base de Datos

6.2.2.2 `crearTablaBDCalendario()`

```
static void grupo2.LD.BaseDeDatos.crearTablaBDCalendario ( ) [static]
```

Here is the caller graph for this function:



6.2.2.3 crearTablaBDComplemento()

```
static void grupo2.LD.BaseDeDatos.crearTablaBDComplemento ( ) [static]
```


Here is the caller graph for this function:



6.2.2.4 crearTablaBDConjunto()

```
static void grupo2.LD.BaseDeDatos.crearTablaBDConjunto ( ) [static]
```


Here is the caller graph for this function:



6.2.2.5 crearTablaBDPrenda()

```
static void grupo2.LD.BaseDeDatos.crearTablaBDPrenda ( ) [static]
```

Here is the caller graph for this function:



6.2.2.6 crearTablaBDPropuestas()

```
static void grupo2.LD.BaseDeDatos.crearTablaBDPropuestas ( ) [static]
```


Here is the caller graph for this function:



6.2.2.7 crearTablaBDUsuario()

```
static void grupo2.LD.BaseDeDatos.crearTablaBDUsuario ( ) [static]
```


Crea una tabla en una base de datos, si no existia ya. Debe haberse inicializado la conexión correctamente. Here is the caller graph for this function:



6.2.2.8 crearTablaUsuarioSesion()

```
static void grupo2.LD.BaseDeDatos.crearTablaUsuarioSesion ( ) [static]
```

Here is the caller graph for this function:



6.2.2.9 getConnection()

```
static Connection grupo2.LD.BaseDeDatos.getConnection ( ) [static]
```

Devuelve la conexion si ha sido establecida previamente ([initBD\(\)](#)).

Returns

Conexion con la BD, null si no se ha establecido correctamente.

6.2.2.10 getStatement()


```
static Statement grupo2.LD.BaseDeDatos.getStatement ( ) [static]
```

Devuelve una sentencia para trabajar con la BD, si la conexion si ha sido establecida previamente ([initBD\(\)](#)).

Returns

Sentencia de trabajo con la BD, null si no se ha establecido correctamente.


Here is the caller graph for this function:



6.2.2.11 inicializarValores()

```
static void grupo2.LD.BaseDeDatos.inicializarValores ( ) [static]
```

Here is the caller graph for this function:



6.2.2.12 initBD()

```
static Connection grupo2.LD.BaseDeDatos.initBD (
    String nombreBD ) [static]
```

Inicializa una BD SQLITE y devuelve una conexion con ella. Debe llamarse a este metodo antes que ningun otro, y debe devolver no null para poder seguir trabajando con la BD.


Parameters

<i>nombreBD</i>	Nombre de fichero de la base de datos
-----------------	---------------------------------------

Returns

Conexion con la base de datos indicada. Si hay algun error, se devuelve null

Here is the caller graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LD/BaseDeDatos.java

6.3 grupo2.LN.Calendario Class Reference

Inheritance diagram for grupo2.LN.Calendario:



Collaboration diagram for grupo2.LN.Calendario:



Public Member Functions


- `Calendario (int id, int idConjunto, String usuario, Fecha fecha)`
- `int getId ()`
- `void setId (int id)`
- `String getUsuario ()`
- `void setUsuario (String usuario2)`
- `int compareTo (Object o)`
- `Fecha getFecha ()`
- `void setFecha (Fecha fecha)`
- `int getIdConjunto ()`
- `void setIdConjunto (int idConjunto)`

6.3.1 Constructor & Destructor Documentation

6.3.1.1 Calendario()

```
grupo2.LN.Calendario.Calendario (
    int id,
    int idConjunto,
    String usuario,
    Fecha fecha )
```

Here is the call graph for this function:



6.3.2 Member Function Documentation


6.3.2.1 compareTo()

```
int grupo2.LN.Calendario.compareTo (
    Object o )
```

6.3.2.2 getFecha()

```
Fecha grupo2.LN.Calendario.getFecha ( )
```


Here is the caller graph for this function:



6.3.2.3 getId()

```
int grupo2.LN.Calendario.getId ( )
```


Here is the caller graph for this function:



6.3.2.4 getIdConjunto()

```
int grupo2.LN.Calendario.getIdConjunto ( )
```

Here is the caller graph for this function:



6.3.2.5 getUsuario()

```
String grupo2.LN.Calendario.getUsuario ( )
```


Here is the caller graph for this function:



6.3.2.6 setFecha()

```
void grupo2.LN.Calendario.setFecha (   
    Fecha fecha )
```


Here is the caller graph for this function:



6.3.2.7 setId()

```
void grupo2.LN.Calendario.setId (   
    int id )
```


Here is the caller graph for this function:



6.3.2.8 setIdConjunto()

```
void grupo2.LN.Calendario.setIdConjunto ( int idConjunto )
```


Here is the caller graph for this function:



6.3.2.9 setUsuario()

```
void grupo2.LN.Calendario.setUsuario ( String usuario2 )
```

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LN/[Calendario.java](#)

6.4 grupo2.CalendarioTest Class Reference

Public Member Functions


- void [test \(\)](#)
- void [testGetId \(\)](#)
- void [testSetId \(\)](#)
- void [testGetUsuario \(\)](#)
- void [testSetusuario \(\)](#)
- void [getFecha \(\)](#)
- void [setFecha \(\)](#)
- void [getIdConjunto \(\)](#)
- void [setIdConjunto \(\)](#)

6.4.1 Member Function Documentation

6.4.1.1 getFecha()

```
void grupo2.CalendarioTest.getFecha ( )
```


Here is the call graph for this function:



6.4.1.2 getIdConjunto()

```
void grupo2.CalendarioTest.getIdConjunto ( )
```


Here is the call graph for this function:



6.4.1.3 setFecha()

```
void grupo2.CalendarioTest.setFecha ( )
```


Here is the call graph for this function:



6.4.1.4 setIdConjunto()

```
void grupo2.CalendarioTest.setIdConjunto( )
```

Here is the call graph for this function:




6.4.1.5 test()

```
void grupo2.CalendarioTest.test( )
```

6.4.1.6 testGetId()

```
void grupo2.CalendarioTest.testGetId( )
```


Here is the call graph for this function:



6.4.1.7 testGetUsuario()

```
void grupo2.CalendarioTest.testGetUsuario ( )
```

Here is the call graph for this function:



6.4.1.8 testSetId()

```
void grupo2.CalendarioTest.testSetId ( )
```


Here is the call graph for this function:



6.4.1.9 testSetusuario()

```
void grupo2.CalendarioTest.testSetusuario ( )
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- src/test/java/grupo2/CalendarTest.java

6.5 grupo2.LP.CalendarProgram Class Reference

Classes

- class **btnNext_Action**
- class **btnPrev_Action**
- class **btnRegistrar_Action**
- class **cmbYear_Action**
- class **lvwCalendarRenderer**
- class **tblCalendarRenderer**

Public Member Functions

- void [CrearCalendario \(\)](#)

Static Public Member Functions

- static void [refreshCalendar \(int month, int year\)](#)

6.5.1 Member Function Documentation

6.5.1.1 CrearCalendario()

```
void grupo2.LP.CalendarProgram.CrearCalendario ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:



6.5.1.2 refreshCalendar()

```
static void grupo2.LP.CalendarProgram.refreshCalendar (
    int month,
    int year ) [static]
```

Here is the caller graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/[CalendarProgram.java](#)

6.6 grupo2.LN.Complemento Class Reference

Inheritance diagram for grupo2.LN.Complemento:



Collaboration diagram for grupo2.LN.Complemento:



Public Member Functions

- `Complemento` (int *id*, String *nombre*, String *color*, String *imagen*, String *usuario*)
- String `getNombre` ()
- void `setNombre` (String *nombre*)
- String `getColor` ()
- void `setColor` (String *color*)
- String `getImagen` ()
- void `setImagen` (String *imagen*)
- int `compareTo` (Object *o*)
- int `getId` ()
- void `setId` (int *id*)
- String `getUsuario` ()
- void `setUsuario` (String *usuario*)

6.6.1 Constructor & Destructor Documentation

6.6.1.1 Complemento()

```
grupo2.LN.Complemento.Complemento (
    int id,
    String nombre,
    String color,
    String imagen,
    String usuario )
```

Here is the call graph for this function:



6.6.2 Member Function Documentation


6.6.2.1 compareTo()

```
int grupo2.LN.Complemento.compareTo (
    Object o )
```

6.6.2.2 getColor()

```
String grupo2.LN.Complemento.getColor ( )
```


Here is the caller graph for this function:



6.6.2.3 getId()

```
int grupo2.LN.Complemento.getId ( )
```

Here is the caller graph for this function:



6.6.2.4 getImagen()

```
String grupo2.LN.Complemento.getImagen ( )
```


Here is the caller graph for this function:



6.6.2.5 getNombre()

```
String grupo2.LN.Complemento.getNombre ( )
```


Here is the caller graph for this function:



6.6.2.6 getUsuario()

```
String grupo2.LN.Complemento.getUsuario ( )
```


Here is the caller graph for this function:



6.6.2.7 setColor()

```
void grupo2.LN.Complemento.setColor (
    String color )
```


Here is the caller graph for this function:



6.6.2.8 setId()

```
void grupo2.LN.Complemento.setId ( int id )
```

Here is the caller graph for this function:




6.6.2.9 setImagen()

```
void grupo2.LN.Complemento.setImagen ( String imagen )
```

6.6.2.10 setNombre()

```
void grupo2.LN.Complemento.setNombre (
    String nombre )
```


Here is the caller graph for this function:



6.6.2.11 setUsuario()

```
void grupo2.LN.Complemento.setUsuario (
    String usuario )
```

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LN/[Complemento.java](#)

6.7 grupo2.ComplementoTest Class Reference

Public Member Functions

- void `testComplemento ()`
- void `testGetNombre ()`
- void `testSetNombre ()`
- void `testGetColor ()`
- void `testSetColor ()`
- void `testCompareTo ()`
- void `testGetId ()`
- void `testSetId ()`
- void `testGetUsuario ()`
- void `testSetUsuario ()`

6.7.1 Member Function Documentation

6.7.1.1 `testCompareTo()`

```
void grupo2.ComplementoTest.testCompareTo ( )
```


6.7.1.2 `testComplemento()`

```
void grupo2.ComplementoTest.testComplemento ( )
```

6.7.1.3 `testGetColor()`

```
void grupo2.ComplementoTest.testGetColor ( )
```


Here is the call graph for this function:



6.7.1.4 testGetId()

```
void grupo2.ComplementoTest.testGetId ( )
```


Here is the call graph for this function:



6.7.1.5 testGetNombre()

```
void grupo2.ComplementoTest.testGetNombre ( )
```


Here is the call graph for this function:



6.7.1.6 testGetUsuario()

```
void grupo2.ComplementoTest.testGetUsuario ( )
```


Here is the call graph for this function:



6.7.1.7 testSetColor()

```
void grupo2.ComplementoTest.testSetColor ( )
```


Here is the call graph for this function:



6.7.1.8 testSetId()

```
void grupo2.ComplementoTest.testSetId ( )
```


Here is the call graph for this function:



6.7.1.9 testSetName()

```
void grupo2.ComplementoTest.testSetName ( )
```


Here is the call graph for this function:



6.7.1.10 testSetUsuario()

```
void grupo2.ComplementoTest.testSetUsuario ( )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- [src/test/java/grupo2/ComplementoTest.java](#)

6.8 grupo2.LN.Conjunto Class Reference

Inheritance diagram for grupo2.LN.Conjunto:



Collaboration diagram for grupo2.LN.Conjunto:



Public Member Functions


- `Conjunto (int id, int prenda1, int prenda2, String usuario, int favorito)`
- `int getPrenda1 ()`
- `void setPrenda1 (int prenda12)`
- `int getId ()`
- `void setId (int id)`
- `int getPrenda2 ()`
- `void setPrenda2 (int prenda22)`
- `String getUsuario ()`
- `void setUsuario (String usuario2)`
- `int getFavorito ()`
- `void setFavorito (int favorito)`
- `int compareTo (Object o)`

6.8.1 Constructor & Destructor Documentation

6.8.1.1 Conjunto()

```
grupo2.LN.Conjunto.Conjunto (
    int id,
    int prenda1,
    int prenda2,
    String usuario,
    int favorito )
```

Here is the call graph for this function:



6.8.2 Member Function Documentation


6.8.2.1 compareTo()

```
int grupo2.LN.Conjunto.compareTo (
    Object o )
```

6.8.2.2 getFavorito()

```
int grupo2.LN.Conjunto.getFavorito ( )
```


Here is the caller graph for this function:



6.8.2.3 getId()

```
int grupo2.LN.Conjunto.getId ( )
```


Here is the caller graph for this function:



6.8.2.4 getPrenda1()

```
int grupo2.LN.Conjunto.getPrenda1 ( )
```


Here is the caller graph for this function:



6.8.2.5 getPrenda2()

```
int grupo2.LN.Conjunto.getPrenda2 ( )
```


Here is the caller graph for this function:



6.8.2.6 getUsuario()

```
String grupo2.LN.Conjunto.getUsuario ( )
```

Here is the caller graph for this function:



6.8.2.7 setFavorito()

```
void grupo2.LN.Conjunto.setFavorito ( int favorito )
```


Here is the caller graph for this function:



6.8.2.8 setId()

```
void grupo2.LN.Conjunto.setId ( int id )
```


Here is the caller graph for this function:



6.8.2.9 setPrenda1()

```
void grupo2.LN.Conjunto.setPrenda1 ( int prendal2 )
```

Here is the caller graph for this function:



6.8.2.10 setPrenda2()

```
void grupo2.LN.Conjunto.setPrenda2 ( int prendal2 )
```


Here is the caller graph for this function:



6.8.2.11 setUsuario()

```
void grupo2.LN.Conjunto.setUsuario (
    String usuario2 )
```

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LN/[Conjunto.java](#)

6.9 grupo2.ConjuntoTest Class Reference

Public Member Functions

- void [testConjunto \(\)](#)
- void [testGetPrenda1 \(\)](#)
- void [testSetPrenda1 \(\)](#)
- void [testGetId \(\)](#)
- void [testSetId \(\)](#)
- void [testGetPrenda2 \(\)](#)
- void [testSetPrenda2 \(\)](#)
- void [testGetUsuario \(\)](#)
- void [testSetUsuario \(\)](#)
- void [testGetFavorito \(\)](#)
- void [testSetFavorito \(\)](#)
- void [testCompareTo \(\)](#)

6.9.1 Member Function Documentation

6.9.1.1 testCompareTo()

```
void grupo2.ConjuntoTest.testCompareTo ( )
```


6.9.1.2 testConjunto()

```
void grupo2.ConjuntoTest.testConjunto ( )
```

6.9.1.3 testGetFavorito()

```
void grupo2.ConjuntoTest.testGetFavorito ( )
```

Here is the call graph for this function:



6.9.1.4 testGetId()

```
void grupo2.ConjuntoTest.testGetId ( )
```


Here is the call graph for this function:



6.9.1.5 testGetPrenda1()

```
void grupo2.ConjuntoTest.testGetPrenda1 ( )
```


Here is the call graph for this function:



6.9.1.6 testGetPrenda2()

```
void grupo2.ConjuntoTest.testGetPrenda2 ( )
```


Here is the call graph for this function:



6.9.1.7 testGetUsuario()

```
void grupo2.ConjuntoTest.testGetUsuario ( )
```


Here is the call graph for this function:



6.9.1.8 testSetFavorito()

```
void grupo2.ConjuntoTest.testSetFavorito ( )
```

Here is the call graph for this function:



6.9.1.9 testSetId()

```
void grupo2.ConjuntoTest.testSetId ( )
```


Here is the call graph for this function:



6.9.1.10 testSetPrenda1()

```
void grupo2.ConjuntoTest.testSetPrenda1 ( )
```


Here is the call graph for this function:



6.9.1.11 testSetPrenda2()

```
void grupo2.ConjuntoTest.testSetPrenda2 ( )
```


Here is the call graph for this function:



6.9.1.12 testSetUsuario()

```
void grupo2.ConjuntoTest.testSetUsuario ( )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:

- [src/test/java/grupo2/ConjuntoTest.java](#)

6.10 grupo2.ContiperfTest Class Reference

Collaboration diagram for grupo2.ContiperfTest:



Public Member Functions

- void `testchequearYaEnTablaP()` throws Exception
- void `testchequearYaEnTablaU()` throws Exception
- void `testanyadirPrenda()` throws Exception
- void `testchequearYaEnTabla2U()` throws Exception
- void `testanyadirFilaATablauUsuario()` throws Exception
- void `testanyadirFilaATablauUsuario2()` throws Exception
- void `testchequearYaEnTablaLOGIN()` throws Exception
- void `testmodificarUsuarioSistema()` throws Exception

Public Attributes

- ContiPerfRule `i = new ContiPerfRule()`

6.10.1 Member Function Documentation

6.10.1.1 `testanyadirFilaATablauUsuario()`

```
void grupo2.ContiperfTest.testanyadirFilaATablauUsuario ( ) throws Exception
```

6.10.1.2 `testanyadirFilaATablauUsuario2()`

```
void grupo2.ContiperfTest.testanyadirFilaATablauUsuario2 ( ) throws Exception
```

6.10.1.3 `testanyadirPrenda()`

```
void grupo2.ContiperfTest.testanyadirPrenda ( ) throws Exception
```

6.10.1.4 `testchequearYaEnTabla2U()`

```
void grupo2.ContiperfTest.testchequearYaEnTabla2U ( ) throws Exception
```

6.10.1.5 testchequearYaEnTablaLOGIN()

```
void grupo2.ContiperfTest.testchequearYaEnTablaLOGIN ( ) throws Exception
```

6.10.1.6 testchequearYaEnTablaP()

```
void grupo2.ContiperfTest.testchequearYaEnTablaP ( ) throws Exception
```

6.10.1.7 testchequearYaEnTablaU()

```
void grupo2.ContiperfTest.testchequearYaEnTablaU ( ) throws Exception
```

6.10.1.8 testmodificarUsuarioSistema()

```
void grupo2.ContiperfTest.testmodificarUsuarioSistema ( ) throws Exception
```

6.10.2 Member Data Documentation

6.10.2.1 i


```
ContiPerfRule grupo2.ContiperfTest.i = new ContiPerfRule()
```

The documentation for this class was generated from the following file:


- src/test/java/grupo2/[ContiperfTest.java](#)

6.11 grupo2.LN.Fecha Class Reference

Inheritance diagram for grupo2.LN.Fecha:



Collaboration diagram for grupo2.LN.Fecha:



Public Member Functions


- [Fecha](#) (int año, int mes, int dia)
- int [getAño](#) ()
- void [setAño](#) (int año)
- String [getMes](#) ()
- void [setMes](#) (int mes)
- int [getDia](#) ()
- void [setDia](#) (int dia)
- int [compareTo](#) (Object o)

6.11.1 Constructor & Destructor Documentation

6.11.1.1 Fecha()

```
grupo2.LN.Fecha.Fecha (
    int año,
    int mes,
    int dia )
```

Here is the call graph for this function:



6.11.2 Member Function Documentation


6.11.2.1 compareTo()

```
int grupo2.LN.Fecha.compareTo (
    Object o )
```

6.11.2.2 getAño()

```
int grupo2.LN.Fecha.getAño ( )
```


Here is the caller graph for this function:



6.11.2.3 getDia()

```
int grupo2.LN.Fecha.getDia ( )
```


Here is the caller graph for this function:



6.11.2.4 getMes()

```
String grupo2.LN.Fecha.getMes ( )
```


Here is the caller graph for this function:



6.11.2.5 setAño()

```
void grupo2.LN.Fecha.setAño ( int año )
```

Here is the caller graph for this function:



6.11.2.6 setDia()

```
void grupo2.LN.Fecha.setDia ( int dia )
```


Here is the caller graph for this function:



6.11.2.7 setMes()

```
void grupo2.LN.Fecha.setMes ( int mes )
```

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LN/[Fecha.java](#)

6.12 grupo2.FechaTest Class Reference

Public Member Functions

- void [test\(\)](#)
- void [getAño\(\)](#)
- void [setAño\(\)](#)
- void [getMes\(\)](#)
- void [setMes\(\)](#)
- void [getDia\(\)](#)
- void [setDia\(\)](#)

6.12.1 Member Function Documentation

6.12.1.1 [getAño\(\)](#)

```
void grupo2.FechaTest.getAño( )
```

Here is the call graph for this function:



6.12.1.2 getDia()

```
void grupo2.FechaTest.getDia( )
```


Here is the call graph for this function:



6.12.1.3 getMes()

```
void grupo2.FechaTest.getMes( )
```

Here is the call graph for this function:



6.12.1.4 setAño()

```
void grupo2.FechaTest.setAño( )
```

Here is the call graph for this function:



6.12.1.5 setDia()

```
void grupo2.FechaTest.setDia( )
```

Here is the call graph for this function:



6.12.1.6 setMes()

```
void grupo2.FechaTest.setMes( )
```

Here is the call graph for this function:



6.12.1.7 test()

```
void grupo2.FechaTest.test( )
```

The documentation for this class was generated from the following file:

- src/test/java/grupo2/[FechaTest.java](#)

6.13 grupo2.LN.GestorComplemento Class Reference

Public Member Functions

- [GestorComplemento\(\)](#)
- int [maxIdComp\(\)](#)
- boolean [anyadirComplemento\(Statement st, Complemento complemento\)](#)
- [Complemento \[\] selectComplementos\(\)](#)
- boolean [EliminarComplemento\(int id\)](#)

6.13.1 Constructor & Destructor Documentation

6.13.1.1 GestorComplemento()


```
grupo2.LN.GestorComplemento.GestorComplemento ( )
```

6.13.2 Member Function Documentation


6.13.2.1 anyadirComplemento()

```
boolean grupo2.LN.GestorComplemento.anyadirComplemento (
    Statement st,
    Complemento complemento )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.13.2.2 EliminarComplemento()

```
boolean grupo2.LN.GestorComplemento.EliminarComplemento (
    int id )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.13.2.3 maxIdComp()

```
int grupo2.LN.GestorComplemento.maxIdComp ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.13.2.4 selectComplementos()

```
Complemento [ ] grupo2.LN.GestorComplemento.selectComplementos ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LN/GestorComplemento.java

6.14 grupo2.GestorComplementoTest Class Reference

Public Member Functions


- void [setUp \(\)](#)
- void [testGestorComplemento \(\)](#)
- void [testMaxIdComp \(\)](#)
- void [testAnyadirComplemento \(\)](#)
- void [testSelectComplementos \(\)](#)

6.14.1 Member Function Documentation

6.14.1.1 setUp()

```
void grupo2.GestorComplementoTest.setUp ( )
```


Here is the call graph for this function:



6.14.1.2 testAnyadirComplemento()

```
void grupo2.GestorComplementoTest.testAnyadirComplemento ( )
```

Here is the call graph for this function:



6.14.1.3 testGestorComplemento()

```
void grupo2.GestorComplementoTest.testGestorComplemento ( )
```

6.14.1.4 testMaxIdComp()

```
void grupo2.GestorComplementoTest.testMaxIdComp ( )
```

6.14.1.5 testSelectComplementos()

```
void grupo2.GestorComplementoTest.testSelectComplementos ( )
```

The documentation for this class was generated from the following file:

- src/test/java/grupo2/GestorComplementoTest.java

6.15 grupo2.LN.GestorConjuntos Class Reference

Public Member Functions


- [GestorConjuntos \(\)](#)
- int [maxIdConjunto \(\)](#)
- int [maxIdPropuesta \(\)](#)
- int [maxIdCalendario \(\)](#)
- boolean [anyadirConjunto \(Conjunto conjunto\)](#)
- boolean [anyadirConjuntoA \(Conjunto conjunto\)](#)
- boolean [anyadirConjuntoCalendario \(int idConjunto\)](#)
- boolean [anyadriFechaCalendario \(int año, String mes, int dia\)](#)
- boolean [modifFavConjunto \(int id\)](#)
- boolean [modifNoFavConjunto \(int id\)](#)
- boolean [deleteCalendario \(int id\)](#)
- [Conjunto \[\] selectConjuntos \(\)](#)
- [Conjunto \[\] selectPropuestas \(\)](#)
- [Calendario \[\] selectCalendario \(\)](#)
- [Conjunto \[\] selectConjuntosFav \(\)](#)
- [Conjunto \[\] selectPropuestaFav \(\)](#)
- [Conjunto conjuntoconID \(int id\)](#)
- boolean [modifFavAleatorio \(int id\)](#)
- boolean [modifNoFavAleatorio \(int id\)](#)
- int [crearAleatorio1 \(\)](#)
- int [crearAleatorio2 \(\)](#)
- int [crearLluvia1 \(\)](#)
- int [crearLluvia2 \(\)](#)
- int [crearCalor1 \(\)](#)
- int [crearCalor2 \(\)](#)
- int [crearFrio1 \(\)](#)
- int [crearFrio2 \(\)](#)
- int [crearUrbano1 \(\)](#)
- int [crearUrbano2 \(\)](#)
- int [crearFormal1 \(\)](#)
- int [crearFormal2 \(\)](#)
- boolean [EliminarConjunto \(int id\)](#)
- boolean [EliminarPropuesta \(int id\)](#)
- boolean [modifConjAleatorio \(int indice4\)](#)

6.15.1 Constructor & Destructor Documentation

6.15.1.1 GestorConjuntos()

```
grupo2.LN.GestorConjuntos.GestorConjuntos ( )
```

Here is the call graph for this function:




6.15.2 Member Function Documentation


6.15.2.1 anyadirConjunto()

```
boolean grupo2.LN.GestorConjuntos.anyadirConjunto (
    Conjunto conjunto )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.2 anyadirConjuntoA()

```
boolean grupo2.LN.GestorConjuntos.anyadirConjuntoA (  
    Conjunto conjunto )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.3 anyadirConjuntoCalendario()

```
boolean grupo2.LN.GestorConjuntos.anyadirConjuntoCalendario (
    int idConjunto )
```

Here is the call graph for this function:




Here is the caller graph for this function:



6.15.2.4 anyadriFechaCalendario()

```
boolean grupo2.LN.GestorConjuntos.anyadriFechaCalendario (
    int año,
    String mes,
    int dia )
```

Here is the call graph for this function:



6.15.2.5 conjuntoconID()

```
Conjunto grupo2.LN.GestorConjuntos.conjuntoconID (
    int id )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.6 crearAleatorio1()

```
int grupo2.LN.GestorConjuntos.crearAleatorio1 ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.7 crearAleatorio2()

```
int grupo2.LN.GestorConjuntos.crearAleatorio2 ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.8 crearCalor1()

```
int grupo2.LN.GestorConjuntos.crearCalor1 ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.9 crearCalor2()

```
int grupo2.LN.GestorConjuntos.crearCalor2 ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.10 crearFormal1()

```
int grupo2.LN.GestorConjuntos.crearFormal1 ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.11 crearFormal2()

```
int grupo2.LN.GestorConjuntos.crearFormal2 ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.12 crearFrio1()

```
int grupo2.LN.GestorConjuntos.crearFrio1( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.13 crearFrio2()

```
int grupo2.LN.GestorConjuntos.crearFrio2 ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.14 crearLluvia1()

```
int grupo2.LN.GestorConjuntos.crearLluvial ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.15 crearLluvia2()

```
int grupo2.LN.GestorConjuntos.crearLluvia2( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.16 crearUrbano1()

```
int grupo2.LN.GestorConjuntos.crearUrbano1 ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.17 crearUrbano2()

```
int grupo2.LN.GestorConjuntos.crearUrbano2 ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.15.2.18 deleteCalendario()

```
boolean grupo2.LN.GestorConjuntos.deleteCalendario (
    int id )
```

Here is the call graph for this function:




Here is the caller graph for this function:



6.15.2.19 EliminarConjunto()

```
boolean grupo2.LN.GestorConjuntos.EliminarConjunto (
    int id )
```

Here is the call graph for this function:




Here is the caller graph for this function:



6.15.2.20 EliminarPropuesta()

```
boolean grupo2.LN.GestorConjuntos.EliminarPropuesta ( int id )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.21 maxIdCalendario()

```
int grupo2.LN.GestorConjuntos.maxIdCalendario ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.15.2.22 maxIdConjunto()

```
int grupo2.LN.GestorConjuntos.maxIdConjunto ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.15.2.23 maxIdPropuesta()

```
int grupo2.LN.GestorConjuntos.maxIdPropuesta ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.15.2.24 modifConjAleatorio()

```
boolean grupo2.LN.GestorConjuntos.modifConjAleatorio (
    int indice4 )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.15.2.25 modifFavAleatorio()

```
boolean grupo2.LN.GestorConjuntos.modifFavAleatorio (\n    int id )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.15.2.26 modifFavConjunto()

```
boolean grupo2.LN.GestorConjuntos.modifFavConjunto (\n    int id )
```

Here is the call graph for this function:



Here is the caller graph for this function:



6.15.2.27 modifNoFavAleatorio()

```
boolean grupo2.LN.GestorConjuntos.modifNoFavAleatorio ( int id )
```

Here is the call graph for this function:




6.15.2.28 modifNoFavConjunto()

```
boolean grupo2.LN.GestorConjuntos.modifNoFavConjunto ( int id )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.29 selectCalendario()

```
Calendario [] grupo2.LN.GestorConjuntos.selectCalendario ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.30 selectConjuntos()

```
Conjunto [ ] grupo2.LN.GestorConjuntos.selectConjuntos ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.31 selectConjuntosFav()

```
Conjunto [ ] grupo2.LN.GestorConjuntos.selectConjuntosFav ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.32 selectPropuestaFav()

```
Conjunto [ ] grupo2.LN.GestorConjuntos.selectPropuestaFav ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.15.2.33 selectPropuestas()

```
Conjunto [ ] grupo2.LN.GestorConjuntos.selectPropuestas ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LN/GestorConjuntos.java

6.16 grupo2.GestorConjuntosTest Class Reference

Public Member Functions


- void [setUp \(\)](#)
- void [testanyadirConjunto \(\)](#)
- void [testmaxIdConjunto \(\)](#)
- void [testmaxIdPropuesta \(\)](#)
- void [testmaxIdCalendario \(\)](#)
- void [testanyadirConjuntoA \(\)](#)
- void [testselectConjuntos \(\)](#)
- void [testselectPropuestas \(\)](#)
- void [testselectCalendario \(\)](#)
- void [testselectConjuntosFav \(\)](#)
- void [testconjuntoconID \(\)](#)

6.16.1 Member Function Documentation

6.16.1.1 setUp()

```
void grupo2.GestorConjuntosTest.setUp ( )
```


Here is the call graph for this function:



6.16.1.2 testanyadirConjunto()

```
void grupo2.GestorConjuntosTest.testanyadirConjunto ( )
```


Here is the call graph for this function:



6.16.1.3 testanyadirConjuntoA()

```
void grupo2.GestorConjuntosTest.testanyadirConjuntoA( )
```

Here is the call graph for this function:



6.16.1.4 testconjuntoconID()

```
void grupo2.GestorConjuntosTest.testconjuntoconID( )
```


Here is the call graph for this function:



6.16.1.5 testmaxIdCalendario()

```
void grupo2.GestorConjuntosTest.testmaxIdCalendario( )
```

Here is the call graph for this function:



6.16.1.6 testmaxIdConjunto()

```
void grupo2.GestorConjuntosTest.testmaxIdConjunto ( )
```


Here is the call graph for this function:



6.16.1.7 testmaxIdPropuesta()

```
void grupo2.GestorConjuntosTest.testmaxIdPropuesta ( )
```


Here is the call graph for this function:



6.16.1.8 testselectCalendario()

```
void grupo2.GestorConjuntosTest.testselectCalendario ( )
```


Here is the call graph for this function:



6.16.1.9 testselectConjuntos()

```
void grupo2.GestorConjuntosTest.testselectConjuntos ( )
```


Here is the call graph for this function:



6.16.1.10 testselectConjuntosFav()

```
void grupo2.GestorConjuntosTest.testselectConjuntosFav ( )
```


Here is the call graph for this function:



6.16.1.11 testselectPropuestas()

```
void grupo2.GestorConjuntosTest.testselectPropuestas ( )
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- src/test/java/grupo2/GestorConjuntosTest.java

6.17 grupo2.LN.GestorPrendas Class Reference

Public Member Functions

- `GestorPrendas()`
- `int maxIdPrenda()`
- `boolean anyadirPrenda(Statement st, Prenda prenda)`
- `Prenda[] selectPrendas()`
- `String nombrePrendaconID(int id)`
- `Conjunto[] selectFavoritos(Statement st)`
- `boolean EliminarPrenda(int id)`

6.17.1 Constructor & Destructor Documentation

6.17.1.1 GestorPrendas()


```
grupo2.LN.GestorPrendas.GestorPrendas( )
```

6.17.2 Member Function Documentation


6.17.2.1 anyadirPrenda()

```
boolean grupo2.LN.GestorPrendas.anyadirPrenda (
    Statement st,
    Prenda prenda )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.17.2.2 EliminarPrenda()

```
boolean grupo2.LN.GestorPrendas.EliminarPrenda (
    int id )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.17.2.3 maxIdPrenda()

```
int grupo2.LN.GestorPrendas.maxIdPrenda ( )
```

Here is the call graph for this function:




Here is the caller graph for this function:




6.17.2.4 nombrePrendaconID()

```
String grupo2.LN.GestorPrendas.nombrePrendaconID (
    int id )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.17.2.5 selectFavoritos()

```
Conjunto [ ] grupo2.LN.GestorPrendas.selectFavoritos (
    Statement st )
```


6.17.2.6 selectPrendas()

```
Prenda [ ] grupo2.LN.GestorPrendas.selectPrendas ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LN/GestorPrendas.java

6.18 grupo2.GestorPrendaTest Class Reference

Public Member Functions

- void [setUp \(\)](#)
- void [testanyadirPrendaP \(\)](#)
- void [testmaxIdPrenda \(\)](#)
- void [testnombrePrendaconID \(\)](#)
- void [testselectPrendas \(\)](#)

6.18.1 Detailed Description


Unit test for GestorUsuario.

6.18.2 Member Function Documentation

6.18.2.1 setUp()

```
void grupo2.GestorPrendaTest.setUp ( )
```


Here is the call graph for this function:



6.18.2.2 testanyadirPrendaP()

```
void grupo2.GestorPrendaTest.testanyadirPrendaP ( )
```

Here is the call graph for this function:



6.18.2.3 testmaxIdPrenda()

```
void grupo2.GestorPrendaTest.testmaxIdPrenda ( )
```

Here is the call graph for this function:



6.18.2.4 testnombrePrendaconID()

```
void grupo2.GestorPrendaTest.testnombrePrendaconID ( )
```


Here is the call graph for this function:



6.18.2.5 testselectPrendas()

```
void grupo2.GestorPrendaTest.testselectPrendas ( )
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- src/test/java/grupo2/GestorPrendaTest.java

6.19 grupo2.LN.GestorUsuario Class Reference

Public Member Functions

- `GestorUsuario ()`
- boolean `chequearYaEnTabla (String nombre)`
- boolean `chequearYaEnTablaLOGIN (String nombre, String contrasenya)`
- boolean `anyadirFilaATablauUsuario (usuario user)`
- boolean `anyadirUsuario (usuario user)`
- boolean `modificarFilaEnTablaUsuario (usuario user)`
- boolean `eliminarUsuarioSistema ()`
- boolean `modificarUsuarioSistema (usuario user)`
- String `nombreUsuario ()`

6.19.1 Constructor & Destructor Documentation

6.19.1.1 GestorUsuario()

```
grupo2.LN.GestorUsuario.GestorUsuario ( )
```

Here is the call graph for this function:



6.19.2 Member Function Documentation

6.19.2.1 anyadirFilaATablauUsuario()

```
boolean grupo2.LN.GestorUsuario.anyadirFilaATablauUsuario (
    usuario user )
```

Añade un usuario a la tabla USUARIO de BD, que debe estar abierta y tener el formato y los nombres de campos apropiados: (String nombre, String contrasenya) Usa la sentencia INSERT de SQL.


Parameters

<code>st</code>	Sentencia ya abierta de Base de Datos (con la estructura de tabla correspondiente al usuario)
-----------------	---


Returns

true si la inserción es correcta, false en caso contrario

Here is the call graph for this function:




Here is the caller graph for this function:




6.19.2.2 anyadirUsuario()

```
boolean grupo2.LN.GestorUsuario.anyadirUsuario (
    usuario user )
```

Here is the call graph for this function:



Here is the caller graph for this function:



6.19.2.3 chequearYaEnTabla()

```
boolean grupo2.LN.GestorUsuario.chequearYaEnTabla (
    String nombre )
```

Comprueba si un usuario ya esta en la tabla USUARIO de BD,considerando la trayectoria completa del disco como informacion clave.


Parameters

<code>st</code>	Sentencia ya abierta de base de datos
-----------------	---------------------------------------

Returns


true si el usuario ya esta en la tabla, false en caso contrario

Here is the caller graph for this function:

**6.19.2.4 chequearYaEnTablaLOGIN()**

```
boolean grupo2.LN.GestorUsuario.chequearYaEnTablaLOGIN (
    String nombre,
    String contrasenya )
```


Here is the caller graph for this function:



6.19.2.5 eliminarUsuarioSistema()

```
boolean grupo2.LN.GestorUsuario.eliminarUsuarioSistema ( )
```

Here is the caller graph for this function:



6.19.2.6 modificarFilaEnTablaUsuario()

```
boolean grupo2.LN.GestorUsuario.modificarFilaEnTablaUsuario (
    usuario user )
```

Modifica los datos de un usuario en la tabla USUARIO de BD, que debe estar abierta y tener el formato y los nombres de campos apropiados:(String nombre, String contrasenya) Usa la sentencia UPDATE de SQL.


Parameters

<code>st</code>	Sentencia ya abierta de Base de Datos (con la estructura de tabla correspondiente al usuario)
-----------------	---


Returns

true si la modificacion es correcta, false en caso contrario

Here is the call graph for this function:




Here is the caller graph for this function:




6.19.2.7 modificarUsuarioSistema()

```
boolean grupo2.LN.GestorUsuario.modificarUsuarioSistema (
    usuario user )
```

Here is the call graph for this function:




Here is the caller graph for this function:



6.19.2.8 nombreUsuario()

```
String grupo2.LN.GestorUsuario.nombreUsuario ()
```

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LN/GestorUsuario.java

6.20 grupo2.GestorUsuarioTest Class Reference

Public Member Functions

- void [setUp \(\)](#)
- void [testchequearYaEnTablaU \(\)](#)

6.20.1 Detailed Description


Unit test for GestorUsuario.

6.20.2 Member Function Documentation

6.20.2.1 setUp()

```
void grupo2.GestorUsuarioTest.setUp ( )
```


Here is the call graph for this function:



6.20.2.2 testchequearYaEnTablaU()

```
void grupo2.GestorUsuarioTest.testchequearYaEnTablaU ( )
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- [src/test/java/grupo2/GestorUsuarioTest.java](#)

6.21 grupo2.LN.IEuskalment Interface Reference

Public Member Functions

- int [sensacionTermica](#) (int temp, int i)
- int [probLluvia](#) (int temp, int litros, int met2)
- String [prevMet](#) (int temp, String explic)

6.21.1 Member Function Documentation

6.21.1.1 [prevMet\(\)](#)

```
String grupo2.LN.IEuskalment.prevMet (
    int temp,
    String explic )
```

6.21.1.2 [probLluvia\(\)](#)

```
int grupo2.LN.IEuskalment.probLluvia (
    int temp,
    int litros,
    int met2 )
```

6.21.1.3 [sensacionTermica\(\)](#)


```
int grupo2.LN.IEuskalment.sensacionTermica (
    int temp,
    int i )
```

The documentation for this interface was generated from the following file:


- src/main/java/grupo2/LN/[IEuskalment.java](#)

6.22 grupo2.LP.InsertarComplemento Class Reference

Inheritance diagram for grupo2.LP.InsertarComplemento:



Collaboration diagram for grupo2.LP.InsertarComplemento:



Public Member Functions

- [InsertarComplemento \(\)](#)
- void [actionPerformed \(ActionEvent e\)](#)

6.22.1 Constructor & Destructor Documentation

6.22.1.1 [InsertarComplemento\(\)](#)


```
grupo2.LP.InsertarComplemento.InsertarComplemento ( )
```

6.22.2 Member Function Documentation

6.22.2.1 actionPerformed()

```
void grupo2.LP.InsertarComplemento.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/[InsertarComplemento.java](#)

6.23 grupo2.LP.InsertarConjunto Class Reference

Inheritance diagram for grupo2.LP.InsertarConjunto:



Collaboration diagram for grupo2.LP.InsertarConjunto:



Public Member Functions


- `InsertarConjunto ()`
- void `actionPerformed (ActionEvent e)`

6.23.1 Constructor & Destructor Documentation

6.23.1.1 InsertarConjunto()

```
grupo2.LP.InsertarConjunto.InsertarConjunto ( )
```

Here is the call graph for this function:




6.23.2 Member Function Documentation

6.23.2.1 actionPerformed()

```
void grupo2.LP.InsertarConjunto.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/[InsertarConjunto.java](#)

6.24 grupo2.LP.InsertarConjuntoAleatorio Class Reference

Inheritance diagram for grupo2.LP.InsertarConjuntoAleatorio:



Collaboration diagram for grupo2.LP.InsertarConjuntoAleatorio:



Public Member Functions

- `InsertarConjuntoAleatorio ()`
- `void actionPerformed (ActionEvent e)`
- `void gestionar (int a1, int a2)`

6.24.1 Constructor & Destructor Documentation

6.24.1.1 InsertarConjuntoAleatorio()


```
grupo2.LP.InsertarConjuntoAleatorio.InsertarConjuntoAleatorio ( )
```

6.24.2 Member Function Documentation

6.24.2.1 actionPerformed()

```
void grupo2.LP.InsertarConjuntoAleatorio.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:



6.24.2.2 gestionar()

```
void grupo2.LP.InsertarConjuntoAleatorio.gestionar (
    int a1,
    int a2 )
```

Here is the call graph for this function:



Here is the caller graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/[InsertarConjuntoAleatorio.java](#)

6.25 grupo2.LP.InsertarPrenda Class Reference

Inheritance diagram for grupo2.LP.InsertarPrenda:



Collaboration diagram for grupo2.LP.InsertarPrenda:



Public Member Functions

- [InsertarPrenda \(\)](#)
- [void actionPerformed \(ActionEvent e\)](#)

6.25.1 Constructor & Destructor Documentation

6.25.1.1 [InsertarPrenda\(\)](#)


```
grupo2.LP.InsertarPrenda.InsertarPrenda ( )
```

6.25.2 Member Function Documentation

6.25.2.1 [actionPerformed\(\)](#)

```
void grupo2.LP.InsertarPrenda.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LP/[InsertarPrenda.java](#)

6.26 grupo2.InsertarPrendaTest Class Reference

Public Member Functions

- void [setUp\(\)](#)

6.26.1 Detailed Description

Unit test for InsertarPrenda interface.

6.26.2 Member Function Documentation

6.26.2.1 [setUp\(\)](#)

```
void grupo2.InsertarPrendaTest.setUp( )
```

The documentation for this class was generated from the following file:

- src/test/java/grupo2/[InsertarPrendaTest.java](#)

6.27 grupo2.Main Class Reference

Static Public Member Functions


- static void [main\(String\[\] args\)](#)

6.27.1 Member Function Documentation

6.27.1.1 main()

```
static void grupo2.Main.main (
    String [] args ) [static]
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:

- `src/main/java/grupo2/Main.java`

6.28 grupo2.MockTestEuskalmet Class Reference

Collaboration diagram for grupo2.MockTestEuskalmet:



Public Member Functions

- void [setUp \(\)](#)
- void [testGestorComplemento \(\)](#)

6.28.1 Member Function Documentation

6.28.1.1 [setUp\(\)](#)

```
void grupo2.MockTestEuskalmet.setUp ( )
```

6.28.1.2 [testGestorComplemento\(\)](#)


```
void grupo2.MockTestEuskalmet.testGestorComplemento ( )
```

The documentation for this class was generated from the following file:


- src/test/java/grupo2/[MockTestEuskalmet.java](#)

6.29 grupo2.LP.PanelArmario Class Reference

Inheritance diagram for grupo2.LP.PanelArmario:



Collaboration diagram for grupo2.LP.PanelArmario:



Public Member Functions


- `PanelArmario ()` throws `SQLException`
- void `actionPerformed (ActionEvent e)`

6.29.1 Constructor & Destructor Documentation

6.29.1.1 PanelArmario()

```
grupo2.LP.PanelArmario.PanelArmario ( ) throws SQLException
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.29.2 Member Function Documentation

6.29.2.1 actionPerformed()

```
void grupo2.LP.PanelArmario.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/PanelArmario.java

6.30 grupo2.LP.PanelMenu Class Reference

Inheritance diagram for grupo2.LP.PanelMenu:



Collaboration diagram for grupo2.LP.PanelMenu:



Public Member Functions

- `PanelMenu ()`
- void `actionPerformed (ActionEvent e)`

6.30.1 Constructor & Destructor Documentation

6.30.1.1 PanelMenu()

```
grupo2.LP.PanelMenu.PanelMenu ( )
```

6.30.2 Member Function Documentation

6.30.2.1 actionPerformed()


```
void grupo2.LP.PanelMenu.actionPerformed ( ActionEvent e )
```

The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/PanelMenu.java

6.31 grupo2.LN.Prenda Class Reference

Inheritance diagram for grupo2.LN.Prenda:



Collaboration diagram for grupo2.LN.Prenda:



Public Member Functions


- Prenda (int id, String nombre, String color, String tejido, String imagen, String usuario)
- String getNombre ()
- void setNombre (String nombre)
- String getColor ()
- void setColor (String color)
- String getImagen ()
- void setImagen (String imagen)
- int compareTo (Object o)
- String getTejido ()
- void setTejido (String tejido)
- int getId ()
- void setId (int id)
- String getUsuario ()
- void setUsuario (String usuario)

6.31.1 Constructor & Destructor Documentation

6.31.1.1 Prenda()

```
grupo2.LN.Prenda.Prenda (
    int id,
    String nombre,
    String color,
    String tejido,
    String imagen,
    String usuario )
```

Here is the call graph for this function:



6.31.2 Member Function Documentation


6.31.2.1 compareTo()

```
int grupo2.LN.Prenda.compareTo (
    Object o )
```

6.31.2.2 getColor()

```
String grupo2.LN.Prenda.getColor ( )
```


Here is the caller graph for this function:



6.31.2.3 getId()

```
int grupo2.LN.Prenda.getId ( )
```


Here is the caller graph for this function:



6.31.2.4 getImagen()

```
String grupo2.LN.Prenda.getImagen ( )
```


Here is the caller graph for this function:



6.31.2.5 getNombre()

```
String grupo2.LN.Prenda.getNombre ( )
```


Here is the caller graph for this function:



6.31.2.6 getTejido()

```
String grupo2.LN.Prenda.getTejido ( )
```


Here is the caller graph for this function:



6.31.2.7 getUsuario()

```
String grupo2.LN.Prenda.getUsuario ( )
```


Here is the caller graph for this function:



6.31.2.8 setColor()

```
void grupo2.LN.Prenda.setColor (
    String color )
```

Here is the caller graph for this function:



6.31.2.9 setId()

```
void grupo2.LN.Prenda.setId ( int id )
```


Here is the caller graph for this function:



6.31.2.10 setImagen()

```
void grupo2.LN.Prenda.setImagen ( String imagen )
```


Here is the caller graph for this function:



6.31.2.11 setNombre()

```
void grupo2.LN.Prenda.setNombre (  
    String nombre )
```


Here is the caller graph for this function:



6.31.2.12 setTejido()

```
void grupo2.LN.Prenda.setTejido (  
    String tejido )
```


Here is the caller graph for this function:



6.31.2.13 setUsuario()

```
void grupo2.LN.Prenda.setUsuario ( String usuario )
```

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- [src/main/java/grupo2/LN/Prenda.java](#)

6.32 grupo2.PrendaTest Class Reference

Public Member Functions

- void [testPrenda \(\)](#)
- void [testGetNombre \(\)](#)
- void [testSetNombre \(\)](#)
- void [testGetColor \(\)](#)
- void [testSetColor \(\)](#)
- void [testGetImagen \(\)](#)
- void [testSetImagen \(\)](#)
- void [testCompareTo \(\)](#)
- void [testGetTejido \(\)](#)
- void [testSetTejido \(\)](#)
- void [testGetId \(\)](#)
- void [testSetId \(\)](#)
- void [testGetUsuario \(\)](#)
- void [testSetUsuario \(\)](#)

6.32.1 Member Function Documentation


6.32.1.1 testCompareTo()

```
void grupo2.PrendaTest.testCompareTo ( )
```

6.32.1.2 testGetColor()

```
void grupo2.PrendaTest.testGetColor ( )
```


Here is the call graph for this function:



6.32.1.3 testGetId()

```
void grupo2.PrendaTest.testGetId ( )
```


Here is the call graph for this function:



6.32.1.4 testGetImagen()

```
void grupo2.PrendaTest.testGetImagen( )
```


Here is the call graph for this function:



6.32.1.5 testGetNombre()

```
void grupo2.PrendaTest.testGetNombre( )
```


Here is the call graph for this function:



6.32.1.6 testGetTejido()

```
void grupo2.PrendaTest.testGetTejido( )
```


Here is the call graph for this function:



6.32.1.7 testGetUsuario()

```
void grupo2.PrendaTest.testGetUsuario ( )
```

Here is the call graph for this function:




6.32.1.8 testPrenda()

```
void grupo2.PrendaTest.testPrenda ( )
```

6.32.1.9 testSetColor()

```
void grupo2.PrendaTest.testSetColor ( )
```


Here is the call graph for this function:



6.32.1.10 testSetId()

```
void grupo2.PrendaTest.testSetId ( )
```


Here is the call graph for this function:



6.32.1.11 testSetImagen()

```
void grupo2.PrendaTest.testSetImagen ( )
```

Here is the call graph for this function:



6.32.1.12 testSetName()

```
void grupo2.PrendaTest.testSetName ( )
```

Here is the call graph for this function:



6.32.1.13 testSetTejido()

```
void grupo2.PrendaTest.testSetTejido ( )
```


Here is the call graph for this function:



6.32.1.14 testSetUsuario()

```
void grupo2.PrendaTest.testSetUsuario ( )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- src/test/java/grupo2/[PrendaTest.java](#)

6.33 grupo2.LP.Principal Class Reference

Inheritance diagram for grupo2.LP.Principal:



Collaboration diagram for grupo2.LP.Principal:



Public Member Functions

- `Principal ()`
- void `actionPerformed (ActionEvent e)`

6.33.1 Constructor & Destructor Documentation

6.33.1.1 `Principal()`


```
grupo2.LP.Principal.Principal ( )
```

6.33.2 Member Function Documentation

6.33.2.1 actionPerformed()

```
void grupo2.LP.Principal.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/[Principal.java](#)

6.34 grupo2.LP.Registrarse Class Reference

Inheritance diagram for grupo2.LP.Registrarse:



Collaboration diagram for grupo2.LP.Registrarse:



Public Member Functions

- [Registrarse \(\)](#)
- void [actionPerformed \(ActionEvent e\)](#)

6.34.1 Constructor & Destructor Documentation

6.34.1.1 Registrarse()


```
grupo2.LP.Registrarse.Registrarse ( )
```

6.34.2 Member Function Documentation

6.34.2.1 actionPerformed()

```
void grupo2.LP.Registrarse.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/[Registrarse.java](#)

6.35 grupo2.LN.usuario Class Reference

Inheritance diagram for grupo2.LN.usuario:



Collaboration diagram for grupo2.LN.usuario:



Public Member Functions

- `usuario (String nombre, String contrasenya)`
- `String getNombre ()`
- `void setNombre (String nombre)`
- `String getContrasenya ()`
- `void setContrasenya (String contrasenya)`
- `int compareTo (Object o)`

6.35.1 Constructor & Destructor Documentation

6.35.1.1 `usuario()`

```
grupo2.LN.usuario.usuario (
    String nombre,
    String contrasenya )
```

6.35.2 Member Function Documentation


6.35.2.1 `compareTo()`

```
int grupo2.LN.usuario.compareTo (
    Object o )
```

6.35.2.2 `getContrasenya()`

```
String grupo2.LN.usuario.getContrasenya ( )
```


Here is the caller graph for this function:



6.35.2.3 getNombre()

```
String grupo2.LN.usuario.getNombre ( )
```


Here is the caller graph for this function:



6.35.2.4 setContrasenya()

```
void grupo2.LN.usuario.setContrasenya (
    String contrasenya )
```


Here is the caller graph for this function:



6.35.2.5 setNombre()

```
void grupo2.LN.usuario.setNombre (
    String nombre )
```

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- [src/main/java/grupo2/LN/usuario.java](#)

6.36 grupo2.usuarioTest Class Reference

Public Member Functions

- [void testUsuario \(\)](#)
- [void testGetNombre \(\)](#)
- [void testSetNombre \(\)](#)
- [void testGetContrasenya \(\)](#)
- [void testSetContrasenya \(\)](#)
- [void testCompareTo \(\)](#)

6.36.1 Member Function Documentation


6.36.1.1 testCompareTo()

```
void grupo2.usuarioTest.testCompareTo ( )
```

6.36.1.2 testGetContrasenya()

```
void grupo2.usuarioTest.testGetContrasenya ( )
```


Here is the call graph for this function:



6.36.1.3 testGetNombre()

```
void grupo2.usuarioTest.testGetNombre ( )
```


Here is the call graph for this function:



6.36.1.4 testSetContrasenya()

```
void grupo2.usuarioTest.testSetContrasenya ( )
```


Here is the call graph for this function:



6.36.1.5 testSetNombre()

```
void grupo2.usuarioTest.testSetNombre( )
```

Here is the call graph for this function:



6.36.1.6 testUsuario()


```
void grupo2.usuarioTest.testUsuario( )
```

The documentation for this class was generated from the following file:


- src/test/java/grupo2/[usuarioTest.java](#)

6.37 grupo2.LP.VerCalendario Class Reference

Inheritance diagram for grupo2.LP.VerCalendario:



Collaboration diagram for grupo2.LP.VerCalendario:



Public Member Functions


- `VerCalendario ()`
- void `actionPerformed (ActionEvent e)`

6.37.1 Constructor & Destructor Documentation


6.37.1.1 VerCalendario()

```
grupo2.LP.VerCalendario.VerCalendario ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.37.2 Member Function Documentation

6.37.2.1 actionPerformed()

```
void grupo2.LP.VerCalendario.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- src/main/java/grupo2/LP/[VerCalendario.java](#)

6.38 grupo2.LP.VerFavoritos Class Reference

Inheritance diagram for `grupo2.LP.VerFavoritos`:



Collaboration diagram for grupo2.LP.VerFavoritos:



Public Member Functions


- `VerFavoritos ()`
- void `actionPerformed (ActionEvent e)`

6.38.1 Constructor & Destructor Documentation

6.38.1.1 VerFavoritos()

```
grupo2.LP.VerFavoritos.VerFavoritos ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:




6.38.2 Member Function Documentation

6.38.2.1 actionPerformed()

```
void grupo2.LP.VerFavoritos.actionPerformed (
    ActionEvent e )
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- src/main/java/grupo2/LP/[VerFavoritos.java](#)

Chapter 7

File Documentation

7.1 src/main/java/grupo2/LD/BaseDeDatos.java File Reference

Classes

- class [grupo2.LD.BaseDeDatos](#)

Packages

- package [grupo2.LD](#)

7.2 src/main/java/grupo2/LN/Calendario.java File Reference

Classes

- class [grupo2.LN.Calendario](#)

Packages

- package [grupo2.LN](#)

7.3 src/main/java/grupo2/LN/Complemento.java File Reference

Classes

- class [grupo2.LN.Complemento](#)

Packages

- package [grupo2.LN](#)

7.4 src/main/java/grupo2/LN/Conjunto.java File Reference

Classes

- class [grupo2.LN.Conjunto](#)

Packages

- package [grupo2.LN](#)

7.5 src/main/java/grupo2/LN/Fecha.java File Reference

Classes

- class [grupo2.LN.Fecha](#)

Packages

- package [grupo2.LN](#)

7.6 src/main/java/grupo2/LN/GestorComplemento.java File Reference

Classes

- class [grupo2.LN.GestorComplemento](#)

Packages

- package [grupo2.LN](#)

7.7 src/main/java/grupo2/LN/GestorConjuntos.java File Reference

Classes

- class [grupo2.LN.GestorConjuntos](#)

Packages

- package [grupo2.LN](#)

7.8 src/main/java/grupo2/LN/GestorPrendas.java File Reference

Classes

- class [grupo2.LN.GestorPrendas](#)

Packages

- package [grupo2.LN](#)

7.9 src/main/java/grupo2/LN/GestorUsuario.java File Reference

Classes

- class [grupo2.LN.GestorUsuario](#)

Packages

- package [grupo2.LN](#)

7.10 src/main/java/grupo2/LN/IEuskalment.java File Reference

Classes

- interface [grupo2.LN.IEuskalment](#)

Packages

- package [grupo2.LN](#)

7.11 src/main/java/grupo2/LN/Prenda.java File Reference

Classes

- class [grupo2.LN.Prenda](#)

Packages

- package [grupo2.LN](#)

7.12 src/main/java/grupo2/LN/usuario.java File Reference

Classes

- class [grupo2.LN.usuario](#)

Packages

- package [grupo2.LN](#)

7.13 src/main/java/grupo2/LP/CalendarProgram.java File Reference

Classes

- class [grupo2.LP.CalendarProgram](#)
- class [grupo2.LP.CalendarProgram.tblCalendarRenderer](#)
- class [grupo2.LP.CalendarProgram.lvwCalendarRenderer](#)
- class [grupo2.LP.CalendarProgram.btnPrev_Action](#)
- class [grupo2.LP.CalendarProgram.btnNext_Action](#)
- class [grupo2.LP.CalendarProgram.cmbYear_Action](#)
- class [grupo2.LP.CalendarProgram.btnRegistrar_Action](#)

Packages

- package [grupo2.LP](#)

7.14 src/main/java/grupo2/LP/InsertarComplemento.java File Reference

Classes

- class [grupo2.LP.InsertarComplemento](#)

Packages

- package [grupo2.LP](#)

7.15 src/main/java/grupo2/LP/InsertarConjunto.java File Reference

Classes

- class [grupo2.LP.InsertarConjunto](#)

Packages

- package [grupo2.LP](#)

7.16 src/main/java/grupo2/LP/InsertarConjuntoAleatorio.java File Reference

Classes

- class [grupo2.LP.InsertarConjuntoAleatorio](#)

Packages

- package [grupo2.LP](#)

7.17 src/main/java/grupo2/LP/InsertarPrenda.java File Reference

Classes

- class [grupo2.LP.InsertarPrenda](#)

Packages

- package [grupo2.LP](#)

7.18 src/main/java/grupo2/LP/PanelArmario.java File Reference

Classes

- class [grupo2.LP.PanelArmario](#)

Packages

- package [grupo2.LP](#)

7.19 src/main/java/grupo2/LP/PanelMenu.java File Reference

Classes

- class [grupo2.LP.PanelMenu](#)

Packages

- package [grupo2.LP](#)

7.20 src/main/java/grupo2/LP/Principal.java File Reference

Classes

- class [grupo2.LP.Principal](#)

Packages

- package [grupo2.LP](#)

7.21 src/main/java/grupo2/LP/Registrarse.java File Reference

Classes

- class [grupo2.LP.Registrarse](#)

Packages

- package [grupo2.LP](#)

7.22 src/main/java/grupo2/LP/VerCalendario.java File Reference

Classes

- class [grupo2.LP.VerCalendario](#)

Packages

- package [grupo2.LP](#)

7.23 src/main/java/grupo2/LP/VerFavoritos.java File Reference

Classes

- class [grupo2.LP.VerFavoritos](#)

Packages

- package [grupo2.LP](#)

7.24 src/main/java/grupo2/Main.java File Reference

Classes

- class [grupo2.Main](#)

Packages

- package [grupo2](#)

7.25 src/test/java/grupo2/AppTest.java File Reference

Classes

- class [grupo2.AppTest](#)

Packages

- package [grupo2](#)

7.26 src/test/java/grupo2/CalendarioTest.java File Reference

Classes

- class [grupo2.CalendarioTest](#)

Packages

- package [grupo2](#)

7.27 src/test/java/grupo2/ComplementoTest.java File Reference

Classes

- class [grupo2.ComplementoTest](#)

Packages

- package [grupo2](#)

7.28 src/test/java/grupo2/ConjuntoTest.java File Reference

Classes

- class [grupo2.ConjuntoTest](#)

Packages

- package [grupo2](#)

7.29 src/test/java/grupo2/ContiperfTest.java File Reference

Classes

- class [grupo2.ContiperfTest](#)

Packages

- package [grupo2](#)

7.30 src/test/java/grupo2/FechaTest.java File Reference

Classes

- class [grupo2.FechaTest](#)

Packages

- package [grupo2](#)

7.31 src/test/java/grupo2/GestorComplementoTest.java File Reference

Classes

- class [grupo2.GestorComplementoTest](#)

Packages

- package [grupo2](#)

7.32 src/test/java/grupo2/GestorConjuntosTest.java File Reference

Classes

- class [grupo2.GestorConjuntosTest](#)

Packages

- package [grupo2](#)

7.33 src/test/java/grupo2/GestorPrendaTest.java File Reference

Classes

- class [grupo2.GestorPrendaTest](#)

Packages

- package [grupo2](#)

7.34 src/test/java/grupo2/GestorUsuarioTest.java File Reference

Classes

- class [grupo2.GestorUsuarioTest](#)

Packages

- package [grupo2](#)

7.35 src/test/java/grupo2/InsertarPrendaTest.java File Reference

Classes

- class [grupo2.InsertarPrendaTest](#)

Packages

- package [grupo2](#)

7.36 src/test/java/grupo2/MockTestEuskalmet.java File Reference

Classes

- class [grupo2.MockTestEuskalmet](#)

Packages

- package [grupo2](#)

7.37 src/test/java/grupo2/PrendaTest.java File Reference

Classes

- class [grupo2.PrendaTest](#)

Packages

- package [grupo2](#)

7.38 src/test/java/grupo2/usuarioTest.java File Reference

Classes

- class [grupo2.usuarioTest](#)

Packages

- package [grupo2](#)

Index

actionPerformed
 grupo2::LP::InsertarComplemento, 106
 grupo2::LP::InsertarConjunto, 108
 grupo2::LP::InsertarConjuntoAleatorio, 109
 grupo2::LP::InsertarPrenda, 112
 grupo2::LP::PanelArmario, 118
 grupo2::LP::PanelMenu, 120
 grupo2::LP::Principal, 133
 grupo2::LP::Registrarse, 135
 grupo2::LP::VerCalendario, 143
 grupo2::LP::VerFavoritos, 146

anyadirComplemento
 grupo2::LN::GestorComplemento, 58

anyadirConjunto
 grupo2::LN::GestorConjuntos, 63

anyadirConjuntoCalendario
 grupo2::LN::GestorConjuntos, 64

anyadirConjuntoA
 grupo2::LN::GestorConjuntos, 64

anyadirFilaATablauUsuario
 grupo2::LN::GestorUsuario, 95

anyadirPrenda
 grupo2::LN::GestorPrendas, 88

anyadirUsuario
 grupo2::LN::GestorUsuario, 96

anyadriFechaCalendario
 grupo2::LN::GestorConjuntos, 65

BaseDeDatos
 grupo2::LD::BaseDeDatos, 12

Calendario
 grupo2::LN::Calendario, 20

chequearYaEnTabla
 grupo2::LN::GestorUsuario, 97

chequearYaEnTablaLOGIN
 grupo2::LN::GestorUsuario, 98

close
 grupo2::LD::BaseDeDatos, 12

compareTo
 grupo2::LN::Calendario, 20
 grupo2::LN::Complemento, 30
 grupo2::LN::Conjunto, 39
 grupo2::LN::Fecha, 52
 grupo2::LN::Prenda, 121
 grupo2::LN::usuario, 137

Complemento
 grupo2::LN::Complemento, 30

Conjunto
 grupo2::LN::Conjunto, 39

conjuntoconID
 grupo2::LN::GestorConjuntos, 65

crearAleatorio1
 grupo2::LN::GestorConjuntos, 66

crearAleatorio2
 grupo2::LN::GestorConjuntos, 67

CrearCalendario
 grupo2::LP::CalendarProgram, 28

crearCalor1
 grupo2::LN::GestorConjuntos, 67

crearCalor2
 grupo2::LN::GestorConjuntos, 68

crearFormal1
 grupo2::LN::GestorConjuntos, 68

crearFormal2
 grupo2::LN::GestorConjuntos, 69

crearFrio1
 grupo2::LN::GestorConjuntos, 70

crearFrio2
 grupo2::LN::GestorConjuntos, 70

crearLluvia1
 grupo2::LN::GestorConjuntos, 71

crearLluvia2
 grupo2::LN::GestorConjuntos, 72

crearTablaBDCalendario
 grupo2::LD::BaseDeDatos, 12

crearTablaBDComplemento
 grupo2::LD::BaseDeDatos, 12

crearTablaBDConjunto
 grupo2::LD::BaseDeDatos, 13

crearTablaBDPrenda
 grupo2::LD::BaseDeDatos, 13

crearTablaBDPropuestas
 grupo2::LD::BaseDeDatos, 14

crearTablaBDUsuario
 grupo2::LD::BaseDeDatos, 14

crearTablaUsuarioSesion
 grupo2::LD::BaseDeDatos, 15

crearUrbano1
 grupo2::LN::GestorConjuntos, 72

crearUrbano2
 grupo2::LN::GestorConjuntos, 73

deleteCalendario
 grupo2::LN::GestorConjuntos, 74

EliminarComplemento
 grupo2::LN::GestorComplemento, 58

EliminarConjunto
 grupo2::LN::GestorConjuntos, 74

EliminarPrenda
 grupo2::LN::GestorPrendas, 89

EliminarPropuesta
 grupo2::LN::GestorConjuntos, 75

eliminarUsuarioSistema
 grupo2::LN::GestorUsuario, 98

Fecha
 grupo2::LN::Fecha, 51

gestionar
 grupo2::LP::InsertarConjuntoAleatorio, 110

GestorComplemento
 grupo2::LN::GestorComplemento, 58

GestorConjuntos
 grupo2::LN::GestorConjuntos, 63

GestorPrendas
 grupo2::LN::GestorPrendas, 88

GestorUsuario
 grupo2::LN::GestorUsuario, 95

getAño
 grupo2::FechaTest, 55
 grupo2::LN::Fecha, 52

getColor
 grupo2::LN::Complemento, 30
 grupo2::LN::Prenda, 122

getConnection
 grupo2::LD::BaseDeDatos, 15

getContrasenya
 grupo2::LN::usuario, 137

getDia
 grupo2::FechaTest, 55
 grupo2::LN::Fecha, 52

getFavorito
 grupo2::LN::Conjunto, 40

getFecha
 grupo2::CalendarioTest, 24
 grupo2::LN::Calendario, 20

getId
 grupo2::LN::Calendario, 21
 grupo2::LN::Complemento, 31
 grupo2::LN::Conjunto, 40
 grupo2::LN::Prenda, 122

getIdConjunto
 grupo2::CalendarioTest, 25
 grupo2::LN::Calendario, 21

getImagen
 grupo2::LN::Complemento, 31
 grupo2::LN::Prenda, 122

getMes
 grupo2::FechaTest, 56
 grupo2::LN::Fecha, 53

getNombre
 grupo2::LN::Complemento, 31
 grupo2::LN::Prenda, 123
 grupo2::LN::usuario, 137

getPrenda1
 grupo2::LN::Conjunto, 40

getPrenda2

grupo2::LN::Conjunto, 41

getStatement
 grupo2::LD::BaseDeDatos, 16

getTejido
 grupo2::LN::Prenda, 123

getUser
 grupo2::LN::Calendario, 21
 grupo2::LN::Complemento, 32
 grupo2::LN::Conjunto, 41
 grupo2::LN::Prenda, 124

grupo2, 9

grupo2.AppTest, 11

grupo2.CalendarioTest, 24

grupo2.ComplementoTest, 35

grupo2.ConjuntoTest, 44

grupo2.ContiperfTest, 48

grupo2.FechaTest, 55

grupo2.GestorComplementoTest, 60

grupo2.GestorConjuntosTest, 83

grupo2.GestorPrendaTest, 92

grupo2.GestorUsuarioTest, 102

grupo2.InsertarPrendaTest, 113

grupo2.LD.BaseDeDatos, 11

grupo2.LN.Calendario, 19

grupo2.LN.Complemento, 29

grupo2.LN.Conjunto, 38

grupo2.LN.Fecha, 51

grupo2.LN.GestorComplemento, 57

grupo2.LN.GestorConjuntos, 62

grupo2.LN.GestorPrendas, 88

grupo2.LN.GestorUsuario, 95

grupo2.LN.IEuskalment, 104

grupo2.LN.Prenda, 120

grupo2.LN.usuario, 136

grupo2.LP.CalendarProgram, 28

grupo2.LP.InsertarComplemento, 105

grupo2.LP.InsertarConjunto, 106

grupo2.LP.InsertarConjuntoAleatorio, 108

grupo2.LP.InsertarPrenda, 111

grupo2.LP.PanelArmario, 116

grupo2.LP.PanelMenu, 119

grupo2.LP.Principal, 132

grupo2.LP.Registrarse, 134

grupo2.LP.VerCalendario, 141

grupo2.LP.VerFavoritos, 144

grupo2.LD, 9

grupo2.LN, 10

grupo2.LP, 10

grupo2.Main, 113

grupo2.MockTestEuskalmet, 115

grupo2.PrendaTest, 127

grupo2.usuarioTest, 139

grupo2::AppTest
 shouldAnswerWithTrue, 11

grupo2::CalendarioTest
 getFecha, 24
 getIdConjunto, 25
 setFecha, 25

setIdConjunto, 25
test, 26
testGetId, 26
testGetUsuario, 26
testSetId, 27
testSetusuario, 27
grupo2::ComplementoTest
 testCompareTo, 35
 testComplemento, 35
 testGetColor, 35
 testGetId, 35
 testGetNombre, 36
 testGetUsuario, 36
 testSetColor, 37
 testSetId, 37
 testSetName, 37
 testSetUsuario, 37
grupo2::ConjuntoTest
 testCompareTo, 45
 testConjunto, 45
 testGetFavorito, 45
 testGetId, 45
 testGetPrenda1, 45
 testGetPrenda2, 46
 testGetUsuario, 46
 testSetFavorito, 46
 testSetId, 47
 testSetPrenda1, 47
 testSetPrenda2, 47
 testSetUsuario, 48
grupo2::ContiperfTest
 i, 50
 testanyadirFilaATablauUsuario, 49
 testanyadirFilaATablauUsuario2, 49
 testanyadirPrenda, 49
 testchequearYaEnTabla2U, 49
 testchequearYaEnTablaLOGIN, 49
 testchequearYaEnTablaP, 50
 testchequearYaEnTablaU, 50
 testmodificarUsuarioSistema, 50
grupo2::FechaTest
 getAño, 55
 getDia, 55
 getMes, 56
 setAño, 56
 setDia, 56
 setMes, 57
 test, 57
grupo2::GestorComplementoTest
 setUp, 60
 testAnyadirComplemento, 61
 testGestorComplemento, 61
 testMaxIdComp, 61
 testSelectComplementos, 62
grupo2::GestorConjuntosTest
 setUp, 83
 testanyadirConjunto, 84
 testanyadirConjuntoA, 84
 testconjuntoconID, 85
 testmaxIdCalendario, 85
 testmaxIdConjunto, 85
 testmaxIdPropuesta, 86
 testselectCalendario, 86
 testselectConjuntos, 86
 testselectConjuntosFav, 87
 testselectPropuestas, 87
 grupo2::GestorPrendaTest
 setUp, 92
 testanyadirPrendaP, 93
 testmaxIdPrenda, 93
 testnombrePrendaconID, 94
 testselectPrendas, 94
 grupo2::GestorUsuarioTest
 setUp, 103
 testchequearYaEnTablaU, 103
 grupo2::InsertarPrendaTest
 setUp, 113
 grupo2::LD::BaseDeDatos
 BaseDeDatos, 12
 close, 12
 crearTablaBDCalendario, 12
 crearTablaBDComplemento, 12
 crearTablaBDConjunto, 13
 crearTablaBDPrenda, 13
 crearTablaBDPropuestas, 14
 crearTablaBDUsuario, 14
 crearTablaUsuarioSesion, 15
 getConnection, 15
 getStatement, 16
 inicializarValores, 17
 initBD, 18
 grupo2::LN::Calendario
 Calendario, 20
 compareTo, 20
 getFecha, 20
 getId, 21
 getIdConjunto, 21
 getUsuario, 21
 setFecha, 22
 setId, 22
 setIdConjunto, 23
 setUsuario, 23
 grupo2::LN::Complemento
 compareTo, 30
 Complemento, 30
 getColor, 30
 getId, 31
 getImagen, 31
 getNombre, 31
 getUsuario, 32
 setColor, 32
 setId, 33
 setImagen, 33
 setNombre, 33
 setUsuario, 34
 grupo2::LN::Conjunto

compareTo, 39
 Conjunto, 39
 getFavorito, 40
 getId, 40
 getPrenda1, 40
 getPrenda2, 41
 getUsuario, 41
 setFavorito, 42
 setId, 42
 setPrenda1, 43
 setPrenda2, 43
 setUsuario, 44
grupo2::LN::Fecha
 compareTo, 52
 Fecha, 51
 getAño, 52
 getDia, 52
 getMes, 53
 setAño, 53
 setDia, 54
 setMes, 54
grupo2::LN::GestorComplemento
 anyadirComplemento, 58
 EliminarComplemento, 58
 GestorComplemento, 58
 maxIdComp, 59
 selectComplementos, 60
grupo2::LN::GestorConjuntos
 anyadirConjunto, 63
 anyadirConjuntoCalendario, 64
 anyadirConjuntoA, 64
 anyadriFechaCalendario, 65
 conjuntoconID, 65
 crearAleatorio1, 66
 crearAleatorio2, 67
 crearCalor1, 67
 crearCalor2, 68
 crearFormal1, 68
 crearFormal2, 69
 crearFrio1, 70
 crearFrio2, 70
 crearLluvia1, 71
 crearLluvia2, 72
 crearUrbano1, 72
 crearUrbano2, 73
 deleteCalendario, 74
 EliminarConjunto, 74
 EliminarPropuesta, 75
 GestorConjuntos, 63
 maxIdCalendario, 75
 maxIdConjunto, 76
 maxIdPropuesta, 77
 modifConjAleatorio, 77
 modifFavAleatorio, 78
 modifFavConjunto, 78
 modifNoFavAleatorio, 79
 modifNoFavConjunto, 79
 selectCalendario, 80
 selectConjuntos, 80
 selectConjuntosFav, 81
 selectPropuestaFav, 82
 selectPropuestas, 82
grupo2::LN::GestorPrendas
 anyadirPrenda, 88
 EliminarPrenda, 89
 GestorPrendas, 88
 maxIdPrenda, 90
 nombrePrendaconID, 90
 selectFavoritos, 91
 selectPrendas, 91
grupo2::LN::GestorUsuario
 anyadirFilaATablauUsuario, 95
 anyadirUsuario, 96
 chequearYaEnTabla, 97
 chequearYaEnTablaLOGIN, 98
 eliminarUsuarioSistema, 98
 GestorUsuario, 95
 modificarFilaEnTablaUsuario, 99
 modificarUsuarioSistema, 100
 nombreUsuario, 101
grupo2::LN::IEuskalment
 prevMet, 104
 probLluvia, 104
 sensacionTermica, 104
grupo2::LN::Prenda
 compareTo, 121
 getColor, 122
 getId, 122
 getImagen, 122
 getNombre, 123
 getTejido, 123
 getUsuario, 124
 Prenda, 121
 setColor, 124
 setId, 125
 setImagen, 125
 setNombre, 126
 setTejido, 126
 setUsuario, 126
grupo2::LN::usuario
 compareTo, 137
 getContrasenya, 137
 getNombre, 137
 setContrasenya, 138
 setNombre, 138
 usuario, 137
grupo2::LP::CalendarProgram
 CrearCalendario, 28
 refreshCalendar, 28
grupo2::LP::InsertarComplemento
 actionPerformed, 106
 InsertarComplemento, 105
grupo2::LP::InsertarConjunto
 actionPerformed, 108
 InsertarConjunto, 107
grupo2::LP::InsertarConjuntoAleatorio

actionPerformed, 109
gestionar, 110
InsertarConjuntoAleatorio, 109
grupo2::LP::InsertarPrenda
 actionPerformed, 112
 InsertarPrenda, 112
grupo2::LP::PanelArmario
 actionPerformed, 118
 PanelArmario, 116
grupo2::LP::PanelMenu
 actionPerformed, 120
 PanelMenu, 119
grupo2::LP::Principal
 actionPerformed, 133
 Principal, 133
grupo2::LP::Registrarse
 actionPerformed, 135
 Registrarse, 135
grupo2::LP::VerCalendario
 actionPerformed, 143
 VerCalendario, 142
grupo2::LP::VerFavoritos
 actionPerformed, 146
 VerFavoritos, 145
grupo2::Main
 main, 114
grupo2::MockTestEuskalmet
 setUp, 115
 testGestorComplemento, 115
grupo2::PrendaTest
 testCompareTo, 127
 testGetColor, 128
 testGetId, 128
 testGetImagen, 128
 testGetNombre, 129
 testGetTejido, 129
 testGetUsuario, 130
 testPrenda, 130
 testSetColor, 130
 testSetId, 130
 testSetImagen, 131
 testSetName, 131
 testSetTejido, 131
 testSetUsuario, 132
grupo2::usuarioTest
 testCompareTo, 139
 testGetContrasenya, 139
 testGetNombre, 140
 testSetContrasenya, 140
 testSetName, 140
 testSetUsuario, 141

i
 grupo2::ContiperfTest, 50

inicializarValores
 grupo2::LD::BaseDeDatos, 17

initBD
 grupo2::LD::BaseDeDatos, 18

InsertarComplemento
 grupo2::LP::InsertarComplemento, 105

InsertarConjunto
 grupo2::LP::InsertarConjunto, 107

InsertarConjuntoAleatorio
 grupo2::LP::InsertarConjuntoAleatorio, 109

InsertarPrenda
 grupo2::LP::InsertarPrenda, 112

main
 grupo2::Main, 114

maxIdCalendario
 grupo2::LN::GestorConjuntos, 75

maxIdComp
 grupo2::LN::GestorComplemento, 59

maxIdConjunto
 grupo2::LN::GestorConjuntos, 76

maxIdPrenda
 grupo2::LN::GestorPrendas, 90

maxIdPropuesta
 grupo2::LN::GestorConjuntos, 77

modifConjAleatorio
 grupo2::LN::GestorConjuntos, 77

modifFavAleatorio
 grupo2::LN::GestorConjuntos, 78

modifFavConjunto
 grupo2::LN::GestorConjuntos, 78

modifNoFavAleatorio
 grupo2::LN::GestorConjuntos, 79

modifNoFavConjunto
 grupo2::LN::GestorConjuntos, 79

modificarFilaEnTablaUsuario
 grupo2::LN::GestorUsuario, 99

modificarUsuarioSistema
 grupo2::LN::GestorUsuario, 100

nombrePrendaconID
 grupo2::LN::GestorPrendas, 90

nombreUsuario
 grupo2::LN::GestorUsuario, 101

PanelArmario
 grupo2::LP::PanelArmario, 116

PanelMenu
 grupo2::LP::PanelMenu, 119

Prenda
 grupo2::LN::Prenda, 121

prevMet
 grupo2::LN::IEuskalment, 104

Principal
 grupo2::LP::Principal, 133

probLluvia
 grupo2::LN::IEuskalment, 104

refreshCalendar
 grupo2::LP::CalendarProgram, 28

Registrarse
 grupo2::LP::Registrarse, 135

selectCalendario

grupo2::LN::GestorConjuntos, 80
 selectComplementos
 grupo2::LN::GestorComplemento, 60
 selectConjuntos
 grupo2::LN::GestorConjuntos, 80
 selectConjuntosFav
 grupo2::LN::GestorConjuntos, 81
 selectFavoritos
 grupo2::LN::GestorPrendas, 91
 selectPrendas
 grupo2::LN::GestorPrendas, 91
 selectPropuestaFav
 grupo2::LN::GestorConjuntos, 82
 selectPropuestas
 grupo2::LN::GestorConjuntos, 82
 sensacionTermica
 grupo2::LN::IEuskalment, 104
 setAño
 grupo2::FechaTest, 56
 grupo2::LN::Fecha, 53
 setColor
 grupo2::LN::Complemento, 32
 grupo2::LN::Prenda, 124
 setContrasenya
 grupo2::LN::usuario, 138
 setDia
 grupo2::FechaTest, 56
 grupo2::LN::Fecha, 54
 setFavorito
 grupo2::LN::Conjunto, 42
 setFecha
 grupo2::CalendarioTest, 25
 grupo2::LN::Calendario, 22
 setId
 grupo2::LN::Calendario, 22
 grupo2::LN::Complemento, 33
 grupo2::LN::Conjunto, 42
 grupo2::LN::Prenda, 125
 setIdConjunto
 grupo2::CalendarioTest, 25
 grupo2::LN::Calendario, 23
 setImagen
 grupo2::LN::Complemento, 33
 grupo2::LN::Prenda, 125
 setMes
 grupo2::FechaTest, 57
 grupo2::LN::Fecha, 54
 setNombre
 grupo2::LN::Complemento, 33
 grupo2::LN::Prenda, 126
 grupo2::LN::usuario, 138
 setPrenda1
 grupo2::LN::Conjunto, 43
 setPrenda2
 grupo2::LN::Conjunto, 43
 setTejido
 grupo2::LN::Prenda, 126
 setUp
 grupo2::GestorComplementoTest, 60
 grupo2::GestorConjuntosTest, 83
 grupo2::GestorPrendaTest, 92
 grupo2::GestorUsuarioTest, 103
 grupo2::InsertarPrendaTest, 113
 grupo2::MockTestEuskalmet, 115
 setUsuario
 grupo2::LN::Calendario, 23
 grupo2::LN::Complemento, 34
 grupo2::LN::Conjunto, 44
 grupo2::LN::Prenda, 126
 shouldAnswerWithTrue
 grupo2::AppTest, 11
 src/main/java/grupo2/LD/BaseDeDatos.java, 147
 src/main/java/grupo2/LN/Calendario.java, 147
 src/main/java/grupo2/LN/Complemento.java, 147
 src/main/java/grupo2/LN/Conjunto.java, 148
 src/main/java/grupo2/LN/Fecha.java, 148
 src/main/java/grupo2/LN/GestorComplemento.java, 148
 src/main/java/grupo2/LN/GestorConjuntos.java, 148
 src/main/java/grupo2/LN/GestorPrendas.java, 149
 src/main/java/grupo2/LN/GestorUsuario.java, 149
 src/main/java/grupo2/LN/IEuskalment.java, 149
 src/main/java/grupo2/LN/Prenda.java, 149
 src/main/java/grupo2/LN/usuario.java, 150
 src/main/java/grupo2/LP/CalendarProgram.java, 150
 src/main/java/grupo2/LP/InsertarComplemento.java,
 150
 src/main/java/grupo2/LP/InsertarConjunto.java, 150
 src/main/java/grupo2/LP/InsertarConjuntoAleatorio.java,
 151
 src/main/java/grupo2/LP/InsertarPrenda.java, 151
 src/main/java/grupo2/LP/PanelArmario.java, 151
 src/main/java/grupo2/LP/PanelMenu.java, 151
 src/main/java/grupo2/LP/Principal.java, 152
 src/main/java/grupo2/LP/Registrarse.java, 152
 src/main/java/grupo2/LP/VerCalendario.java, 152
 src/main/java/grupo2/LP/VerFavoritos.java, 152
 src/main/java/grupo2/Main.java, 153
 src/test/java/grupo2/AppTest.java, 153
 src/test/java/grupo2/CalendarioTest.java, 153
 src/test/java/grupo2/ComplementoTest.java, 153
 src/test/java/grupo2/ConjuntoTest.java, 154
 src/test/java/grupo2/ContiperfTest.java, 154
 src/test/java/grupo2/FechaTest.java, 154
 src/test/java/grupo2/GestorComplementoTest.java, 154
 src/test/java/grupo2/GestorConjuntosTest.java, 155
 src/test/java/grupo2/GestorPrendaTest.java, 155
 src/test/java/grupo2/GestorUsuarioTest.java, 155
 src/test/java/grupo2/InsertarPrendaTest.java, 155
 src/test/java/grupo2/MockTestEuskalmet.java, 156
 src/test/java/grupo2/PrendaTest.java, 156
 src/test/java/grupo2/usuarioTest.java, 156
 test
 grupo2::CalendarioTest, 26
 grupo2::FechaTest, 57
 testAnyadirComplemento
 grupo2::GestorComplementoTest, 61

testCompareTo
 grupo2::ComplementoTest, 35
 grupo2::ConjuntoTest, 45
 grupo2::PrendaTest, 127
 grupo2::usuarioTest, 139
testComplemento
 grupo2::ComplementoTest, 35
testConjunto
 grupo2::ConjuntoTest, 45
testGestorComplemento
 grupo2::GestorComplementoTest, 61
 grupo2::MockTestEuskalmet, 115
testGetColor
 grupo2::ComplementoTest, 35
 grupo2::PrendaTest, 128
testGetContrasenya
 grupo2::usuarioTest, 139
testGetFavorito
 grupo2::ConjuntoTest, 45
testGetId
 grupo2::CalendarioTest, 26
 grupo2::ComplementoTest, 35
 grupo2::ConjuntoTest, 45
 grupo2::PrendaTest, 128
testGetImagen
 grupo2::PrendaTest, 128
testGetNombre
 grupo2::ComplementoTest, 36
 grupo2::PrendaTest, 129
 grupo2::usuarioTest, 140
testGetPrenda1
 grupo2::ConjuntoTest, 45
testGetPrenda2
 grupo2::ConjuntoTest, 46
testGetTejido
 grupo2::PrendaTest, 129
testGetUsuario
 grupo2::CalendarioTest, 26
 grupo2::ComplementoTest, 36
 grupo2::ConjuntoTest, 46
 grupo2::PrendaTest, 130
testMaxIdComp
 grupo2::GestorComplementoTest, 61
testPrenda
 grupo2::PrendaTest, 130
testSelectComplementos
 grupo2::GestorComplementoTest, 62
testSetColor
 grupo2::ComplementoTest, 37
 grupo2::PrendaTest, 130
testSetContrasenya
 grupo2::usuarioTest, 140
testSetFavorito
 grupo2::ConjuntoTest, 46
testSetId
 grupo2::CalendarioTest, 27
 grupo2::ComplementoTest, 37
 grupo2::ConjuntoTest, 47
 grupo2::PrendaTest, 130
testSetImagen
 grupo2::PrendaTest, 131
testSetName
 grupo2::ComplementoTest, 37
 grupo2::PrendaTest, 131
 grupo2::usuarioTest, 140
testSetPrenda1
 grupo2::ConjuntoTest, 47
testSetPrenda2
 grupo2::ConjuntoTest, 47
testSetTejido
 grupo2::PrendaTest, 131
testSetUsuario
 grupo2::ComplementoTest, 37
 grupo2::ConjuntoTest, 48
 grupo2::PrendaTest, 132
testSetUsuario
 grupo2::CalendarioTest, 27
testUsuario
 grupo2::usuarioTest, 141
testanyadirConjunto
 grupo2::GestorConjuntosTest, 84
testanyadirConjuntoA
 grupo2::GestorConjuntosTest, 84
testanyadirFilaATablauUsuario
 grupo2::ContiperfTest, 49
testanyadirFilaATablauUsuario2
 grupo2::ContiperfTest, 49
testanyadirPrenda
 grupo2::ContiperfTest, 49
testanyadirPrendaP
 grupo2::GestorPrendaTest, 93
testchequearYaEnTabla2U
 grupo2::ContiperfTest, 49
testchequearYaEnTablaLOGIN
 grupo2::ContiperfTest, 49
testchequearYaEnTablaP
 grupo2::ContiperfTest, 50
testchequearYaEnTablaU
 grupo2::ContiperfTest, 50
 grupo2::GestorUsuarioTest, 103
testconjuntoconID
 grupo2::GestorConjuntosTest, 85
testmaxIdCalendario
 grupo2::GestorConjuntosTest, 85
testmaxIdConjunto
 grupo2::GestorConjuntosTest, 85
testmaxIdPrenda
 grupo2::GestorPrendaTest, 93
testmaxIdPropuesta
 grupo2::GestorConjuntosTest, 86
testmodificarUsuarioSistema
 grupo2::ContiperfTest, 50
testnombrePrendaconID
 grupo2::GestorPrendaTest, 94
testselectCalendario
 grupo2::GestorConjuntosTest, 86

testselectConjuntos
 grupo2::GestorConjuntosTest, 86
testselectConjuntosFav
 grupo2::GestorConjuntosTest, 87
testselectPrendas
 grupo2::GestorPrendaTest, 94
testselectPropuestas
 grupo2::GestorConjuntosTest, 87

usuario
 grupo2::LN::usuario, 137

VerCalendario
 grupo2::LP::VerCalendario, 142

VerFavoritos
 grupo2::LP::VerFavoritos, 145