
# **SMART CAKE**







#### SMART CAKE 115 ADJUSTABLE LED GE

Smart cake is part of the Smart family. This family's styling is based on our most popular iconic designs. Its gently sloping sides ensure a soft distribution of light. Since its introduction in 2010, Smart has become an extensive portfolio with a broad range of accessories. Concretely this means that the luminaires consist of a light source (LED, halogen), which can be combined with one of three trims to suit your needs. The new spotlights can be combined with Smart mask, Smart surface box or surface tubed to form the perfect solution for any interior. Choose a white, black or gold finishing. Also available in different sizes, fix and adjustable, IP version, ...

Art. Nr. 12771346				
SPECIFICATIONS				
Lamp	1x LED Array			
Gear / Transfo	LED gear not incl.			
Cut-out size	ø 108 h 100			
Weight	0.488kg			
Min. Distance	0.1			
IP	IP20			
Glow Wire Test	960°	960°		
Source lifetime	50000 hrs			
CRI	90	90		
Power supply	350mA	500m A		
	17.8Vf	18.4Vf		
Connected load	6.2W	9.2W		
Lumen	403Im	5421m		
Efficacy	65lm/W	591m/W		
UGR	15	16		
Adjustability	h 355° v 30°	h 355° v 30°		
Remark	! 3500K on request			
	! can be combined with Smart mask			
	! can be combined with Smart surface box & surface			
	tubed (surface only)			
MODULAN  This luminare contains ball-in LED lamps.	This label http://supe	is available in other languages: rmodular.com/assets/TYPE2.pdf		
A } E				
D E The lamps cannot be changed in the luminaire.				
874/2012				

	WARM WHITE 2700K / CRI 90+			NEUTRAL WHITE 4000K / CRI 90+		WARM WHITE 3000K / CRI 90+			
	MEDIUM 25°	SPOT 15°	FLOOD 40°	MEDIUM 25°	SPOT 15°	FLOOD 40°	SPOT 15°	MEDIUM 25°	FLOOD 40°
black struc	12771032	12771232	12771332	12771132	12771732	12771832	12771432	12771532	12771632
gold	12771046	12771246	12771346	12771146	12771746	12771846	12771446	12771546	12771646
white struc	12771009	12771209	12771309	12771109	12771709	12771809	12771409	12771509	12771609

Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com.



# SMART CAKE 115 ADJUSTABLE LED GE

# ACCESSORIES GYPKIT 12290530 GYPKIT 190X190 - Ø108 CONBOX 10889830 CONBOX 190X192X130X256

#### MASK

MASK		
12810032	SMART MASK 115 1X BLACK STRUC	-
12810046	SMART MASK 115 1X GOLD	
12810009	SMART MASK 115 1X WHITE STRUC	
12810132	SMART MASK 115 2X BLACK STRUC	
12810146	SMART MASK 115 2X GOLD	
12810109	SMART MASK 115 2X WHITE STRUC	

#### SURFACE-BOX


12800032	SMART SURFACE BOX 115 GI FOR 1X LED GE BLACK STRUC
12800009	SMART SURFACE BOX 115 GI FOR 1X LED GE WHITE STRUC
12800132	SMART SURFACE BOX 115 1-10V/PUSHDIM GI FOR 1X LED GE BLACK STRUC
12800109	SMART SURFACE BOX 115 1-10V/PUSHDIM GI FOR 1X LED GE WHITE STRUC
12800232	SMART SURFACE BOX 115 DALI GI FOR 1X LED GE BLACK STRUC
12800209	SMART SURFACE BOX 115 DALI GI FOR 1X LED GE WHITE STRUC
12801032	SMART SURFACE BOX 115 GI FOR 2X LED GE BLACK STRUC
12801009	SMART SURFACE BOX 115 GI FOR 2X LED GE WHITE STRUC
12801132	SMART SURFACE BOX 115 1-10V/PUSHDIM GI FOR 2X LED GE BLACK STRUC
12801109	SMART SURFACE BOX 115 1-10V/PUSHDIM GI FOR 2X LED GE WHITE STRUC
12801232	SMART SURFACE BOX 115 DALI GI FOR 2X LED GE BLACK STRUC
12801209	SMART SURFACE BOX 115 DALI GI FOR 2X LED GE WHITE STRUC


# RECESSED-FRAME


12810230 RECESSED RING Ø127 H100


### SURFACE-TUBED

13140332	SMART SURFACE TUBED 115 LED DALI GI BLACK STRUC
13140324	SMART SURFACE TUBED 115 LED DALI GI BRUSHED ALU
13140309	SMART SURFACE TUBED 115 LED DALI GI WHITE STRUC









28/11/2016 - ©2016 Modular Lighting Instruments