## **ITAMS**Applied Microcontroller Systems



ITAMS Jonas Lind

## ${\bf Indholds for tegnelse}$

1	1													5
	1.1	Lektion 06-11-2017												5

ITAMS Jonas Lind

## 1.1 Lektion 06-11-2017

**Problem 1.1.1** (Noter). Find summen  $\frac{1}{1 \cdot 3} + \frac{1}{3 \cdot 5}$ 

```
Example 1.1.1 (Master Handbook Of Acoustics). 1.2 1+1=2
```

## Inkludering af MATLAB

- 1) This inline demo for i=1:3, disp('cool'); end; uses the \mcode{} command.
- 2) The following is a block using the lstlisting environment.

```
1 for i = 1:3
2 if i \geq 5 && a \neq b % literate programming replacement
3 disp('cool'); % comment with some \text{ET}_{E}\text{Xin it: }\pi x^2
4 end
5 [:,ind] = max(vec);
6 x_last = x(1,end) - 1;
7 v(end);
8 really really long really really long really really ...
long really really long really really long line % ...
blaaaaaaa
9 ylabel('Voltage (\muV)');
10 end
```

Note: Here, the package was loaded with the framed, numbered, autolinebreaks and useliterate options. Please see the top of mcode.sty for a detailed explanation of these options.