

---

# ETISB

## Embedded Signal Processing

---





---

# Indholdsfortegnelse

---

<b>1</b>	<b>DSP hardware architectures</b>	<b>5</b>
1.1	Lektion 06-11-2017 . . . . .	5



---

# DSP hardware architectures

---

## 1.1 Lektion 06-11-2017

**Problem 1.1.1** (Noter). *Find summen*  $\frac{1}{1 \cdot 3} + \frac{1}{3 \cdot 5}$

**Example 1.1.1** (Master Handbook Of Acoustics). *1.2*  
 $1 + 1 = 2$

## Inkludering af MATLAB

1) This inline demo `for i=1:3, disp('cool'); end;` uses the `\mcode{}` command.

2) The following is a block using the `lstlisting` environment.

```
1 for i = 1:3
2 if i ≥ 5 && a ≠ b           % literate programming replacement
3 disp('cool');               % comment with some  $\TeX$  in it:  $\pi x^2$ 
4 end
5 [:,ind] = max(vec);
6 x_last = x(1,end) - 1;
7 v(end);
8 really really long really really long really really ...
   long really really long really really long line % ...
   blaaaaaaaaa
9 ylabel('Voltage ( $\mu V$ )');
10 end
```

Note: Here, the package was loaded with the `framed`, `numbered`, `autolinebreaks` and `useliterate` options. Please see the top of `mcode.sty` for a detailed explanation of these options.