

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT



PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



REFERENCE PLAN

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY:	LAR	SCALE:	AS SHOWN
CREATED:		REVISED:	04/28/21
JOB #		FLOOR #	02
		SHEET #	A.02

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



1

PLAN @ AL BISTRO 201

SCALE: 1/2"=1'-0"

REF: 1/ID-3.09

DIMENSIONS
VERIFIED

AL BISTRO 201

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A1

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

AL BISTRO 201

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966


DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB # FLOOR # SHEET #

02

A1.1



① DETAIL AT SHELF W/RAILING

SCALE: 3"=1'-0" REF: NONE

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① ELEVATION @ AL BISTRO 201


SCALE: 1/2"=1'-0" REF: 2/ID-3.09

A. CONTINENTAL REFRIGERATOR
#1RSNHD REACH-IN REFRIGERATOR
26"W x 29 1/4"D x 82 1/4"H

B. FOLLETT #7UD100A-IW-CF-ST-00
ICE MAKER/ WATER DISPENSER 14 5/8"W
x 22 1/8"D x 31 1/2"H

C. ADVANCE TABCO #DI-1-10
DROP-IN SINK 13"W x 19"D x 10"H

D. CONTINENTAL REFRIGERATOR
#1FSNHD REACH-IN FREEZER 26"W x
29 1/4"D x 82 1/4"H



② ELEVATION @ AL BISTRO ISLAND 201

SCALE: 1/2"=1'-0" REF: 7/ID-3.09

AL BISTRO 201

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta
Commercial
Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A2

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



1 SECTION @ RADIUS SHELVING
SCALE: 1-1/2"=1'-0" REF: 3/D-3.09

AL BISTRO 201

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta
Commercial
Millworks, Inc
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21
JOB #	FLOOR #
02	A3

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



AL BISTRO 201

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21
JOB #	FLOOR #
02	A4

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH


VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① HORIZONTAL SECTION @ OPEN EQUIPMENT CABINET
SCALE: 1-1/2"=1'-0" REF: NONE



② SECTION @ OPEN SHELVING CABINET
SCALE: 1-1/2"=1'-0" REF: NONE

AL BISTRO 201

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta
Commercial
Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21
JOB #	FLOOR #
02	A5

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER


WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

AL BISTRO 201

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966



① SECTION @ SINK CABINET

SCALE: 1-1/2"=1'-0"

REF: NONE

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
	02	A6

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENeer


WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① SECTION @ BISTRO ISLAND

SCALE: 1-1/2"=1'-0" REF: 9/ID-3.09



② DETAIL @ CUSTOM CENTERLINE BRACKET

SCALE: 1-1/2"=1'-0" REF: NONE



2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A7

02 A7

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN




KOHLER #K-104C37-SANA-CP
FAUCET

KOHLER #2214-0
UNDERMOUNT SINK

① PLAN @ MENS RESTROOM 0209

SCALE: 3/4"=1'-0" REF: 1/ID4.10



② ELEVATION @ MENS RESTROOM 0209

SCALE: 3/4"=1'-0" REF: 4/ID4.10

③ ELEVATION @ MENS RESTROOM 0209

SCALE: 3/4"=1'-0" REF: NONE

MENS RESTROOM 209

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta
Commercial
Millworks, Inc.
2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A8

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

MENS RESTROOM 209

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 Devoe Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #

FLOOR #


SHEET #

02

A9

KOHLER #K-104C37-SANA-CP
FAUCET

KOHLER #2214-0
UNDERMOUNT SINK



① SECTION @ RESTROOM VANITY

SCALE: 1-1/2"=1'-0" REF: NONE

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENeer

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN


WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① PLAN @ WOMENS RESTROOM 0222
SCALE: 3/4"=1'-0" REF: 61/ID4.10

KOHLER #K-104C37-SANA-CP
FAUCET

KOHLER #2214-0
UNDERMOUNT SINK



② ELEVATION @ WOMENS RESTROOM 0222
SCALE: 3/4"=1'-0" REF: 8/ID4.10

WOMENS RR 222

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A10

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

WOMENS RR 222

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 Devoe Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966


DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
	02	A11

KOHLER #K-104C37-SANA-CP
FAUCET

KOHLER #2214-0
UNDERMOUNT SINK



① SECTION @ RESTROOM VANITY

SCALE: 1-1/2"=1'-0"

REF: NONE

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

DEN 212

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**




2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966


DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A12



① PLAN @ DEN 212
SCALE: 1/2"=1'-0" REF: 10/ID-3.09



② ELEVATION @ DEN 212
SCALE: 1/2"=1'-0" REF: 11/ID-3.09

FINISHES

DEN 212

HEARTIS BUCKHEAD ATLANTA, GA 30309



2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN	
CREATED:	REVISED: 04/28/21	
JOB #	FLOOR #	SHEET #
	02	A13

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



REF: 13/D-3.09
SECTION @ BOOKCASE
SCALE: 1-1/2" = 1'-0"

DEN 212

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A14

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENeer

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

STUDIO 213

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**


Atlanta
Commercial
Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
---------------	-----------------

CREATED:	REVISED: 04/28/21
----------	-------------------

JOB #	FLOOR #	SHEET #
	02	A15

LOCATION OF CENTERLINE
FLOATING BRACKETS



① PLAN @ STUDIO 213
SCALE: 1/2"=1'-0"
REF: 1/ID-3.10

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER


WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



ELKAY #DXUH1618
UNDERMOUNT SINK

ELAKY #LKGT1041CR
GOURMET FACET



STUDIO 213

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A16

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

STUDIO 213

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta
Commercial
Millworks, Inc
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966


DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21


JOB # FLOOR # SHEET #

02

A17



① SECTION @ STUDIO CABINET
SCALE: 1-1/2"=1'-0" REF: 4/ID-3.10



② SECTION @ STUDIO CUBBIES
SCALE: 1-1/2"=1'-0" REF: 6/ID-3.10

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER


WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① SECTION @ STUDIO DRAWER CABINET

SCALE: 1-1/2"=1'-0" REF: 4/ID-3.10



② SECTION @ STUDIO SINK CABINET

SCALE: 1-1/2"=1'-0" REF: 5/ID-3.10

STUDIO 213

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #

FLOOR #

02

SHEET #

A18

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

STUDIO 213

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21



JOB #

FLOOR #

SHEET #

02

A19



FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN


WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① PLAN @ RES. LAUNDRY 215

SCALE: 3/4"=1'-0"

REF: 1/ID1.02-2



② ELEVATION @ RES. LAUNDRY 215

SCALE: 3/4"=1'-0"

REF: NONE

RES. LAUNDRY 215

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21
JOB #	FLOOR #
02	A20

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT



PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



② DETAIL @ LAUNDRY SPLASH
SCALE: 1-1/2"=1'-0" REF: NONE

RES. LAUNDRY 215

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21
JOB #	FLOOR #
02	SHEET #
	A21

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN




① PLAN @ RESTROOM 216

SCALE: 3/4"=1'-0" REF: 6/ID4.02

KOHLER #K-104C37-SANA-CP
FAUCET

KOHLER #2214-0
UNDERMOUNT SINK



② ELEVATION @ RESTROOM 216
SCALE: 3/4"=1'-0" REF: 7/ID4.02

③ ELEVATION @ RESTROOM 216
SCALE: 3/4"=1'-0" REF: NONE

RESTROOM 216

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta
Commercial
Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A22

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

RESTROOM 216

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 Devoe Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966


DRAWN BY: LAR	SCALE: AS SHOWN
---------------	-----------------

CREATED:	REVISED: 04/28/21
----------	-------------------

JOB #	FLOOR #	SHEET #
	02	A23

① SECTION @ RESTROOM VANITY

SCALE: 1-1/2"=1'-0" REF: 10/ID-4.09



FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENeer

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN


WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① PLAN @ MED ROOM 218

SCALE: 1/2"=1'-0"

REF: 5/ID-3.22



② ELEVATION @ MED ROOM 218

SCALE: 1/2"=1'-0"

REF: 6/ID-3.22

MED ROOM 218

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A24

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER


WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① SECTION @ WALL CABINET

SCALE: 1-1/2"=1'-0" REF: 9/ID-3.22



② SECTION @ DRAWER CABINET

SCALE: 1-1/2"=1'-0" REF: 9/ID-3.22

MED ROOM 218

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A25

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN




① PLAN @ RESTROOM 219

SCALE: 3/4"=1'-0"

REF: 6/ID4.02

KOHLER #K-104C37-SANA-CP
FAUCET

KOHLER #2214-0
UNDERMOUNT SINK



② ELEVATION @ RESTROOM 219

SCALE: 3/4"=1'-0"

REF: 7/ID4.02

③ ELEVATION @ RESTROOM 219

SCALE: 3/4"=1'-0"

REF: NONE

RESTROOM 219

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta
Commercial
Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A26

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

RESTROOM 219

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966


DRAWN BY: LAR	SCALE: AS SHOWN
---------------	-----------------

CREATED:	REVISED: 04/28/21
----------	-------------------

JOB #	FLOOR #	SHEET #
	02	A27

KOHLER #K-104C37-SANA-CP
FAUCET

KOHLER #2214-0
UNDERMOUNT SINK



① SECTION @ RESTROOM VANITY

SCALE: 1-1/2"=1'-0" REF: 10/ID-4.09

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT


PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER


WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN



① PLAN @ RESTROOM 221

SCALE: 3/4"=1'-0" REF: 6/D4.02



② ELEVATION @ RESTROOM 221

SCALE: 3/4"=1'-0" REF: 7/D4.02

③ ELEVATION @ RESTROOM 221

SCALE: 3/4"=1'-0" REF: NONE

RESTROOM 221

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A28

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

RESTROOM 221

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**



2190 Devoe Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966


DRAWN BY: LAR SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB #	FLOOR #	SHEET #
02		A29

KOHLER #K-104C37-SANA-CP
FAUCET

KOHLER #2214-0
UNDERMOUNT SINK



1 SECTION @ RESTROOM VANITY

SCALE: 1-1/2"=1'-0" REF: 10/ID-4.09

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

HUMIDITY GUIDELINES FOR WOODWORK INSTALLATION

"WOOD MOVES!" Wood is a hygroscopic material, and under normal use conditions all wood products contain some moisture. Wood readily exchanges this moisture with the surrounding atmosphere. In high humidity, wood picks up moisture and swells. In low humidity, wood releases moisture and shrinks. To avoid problems, it is recommended by AWI and the USDA Forest Service that relative humidity in most of the United States is maintained within the range of 25-55%. Architectural wood products are required to be manufactured as designed by the Architect and to contract documents from wood that has been dried to appropriate average moisture content and maintained at this condition up to the time of delivery.

Subsequent dimensional change in wood is and always has been an inherent natural property of wood. It is important to provide woodwork that will withstand this expected movement. Fabrication, finishing and installation techniques need to be incorporated to allow for this expected movement.

Moisture related problems can be minimized by following some general rules:

* Match the wood moisture content to the equilibrium moisture content of the environment in which it is to be installed, which should be between 25% and 55%. In other words, let wood products acclimate to match their surroundings. AWI recommends that wood stabilize at the jobsite for 72 hours before installation.

* Insure that all surfaces are sealed properly. The most important function of finishing wood is to impede the exchange of moisture with the atmosphere, thus helping to reduce the consequences of wood movement. Given enough time, moisture will be absorbed into wood from a humid atmosphere or will escape to a dry atmosphere. It must also be noted that the varnishes, lacquers, paints, and finishes in general that are applied to wood, be it wall panels or furniture, only slow the product from reaching an ambient condition. The finish itself is used to enhance and to beautify the wood, it is not a cure-all that will envelop the wood and make it impervious to humidity conditions. Eventually, the wood itself will seek the norm conditions under which it is subjected.

* It is necessary to introduce construction details that will allow the wood to shrink and swell. Such details typically are found in the form of "expansion" joints such as tongue and groove, a splined joint, and a variety of reveal details all of which have the design intent allow for the movement of the wood.

Therefore, in consideration of the hygroscopic nature of the product that we are working with, it is important to fully realize the limitations and to build safeguards into the design of the product that will allow for movement.

Installation of wood product in an environment above or below the ideal range of 25% to 55% will cause excessive shrinking or swelling. This movement may result in the opening and closing of the joints. Maintaining an environment which approximates 25% to 55% relative humidity as closely as possible will minimize movement and will insure that the wood remains at the 5% to 10% moisture level.

Cell damage occurs when excessive humidity causes wood to swell to the point that it moves into the adjoining items, thereby crushing the cells of the wood, so when it returns to normal 25% to 55% relative humidity, there is a gap in the wood.

All fiberboard core and particleboard core panels will expand and contract approximately $\frac{1}{8}$ " in 48" between the extremes of 25% and 55% relative humidity. When humidity increases from 55% to 90%, an additional expansion of $\frac{1}{8}$ " in 48" may occur.

Similar movement occurs with lumber and other wood products.

All wood products must be maintained in an environment that approximates 25% to 55% relative humidity as closely as possible. This environmental condition must be met prior to delivery, during installation, and throughout the life of the building. The architectural woodworker and his suppliers should not be held responsible for defects of expansion or shrinkage mentioned above if controlled humidity conditions are not provided and maintained.

HUMIDITY GUIDELINES

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta—
Commercial
Millworks, Inc.
2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY: SCALE: AS SHOWN

CREATED: REVISED: 04/28/21

JOB # FLOOR # SHEET #
02 02 A500

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

CLIP top 120° hinges




Features

- 120° opening angle
- Three-dimensional adjustment
- Available with INSERTA tool-free attachment
- All metal hinge, nickel-plated


Minimum reveal table					
3	1.2	1.7	2.0	2.4	3.3
4	1.2	1.7	2.0	2.3	3.1
5	1.1	1.6	1.9	2.2	3.0
6	1.1	1.6	1.9	2.2	2.9
B =	16	18	19	20	22
T =	Door thickness				

Thickness greater than 22 mm trial app. recommended


Overlay



Partial/twin overlay




Inset



NOTE: For this application use a half-cranked hinge and mounting plate 175H5030.21

Panel



Panel



H P S

H	Overlay	P	S
0	14	15	16
3	11	12	13
4.5	9.5	10.5	11.5
6	8	9	10
9	5	6	7
3	4	5	5

B = boring distance

NOTE: 4.5 plate is only for use in face frame cabinets, 9 plate is only for panel cabinets

Straight-arm **Self close** **Free swing**

Screw-on	71T555C	70T5550.TL
Press-in	71T558C	70T5580.TL
EXPANDO	71T558E	
INSERTA	71T5590E	70T5590BTL

Half-cranked **Self close** **Free swing**

Screw-on	71T5650	70T5650.TL
Press-in	71T5680	70T5680.TL
INSERTA	71T5690B	70T5690BTL

Abbreviations

H	P	S
Plate height	Door protrusion	Side arm protrusion
T	Door thickness	Side panel width

B = boring distance

NOTE: 4.5 plate is only for use in face frame cabinets, 9 plate is only for panel cabinets

16 | © 2012 Blum, Inc. Subject to technical modifications without notice.

Ball Bearing Bee Slide C4500



Introducing a Low-Cost Ball Bearing Slide!



12.7 (1/2")
45 (1 3/4")

- Full-extension, telescoping, side-mounted
- Weight capacity: 100 lbs.
- Face frame hole
- 32 mm hole pattern
- Steel, bright, zinc-plated
- Package includes 10 polybagged pairs (without screws)

1.800.423.3531
www.hafele.com



2/1/2017

Plastic Support with Steel Pin - 5 mm - Richelieu Hardware

Your current region is New Jersey. If this is incorrect, please modify your region.

Plastic Support with Steel Pin - 5 mm

Product number BP34004011

Finish: Clear Brown Clear White

Our Divisions: Richelieu N/A

Packaging format: Bag of 8 units Per unit Bag of 8 units Bag of 100 units Bag of 1000 units

Product number **Finish** **Our Divisions** **Packaging format**

BP34004011	Clear	Richelieu	Bag of 8 units
SUP338BN	Brown	N/A	Per unit
34004011	Clear	Richelieu	Per unit
CP34004011	Clear	Richelieu	Bag of 100 units
MP34004011	Clear	Richelieu	Bag of 1000 units
34004030	White	Richelieu	Per unit
BP34004030	White	Richelieu	Bag of 8 units
CP34004030	White	Richelieu	Bag of 100 units
MP34004030	White	Richelieu	Bag of 1000 units

TECHNICAL SPECIFICATIONS

Product number	BP34004011
Drilling Diameter	3/16 in*
Load Capacity per Shelf	176 lb*
Appearance	Visible
Shelf Thickness	Min. 5/8 in*
Material	Plastic
Projection - Overall Dimensions	13 3/32 in*
Height - Overall Dimensions	21 3/32 in*
Width - Overall Dimensions	13 3/32 in*

Disclaimer
Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, click [here](#).

RELATED DOCUMENTS

<https://www.richelieu.com/us/en/category/furniture-hardware/shelf-pins-latches-catches-bumpers/shelf-pins/plastic-shelf-pin/plastic-support-with-steel-pin-5-mm.html>

DOOR HINGE

DRAWER SLIDE

SHELF PIN

HARDWARE CUT SHEETS
HEARTIS BUCKHEAD
ATLANTA, GA 30309

Atlanta Commercial Millworks, Inc.
2190 DeLoach Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY:	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21
JOB #	FLOOR #
02	H1

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN


WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

5/18/2020 Knurled Drawer Pull - Mockett
800-523-1269 Account

Search Mockett.com Menu The Architectural Hardware for Your *fine* Hardware®

Home : Knurled Drawer Pull

DP268C - Knurled Drawer Pull



Description

Knurled bar handle is intricately etched for a smooth and steady grip surface and sits atop two finely finished rectangular bases. A beautiful blend of two distinctly different textures with a subtle transition that keeps an understated complementary profile. You'll love the texture! Stunning composition and execution.

[Read More Description](#)

More Views Anodized Black (90A) [Save](#)

Finish: Anodized Black (90A) * * Required Fields [Reset](#)

QTY: 1 [ADD TO CART](#)

[Print Product](#)

Pricing

Quantity	Price
1 - 99	\$9.75
100 - 499	\$9.50
500 - 999	\$9.30
1000 +	\$9.05

<https://www.mockett.com/dp268c.html> 1/2

HW-09 PULL

Heavy-Duty
Up to 880 lbs./pair*
For Shelves 12" - 24" Deep
Stationary Brackets

KV

206 Series
Folding L-Brackets



Applications Heavy-duty storage and work-surface applications where limitations and/or flexibility in space is critical (Retail/grocery stores, warehouses, industrial, garages, maintenance storage, office/residential storage).

Load Rating 12" Brackets: Up to 750 lbs./pair*
16" Brackets: Up to 880 lbs./pair*
BHMA Grade 2 Compliant*

Mounting Wall
Material 14- and 16-gauge cold rolled steel
Finishes White (WH), Zinc (ZC); Long-lasting, corrosion resistant finishes

Features These sturdy folding L-brackets allow you to create a worksurface that can be quickly folded out of the way when no longer needed. The KV 206 bracket's convenient one-hand release mechanism makes the bracket easy-to-open, close, or adjust without the danger of getting hands caught in a folding crossbar.

- Brackets can be mounted to any type of wall
- Adjustable to 4 positions: 90°, 80°, 70°, and 0° (closed position)*
- Dimensions:
12": 300mm (11.81") deep x 200mm (7.87") high
16": 400mm (15.75") deep x 270mm (10.63") high
- Width:
12": 30mm (1.18")
16": 36mm (1.42")
- Durable zinc-coated steel construction with spring-loaded release lever
- Exceeds BHMA static load testing requirements
- Available from open stock

* Contact KV Customer service for more information
**Angle has a tolerance of +1°. May need to shim for level installations.

206 Series Brackets

Standard Pack (10/pack)	Size	White (WH)	Zinc (ZC)
	12"	206 WH 12	206 ZC 12
	16"	206 WH 16	206 ZC 16

K&V FOLDING BRACKET

4/20/2020 Countertop Support Brackets for center levered applications such as bar tops

Home | Products | Shipping | Returns | About Us | My Account | View Cart | Help

Home > Custom Granite Bracket > Countertop support bracket - Center Levered for bar tops.

Prices Start at: \$42.95 ★★★★☆ 142 Reviews Product Code: CLGB

Choose your options... Choose Your Color Color: Black size: 36" Add to Cart Larger Photo Email a Friend Qty: 1 Like 0 Share Alternative Views:

<https://www.countertopbracket.com/Countertop-Support-Bracket-centerlever-support-p/clgb.htm> 1/10

CENTERLINE LEVERED
BRACKET

HARDWARE CUT SHEETS

**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY:	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21
JOB #	FLOOR #
02	H2

FINISHES

PAINT

PT-05: SHERWIN WILLIAMS #SW6253
OLYMPUS WHITE

PLASTIC LAMINATES

PL-02: WILSONART #D504-60 FOSSIL
SHALE, MATTE FINISH

PL-03: OCTOPUS PRODUCTS #917 MALMO
WALNUT

PL-04: LAMINART #9219 CELADON,
VELLUM FINISH

PL-08: FORMICA #927-90 FOLKSTONE,
GLOSS FINISH

VEENEER

WD-01: WHITE OAK VENEER WITH MEDIUM
WALNUT TONE STAIN WITH LOW SHEEN

WD-03: LIGHT WHITE OAK VENNER WITH
CLEAR PROTECTIVE VARNISH AND 15% SHEEN

4/16/2020 Cam Locks | McMaster-Carr

Keyed Cam Locks

Use these locks in a $\frac{3}{8}$ " dia. through hole, which is the most common through-hole size. Choose them if you need locks that each open with a different key. Locks come with a straight cam and a reversible offset cam to accommodate different latching distances.

For technical drawings and 3-D models, click on a part number.

Max. Thread Dia.	Latching Distance	For Through Hole Dia.	Head Dia.	Straight Cam Lg.	Offset Cam Lg.	Wd.	Mounting	Fasteners Included	For Use On	Each
Nickel-Plated Zinc—Polished										
Quarter-Turn Clockwise to Open										
7/8"	3/32", 7/16", 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770451 \$7.44
15/16"	3/32", 7/16", 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770453 7.14
9/16"	19/32", 15/16", 1 1/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770454 7.14
7/8"	27/32", 1 3/16", 1 17/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770457 7.14
1 1/8"	3 1/32", 1 15/32", 1 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770459 7.14
Quarter-Turn Clockwise to Open or Half-Turn Clockwise to Open										
1 7/16"	1 3/8", 1 23/32", 2 1/16"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770471 8.84
Quarter-Turn Counterclockwise to Open										
15/16"	9/32", 6/8", 31/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770411 7.14
7/8"	27/32", 1 3/16", 1 17/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770405 8.43
Black Painted Zinc										
Quarter-Turn Clockwise to Open										
7/8"	3/32", 7/16", 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770484 9.75
15/16"	3/32", 7/16", 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770486 9.75
9/16"	19/32", 15/16", 1 1/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770487 9.75
7/8"	27/32", 1 3/16", 1 17/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770489 9.75
1 1/8"	3 1/32", 1 15/32", 1 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770491 9.75
Quarter-Turn Clockwise to Open or Half-Turn Clockwise to Open										
1 7/16"	1 3/8", 1 23/32", 2 1/16"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770481 12.85
Quarter-Turn Counterclockwise to Open										
15/16"	9/32", 6/8", 31/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770476 9.75
7/8"	27/32", 1 3/16", 1 17/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	1770437 9.75
Brass-Plated Zinc—Polished										
Quarter-Turn Clockwise to Open										
7/8"	3/32", 7/16", 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	15165411 9.00
15/16"	3/32", 7/16", 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	15165421 9.00
9/16"	19/32", 15/16", 1 1/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	15165414 9.00
7/8"	27/32", 1 3/16", 1 17/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	15165427 9.00
1 1/8"	3 1/32", 1 15/32", 1 29/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	15165431 9.03
Quarter-Turn Clockwise to Open or Half-Turn Clockwise to Open										
1 7/16"	1 3/8", 1 23/32", 2 1/16"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	15165434 12.10
Quarter-Turn Counterclockwise to Open										
15/16"	9/32", 6/8", 31/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	15165441 9.98
7/8"	27/32", 1 3/16", 1 17/32"	3/4"	7/8"	1 1/2"	5/8"	1 1/8"	5/8"	Yes	Metal, Wood	15165424 9.98
Replacement Washer for Metal										
1770A113	Each	\$0.50								
1770A114	Each	.48								
1770A114	Each	.48								
1770A112	Each	2.13								

<https://www.mcmaster.com/cam-locks/locks-and-latches-4/keysed-cam-locks-12/>

1/1

12/1/2020 403, 404, 405

POST FITTINGS

Description:	Ball Center Post
Item#:	403
Sizes:	1/2"
Dimensions:	A - 3" B - 1 9/16"
Price (USD):	\$14.00

Description: Ball End Post

Item#:

Sizes:

Dimensions:

Price (USD):

Description: Corner Post 90DG

Item#:

Sizes:

Dimensions:

Price (USD):

ORDER INFO

Available Finishes: Antique, Satin Brass, Brushed Nickel, Chrome Copper and Stainless Steel

All of our fittings are solid, cast brass with a high buff polish. Fittings are for use with tube having an .049 wall thickness. Components are easily assembled or we can weld them for you.

Please call to verify product specifications.

For more information, please call 1-888-533-2961 or email sales@brassrails.com and we will contact you.

CAM LOCK

BRASSWORKS
POST FITTINGS

HARDWARE CUT SHEETS
**HEARTIS BUCKHEAD
ATLANTA, GA 30309**

Atlanta Commercial Millworks, Inc.
2190 Defoor Hills
Atlanta, GA 30318
Tele: 404-605-0965
Fax: 404-605-0966

DRAWN BY:	SCALE: AS SHOWN
CREATED:	REVISED: 04/28/21
JOB #	FLOOR #
02	H3