



DCAAF
AIRAC 2022-A

NEVADA, USA

NELLIS AFB2

Departure

DREAM DEP3

FYTTR DEP3

DREAM4 DEP4

Recovery

TACAN 21R/L5

ILS OR LOC/DME 21L.....6


STRYK (VMC).....7

AIRPORT DIAGRAM

11 S PA 76760 11835

NELLIS AFB (KLSV)

LAS VEGAS, NEV




AIRPORT DIAGRAM



DCAF 2022-A


DEPARTURE DIAGRAM

11 S PA 76760 11835



APPROACH DIAGRAM

11 S PA 76760 11835

NELLIS AFB (KLSV)
LAS VEGAS, NEV

APPROACH DIAGRAM



DCAF 2022-A

APPROACH DIAGRAM

11 S PA 76760 11835

NELLIS AFB (KLSV)
LAS VEGAS, NEV

ATIS 385.4 135.1	NELLIS TWR 327.0 132.55	Apt Elev 1869	Trans alt: 18000 1. Minimum navaid reception at ARCOE 15,000 MSL. 2. Not for Civilian use. 3. NOISE ABATEMENT PROCEDURES: Fly in accordance with Nellis Noise Abatements instructions.
APPROACH 385.4 135.1	NELLIS GND 378.8 121.8		

ILS OR LOC/DME

RWY 21L

109.1

*** Circling not authorized E of Rwy 3R-21L.

† CAUTION: Missed Approach climb rate to 15,000

Knots	60	120	180	240	300	360
V/V(fpm)	398	796	1194	1592	1990	2388

Controlling obstacle 6959

† MISSED APPROACH requires use of RNAV or ATC Radar monitoring.



CAUTION: Missed approach with 200 ft/NM climb gradient not available.

NOT FOR CIVIL USE

RADAR OR
DME REQUIRED

EMERG SAFE ALT 100 NM 14,000

VGSI TCH and ILS glidepath not coincident (VGSI Angle 3.00/TCH 54).




APPROACH DIAGRAM



DCAF 2022-A

APPROACH DIAGRAM

11 S PA 76760 11835

NELLIS AFB (KLSV)
LAS VEGAS, NEV

APPROACH DIAGRAM



DCAF 2022-A