

CityTech TTP Summer Bootcamp

Command Line and Git

2026-06-02

Agenda

1. Review
2. Follow Up Notes
3. Smoke Tests
4. AI Discussion
5. Git
6. The Command Line

Review

What are the most important things you remember from yesterday?

Legacy Code and Systems


- Often when you join a team, there will be legacy code and legacy systems in place.
- As a junior or mid-level engineer, it's almost impossible to change these.
- Even as a senior-level engineer or CTO, it's usually easier, safer, and cheaper to continue with what's already working.

macOS vs. Windows

- **macOS** is your entry point into Unix/Linux systems — the same shell and tools you'll use on servers.
- Building **smartphone apps**? Your target users may **heavily** prefer iPhones — and you need a **Mac** to publish to the Apple App Store.
- Some industry sectors have **standard tools that only run on Windows**.

The Power of SPAs

Liking a post, switching folders in Gmail, scrolling a feed — the page never does a full reload. Only the piece that changed re-renders, so the app feels instant.




CORS — A Security Example

You're logged into **bank.com**. You visit **evil.com** — its JavaScript can **quietly fire a request to `bank.com` in the background, using your logged-in session, without you clicking anything or even realizing it.**



The browser sends the request, but **blocks evil.com from reading the response** unless `bank.com` explicitly allows that origin. That's what stops a random site from silently stealing your data.

CORS — What the Browser Blocks



EDA — Example Visualizations

Two charts you'd typically produce while first exploring a dataset:



Smoke Tests

Open your terminal (macOS) or **WSL** (Windows) and confirm each tool installed correctly:

```
node -v  
nvm --version  
yarn -v  
git --version  
python3 --version  
pip3 --version  
jupyter --version
```

Then confirm GitHub recognizes your SSH key:

```
ssh -T git@github.com
```

Each should print a version (or a GitHub greeting) — not "command not found".

Smoke Tests — Continued

Now open the desktop apps you installed and make sure each one launches:

- **VS Code** — opens, and the **GitHub Copilot** icon is active
- **Insomnia** — opens
- **pgAdmin** — opens and can connect to your **PostgreSQL** server

Discussion on AI

- What exactly is AI?
- What are the promised benefits of it?
- What are the costs and risks of it?

Discussion Continued

- What does it mean to use AI responsibly?
- What does it mean to use AI ethically?
- What roles does AI play in education and in work?

Fishbowl Example

- What makes a good prompt?
- How can an engineer use AI to complement their skills?

Intro to Git

Git is a distributed version control system that tracks every change to your code and lets a whole team collaborate without overwriting each other's work. GitHub is a service that hosts your Git repositories online, adding pull requests, issues, and collaboration tools on top.

The Four Areas of Git


- **Working Directory** — the files you're editing right now
- **Staging Area** — changes you've marked with `git add` for the next commit
- **Local Repository** — your committed history, stored on your machine (`git commit`)
- **Remote Repository** — the shared copy on GitHub everyone syncs with (`git push` / `git pull`)

Git Areas — How Changes Flow



Clone


Cloning downloads a full copy of a remote repository — every file and its complete history — onto your machine. You'll do this once to start working on a project.



```
git clone git@github.com:org/repo.git
```

Fork

A fork is your own copy of someone else's repository, made on GitHub. It lets you experiment or propose changes without needing write access to the original (upstream) repo.



```
gh repo fork org/repo # or click "Fork" on GitHub
```

git vs. GitHub vs. gh

git vs. GitHub — the big picture

- **git** — the version-control *tool* that runs on your machine and tracks history
- **GitHub** — a *service/website* that hosts git repositories and adds pull requests, issues, and collaboration


git vs. gh — two different command-line tools

- **git** — core version-control commands (`add`, `commit`, `push`, ...)
- **gh** — GitHub's CLI for GitHub-specific actions (pull requests, issues, forking, creating repos)

Tip: Forking is best done through the GitHub **web UI** (the "Fork" button), not the CLI.

Pull

Pulling fetches the latest commits from the remote and merges them into your current local branch. Run it often so your copy stays in sync with your teammates.



```
git pull origin main
```


Anatomy of `git pull origin main`

```
git pull origin main
```

- `git` — the version-control program you're running
- `pull` — the subcommand: fetch the latest commits and merge them in
- `origin` — the name of the remote (the default alias for your GitHub repo)
- `main` — the branch you're pulling from

Push

Pushing uploads your local commits to the remote repository so others can see them. It's how your work leaves your machine and reaches GitHub.



```
git push origin main
```

Exercise

21 Questions over git

https://github.com/jonathan-chin/github_practice_21_questions

The Command Line

Talking to your computer with text

Why the Command Line?

- It's fast and scriptable once it's in your fingers
- A **GUI** (graphical user interface) is resource-intensive — it needs more powerful, more expensive hardware
- Not every task needs that — a plain terminal runs fine on cheap, minimal machines
- Remote machines (servers) often have no graphical interface at all
- Windows users: do all of this in your **WSL (Ubuntu)** terminal

Anatomy of a Command

A command is usually: `command [options] [arguments]`

```
ls -l /home
```

```
# command: ls      option: -l      argument: /home
```

Where Am I? — `pwd`, `ls`

```
pwd          # print working directory (where you are)
ls           # list files here
ls -a        # include hidden files (dotfiles)
ls -l        # long format: permissions, size, date
ls -la       # both at once
```

Moving Around — `cd`

```
cd projects      # into the "projects" folder
cd ..            # up one level
cd ~             # your home directory
cd /             # the root of the filesystem
cd -             # back to the previous directory
```

Paths: `~` = home, `.` = here, `..` = parent.

Absolute paths start at `/` ; **relative** paths start from where you are.

"Directory" vs. "Folder"

- They mean the **same thing**: a container that holds files and other directories.
- **Directory** is the older, command-line term — it's why we have `cd` (change **d**irectory) and `mkdir` (make **d**irectory).
- **Folder** is the GUI term, from the file-explorer "folder" icon metaphor.
- Use them interchangeably — on the command line you'll mostly hear **directory**.

Making Things — `mkdir`, `touch`

```
mkdir week1           # make a directory
mkdir -p week1/exercises # make nested directories
touch notes.md        # create an empty file (or update its timestamp)
```

Copying and Moving — `cp`, `mv`

Both follow the same shape:

```
cp source destination    # copy
mv source destination    # move or rename
```

Examples:

```
cp notes.md notes-backup.md    # copy a file
mv notes.md week1/             # move into a folder
mv old.md new.md               # rename
```

Deleting — `rm` (careful!)

```
rm notes.md          # delete a file
rm -r week1-copy      # delete a directory and everything in it
```

⚠ There is **no Trash or Recycle Bin** on the command line.

Deletes are permanent — read the line twice before you press Enter.

Looking Inside Files

```
cat notes.md          # print the whole file
less notes.md         # scroll a long file (press q to quit)
head notes.md         # first 10 lines
tail notes.md         # last 10 lines
tail -f server.log    # follow a file as it grows
```

Getting Help and Moving Faster

```
man ls          # manual page (q to quit)
ls --help       # quick help for most commands
history        # commands you've run
clear          # clean up the screen
```

- **Tab** completes file and command names
- **↑ / ↓** scroll through past commands
- **Ctrl + C** cancels the running command

When you're stuck:

- Ask other engineers (peers, seniors)
- Read The Manual (**RTM**)
- **Ask AI**

Play to Practice

1. <https://cmdchallenge.com/>
2. <https://overthewire.org/wargames/bandit/>
3. <https://web.mit.edu/mprat/Public/web/Terminus/Web/main.html>
4. <https://github.com/veltman/clmystery>