# Udiddit, a social news aggregator

#### Introduction

Udiddit, a social news aggregation, web content rating, and discussion website, is currently using a risky and unreliable Postgres database schema to store the forum posts, discussions, and votes made by their users about different topics.

The schema allows posts to be created by registered users on certain topics, and can include a URL or a text content. It also allows registered users to cast an upvote (like) or downvote (dislike) for any forum post that has been created. In addition to this, the schema also allows registered users to add comments on posts.

Here is the DDL used to create the schema:

```
CREATE TABLE bad_posts (
    id SERIAL PRIMARY KEY,
    topic VARCHAR(50),
    username VARCHAR(50),
    title VARCHAR(150),
    url VARCHAR(4000) DEFAULT NULL,
    text_content TEXT DEFAULT NULL,
    upvotes TEXT,
    downvotes TEXT
);

CREATE TABLE bad_comments (
    id SERIAL PRIMARY KEY,
    username VARCHAR(50),
    post_id BIGINT,
    text_content TEXT
);
```

## Part I: Investigate the existing schema

As a first step, investigate this schema and some of the sample data in the project's SQL workspace. Then, in your own words, outline three (3) specific things that could be improved about this schema. Don't hesitate to outline more if you want to stand out!

Following the rules for normalisation, we can see that this current database is not normalised. Seems that we need to create more tables to host users, topics, comments, votes, posts.

- Upvotes / Downvotes should be of int, and we should remove the user names and store the vote as int.
- Post\_id in "bad comments" table is of type BIGINT, this is not needed and we can reduce this down to INT.
- There are no constraints on or unique rules in place for "usernames", "topics" this allows
- No Indexes , can create these to speed up the guery.

### Part II: Create the DDL for your new schema

Having done this initial investigation and assessment, your next goal is to dive deep into the heart of the problem and create a new schema for Udiddit. Your new schema should at least reflect fixes to the shortcomings you pointed to in the previous exercise. To help you create the new schema, a few guidelines are provided to you:

- 1. Guideline #1: here is a list of features and specifications that Udiddit needs in order to support its website and administrative interface:
  - a. Allow new users to register:
    - i. Each username has to be unique
    - ii. Usernames can be composed of at most 25 characters
    - iii. Usernames can't be empty
    - iv. We won't worry about user passwords for this project
  - b. Allow registered users to create new topics:
    - i. Topic names have to be unique.
    - ii. The topic's name is at most 30 characters
    - iii. The topic's name can't be empty
    - iv. Topics can have an optional description of at most 500 characters.
  - c. Allow registered users to create new posts on existing topics:
    - i. Posts have a required title of at most 100 characters
    - ii. The title of a post can't be empty.
    - iii. Posts should contain either a URL or a text content, **but not both**.
    - iv. If a topic gets deleted, all the posts associated with it should be automatically deleted too.
    - v. If the user who created the post gets deleted, then the post will remain, but it will become dissociated from that user.
  - d. Allow registered users to comment on existing posts:
    - i. A comment's text content can't be empty.
    - ii. Contrary to the current linear comments, the new structure should allow comment threads at arbitrary levels.
    - iii. If a post gets deleted, all comments associated with it should be automatically deleted too.
    - iv. If the user who created the comment gets deleted, then the comment will remain, but it will become dissociated from that user.
    - v. If a comment gets deleted, then all its descendants in the thread structure should be automatically deleted too.
  - e. Make sure that a given user can only vote once on a given post:
    - i. Hint: you can store the (up/down) value of the vote as the values 1 and -1 respectively.
    - ii. If the user who cast a vote gets deleted, then all their votes will remain, but will become dissociated from the user.

- iii. If a post gets deleted, then all the votes for that post should be automatically deleted too.
- 2. Guideline #2: here is a list of queries that Udiddit needs in order to support its website and administrative interface. Note that you don't need to produce the DQL for those queries: they are only provided to guide the design of your new database schema.
  - a. List all users who haven't logged in in the last year.
  - b. List all users who haven't created any post.
  - c. Find a user by their username.
  - d. List all topics that don't have any posts.
  - e. Find a topic by its name.
  - f. List the latest 20 posts for a given topic.
  - g. List the latest 20 posts made by a given user.
  - h. Find all posts that link to a specific URL, for moderation purposes.
  - i. List all the top-level comments (those that don't have a parent comment) for a given post.
  - j. List all the direct children of a parent comment.
  - k. List the latest 20 comments made by a given user.
  - I. Compute the score of a post, defined as the difference between the number of upvotes and the number of downvotes
- 3. Guideline #3: you'll need to use normalization, various constraints, as well as indexes in your new database schema. You should use named constraints and indexes to make your schema cleaner.
- 4. Guideline #4: your new database schema will be composed of five (5) tables that should have an auto-incrementing id as their primary key.

Once you've taken the time to think about your new schema, write the DDL for it in the space provided here:

```
CREATE TABLE "users"(
    user id SERIAL PRIMARY KEY,
    username VARCHAR(25) CONSTRAINT unique_username UNIQUE NOT NULL, -- constrain user
name, uniquem not null and max 25chars.
    last_login TIMESTAMP, -- creat last login time stamp.
    CONSTRAINT "user_name_length" CHECK(LENGTH(TRIM(username))>0)
);
    --Index for requried queries
    CREATE INDEX userlogin index ON users (last login);
    CREATE INDEX username_index ON users (username VARCHAR_PATTERN_OPS);
-- TOPICS TABLE --
CREATE TABLE "topics"(
    topic id SERIAL PRIMARY KEY,
    topicname VARCHAR(30) CONSTRAINT unique_topic UNIQUE NOT NULL, -- constrain topic
name, uniquem not null and max 30chars.
    description VARCHAR(500),
    CONSTRAINT "no_empty_topic_name" CHECK (LENGTH(TRIM("topicname")) > 0)
);
    --Index for requried queries
    CREATE INDEX topic_index ON topics (topicname VARCHAR_PATTERN_OPS);
-- POST TABLE --
CREATE TABLE "posts" (
    post id SERIAL PRIMARY KEY,
    user_id INTEGER REFERENCES users ON DELETE SET NULL, -- set reference to users, and
convert to null use is deleted.
    topic_id INTEGER REFERENCES topics ON DELETE CASCADE, -- set reference to topics,
    title VARCHAR(100) CONSTRAINT title_required NOT NULL,
    created TIMESTAMP,
    text_content TEXT,
    url VARCHAR(4000),
    CONSTRAINT "no_empty_title" CHECK (LENGTH(TRIM("title")) > 0),
    CONSTRAINT url_or_text CHECK ( url IS NOT NULL AND text_content IS NULL OR
                           url IS NULL AND text_content IS NOT NULL)
);
CREATE INDEX last_user_post ON posts (topic_id,user_id);
CREATE INDEX url check ON posts (url VARCHAR PATTERN OPS);
-- COMMENTS TABLE --
```

```
CREATE TABLE "comments" (
   comment id SERIAL PRIMARY KEY,
   user_id INTEGER REFERENCES users ON DELETE SET NULL, -- set reference to users, and
convert to null use is deleted
    post_id INTEGER REFERENCES posts ON DELETE CASCADE, -- set reference to posts,
   text_content TEXT NOT NULL,
   threads_id INTEGER REFERENCES "comments"("comment_id") ON DELETE CASCADE,
   created TIMESTAMP,
   CONSTRAINT "no_empty_text_content" CHECK(LENGTH(TRIM("text_content")) > 0)
);
CREATE INDEX comments_by_user ON comments (user_id,created);
CREATE TABLE "votes" (
   UNIQUE (user_id, post_id),
   user_id INTEGER REFERENCES users ON DELETE SET NULL, --set reference to users, and
convert to null use is deleted.
    post_id INTEGER REFERENCES posts ON DELETE CASCADE, -- set reference to posts,
   vote SMALLINT CONSTRAINT vote_plus_min CHECK (vote=1 OR vote=-1)
);
CREATE INDEX score_post ON votes (vote);
```

#### Part III: Migrate the provided data

Now that your new schema is created, it's time to migrate the data from the provided schema in the project's SQL Workspace to your own schema. This will allow you to review some DML and DQL concepts, as you'll be using INSERT...SELECT queries to do so. Here are a few guidelines to help you in this process:

- 1. Topic descriptions can all be empty
- 2. Since the bad\_comments table doesn't have the threading feature, you can migrate all comments as top-level comments, i.e. without a parent
- 3. You can use the Postgres string function **regexp\_split\_to\_table** to unwind the comma-separated votes values into separate rows
- 4. Don't forget that some users only vote or comment, and haven't created any posts. You'll have to create those users too.
- 5. The order of your migrations matter! For example, since posts depend on users and topics, you'll have to migrate the latter first.
- 6. Tip: You can start by running only SELECTs to fine-tune your queries, and use a LIMIT to avoid large data sets. Once you know you have the correct query, you can then run your full INSERT...SELECT query.
- 7. **NOTE**: The data in your SQL Workspace contains thousands of posts and comments. The DML queries may take at least 10-15 seconds to run.

Write the DML to migrate the current data in bad\_posts and bad\_comments to your new database schema:

```
/********** INSERT USERS *********/
-- first check with select distinct users who have made posts, comments ,
votes
-- using UNION to create on unique list of all users.
INSERT INTO users (username)
    SELECT DISTINCT username
    FROM bad_posts
    UNION
    SELECT DISTINCT REGEXP_SPLIT_TO_TABLE(upvotes,',')
    FROM bad_posts
    UNION
    SELECT DISTINCT username
    FROM bad_comments
    UNION
    SELECT DISTINCT REGEXP_SPLIT_TO_TABLE(downvotes,',')
```

```
FROM bad posts;
-- TABLE users;
/********** INSERT TOPICS **********/
-- isnert distinct topics
INSERT INTO topics (topicname)
   SELECT DISTINCT topic
   FROM bad_posts;
INSERT INTO posts (
   user_id,
   topic_id,
   title,
   url,
   text_content
)
SELECT
   user_id,
   topic_id,
   LEFT(bad_posts.title, 100), -- reduce tittle to 100 as this is now the
new limit for the column
   bad_posts.url,
   bad_posts.text_content
FROM bad posts
JOIN users ON bad_posts.username = users.username
JOIN topics ON bad_posts.topic = topics.topicname;
-- TABLE posts;
INSERT INTO comments (
   post_id,
   user_id,
```

```
text_content
SELECT
    posts.post_id,
    posts.user_id,
    bad_comments.text_content
    FROM bad comments
    JOIN users ON bad_comments.username = users.username
    JOIN posts ON posts.post_id = bad_comments.post_id;
-- SELECT COUNT(*) FROM comments
/******* INSERT VOTES ********/
INSERT INTO votes (user_id, post_id, vote)
      WITH vote_down AS (SELECT id, REGEXP_SPLIT_TO_TABLE(downvotes, ',')
-- seperate each user.
                     AS downvote
                     FROM bad_posts)
      SELECT u.user_id, vote_down.id, -1 AS vote
      FROM vote_down
      JOIN users u
      ON u.username = vote_down.downvote;
--check output of votes
TABLE votes;
INSERT INTO votes (user_id, post_id, vote)
      WITH vote_up AS (SELECT id, REGEXP_SPLIT_TO_TABLE(upvotes, ',')
                      AS upvote
                      FROM bad_posts)
      SELECT u.user_id, vote_up.id, 1 AS vote
      FROM vote_up
      JOIN users u
      ON u.username = vote_up.upvote;
--check output of votes
--TABLE votes;
/* RESOURCES
https://knowledge.udacity.com/questions/285776
```

```
https://knowledge.udacity.com/questions/291263
https://knowledge.udacity.com/questions/412997
*/
```