

[GETNET] - Verificar Plano de Execução de Query Oracle (COE)

DESCRIÇÃO

Este documento descreve como verificar o plano de execução de uma Query.

PROCEDIMENTO

Documentação do procedimento para verificação de Querys, pelo SQL_ID, em banco Oracle.

1 Passo

Identificar o host, o serviço e o SQL_ID da Query.

Exemplo:

host: 180.104.130.107 service PRMNRTCTGSRV (**GNCASNPL08358**)

SQL_ID informado: **4rd7brc3s2428**

2 Passo

Entrar no sqlplus Oracle

su - oracle

. db_profile

cd /home/oracle/tools (acessar o caminho dos scripts)

sqlplus / as sysdba

3 Passo

Executar script COE e fornecer as informações necessárias.

SQL> @coe

Enter value for 1: **4rd7brc3s2428** (SQL_ID)

PLAN_HASH_VALUE AVG_ET_SECS

2435284133 .058

Parameter 2:

PLAN_HASH_VALUE (required)

Enter value for 2: **2435284133** (PLAN_HASH_VALUE)

Values passed:

~~~~~

SQL\_ID : "**4rd7brc3s2428**"

PLAN\_HASH\_VALUE: "**2435284133**"

Execute coe\_xfr\_sql\_profile\_4rd7brc3s2428\_2435284133.sql  
on TARGET system in order to create a custom SQL Profile  
with plan 2435284133 linked to adjusted sql\_text.

COE\_XFR\_SQL\_PROFILE completed.

### 4 Passo

# Executar as seguintes queries:

[oracle@gncasnpl08358 tools]\$ sqlplus / as sysdba

set pages 400000

```

set long 40000000
set lines 800
set serverout on;
DECLARE
    l_sql_tune_task_id VARCHAR2(100);
SQL> BEGIN
    l_sql_tune_task_id := dbms_sqltune.create_tuning_task(sql_id => '4rd7brc3s2428', scope => dbms_sqltune.scope_comprehensive, time_limit => 600
    , task_name => '4rd7brc3s2428_tuning_task1', description => 'Tuning task 1 for statement 4rd7brc3s2428');
    dbms_output.put_line('l_sql_tune_task_id: ' || l_sql_tune_task_id);
END;
/

```

PL/SQL procedure successfully completed.

```
SQL> EXEC DBMS_SQLTUNE.execute_tuning_task(task_name => '4rd7brc3s2428_tuning_task1');
```

PL/SQL procedure successfully completed.

```

SQL> set pages 40000;
set long 4000000;
set lines 800;SQL> SQL>
SQL> select dbms_sqltune.report_tuning_task('4rd7brc3s2428_tuning_task1') from dual;

```

```

+++++ OUTPUT +++++
DBMS_SQLTUNE.REPORT_TUNING_TASK('4RD7BRC3S2428_TUNING_TASK1')

```

#### GENERAL INFORMATION SECTION

```

-----
Tuning Task Name   : 4rd7brc3s2428_tuning_task1
Tuning Task Owner  : SYS
Workload Type      : Single SQL Statement
Scope              : COMPREHENSIVE
Time Limit(seconds): 600
Completion Status   : COMPLETED
Started at         : 12/21/2024 13:58:31
Completed at       : 12/21/2024 13:59:01

```

```

-----
Schema Name: PRM_NRT
SQL ID      : 4rd7brc3s2428
SQL Text    : SELECT COUNT('PRM_RULE_|VEL 13 - PF/MEI/E1 - GERAL|800|') FROM
              DUAL WHERE ( (SELECT COUNT(1) FROM PRM_REF_DATA_84 P WHERE
              P.PRM_REF_DATA_ID='VEL12' AND P.PRM_REF_DATA_VALUE=:B1 ) = 0 AND
              (SELECT COUNT(1) FROM PRM_REF_DATA_84 P WHERE
              P.PRM_REF_DATA_ID='SEGMENTOE2' AND P.PRM_REF_DATA_VALUE=:B1 ) =
              0 AND (SELECT COUNT(1) FROM PRM_REF_DATA_84 P WHERE
              P.PRM_REF_DATA_ID='segmentobie2e3' AND P.PRM_REF_DATA_VALUE=:B1
              ) = 0 AND EXISTS (SELECT /*+ index(SHORTWINDOW
              IDX_SHORTWINDOW_SM_RETL_ID) */ COUNT(1) FROM SHORTWINDOW WHERE
              SD_RETL_ID = :B1 AND DD_PARTITION_DATE = TRUNC(:B3 ) AND DD_DATE
              >= :B3 - INTERVAL '1' HOUR AND DD_DATE < :B3 AND SD_TRAN_CDE IN
              ('10','13') AND SD_MSG_TYP = '0210' AND SD_BIN = :B2 HAVING
              SUM(MD_TRAN_AMT1) >= 10000 AND COUNT(*) >= 30 ) )

```

Bind Variables :

```

1 - (VARCHAR2(32)):000000000188214
2 - (VARCHAR2(32)):000000000188214
3 - (VARCHAR2(32)):000000000188214
4 - (VARCHAR2(32)):000000000188214
8 - (VARCHAR2(32)):485464XXXXXX

```

#### FINDINGS SECTION (2 findings)

##### 1- Statistics Finding

Optimizer statistics for index "PRM\_NRT"."IDX\_SHORTWINDOW\_SM\_UAN" are stale.

---

```
execute dbms_stats.gather_index_stats(ownname => 'PRM_NRT', indname =>
'IDX_SHORTWINDOW_SM_UAN', estimate_percent =>
DBMS_STATS.AUTO_SAMPLE_SIZE);
```

## 2- Statistics Finding

```
execute dbms_stats.gather_index_stats(ownname => 'PRM_NRT', indname =>
'IDX_SHORTWINDOW_CLUSTER', estimate_percent =>
DBMS_STATS.AUTO_SAMPLE_SIZE);
```

■■■■■■■■■■

## EXPLAIN PLANS SECTION

Plan hash value: 2435284133

Core Assets/Documentation/GETNET -  
DBA  
ORAEX Cloud Consulting | GETNET | Jan 29, 2026 - 11:50pm

-----  
Predicate Information (identified by operation id):  
-----

```
2 - filter( EXISTS (SELECT /*+ INDEX ("SHORTWINDOW" "IDX_SHORTWINDOW_SM_RETL_
ID") */ SUM("MD_TRAN_AMT1"),COUNT(*) FROM
"SHORTWINDOW" "SHORTWINDOW" WHERE :B3>:B3-INTERVAL'+00 01:00:00' D
AY(2) TO SECOND(0) AND "DD_DATE"<:B3 AND
"DD_DATE">=:B3-INTERVAL'+00 01:00:00' DAY(2) TO SECOND(0) AND "DD_
PARTITION_DATE"=TRUNC(:B3) AND "SD_RETL_ID"=:B1 AND
("SD_TRAN_CDE"='10' OR "SD_TRAN_CDE"='13') AND "SD_MSG_TYP"='0210'
AND "SD_BIN"=:B2 HAVING SUM("MD_TRAN_AMT1")>=10000 AND
COUNT(*)>=30) AND NOT EXISTS (SELECT 0 FROM "PRM_REF_DATA_84" "P"
WHERE "P"."PRM_REF_DATA_VALUE"=:B1 AND
"P"."PRM_REF_DATA_ID"='segmentobie2e3') AND NOT EXISTS (SELECT 0
FROM "PRM_REF_DATA_84" "P" WHERE "P"."PRM_REF_DATA_VALUE"=:B1 AND
"P"."PRM_REF_DATA_ID"='SEGMENTOE2') AND NOT EXISTS (SELECT 0 FROM
"PRM_REF_DATA_84" "P" WHERE "P"."PRM_REF_DATA_VALUE"=:B1 AND
"P"."PRM_REF_DATA_ID"='VEL12'))
4 - filter(SUM("MD_TRAN_AMT1")>=10000 AND COUNT(*)>=30)
6 - filter(:B3>:B3-INTERVAL'+00 01:00:00' DAY(2) TO SECOND(0))
8 - filter(("SD_TRAN_CDE"='10' OR "SD_TRAN_CDE"='13') AND "SD_MSG_TYP"='0210'
AND "SD_BIN"=:B2)
9 - access("SD_RETL_ID"=:B1 AND "DD_PARTITION_DATE"=TRUNC(:B3) AND "DD_DATE">
=:B3-INTERVAL'+00 01:00:00' DAY(2) TO SECOND(0) AND
"DD_DATE"<:B3)
10 - access("P"."PRM_REF_DATA_ID"='segmentobie2e3' AND "P"."PRM_REF_DATA_VALUE
"=:B1)
11 - access("P"."PRM_REF_DATA_ID"='SEGMENTOE2' AND "P"."PRM_REF_DATA_VALUE"=:B
1)
12 - access("P"."PRM_REF_DATA_ID"='VEL12' AND "P"."PRM_REF_DATA_VALUE"=:B1)
```

-----  
SQL>