

[GETNET] INSTALL CLIENT ORACLE AIX E LINUX

MÍDIAS PARA INSTALAÇÃO:

As mídias estão nos terminais de cada entorno:

GNCASHHL01956 - HOMOLOGAÇÃO
 GNCASHPL01958 - PRODUÇÃO
 GNCASHTL01960 - TRANSACIONAL
 GNCASHWL01962 - BRANCA
 GNCASNDL00093 - DESENVOLVIMENTO

Alguns instaladores:

12c Windows: /u02/ORAEX/win32_12201_client.zip

19c Linux: /u02/ORAEX/db/19c/LINUX.X64_193000_client.zip

INSTALL CLIENT AIX

User de instalação:

1. `bash-4.3# id oracle`
2. `uid=1101(oracle) gid=8001(oinstall) groups=202(localgrp),8002(asmadmin),8003(asmdba),8006(dba),208(oper)`

Diretório de instalação:

/u01/app/oracle/client

Profile do user:

1. `bash-4.3$ cat /home/oracle/db_profile`
`export ORACLE_BASE=/u01/app/oracle`
`export ORACLE_HOME=$ORACLE_BASE/client`
`export OH=$ORACLE_HOME`
`export PATH=$ORACLE_HOME/bin:$ORACLE_HOME/OPatch:$PATH`

Acertar o IOCP (lembrar do restart da máquina):

`chdev -l iocp0 -P -a autoconfig='available'`

Client (unzip aixppc32_12201_client.zip), pasta criada client32

```
bash-4.3$ pwd
/u02/mídias
bash-4.3$ ls -la
total 2857016
drwxrwxr-x 3 oracle oinstall 256 Feb 28 10:09 .
drwxrwxr-x 5 oracle oinstall 256 Feb 28 10:07 ..
-rwxr-xr-x 1 oracle oinstall 1462790033 Feb 28 10:08 aixppc32_12201_client.zip
drwxr-xr-x 5 oracle oinstall 256 Apr 3 2017 client32
```

Install

* opção administrador (4,5gb)

`cd /u02/mídias`
`./runInstaller`

Configurar o tnsnames.ora em /u01/app/oracle/client/network/admin/

```
SBLHK =
(DESCRIPTION =
(AADDRESS = (PROTOCOL = TCP)(HOST = vip-hk-siebel-db-oracle.getnet.local)(PORT = 1521))
(CONNECT_DATA =
(SERVER = DEDICATED)
(SERVICE_NAME = SBLHKSrv)
)
)
```

INSTALL CLIENT LINUX

Criação do User Oracle (para máquinas sem user Oracle):

```
[root@GNCASNDL04618 data]# groupadd --gid 54321 oinstall
[root@GNCASNDL04618 data]# groupadd --gid 54322 dba
[root@GNCASNDL04618 data]# groupadd --gid 54323 asmdba
[root@GNCASNDL04618 data]# groupadd --gid 54324 asmoper
[root@GNCASNDL04618 data]# groupadd --gid 54325 asmadmin
[root@GNCASNDL04618 data]# groupadd --gid 54326 oper
[root@GNCASNDL04618 data]# groupadd --gid 54327 backupdba
[root@GNCASNDL04618 data]# groupadd --gid 54328 dgdba
[root@GNCASNDL04618 data]# groupadd --gid 54329 kmdba
```

```
[root@GNCASNDL04618 data]# groupadd --gid 54330 racdba
[root@GNCASNDL04618 data]# useradd --uid 54321 --gid oinstall --groups dba,oper,asmdba,racdba,backupdba,dgdba,kmdba oracle
[root@GNCASNDL04618 data]# passwd oracle
Changing password for user oracle.
New password:
BAD PASSWORD: The password is shorter than 15 characters
Retype new password:
passwd: all authentication tokens updated successfully.
```

Cópia do Client:

```
[root@GNCASNDL04618 data]# scp adm.as58172@GNCASNDL00093:/u02/ORAEX/db/19c/LINUX.X64_193000_client.zip . Password: LINUX.X64_193000_client.zip 100% 1082MB 77.9MB/s 00:13
```

Criação do profile Oracle:

```
[root@GNCASNDL04618 data]# su - oracle
[oracle@GNCASNDL04618 ~]$ vi db_profile
[oracle@GNCASNDL04618 ~]$ chmod 775 db_profile
[oracle@GNCASNDL04618 ~]$ chmod 775 db_profile
[oracle@GNCASNDL04618 ~]$ cat db_profile
export ORACLE_BASE=/u01/app/oracle
export ORACLE_HOME=$ORACLE_BASE/client
export OH=$ORACLE_HOME
export PATH=$ORACLE_HOME/bin:$ORACLE_HOME/OPatch:$PATH
```

Install do Xauth:

```
[root@GNCASNDL04618 ~]# yum -y install xorg-x11-xauth
Loaded plugins: enabled_repos_upload, package_upload, product-id, search-disabled-repos, subscription-manager
Getnet_Zabbix_4_5_Zabbix_4_4_RHEL6_x64 | 2.1 kB 00:00:00
Getnet_Zabbix_4_5_Zabbix_4_4_RHEL7 | 2.1 kB 00:00:00
Getnet_Zabbix_4_5_Zabbix_4_4_RHEL_5_i386 | 2.1 kB 00:00:00
Getnet_Zabbix_4_5_Zabbix_4_4_RHEL_5_X86_64 | 2.1 kB 00:00:00
Getnet_Zabbix_4_5_Zabbix_4_4_RHEL_6_i386 | 2.1 kB 00:00:00
rhel-7-server-extras-rpms | 2.0 kB 00:00:00
rhel-7-server-optional-rpms | 2.0 kB 00:00:00
rhel-7-server-rpms | 2.0 kB 00:00:00
rhel-7-server-satellite-tools-6.3-puppet4-rpms | 2.1 kB 00:00:00
rhel-7-server-satellite-tools-6.3-rpms | 2.1 kB 00:00:00
rhel-7-server-supplementary-rpms | 2.0 kB 00:00:00
Resolving Dependencies
--> Running transaction check
--> Package xorg-x11-xauth.x86_64 1:1.0.9-1.el7 will be installed
--> Processing Dependency: libXmu.so.1()(64bit) for package: 1:xorg-x11-xauth-1.0.9-1.el7.x86_64
--> Running transaction check
--> Package libXmu.x86_64 0:1.1.2-2.el7 will be installed
--> Finished Dependency Resolution
Dependencies Resolved

=====
Package Arch Version Repository Size
=====
Installing:
xorg-x11-xauth x86_64 1:1.0.9-1.el7 rhel-7-server-rpms 30 k
Installing for dependencies:
libXmu x86_64 1.1.2-2.el7 rhel-7-server-rpms 71 k
Transaction Summary
=====
Install 1 Package (+1 Dependent package)
Total download size: 101 k
Installed size: 216 k
Downloading packages:
(1/2): xorg-x11-xauth-1.0.9-1.el7.x86_64.rpm | 30 kB 00:00:00
(2/2): libXmu-1.1.2-2.el7.x86_64.rpm | 71 kB 00:00:00
-----
Total 256 kB/s | 101 kB 00:00:00
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
Installing : libXmu-1.1.2-2.el7.x86_64 1/2
Installing : 1:xorg-x11-xauth-1.0.9-1.el7.x86_64 2/2
Uploading Package Profile
Loaded plugins: product-id, subscription-manager
Verifying : libXmu-1.1.2-2.el7.x86_64 1/2
Verifying : 1:xorg-x11-xauth-1.0.9-1.el7.x86_64 2/2
Installed:
xorg-x11-xauth.x86_64 1:1.0.9-1.el7
Dependency Installed:
libXmu.x86_64 0:1.1.2-2.el7
Complete!
Uploading Enabled Repositories Report
Loaded plugins: product-id, subscription-manager
```

Install do Client

Criação dos diretórios de instalação:

```
[root@GNCASNDL04618 data]# mkdir -p /u01/app/oracle/client
[root@GNCASNDL04618 data]# chmod 775 /u01/app/oracle/client
[root@GNCASNDL04618 data]# chmod 775 /u01/app/oracle/
```

```
[root@GNCASNDL04618 data]# chmod -R 775 /u01
[root@GNCASNDL04618 data]# chown -R oracle:oinstall /u01
```

Configuração do X:

```
-sh-4.2$ xauth list
GNCASNDL04618/unix:10 MIT-MAGIC-COOKIE-1 c32236957dd9d44353c8834f83b8cd38
-sh-4.2$ sudo su -
[sudo] password for adm.as58172:
Last login: Mon Aug 17 20:00:51 -03 2020 on pts/1
[root@GNCASNDL04618 ~]# su - oracle
Last login: Mon Aug 17 19:52:19 -03 2020 on pts/1
[oracle@GNCASNDL04618 ~]$ . db_profile
[oracle@GNCASNDL04618 ~]$ xauth add GNCASNDL04618/unix:10 MIT-MAGIC-COOKIE-1 06d1a276cc4471587ce25476b32d5211
[oracle@GNCASNDL04618 ~]$ export DISPLAY=localhost:10.0
[oracle@GNCASNDL04618 ~]$ cd /data
[oracle@GNCASNDL04618 data]$ ls
ca_srv_inxi38664_11.1.7.zip LINUX.X64_193000_client.zip
[oracle@GNCASNDL04618 data]$ df -h
Filesystem Size Used Avail Use% Mounted on
devtmpfs 16G 0 16G 0% /dev
tmpfs 16G 4.0K 16G 1% /dev/shm
tmpfs 16G 84M 16G 1% /run
tmpfs 16G 0 16G 0% /sys/fs/cgroup
/dev/sda2 21G 5.3G 16G 26% /
/dev/mapper/vg_data-lv_data 60G 5.8G 55G 10% /data
tmpfs 3.2G 0 3.2G 0% /run/user/1005
tmpfs 3.2G 0 3.2G 0% /run/user/1237304722
tmpfs 3.2G 0 3.2G 0% /run/user/1237252925
[oracle@GNCASNDL04618 data]$ unzip LINUX.X64_193000_client.zip
[oracle@GNCASNDL04618 ~]$ cd /data/
[oracle@GNCASNDL04618 data]$ cd client
[oracle@GNCASNDL04618 client]$ ./runInstaller
```