

ASL AVIATION GROUP — FLIGHT DISPATCH

Dispatch Watch

User & Administrator Guide

Covers: installation & auto-update • multi-user Writer/Reader mode • every tab •
training the impact-classification engine • building the Flight Schedule • troubleshooting & log files

Version reflects the build current as of August 2026.

Table of Contents

1. Overview

2. Installation & First Launch

2.1 The "Install Dispatch Watch" shortcut

2.2 What happens on first run

2.3 Automatic updates

3. Multi-User Mode: Writer & Reader

3.1 Who you are (identity)

3.2 Becoming Writer, or opening as Reader

3.3 Forcing a takeover

3.4 What Reader mode restricts

3.5 Auto-save on inactivity

4. Tab-by-Tab Reference

4.1 NOTAM Filter

4.2 NOTAM Report

4.3 AIP SUP Report

4.4 Conflict

4.5 Email

4.6 APT List

4.7 Flight Schedule

4.8 RWYs

4.9 Keywords

4.10 DB Update

4.11 Admin

5. Building the Flight Schedule

6. Training the Impact-Classification Engine

7. Troubleshooting & Log Files

1. Overview

Dispatch Watch is the flight-dispatch desk's tool for downloading, filtering, classifying, and reporting on ICAO NOTAMs, and for cross-referencing them against the day's Flight Schedule. It is built as a Windows desktop application and is designed to be run by every dispatcher on their own local machine, with all data kept in sync on a shared network drive ().

The application walks a NOTAM through four stages:

- | | |
|---------------------------|--|
| 1. Download | Raw NOTAM data is pulled from the ICAO feed into the local database. |
| 2. Filter | An automatic triage engine highlights NOTAMs that likely affect operations, using per-airport runway/ILS data and keyword rules; the dispatcher confirms, reclassifies, or ignores each one. |
| 3. Cross-reference | Kept NOTAMs are matched against the Flight Schedule for the next 7 days to surface real operational conflicts. |
| 4. Report | NOTAM, AIP SUP, and Flight Schedule reports are generated as PDF and can be emailed directly from the app. |

WHO THIS GUIDE IS FOR

Sections 1–6 are written for every dispatcher using the app day to day. Boxes marked **ADMIN** like the one in Section 3.3 cover settings only an administrator needs to touch (the Admin tab, shared paths, service URLs).

2. Installation & First Launch

Running the app directly from the shared drive is slow — every screen redraw and database query crosses the network. Dispatch Watch solves this by installing a private copy of itself onto each dispatcher's own machine the first time they run it, and keeping that copy current automatically afterward.

2.1 The "Install Dispatch Watch" shortcut

Your administrator places a shortcut named **Install Dispatch Watch** at the root of the shared flight-dispatch folder on the `v:` drive. This is not a separate installer program — it simply launches the real application straight from `v:`, one time. Double-click it to begin.

2.2 What happens on first run

1. The app notices it is running directly from `v:` rather than from your own machine.
2. It copies itself — program files and reference data, not the live NOTAM database — into a private folder on your PC.
3. It creates a **Desktop shortcut** pointing at that local copy.
4. It closes the copy running from `v:` and immediately reopens itself from your local folder.

FROM NOW ON

Always start Dispatch Watch from the **Desktop shortcut** it just created, not from `v:` again. The Desktop shortcut is fast; running from `v:` is only meant for that one-time install step (or if IT ever needs to re-trigger it).

2.3 Automatic updates

Every time you open Dispatch Watch from your Desktop shortcut, it quietly checks whether the copy on `v:` is newer than the one on your machine. If it is, the app updates itself — copying the newer program files down, then restarting from the refreshed local copy — before you see the main window. Your NOTAM database and any local settings are never touched by this step; only the application program itself is replaced.

NOTHING TO DO

There is no update button and nothing to download by hand. If a new build is on `v:`, your next launch picks it up on its own, typically adding only a few seconds to startup.

3. Multi-User Mode: Writer & Reader

Because each dispatcher runs their own local copy of the database, two people editing at the same time would risk silently overwriting each other's work. Dispatch Watch prevents that with a simple rule: **only one dispatcher can be Writer (make changes) at a time**; everyone else opens in read-only **Reader** mode.


3.1 Who you are (identity)

The app identifies you automatically using your default Outlook mailbox address — there is nothing to log in or configure. Your email is recorded the first time you open the app and is what other dispatchers see when the app is "in use by" someone.

3.2 Becoming Writer, or opening as Reader

When you start the app:

- If nobody else is currently working in it (or the previous Writer's session went stale, e.g. their PC lost network access), you become **Writer** automatically — no prompt.
- If someone else is actively Writer, you're shown a dialog:



Continue as Reader opens the app with a live view of the current data, but every screen that would change the database is disabled. **Force Writer** immediately takes over write access from the other dispatcher.

3.3 Forcing a takeover

If you choose **Force Writer**, the other dispatcher's session is switched to Reader within about 30 seconds. Before that happens, their app automatically saves whatever they had pending to the shared drive, so a takeover never silently discards their work. They'll see a short on-screen notice naming who took over.

USE SPARINGLY

Only force a takeover if you genuinely need to make changes and the other dispatcher is not actively using the app (e.g. they forgot to close it before leaving). If in doubt, ask them first.

3.4 What Reader mode restricts

As Reader, you can view every tab, browse and search NOTAMs, and export/print PDFs — but any action that writes to the database is disabled and shows a short "Read-only mode" notice instead. That covers:

Restricted in Reader mode	Still available
NOTAM Filter — Keep/Ignore, impact chips, Submit	Viewing NOTAMs, keyword highlighting
DB Update (downloading new NOTAM data)	Viewing when the DB was last updated
Flight Schedule refresh	Viewing the current schedule grid, exporting to PDF
Sending reports by email; managing recipients	Viewing the Conflict / NOTAM Report / AIP SUP tabs
APT List, RWYs, Keywords (add/edit/delete)	Browsing all three lists
Admin tab settings	Viewing current settings
AIP SUP "Avio" checkboxes	Everything else on that report

3.5 Auto-save on inactivity


If you're Writer and step away without closing the app, Dispatch Watch saves your changes to **v:** automatically after **2 minutes** of no mouse or keyboard activity, and shows a brief confirmation in the corner of the screen. This means a forgotten, still-open session is never more than a couple of minutes behind, and it's also what makes a "Force Writer" takeover safe for the person being taken over from.

4. Tab-by-Tab Reference

Tabs appear left to right in the order below.

4.1 NOTAM Filter

The main triage screen, and the one you'll use most. It opens automatically to the first airport that still has unread NOTAMs. Each new NOTAM appears as a card on the right, with the airport's runway diagram and details shown above it.



Two ways to work this tab:

- **Filter New NOTAMS** (top-left button) — the automatic triage flow. It steps you airport by airport through every NOTAM the engine hasn't classified yet.
- **ICAO box + OK** (top-right) — type any station's ICAO code to jump straight to it and see every NOTAM there (Kept, ignored, and new), whether or not it's been through triage.

The impact chips

Each NOTAM card has a colored strip and a row of chips for classifying its operational impact. Picking one keeps the NOTAM and stores the classification; only one impact chip applies per NOTAM, but SUP is independent and can be ticked alongside any of them.



The engine **pre-suggests** a chip for many NOTAMs automatically (runway closures, ILS/CAT downgrades, "Not available as alternate" wording, fuel restrictions) and auto-Keeps them for your review — you don't have to click Keep by hand for those, just confirm or correct the suggested chip. A suggestion you clear or change is logged, and periodically used to improve the engine (see Section 6).

In the automatic flow, nothing is written to the database until you click **SUBMIT** at the bottom. In the manual ICAO-lookup view, every chip and remark saves the instant you touch it — there's no Submit button there.

4.2 NOTAM Report

A printable summary of every Kept, impact-classified NOTAM, grouped by fleet (Long Haul, Short Haul/FedEx, Charters) and by impact category, with a 24h/7-day/31-day/complete time-window filter. The tab itself only builds the fast summary

table — each NOTAM reference is a clickable link that jumps you straight to that airport in the NOTAM Filter tab.

BIKF

IATA: KEF

Keflavik International Airport

01: CAT 1 3054m

10: CAT 2 3065m

19: CAT 2 3054m

28: CAT 1 3065m

A0266/26-BIKF

26MAY2026 → 23AUG2026

No

ILS RWY 10 U/S. REF AIP SUP 07/2026

A0738/26-BIKF

06AUG2026 → 06AUG2026

No

RWY 10/28 CLSD FOR TAKE-OFF AND LANDING DUE WIP.

A per-airport detail block as it appears in the exported PDF — runway/CAT info, then every Kept NOTAM at that station.

EXPORT PDF IS THE FULL REPORT

Click **Export PDF** to generate the complete report — summary table plus one detailed section per airport in the Airport List, each with its runway diagram. Building all those diagrams takes a little time, so a progress bar tracks it; the on-screen tab itself stays instant because it skips that step.

4.3 AIP SUP Report

Lists every NOTAM flagged as an AIP Supplement (the SUP chip), with its reference number and a checkbox column for tracking whether it's been loaded into Aviobook. Clicking a checkbox saves immediately — there's no Submit step here either. Use **Export PDF** to produce the printable/emailable version.

4.4 Conflict

Cross-references every Kept, classified NOTAM against the Flight Schedule for the next 7 days, and shows only the ones that actually touch a scheduled flight — a NOTAM at a station nothing flies to or from doesn't appear here. Sections are ordered by severity: APT CLSD, No ILS, CAT I, Fuel, then Not ALTN.

AP CLSD2 conflicts

EDDS

IATA: STR

Stuttgart Airport

07: CAT 3 3045m

25: CAT 3 3345m

TAY4180 STR-CDG — origin — STD 06-08 20:30Z

TAY4690 FRA-STR — destination — STA 06-08 04:39Z

TAY4690 FRA-STR — destination — STA 07-08 04:39Z

TAY4180 STR-CDG — origin — STD 05-08 20:30Z

DAILY 2230-0330

A3893/26-EDDS

DAILY 2230-0330 RWY 07/25 CLSD.

UAKK

IATA: KGF

Sary-Arka Airport

05: CAT 1 3601m

23: CAT 1 3601m

TAY810 KGF-LGG — origin — STD 05-08 18:45Z

MON 0500-2359, TUE 0000-0100

K1571/26-UAKK

MON 0500-2359, TUE 0000-0100 RWY 05/23 CLSD

APT CLSD conflicts at EDDS and UAKK — airport card, matching flight chip(s), and the exact NOTAM text.

Each card shows the airport (with its runway diagram), the specific flight(s) affected as a chip (callsign, origin/destination role, and STD or STA), and the NOTAM's full text below. A NOTAM with a recurring schedule in its text (e.g. `MON 0500-2359, TUE 0000-0100`) is checked against the actual flight time within that pattern, not just the NOTAM's overall date range — so a flight on a day the closure doesn't apply won't show as a false conflict.



A FUEL conflict at LFLL, with the matching flight and the NOTAM's refuelling restriction text.

"Not ALTN" is the one exception: it isn't tied to any specific flight (whether a station can be used as a diversion doesn't depend on which flights happen to touch it), so every Kept Not-ALTN NOTAM active in the next 7 days shows there regardless of the Flight Schedule.

This tab reads whatever is already in the Flight Schedule table — it doesn't refresh it itself. If the Flight Schedule tab hasn't been loaded yet, a banner reminds you to do that first.

4.5 Email

Manage the distribution list and send the day's reports. **Add/Remove** maintain the recipient list; **Send Reports** composes and sends one email through your own Outlook, containing:

- The email **body** — the same content as the Conflict tab, so recipients get the operational picture directly without opening an attachment.
- Three **PDF attachments**: the full NOTAM Report, the AIP SUP list, and the Flight Schedule for the next 7 days.

EXPORT FIRST

All three PDFs must already exist in the shared reports folder before sending — use each tab's own Export PDF button first. If one is missing or from an earlier day, Send Reports tells you which.

4.6 APT List

The master list of every airport the desk tracks: ICAO, IATA, full name, and which fleets (Long Haul / FedEx / Charters) operate there. This list drives which airports get auto-triaged, which show up in the NOTAM Report's per-airport detail, and which fleet columns get grouped into on every report. Add an airport by typing its ICAO into the blank row at the bottom; its name and runways are looked up automatically. Use the search box to filter by ICAO or IATA.

4.7 Flight Schedule

Shows the next 14 days of flights (UTC), built from three data sources blended together — see Section 5 for the full explanation. A filter row above the grid lets you narrow by any column (callsign, origin, destination, etc.).

Dispatch Watch									
NOTAM Filter	NOTAM Report	AIP SUP Report	Email	APT List	Flight Schedule	RWYs	Keywords	DB Update	Conflict Admin
Schedule next 14 days (UTC)									
Refresh CSV actif - Refuel EU (5) csv (modified 05-08 15:57)									
2026-08-05	TAY4243	LMN	LIS	OEIAM	2026-08-05 16:4:00Z	2026-08-05 16:10:00Z	HAYEN OLIVIER (C) / JARRET PIERRE-CESAIRE (F)		
2026-08-05	TAY4702	MLA	VCE	OEIXV	2026-08-05T17:12:00Z	2026-08-05T19:20:00Z	LEFEVRE MALVIX (C) / MOUJON NICOLAS (F)		
2026-08-05	TAY4367	TLL	ARN	OEIBL	2026-08-05T17:22:00Z	2026-08-05T18:25:00Z	DEGEEST TOM (C) / SEGALIN LUCA (F)		
2026-08-05	TAY4750	SOF	OTP	OEIXP	2026-08-05T17:30:00Z	2026-08-05T18:21:00Z	VERSTRAETEN KEN (C) / GLINEL STEVE (F)		
2026-08-05	TAY4315	RIX	WAW	OEIXF	2026-08-05T17:35:00Z	2026-08-05T18:50:00Z	DEGROOTE ROBBIN (C) / TESSIER ALBAN (F)		
2026-08-05	TAY4572	SVG	VIT	OEIXC	2026-08-05T18:05:00Z	2026-08-05T19:27:00Z	BEETS JEREMY (C) / COUTURIER MORGAN (F)		
2026-08-05	TAY4982	OSL	GOT	OEIXS	2026-08-05T18:10:00Z	2026-08-05T19:08:00Z	WALRAVENS VINCENT (C) / MOKDAD ROMAIN (F)		
2026-08-05	TAY4563	KUN	PRG	FHIGE	2026-08-05T18:15:00Z	2026-08-05T19:45:00Z	MILLOT EMMANUEL (C) / NEVISCHI DYLAN (F)		
2026-08-05	TAY4138	GDN	MUC	OEIXH	2026-08-05T18:34:00Z	2026-08-05T20:05:00Z	STUBBE MARC (C) / DESJARDINS MARC (F)		
2026-08-05	TAY4363	TSR	MUC	OEIWB	2026-08-05T18:40:00Z	2026-08-05T20:12:00Z	LAUWERS GAUTIER (C) / COLLIN ANGE (F)		
2026-08-05	TAY4516	TKU	CDG	OEIXR	2026-08-05T18:43:00Z	2026-08-05T21:34:00Z	CHATELLE MAXIME (C) / QUENOT LEO (F)		
2026-08-05	TAY810	KGF	LGG	OEIFK	2026-08-05T18:45:00Z	2026-08-06T02:20:00Z			
2026-08-05	TAY4912	VLC	BCN	OEIXE	2026-08-05T18:45:00Z	2026-08-05T19:40:00Z	DEHOUX ARNAUD (C) / DAVID BENOIT (F)		
2026-08-05	TAY4237	CDG	MLH	OEIWF	2026-08-05T18:47:00Z	2026-08-05T19:51:00Z	DESCHAMPS XAVIER (C) / ANNIC-NONY BRENDAN (F)		
2026-08-05	TAY4537	LIS	CDG	OEIAM	2026-08-05T18:55:00Z	2026-08-05T21:33:00Z	RAYEN OLIVIER (C) / JAMEY PIERRE-CESAIRE (F)		
2026-08-05	TAY4717	EDI	MME	OEIBI	2026-08-05T19:05:00Z	2026-08-05T19:53:00Z	LE CAMPION LOIC (C) / DEGORCE ARTHUR (F)		
2026-08-05	TAY4159	GVA	LYS	OEIWA	2026-08-05T19:06:00Z	2026-08-05T19:47:00Z	THEVENON MARTIN (C) / RASSENEUR ANTHONY (F)		
2026-08-05	TAY4750	OTP	CDG	OEIXP	2026-08-05T19:11:00Z	2026-08-05T22:15:00Z	VERSTRAETEN KEN (C) / GLINEL STEVE (F)		
2026-08-05	TAY4367	ARN	CDG	OEIBL	2026-08-05T19:15:00Z	2026-08-05T21:55:00Z	DEGEEST TOM (C) / SEGALIN LUCA (F)		
2026-08-05	FDX4797	SAW	LGG	OEIWE	2026-08-05T19:30:00Z	2026-08-05T23:09:00Z	LEMMENS JORIS (C) / WINANDY MAXIME (F)		
2026-08-05	TAY4139	BRQ	CDG	OEIXJ	2026-08-05T19:30:00Z	2026-08-05T21:30:00Z	DAGUE JULIEN (C) / ALLAR CORENTIN (F)		
2026-08-05	TAY4315	WAW	CDG	OEIXF	2026-08-05T19:40:00Z	2026-08-05T22:05:00Z	DEGROOTE ROBBIN (C) / TESSIER ALBAN (F)		
2026-08-05	TAY4982	GOT	CDG	OEIXS	2026-08-05T19:58:00Z	2026-08-05T22:03:00Z	WALRAVENS VINCENT (C) / MOKDAD ROMAIN (F)		
2026-08-05	TAY4346	OPO	CDG	OEIBO	2026-08-05T20:15:00Z	2026-08-05T22:27:00Z	VERMOESEN WIM (C) / MACHADO FRAGA RAFAEL (F)		
2026-08-05	TAY4702	VCE	CDG	OEIXV	2026-08-05T20:20:00Z	2026-08-05T22:08:00Z	LEFEVRE MALVIX (C) / MOUJON NICOLAS (F)		
2026-08-05	TAY4572	VIT	CDG	OEIXC	2026-08-05T20:20:00Z	2026-08-05T22:02:00Z	BEETS JEREMY (C) / COUTURIER MORGAN (F)		
2026-08-05	TAY4180	STR	CDG	OEIXM	2026-08-05T20:30:00Z	2026-08-05T21:51:00Z	SPPOSITO ALEXANDRE (C) / SHARRUT ELIOTT (F)		
2026-08-05	TAY4563	PRG	CDG	FHIGE	2026-08-05T20:35:00Z	2026-08-05T22:20:00Z	MILLOT EMMANUEL (C) / NEVISCHI DYLAN (F)		
2026-08-05	TAY4159	LYS	CDG	OEIWA	2026-08-05T20:37:00Z	2026-08-05T21:50:00Z	THEVENON MARTIN (C) / RASSENEUR ANTHONY (F)		
2026-08-05	TAY4717	MME	CDG	OEIBI	2026-08-05T20:38:00Z	2026-08-05T22:13:00Z	LE CAMPION LOIC (C) / DEGORCE ARTHUR (F)		
2026-08-05	TAY4912	BCN	LGG	OEIXE	2026-08-05T20:40:00Z	2026-08-05T22:46:00Z	DEHOUX ARNAUD (C) / DAVID BENOIT (F)		
2026-08-05	TAY4962	MLH	LGG	OEIXA	2026-08-05T20:41:00Z	2026-08-05T21:43:00Z	ROELAND-HECO ADRIEN (C) / LAFARGUE SAMY (F)		
2026-08-05	FDX4678	KTW	CDG	OEIXK	2026-08-05T20:43:00Z	2026-08-05T22:54:00Z	PIN DAVID GUILLAUME (C) / PATIE-PELCAUT MAXIME (F)		
2026-08-05	TAY4703	PCD	CDG	OEIMC	2026-08-05T20:44:00Z	2026-08-05T22:52:00Z	MORAINE DIDIER (C) / SOHIER MAXIME (F)		
2026-08-05	TAY4372	BCN	CDG	OEIXO	2026-08-05T20:50:00Z	2026-08-05T22:49:00Z	DE COSTER LIEVEN (C) / DAVID EMILE (F)		
2026-08-05	TAY4357	MLH	CDG	OEIWF	2026-08-05T20:50:00Z	2026-08-05T22:05:00Z	DESCHAMPS XAVIER (C) / ANNIC-NONY BRENDAN (F)		
2026-08-05	TAY4335	AMS	CDG	OEIXB	2026-08-05T21:00:00Z	2026-08-05T22:19:00Z	DUPRIEZ JULIEN (C) / MORAND THIBAUT (F)		
2026-08-05	TAY4138	MUC	CDG	OEIXH	2026-08-05T21:02:00Z	2026-08-05T22:40:00Z	STUBBE MARC (C) / DESJARDINS MARC (F)		
2026-08-05	TAY4363	MUC	LGG	OEIWB	2026-08-05T21:20:00Z	2026-08-05T22:32:00Z	LAUWERS GAUTIER (C) / COLLIN ANGE (F)		

The Flight Schedule grid, with the per-column filter row and the "active CSV" indicator visible at the top.

Click **Refresh** to pull the latest data; it can take a little while (see Section 5) and shows a progress dialog. **Export PDF** produces a 7-day printable version, grouped by date, for the email attachment described in Section 4.5.

4.8 RWYs

The structured runway database behind every runway diagram and CAT/ILS classification in the app: one row per threshold (heading, length, CAT capability, coordinates). Pick an airport from the dropdown to view or hand-edit its runways, use **Re-import CSV** to refresh from the underlying open-data source, or **+ Add RWY** for a station not yet covered by that data. The **Cat** (CAT I/II/III capability) column is always manual — the public data source doesn't include it, so it has to be set once per runway and is then remembered.

4.9 Keywords

The list of words the app bolds in red wherever NOTAM text is shown (Filter cards, reports, exported PDFs) — useful for making things like **CLSD**, **U/S**, or a specific NAVAID identifier jump out visually. Add or remove words freely; the highlighting updates everywhere immediately.

4.10 DB Update

Downloads the latest NOTAM data from the ICAO feed and reconciles it against what's already stored — adding new NOTAMs, removing withdrawn ones, and pruning ones that have expired. A quick-access copy of the same button sits on the NOTAM Filter tab's top bar for convenience. Runs in the background with a progress dialog; the "MAJ" (last updated) label on the Filter tab's top bar reflects when this last completed successfully.

4.11 Admin

ADMIN

This tab is for whoever maintains the deployment, not day-to-day dispatching. Settings saved here are shared configuration paths and service endpoints, most of which should rarely need to change.

Setting	What it controls
Flight Schedule Service URL	The <code>getFlightList</code> web service endpoint.
Briefing Service URL	The <code>getBriefing</code> web service endpoint (used to resolve arrival times).
Callsign prefixes to keep	Which operators' flights are kept in the Flight Schedule (e.g. <code>TAY</code> , <code>FDX</code> , <code>DHL</code>) — everything else is filtered out.
Conflict window ($\pm$ hours)	How close a NOTAM's active period must be to a flight's STD/STA to count as a conflict on the Conflict tab.
Movement Manager XML folder	The network path Dispatch Watch reads schedule-update messages from (see Section 5).
Flight Sched CSV folder	The shared folder every dispatcher drops the fallback CSV export into (see Section 5) — must point at a location on <code>V:</code> , not a personal folder, or other dispatchers won't see the file.

5. Building the Flight Schedule

The Flight Schedule tab blends three sources together to cover the next 7 days as completely as possible, each one filling in gaps the others can't yet see. They apply in this priority order — a flight already known from a higher-priority source is never overwritten by a lower one:

- 1 Web service** The primary source (`getFlightList` / `getBriefing`). A flight only appears here once its plan has actually been calculated, so upcoming flights can be temporarily invisible this way.
- 2 Movement Manager** An XML message feed that fills most of that gap, giving visibility further into the week. It only ever reports up to 2 days beyond a message's own date, so it can't reach the full 7-day window on its own.
- 3 CSV fallback** A manually exported CSV, last resort for whatever the first two still don't cover — typically the furthest-out days.

Keeping the CSV fallback current

Export the "Refuel EU" CSV from FPM as far out as it will go, and drop it into the shared **Flight Sched CSV** folder on `v:` (its exact path is shown on the Flight Schedule tab, and configurable on the Admin tab). The filename doesn't matter — the app always uses whichever file in that folder was modified most recently. Any dispatcher can refresh it; there's no need to coordinate who does it. Once the web service or Movement Manager catches up on a flight the CSV was covering, the CSV row for it is automatically dropped in favour of the more authoritative source.

A SHARED FOLDER, NOT A PERSONAL ONE

Because every dispatcher runs their own local install, the CSV folder has to live on `v:` so everyone's refresh sees the same file — this is an Admin-tab setting, not something to change per machine.

Why a refresh can take a while

A full refresh means: up to 8 web-service calls (one per day, day 0–7), reading through the Movement Manager XML backlog, the CSV pass, and then **one web-service call per flight** to resolve its arrival time — potentially a few hundred calls across a busy week. That last step is normally the slowest part. The progress dialog's status text tells you which stage is running; if it seems unusually slow, note which stage it's stuck on before reporting it (see Section 7).

6. Training the Impact-Classification Engine

Every time the engine's auto-suggested chip for a NOTAM turns out to be wrong — you clear it, change it, or add one it never suggested — that correction is silently logged, together with the NOTAM's text and the airport's runway/CAT configuration. You don't need to do anything to trigger this; it happens automatically as part of your normal Keep/Ignore/chip workflow, on both the NOTAM Filter and the manual ICAO station view.

WHERE IT GOES

Corrections accumulate in a file called `ImpactCorrections.csv`, kept locally next to the running app. It only ever grows by appending — nothing is ever removed automatically.

How it's used

Periodically, this file is reviewed against the engine's current rules to find patterns — a wording the engine keeps misreading, a false-positive trigger, a case it never fires on at all — and the underlying classification rules are refined accordingly. This is how the auto-suggestions keep improving to reflect the fleet's real day-to-day judgment calls, rather than staying fixed at whatever they were initially tuned against.

What you can do to help

- Correct a wrong suggestion the normal way (change the chip, or clear it if nothing applies) — there's no separate "report this" action needed.
- If a suggestion is wrong for a reason that isn't obvious from the NOTAM text alone (a fleet-specific operational judgment call, for instance), mention it to whoever reviews the corrections file so the reasoning isn't lost.


ADMIN — STARTING A CLEAN BASELINE

Since the file only ever grows, old (already-addressed) corrections stay mixed in with new ones. After a round of rule tuning, archive/rename `ImpactCorrections.csv` (it's recreated automatically, with just a header row, the next time a correction is logged) so the next review only reflects genuinely new patterns.

7. Troubleshooting & Log Files

Dispatch Watch writes several plain-text log files next to the running application. None of them are needed for normal use — they exist so a problem can be diagnosed from what actually happened, rather than guessed at.

File	What it records	When to check it
<code>crash_log.txt</code>	The full error detail any time the app fails to start.	The app shows an error dialog on launch instead of opening normally.
<code>deploy_log.txt</code>	Every install/update/database-sync decision made at startup (where it's installing to, whether an update was found, whether the local database was considered current).	The app seems to install or update in a loop, or data looks out of date after a launch.
<code>wkhtmltopdf_log.txt</code>	Output from the PDF export engine.	An exported PDF is missing content (e.g. a runway diagram) that shows fine on screen.
<code>ImpactCorrections.csv</code>	Every dispatcher correction of the classification engine (Section 6).	Not a troubleshooting file — mentioned here since it lives alongside the others.



Two real startup-error dialogs. Both point at `crash_log.txt` — that's always the first thing to check, and the first thing to send if you need help.

If the app won't start

1. Read the error dialog — it usually names the exact file or table it couldn't find.

2. Open `crash_log.txt` next to the exe. The most recent entry (at the bottom) is the one that matters.
3. Open `deploy_log.txt` alongside it — it shows whether an install/update just happened, which is often the context for a startup failure right after.
4. Send both files to your administrator along with what you were doing (first-ever launch on this PC? straight after an update? after your machine was offline for a while?).

If a report or export looks wrong

- **Runway diagram missing from an exported PDF, but visible on screen:** check `wkhtmltopdf_log.txt` for why that specific resource failed to load.
- **Flight Schedule refresh very slow:** note which stage the progress dialog was on when it stalled (see Section 5) — that narrows down whether it's the web service, Movement Manager, or the per-flight briefing calls.
- **"In use by" a dispatcher you know isn't actually working in the app:** their session likely didn't close cleanly. Either wait ~90 seconds for their lock to be treated as stale, or use Force Writer (Section 3.3).

Dispatch Watch — ASL Aviation Group Flight Dispatch. This guide describes application behavior as of the build current when it was generated; UI details may evolve.