Main

Jonathan Fung

Files

```
./index.html
<!DOCTYPE html>
<html class="no-js" lang="">
  <<HEAD>>
  <body>
    <div class="main-container">
     <<sidebar>>
     <<home>>
    </div>
    <<decor>>
  </body>
</html>
./pages/about.html
<!DOCTYPE html>
<html class="no-js" lang="">
  <<HEAD>>
  <body>
    <div class="main-container">
     <<sidebar>>
     <<about>>
    </div>
    <<decor>>
  </body>
</html>
./pages/blog.html
<!DOCTYPE html>
<html class="no-js" lang="">
  <<HEAD>>
  <body>
    <div class="main-container">
     <<sidebar>>
```

```
<<blood>>
    </div>
    <<decor>>
  </body>
</html>
./pages/essays.html
<!DOCTYPE html>
<html class="no-js" lang="">
  <<HEAD>>
  <body>
    <div class="main-container">
     <<sidebar>>
     <<essays>>
    </div>
    <<decor>>
  </body>
</html>
./pages/contact.html
<!DOCTYPE html>
<html class="no-js" lang="">
  <<HEAD>>
  <body>
    <div class="main-container">
     <<sidebar>>
     <<contact>>
    </div>
    <<decor>>
  </body>
</html>
./pages/resume.html
<!DOCTYPE html>
<html class="no-js" lang="">
  <<HEAD>>
  <body>
    <div class="main-container">
     <<sidebar>>
     <<resume>>
    </div>
    <<decor>>
  </body>
</html>
```

TODO mkdir for essays (contingent on naming essays/writings/papers)

Components

HEAD+=

```
<head>
  <meta charset="utf-8">
  <meta http-equiv="x-ua-compatible" content="ie=edge">
  <meta name="description" content="">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="apple-touch-icon" href="/apple-touch-icon.png">
  <!-- Place favicon.ico in the root directory -->
  <!-- Need to toggle this when deploying -->
  <base href="/home/jonat/personal-site/">
 <!-- <base href="https://jonathanmfung.github.io/"> -->
 <title>Jonathan Fung</title>
  <link href="./styles/main.css" rel="stylesheet" />
 <link rel="icon" type="image/png" href="Assets/favicon1.png" />
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="Description" content="Jonathan Fung's Website">
 <meta content="text/html;charset=utf-8" http-equiv="Content-Type">
 <meta content="utf-8" http-equiv="encoding">
  <script src="https://kit.fontawesome.com/21b56814b7.js" crossorigin="anonymous"></script>
</head>
```

TODO Add in google analytics tag

Sidebar + Footer + Decor

TODO Add copyright to bottom of sidebar, perhaps absolute withe bottom left decor

sidebar+=

```
<meta name="viewport" content="width=device-width, initial-scale=1">
   <meta name="Description" content="Jonathan Fung's Website">
   <meta content="text/html;charset=utf-8" http-equiv="Content-Type">
   <meta content="utf-8" http-equiv="encoding">
    <script src="https://kit.fontawesome.com/21b56814b7.js" crossorigin="anonymous"></script>
  </head>
footer+=
<footer></footer>
decor+=
<footer></footer>
Mains
home+=
<footer></footer>
about+=
<footer></footer>
blog+=
<footer></footer>
essays+=
<footer></footer>
contact+=
<footer></footer>
resume+=
<footer></footer>
Blog Posts
TODO Blog Template
TLDR, Questions
```

Restricted width content-container, name it content-blog (max-width: 75ch;)

keep vertical bar, but make it black

grid-template-columns: 25.5% 74.5%;

only a small blue rectangle to navigate back to Blogs page

TODO For Blog page, Add in Cards with Scales, Intensity, Date metadata (don't think date on cards is needed)

Essay Posts

CSS

```
Files
./styles/main.css
<<universal>>
<<desktop>>
<<mobile>>
Universal+=
/*Tested mainly on 1920x1080*/
:root {
   font-family: Segoe UI, Frutiger, Frutiger Linotype, Dejavu Sans, Helvetica Neue, Arial, sans-serif;
    --primary: #00BFE0;
    --accent: #FF7C00;
   --white: #ffffff;
   --black: #000000;
   /* this is my original */
   --main-gray: #707070;
   /* this is 7:1 contrast with white */
   /* --main-gray: #595959; */
    --sidebar-link-hover: #cccaca;
} /*Roboto For Resume*/
html, body {
   margin: 0;
   height: 100%;
}
Desktop+=
Omedia only screen and (min-width: 769px) {
 /* For Desktop */
.main-container {
   display: grid;
   width: 100%;
   height: 100%;
```

```
}
.sidebar-container {
    display: grid;
    color: var(--white);
    background-color: var(--primary);
    height: 100%;
    grid-template-columns: 13% 73% 15%;
    /* grid-template-rows: 10% 10% 15% 15% 40% 10%; */
    grid-template-rows: 10vh 10vh 15vh 15vh 40vh 10vh;
}
.sidebar-container a{
    color: var(--white);
}
.sidebar-container a:hover {
    color: var(--sidebar-link-hover);
.sidebar-name {
    grid-column: 2 / 2;
    grid-row: 2 / 2;
    justify-self: end;
    max-width: 200px;
    text-align: right;
    font-size: 2rem;
    font-weight: 700;
}
.sidebar-name a{
    text-decoration: none;
}
.sidebar-routes {
    grid-column: 2 / 2;
    grid-row: 3 / 3;
    font-size: 1.2rem;
    font-weight: 600;
}
.sidebar-links {
    grid-column: 2 / 2;
    grid-row: 4 / 4;
    font-size: 1.2rem;
}
.sidebar-links-mobile {
    grid-column: 2 / 2;
    grid-row: 4 / 4;
    font-size: 1.2rem;
    display:none;
}
```

```
.sidebar-lists {
    list-style: none;
    text-align: right;
}
.sidebar-lists a.pages {
    text-decoration: none;
}
.sidebar-lists a.pages:hover {
    color: var(--sidebar-link-hover);
.sidebar-line {
    grid-column: 3 / 3;
    grid-row: 2 / 6;
    background-color: var(--white);
    width: 0.2rem;
    justify-self: center;
}
.content-container {
    color: var(--black);
    background-color: var(--white);
    padding: 10vh 20% 15vh 5%;
}
.content-title {
    /*width: 20%;*/
    font-size: 165%; /*165%;*/
    color: var(--main-gray);
    background-color: white;
    margin-left: 5%;
    padding: 0.5rem 0.7rem;
    text-align: center;
    border: 0.2rem var(--main-gray) solid;
}
.content-title.test{
    background-color: var(--white);
    border-color: var(--primary);
    color: var(--primary);
.content-container > p {
    margin: 2% 5%;
.content-container > ul {
    list-style-type: none;
    margin: -2% 2%;
.content-container p a{
   color: var(--black);
    text-decoration-color: var(--accent);
```

```
text-decoration-thickness: 0.2rem;
}
.content-container p a:hover{
    color: var(--black);
    border-top: 0.2rem solid var(--accent);
}
.content-container p a:visited {
    color: var(--main-gray);
    text-decoration-color: var(--accent);
}
.content-divider {
    height: 0.05rem;
    background-color: var(--black);
}
.featured {
    width: 50%;
    max-width: 350px;
    margin: 10% 25% 0%;
    padding: 5%;
    font-size: 100%;
    color: var(--black);
    background-color: white;
    border: 0.2rem var(--main-gray) solid;
}
.featured ul {
    list-style-type: none;
    margin-top: 0%;
    /* color: var(--main-gray); */
    padding: 0;
}
.featured a {
    color: var(--accent);
    text-decoration: none;
}
.featured a:hover {
    color: var(--accent);
    text-decoration: underline;
}
/* https://stackoverflow.com/questions/22763127/aligning-text-on-a-specific-character/22763427 */
.featured li {
  display: flex;
.featured li span {
 flex: 1;
}
```

```
.featured li span:first-of-type {
  text-align: right;
  padding-right: 5px;
}
.featured li span:last-of-type {
  padding-left: 5px;
  flex-grow: 2;
.card-container {
    margin-top: 3rem;
    display: grid;
    /* https://css-tricks.com/look-ma-no-media-queries-responsive-layouts-using-css-grid/ */
    grid-template-columns: repeat(auto-fit, minmax(360px, 1fr));
    row-gap: 3.5rem;
    grid-auto-flow: row;
    justify-items: center;
    justify-content: space-evenly;
}
.card {
    border: 0.2rem var(--main-gray) solid;
    width: 333px;
    height: 250px;
    display: grid;
    grid-template-columns: 1.5fr 1fr;
    grid-template-rows: 1fr 1fr;
    grid-template-areas:
        "title title"
        "scales score";
}
.card h1 {
   font-weight: 600;
    grid-area: title;
    justify-self: start;
    margin: 1.5rem;
    font-size: 1.8rem;
}
.card h1 a{
    text-decoration: none;
    color: var(--black);
}
.card h1 a:hover {
    color: var(--main-gray);
.card ul {
    grid-area: scales;
    list-style: none;
```

```
padding: 0;
    margin-left: 1.5rem;
    align-self: center;
    color: var(--main-gray);
    font-size: 1.1em;
}
.card .score {
    grid-area: score;
    justify-self: end;
    margin-right: 1.5rem;
    align-self: center;
    text-align: right;
    color: var(--main-gray);
}
.card .score p {
   font-style: italic;
    margin: 0;
    margin-bottom: 0.4rem;
    font-size: 1.1em;
}
.card .score h2 {
    font-style: italic;
    font-weight: 600;
    font-size: 2rem;
    margin: 0;
}
.bracket {
    width: 50px;
    height: 50px;
    position: fixed;
    border-top: solid var(--white) 0.2rem;
    border-left: solid var(--white) 0.2rem;
    z-index: 1;
}}
Mobile +=
Omedia only screen and (max-width: 768px) {
  /* For Mobile */
.main-container {
    display: grid;
    width: 100%;
    height: 100%;
    grid-template-rows: 12% 88%;
}
.sidebar-container {
    display: grid;
    color: var(--white);
    background-color: var(--primary);
```

```
height: 100%;
    grid-template-rows: 13% 73% 15%;
    grid-template-columns: 10% 20% 25% 15% 20% 10%;
}
.sidebar-name {
    grid-column: 2 / 2;
    grid-row: 2 / 2;
    justify-self: end;
    max-width: 200px;
    text-align: left;
    font-size: 1rem;
    font-weight: 700;
    align-self: center;
}
.sidebar-routes {
    grid-column: 3 / 3;
    grid-row: 2 / 2;
    font-size: 0.8rem;
    align-self: center;
    text-align: center;
}
.sidebar-links {
    grid-column: 4 / 4;
    grid-row: 2 / 2;
    font-size: 0.8rem;
    align-self: center;
    display:none;
}
.sidebar-links-mobile {
    grid-column: 4 / 4;
    grid-row: 2 / 2;
    font-size: 1.0rem;
    width: 2.5rem;
    justify-self: center;
    align-self: center;
    text-align: center;
}
.sidebar-lists {
    list-style: none;
    padding: 0;
    margin: 0;
}
.sidebar-links-mobile li {
    display: inline-block;
    margin: 0% 4%;
}
```

```
.sidebar-lists a {
    color: var(--white);
.sidebar-lists a:hover {
    color: var(--sidebar-link-hover);
.sidebar-line {
    grid-row: 3 / 3;
    grid-column: 2 / 6;
    background-color: var(--white);
    height: 0.1rem;
    align-self: center;
}
.content-container {
    color: var(--black);
    background-color: var(--white);
    padding: 5vh 5% 15% 5%
}
.content-title {
    /*width: 20%;*/
    font-size: 165%; /*165%; */
    color: var(--main-gray);
    background-color: white;;
    margin-left: 5%;
    margin-bottom: 5%;
    padding: 0.5rem 0.7rem;
    text-align: center;
    border: 0.2rem var(--main-gray) solid;
}
.content-container > p {
    margin: 2% 5%;
    font-size: 0.9rem;
.content-container > ul {
    /*margin: 2% 5%;*/
    font-size: 0.9rem;
    list-style-type: none;
    margin: -2% 2%;
}
.content-container p a{
    color: var(--accent);
}
.content-container p a:visited {
    color: var(--accent);
}
.content-divider {
    height: 0.05rem;
    background-color: var(--black);
```

```
}
.featured {
    display: none;
}
.bracket {
    display: none;
}
```