BUILD ON ARKIV · 15 SECONDS

Robots that hire AI agents, and sign their own record on Arkiv.

Bookings, quotes, hires, every job and its score are Arkiv entities owned by the party accountable for them, the robot's own wallet included. You can check a robot's record without trusting us.

- 8 entity types
- robot-owned evidence
- expiry = deadline
- scores you can re-query

THE PROBLEM

Four parties. None of them should have to trust the platform.

Customer

Is this robot any good? Will its record be edited after a bad job?

Robot owner

My robot did the work. Who decides its score?

The robot

An autonomous agent with its own wallet. It answers for its price, hires and results.

Agent developer

My vision agent is listed with a price. Who can delist it or change it?

In Postgres the operator could delete a failed job, edit a score or hide an incident. On Arkiv each record is owned by its author, and readers check that.

WHAT LIVES ON ARKIV

Every coordination step is an entity

Entity	Owner ($owner)	Expires	Filtered on
Robot profile	robot owner	90 days	`robot_wallet · owner_wallet · skill`
Agent listing	agent developer	90 days	`kind · trust_mode · price`
Booking	customer	**at its deadline**	`customer · robot_id · task_id`
Quote · job claim	robot's own wallet	**at validUntil / job deadline**	`task_id · agent_id`
Episode (v2) · incident	robot's own wallet	120 days	`robot_id · task_id · task_score`
Reputation checkpoint	instance owner	120 days	`subject_id · score · status`

OWNERSHIP IS THE PERMISSION SYSTEM

The robot signs its own record. Nobody can alter or withhold it.

Robot PC

device key generated on the robot, never leaves it, may write only 4 evidence schemas under a daily fee cap

→

Arkiv entity

$owner = $creator = robot wallet; body names the same wallet

→

Every reader checks

owner and creator match the wallet inside, and that wallet is on the robot's registered profile, or the record is ignored

People sign in their own browser wallet after an in-app approval showing gas and max fee. There is no platform key anywhere.

EXPIRY DOES THE COORDINATION

Stale offers clean themselves up

deadline

Bookings, quotes, job claims

expire exactly when they stop mattering. No cron job, no stale offers to filter out.

90 d

Registrations

a robot or agent nobody maintains (or one excluded by its score) simply lapses.

120 d

Evidence and scores

long enough to score recent work; the full bundles live on 0G Storage, with the root on Arkiv.

SCORES COME FROM ARKIV, AND CHOOSE WHO GETS WORK

One query anyone can run

```
$ pnpm arkiv:query
task-6f5992c2  COMPLETED  task_score 100
owner 0x103E…29BC (robot wallet)
  Stops completed      40/40  4 of 4 stops
  Valid 0G decisions   20/20  4 of 4 passed
  Findings dealt with  20/20  1 of 1
  Extra stops done       —    not judged
  On time              10/10  before deadline
  agent agt-house-2b5c20 · 4 jobs · 100 each
```

Indexed `task_score` → ranking

Robot score = mean of its job scores on Arkiv, minus incidents. Agent score = mean of the job scores the hiring robots signed.

Selection = (judged × score + 3 × 70) / (judged + 3): robots are ranked by it when you book, and agents when a robot hires.

SELECT semmal_episode_v2 ORDER BY task_score DESC. No key needed.

EVERY ARKIV FEATURE CHANGES A SCREEN

Users read Arkiv everywhere

Booking map

robots near your site from robot profiles, ranked by score

Agent market

listings by kind, trust mode and price

Your orders

bookings where customer = your wallet

Owner requests

bookings for your robots, waiting for approval

Evidence log

episodes and incidents, checked against the 0G Storage proof and signature

What went to Arkiv

the job's entity read back: schema, columns, body, owner, expiry, score maths

Live now: **2** robots · **2** agents · **5** bookings · **5** robot quotes · **7** episodes · **21** incidents, all signed by their owners.

DELIVERABLES

Everything the track asks for

Writes to Rabdi with @arkiv-network/sdk 1.0.1; users see data read from Arkiv	8 schemas, 6 screens
README: the writer wallets and one query to run	pnpm arkiv:query
arkiv/schema.md: entities, queried fields, owners, expiry	arkiv/schema.md
One file per criterion: friction, reach, why Arkiv, how we use it	arkiv/*.md
Feedback from real friction: 9 issues with repro + workaround	arkiv/friction.md
Public repo, MIT licence, AI use disclosed, built at Mumbai	github.com/jonathanvineet/semmal

WHY ARKIV

Swap Arkiv for Postgres and users lose the one thing that matters: a robot record they don't have to trust us for.

Kept off Arkiv on purpose: live position, exact addresses, camera frames, sessions and keys.

Team Semmal

Telegram · X: jonathan_vineet

semmal.vercel.app