

Summary Schedule		
Bar Diameter	Total Bar Length	Weight
8 mm	361050 mm	142.65 kg
10 mm	11375 mm	7.02 kg
12 mm	1650 mm	1.47 kg
16 mm	64400 mm	101.77 kg
20 mm	13550 mm	33.46 kg
25 mm	7400 mm	28.55 kg
459425 mm		314.92 kg

Rebar schedule for PW-GF-06(A)









Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	G	Bar Length	Total Bar Length	Quantity	Weight
A	8 mm	M_00	0 mm	760 mm	0 mm	0 mm	0 mm	0 mm	775 mm	3875 mm	5	1.53 kg
A1	8 mm	M_00	0 mm	800 mm	0 mm	0 mm	0 mm	0 mm	800 mm	4000 mm	5	1.58 kg
A2	8 mm	M_00	0 mm	1065 mm	0 mm	0 mm	0 mm	0 mm	1075 mm	33325 mm	31	13.17 kg
A3	8 mm	M_00	0 mm	1120 mm	0 mm	0 mm	0 mm	0 mm	1125 mm	34875 mm	31	13.78 kg
A4	8 mm	M_00	0 mm	4365 mm	0 mm	0 mm	0 mm	0 mm	4375 mm	35000 mm	8	13.83 kg
A5	8 mm	M_00	0 mm	4995 mm	0 mm	0 mm	0 mm	0 mm	5000 mm	45000 mm	9	17.78 kg
A6	8 mm	M_00	0 mm	5035 mm	0 mm	0 mm	0 mm	0 mm	5050 mm	40400 mm	8	15.96 kg
B	8 mm	M_17	0 mm	400 mm	120 mm	400 mm	0 mm	0 mm	900 mm	14400 mm	16	5.69 kg
B1	8 mm	M_17	0 mm	400 mm	140 mm	400 mm	0 mm	0 mm	900 mm	61200 mm	68	24.18 kg
B2	8 mm	M_17	0 mm	440 mm	90 mm	440 mm	0 mm	0 mm	950 mm	23750 mm	25	9.38 kg
C	8 mm	M_17A	0 mm	800 mm	265 mm	0 mm	0 mm	0 mm	1075 mm	5375 mm	5	2.12 kg
D	8 mm	M_T1	70 mm	330 mm	220 mm	330 mm	220 mm	70 mm	1200 mm	45600 mm	38	18.02 kg
E	8 mm	M_T10	70 mm	220 mm	0 mm	0 mm	0 mm	70 mm	375 mm	14250 mm	38	5.63 kg
F	10 mm	M_00	0 mm	1120 mm	0 mm	0 mm	0 mm	0 mm	1125 mm	2250 mm	2	1.39 kg
G	12 mm	M_00	0 mm	805 mm	0 mm	0 mm	0 mm	0 mm	825 mm	1650 mm	2	1.47 kg
H	16 mm	M_00	0 mm	4995 mm	0 mm	0 mm	0 mm	0 mm	5000 mm	20000 mm	4	31.61 kg
I	16 mm	M_17	0 mm	800 mm	200 mm	800 mm	0 mm	0 mm	1750 mm	5250 mm	3	8.30 kg
I1	16 mm	M_17	0 mm	800 mm	310 mm	800 mm	0 mm	0 mm	1850 mm	3700 mm	2	5.85 kg
I2	16 mm	M_17	0 mm	800 mm	760 mm	800 mm	0 mm	0 mm	2300 mm	9200 mm	4	14.54 kg
J	20 mm	M_17	0 mm	440 mm	640 mm	440 mm	0 mm	0 mm	1425 mm	1425 mm	1	3.52 kg
K	25 mm	M_00	0 mm	1830 mm	0 mm	0 mm	0 mm	0 mm	1850 mm	7400 mm	4	28.55 kg
									411925 mm	309	237.86 kg	

Rebar schedule for PW-GF-06(B)

Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	Bar Length	Total Bar Length	Quantity	Weight
L	10 mm	Rebar Shape 9	490 mm	260 mm	240 mm	280 mm	640 mm	1825 mm	9125 mm	5	5.63 kg
									9125 mm	5	5.63 kg

Rebar schedule for PW-GF-06(C)

Schedule Mark	Bar Diameter	Shape	A	B	C	Bar Length	Total Bar Length	Quantity	Weight
M	16 mm	26	930 mm	435 mm	2990 mm	4375 mm	8750 mm	2	13.83 kg
M1	16 mm	26	930 mm	500 mm	2925 mm	4375 mm	8750 mm	2	13.83 kg
M2	16 mm	26	930 mm	535 mm	2895 mm	4375 mm	4375 mm	1	6.91 kg
M3	16 mm	26	930 mm	545 mm	2885 mm	4375 mm	4375 mm	1	6.91 kg
N	20 mm	26	4630 mm	305 mm	1110 mm	6050 mm	6050 mm	1	14.94 kg
N1	20 mm	26	4510 mm	425 mm	1110 mm	6075 mm	6075 mm	1	15.00 kg
							38375 mm	8	71.42 kg

Rebar Shape	Shape Image
M_00	
M_17	
M_17A	
26 (K,K1)	
M_T1	
M_T10	
REBAR SHAPE 9	
26 (J,J1,J2,J3)	

PROJECT -:
MF FACTORY

GENERAL NOTES:

GRADE OF CONCRETE - M40

GRADE OF STEEL - Fe500

STRIPPING STRENGTH - M20

COVER

WALL - 30mm

COLUMN - 40mm

CORBEL - 25mm

ALL DIMENSIONS ARE IN MM

LEGENDS:

ERECTION MARK - 

MOULD FACE - 

CONTRACTOR -:

VME Precast Products

 Arihant Esta, 2g2, 2nd floor,
No.370, Church Road, Mogappair East,
Chennai-600037.
Tel:+91- 98400 - 41400 / 90802 - 22066

STRUCTURAL CONSULTANT -:

ES STRUCTURAL CONSULTANT

 B167, 12th cross street, Jawahar Nagar,
Palayamkottai, Tirunelveli-627007
Cell No: +91 9865803764

0	23-07-25	FOR APPROVAL	PK	PRC
Rev	Date	Description	Chkd	Appd.

REVISION SCHEDULE

DRAWING TITLE -:

PW-GF-06-BBS

JOB NO. : ESP24075	DRAWN BY:- IH
ELEMENT NO. : PW-GF-06	SHEET SIZE:- A3
DWG. NO. : PW-GF-06(S)	REV.NO:- 0
SCALE :	LEVEL. : GF