

Summary Schedule		
Bar Diameter	Total Bar Length	Weight
8 mm	314700 mm	124.33 kg
10 mm	15750 mm	9.72 kg
12 mm	17100 mm	15.20 kg
16 mm	73600 mm	116.31 kg
20 mm	17600 mm	43.46 kg
25 mm	5150 mm	19.87 kg
	443900 mm	328.90 kg

Rebar schedule for PW-GF-09(A)

Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	G	Bar Length	Total Bar Length	Quantity	Weight
A	8 mm	M_00	0 mm	1100 mm	0 mm	0 mm	0 mm	0 mm	1125 mm	5625 mm	5	2.22 kg
A1	8 mm	M_00	0 mm	1335 mm	0 mm	0 mm	0 mm	0 mm	1350 mm	35100 mm	26	13.87 kg
A2	8 mm	M_00	0 mm	1440 mm	0 mm	0 mm	0 mm	0 mm	1450 mm	43500 mm	30	17.19 kg
A3	8 mm	M_00	0 mm	4995 mm	0 mm	0 mm	0 mm	0 mm	5000 mm	45000 mm	9	17.78 kg
A4	8 mm	M_00	0 mm	5035 mm	0 mm	0 mm	0 mm	0 mm	5050 mm	35350 mm	7	13.97 kg
B	8 mm	M_17	0 mm	400 mm	120 mm	400 mm	0 mm	0 mm	900 mm	12600 mm	14	4.98 kg
B1	8 mm	M_17	0 mm	400 mm	140 mm	400 mm	0 mm	0 mm	900 mm	27000 mm	30	10.67 kg
B2	8 mm	M_17	0 mm	440 mm	90 mm	440 mm	0 mm	0 mm	950 mm	46550 mm	49	18.39 kg
C	8 mm	M_17A	0 mm	375 mm	580 mm	0 mm	0 mm	0 mm	950 mm	5700 mm	6	2.25 kg
D	8 mm	M_T1	70 mm	330 mm	220 mm	330 mm	220 mm	70 mm	1200 mm	44400 mm	37	17.54 kg
E	8 mm	M_T10	70 mm	220 mm	0 mm	0 mm	0 mm	70 mm	375 mm	13875 mm	37	5.48 kg
F	12 mm	M_00	0 mm	1050 mm	0 mm	0 mm	0 mm	0 mm	1075 mm	1075 mm	1	0.96 kg
F1	12 mm	M_00	0 mm	1120 mm	0 mm	0 mm	0 mm	0 mm	1125 mm	3375 mm	3	3.00 kg
H	12 mm	M_T1	105 mm	250 mm	250 mm	250 mm	250 mm	105 mm	1150 mm	12650 mm	11	11.25 kg
I	16 mm	M_00	0 mm	4995 mm	0 mm	0 mm	0 mm	0 mm	5000 mm	10000 mm	2	15.80 kg
J	16 mm	M_17	0 mm	800 mm	200 mm	900 mm	0 mm	0 mm	1850 mm	5550 mm	3	8.77 kg
J1	16 mm	M_17	0 mm	800 mm	310 mm	800 mm	0 mm	0 mm	1850 mm	3700 mm	2	5.85 kg
J2	16 mm	M_17	0 mm	800 mm	1080 mm	800 mm	0 mm	0 mm	2625 mm	5250 mm	2	8.30 kg
J3	16 mm	M_17	0 mm	800 mm	1370 mm	800 mm	0 mm	0 mm	2900 mm	5800 mm	2	9.17 kg
K	16 mm	M_17A	0 mm	1275 mm	800 mm	0 mm	0 mm	0 mm	2050 mm	8200 mm	4	12.96 kg
L	20 mm	M_00	0 mm	2020 mm	0 mm	0 mm	0 mm	0 mm	2025 mm	4050 mm	2	10.00 kg
M	20 mm	M_17	0 mm	445 mm	640 mm	445 mm	0 mm	0 mm	1450 mm	2900 mm	2	7.16 kg
M1	20 mm	M_17	0 mm	235 mm	1320 mm	800 mm	0 mm	0 mm	2275 mm	4550 mm	2	11.24 kg
N	25 mm	M_17	0 mm	235 mm	1320 mm	1100 mm	0 mm	0 mm	2575 mm	5150 mm	2	19.87 kg
									386950 mm	288	248.65 kg	

Rebar schedule for PW-GF-09(B)

Schedule Mark	Bar Diameter	Shape	A	B	C	Bar Length	Total Bar Length	Quantity	Weight
O	20 mm	26	1145 mm	290 mm	4650 mm	6100 mm	6100 mm	1	15.06 kg
						6100 mm		1	15.06 kg

Rebar schedule for PW-GF-09(C)

Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	Bar Length	Total Bar Length	Quantity	Weight
P	10 mm	Rebar Shape 9	740 mm	315 mm	200 mm	335 mm	745 mm	2250 mm	15750 mm	7	9.72 kg
Q	16 mm	Rebar Shape 31	930 mm	435 mm	2675 mm	195 mm	1605 mm	5850 mm	5850 mm	1	9.25 kg
Q1	16 mm	Rebar Shape 31	905 mm	460 mm	2675 mm	195 mm	1600 mm	5850 mm	5850 mm	1	9.25 kg
Q2	16 mm	Rebar Shape 31	930 mm	495 mm	2560 mm	250 mm	1605 mm	5850 mm	5850 mm	1	9.25 kg
Q3	16 mm	Rebar Shape 31	930 mm	500 mm	2550 mm	255 mm	1605 mm	5850 mm	5850 mm	1	9.25 kg
Q4	16 mm	Rebar Shape 31	930 mm	520 mm	2510 mm	275 mm	1605 mm	5850 mm	11700 mm	2	18.49 kg
									50850 mm	13	65.19 kg

PROJECT -:
MF FACTORY

GENERAL NOTES:

GRADE OF CONCRETE - M40

GRADE OF STEEL - Fe500

STRIPPING STRENGTH - M20

COVER

WALL - 30mm

CORBEL - 25mm

ALL DIMENSIONS ARE IN MM

LEGENDS:

ERECTION MARK - 

MOULD FACE - 

CONTRACTOR -:

VME Precast Products

 Arihant Esta, 2g2, 2nd floor,
No.370, Church Road, Mogappair East,
Chennai-600037.
Tel:+91- 98400 - 41400 / 90802 - 22066

STRUCTURAL CONSULTANT -:

ES STRUCTURAL CONSULTANT

 B167, 12th cross street, Jawahar Nagar,
Palayamkottai, Tirunelveli-627007
Cell No: +91 9865803764

0	14-06-25	FOR APPROVAL	PK	PRC
Rev	Date	Description	Chkd	Appd.

REVISION SCHEDULE

DRAWING TITLE -:

PW-GF-09-BBS

JOB NO. : ESP24075 DRAWN BY:- IH

ELEMENT NO. : PW-GF-09 SHEET SIZE:- A3

DWG. NO. : PW-GF-09(S) REV.NO:- 0

SCALE : LEVEL. :