

Summary Schedule		
Bar Diameter	Total Bar Length	Weight
8 mm	496275 mm	196.07 kg
10 mm	441250 mm	272.39 kg
12 mm	21550 mm	19.16 kg
16 mm	81800 mm	129.27 kg
20 mm	31925 mm	78.83 kg
25 mm	5150 mm	19.87 kg
	1077950 mm	715.60 kg

Rebar schedule for PW-GF-11(A)												
Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	G	Bar Length	Total Bar Length	Quantity	Weight
A	8 mm	M_00	0 mm	2155 mm	0 mm	0 mm	0 mm	0 mm	2175 mm	115275 mm	53	45.54 kg
A1	8 mm	M_00	0 mm	2195 mm	0 mm	0 mm	0 mm	0 mm	2200 mm	116600 mm	53	46.07 kg
B	8 mm	M_17	0 mm	400 mm	90 mm	400 mm	0 mm	0 mm	875 mm	80500 mm	92	31.80 kg
B1	8 mm	M_17	0 mm	400 mm	120 mm	400 mm	0 mm	0 mm	900 mm	37800 mm	42	14.93 kg
B2	8 mm	M_17	0 mm	400 mm	140 mm	400 mm	0 mm	0 mm	900 mm	93600 mm	104	36.98 kg
C	8 mm	M_17A	0 mm	645 mm	580 mm	0 mm	0 mm	0 mm	1225 mm	14700 mm	12	5.81 kg
D	8 mm	M_T1	70 mm	330 mm	220 mm	330 mm	220 mm	70 mm	1200 mm	28800 mm	24	11.38 kg
E	8 mm	M_T10	70 mm	220 mm	0 mm	0 mm	0 mm	70 mm	375 mm	9000 mm	24	3.56 kg
F	10 mm	M_00	0 mm	8995 mm	0 mm	0 mm	0 mm	0 mm	9000 mm	207000 mm	23	127.79 kg
F1	10 mm	M_00	0 mm	9035 mm	0 mm	0 mm	0 mm	0 mm	9050 mm	208150 mm	23	128.50 kg
G	12 mm	M_00	0 mm	2205 mm	0 mm	0 mm	0 mm	0 mm	2225 mm	8900 mm	4	7.91 kg
H	12 mm	M_T1	105 mm	250 mm	250 mm	250 mm	250 mm	105 mm	1150 mm	12650 mm	11	11.25 kg
I	16 mm	M_00	0 mm	2365 mm	0 mm	0 mm	0 mm	0 mm	2375 mm	14250 mm	6	22.52 kg
I1	16 mm	M_00	0 mm	8995 mm	0 mm	0 mm	0 mm	0 mm	9000 mm	36000 mm	4	56.89 kg
J	16 mm	M_17	0 mm	800 mm	200 mm	800 mm	0 mm	0 mm	1750 mm	5250 mm	3	8.30 kg
J1	16 mm	M_17	0 mm	800 mm	310 mm	800 mm	0 mm	0 mm	1850 mm	3700 mm	2	5.85 kg
J2	16 mm	M_17	0 mm	800 mm	2070 mm	800 mm	0 mm	0 mm	3600 mm	14400 mm	4	22.76 kg
K	16 mm	M_17A	0 mm	1275 mm	800 mm	0 mm	0 mm	0 mm	2050 mm	8200 mm	4	12.96 kg
L	20 mm	M_00	0 mm	1670 mm	0 mm	0 mm	0 mm	0 mm	1675 mm	5025 mm	3	12.41 kg
M	20 mm	M_17	0 mm	445 mm	620 mm	445 mm	0 mm	0 mm	1425 mm	2850 mm	2	7.04 kg
M1	20 mm	M_17	0 mm	235 mm	1330 mm	800 mm	0 mm	0 mm	2275 mm	4550 mm	2	11.24 kg
N	25 mm	M_17	0 mm	235 mm	1330 mm	1100 mm	0 mm	0 mm	2575 mm	5150 mm	2	19.87 kg
										1032350 mm	497	651.33 kg

Rebar schedule for PW-GF-11(B)									
Schedule Mark	Bar Diameter	Shape	A	B	C	Bar Length	Total Bar Length	Quantity	Weight
O	20 mm	26	1145 mm	335 mm	8255 mm	9750 mm	19500 mm	2	48.15 kg
							19500 mm	2	48.15 kg

Rebar schedule for PW-GF-11(C)											
Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	Bar Length	Total Bar Length	Quantity	Weight
P	10 mm	Rebar Shape 9	695 mm	315 mm	200 mm	335 mm	700 mm	2175 mm	26100 mm	12	16.11 kg
									26100 mm	12	16.11 kg

PROJECT -:
MF FACTORY

GENERAL NOTES:

- GRADE OF CONCRETE - M40
- GRADE OF STEEL - Fe500
- STRIPPING STRENGTH - M20

COVER

- WALL - 30mm
- CORBEL - 25mm

ALL DIMENSIONS ARE IN MM

LEGENDS:

- ERECTION MARK - 
- MOULD FACE - 

CONTRACTOR -:

VME Precast Products



Arihant Esta, 2g2, 2nd floor,
No.370, Church Road, Mogappair East,
Chennai-600037.
Tel:+91- 98400 - 41400 / 90802 - 22066

STRUCTURAL CONSULTANT -:



ES STRUCTURAL CONSULTANT
B167, 12th cross street, Jawahar Nagar,
Palayamkottai, Tirunelveli-627007
Cell No: +91 9865803764

0	14-06-25	FOR APPROVAL	PK	PRC
Rev	Date	Description	Chkd	Appd.

REVISION SCHEDULE

DRAWING TITLE -:

PW-GF-11-BBS

JOB NO. : ESP24075	DRAWN BY:- IH
ELEMENT NO. : PW-GF-11	SHEET SIZE:- A3
DWG. NO. : PW-GF-11(S)	REV.NO:- 0
SCALE :	LEVEL. :