

Summary Schedule		
Bar Diameter	Total Bar Length	Weight
8 mm	310900 mm	122.83 kg
10 mm	15750 mm	9.72 kg
12 mm	4500 mm	4.00 kg
16 mm	66000 mm	104.30 kg
20 mm	10150 mm	25.06 kg

407300 mm 265.92 kg

2

Rebar schedule for PW-GF-18(A)

Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	G	Bar Length	Total Bar Length	Quantity	Weight
A	8 mm	M_00	0 mm	1100 mm	0 mm	0 mm	0 mm	0 mm	1100 mm	5500 mm	5	2.17 kg
A1	8 mm	M_00	0 mm	1330 mm	0 mm	0 mm	0 mm	0 mm	1350 mm	35100 mm	26	13.87 kg
A2	8 mm	M_00	0 mm	1440 mm	0 mm	0 mm	0 mm	0 mm	1450 mm	43500 mm	30	17.19 kg
A3	8 mm	M_00	0 mm	4995 mm	0 mm	0 mm	0 mm	0 mm	5000 mm	45000 mm	9	17.78 kg
A4	8 mm	M_00	0 mm	5035 mm	0 mm	0 mm	0 mm	0 mm	5050 mm	35350 mm	7	13.97 kg
B	8 mm	M_17	0 mm	400 mm	90 mm	400 mm	0 mm	0 mm	875 mm	42875 mm	49	16.94 kg
B1	8 mm	M_17	0 mm	400 mm	120 mm	400 mm	0 mm	0 mm	900 mm	12600 mm	14	4.98 kg
B2	8 mm	M_17	0 mm	400 mm	140 mm	400 mm	0 mm	0 mm	900 mm	27000 mm	30	10.67 kg
C	8 mm	M_17A	0 mm	375 mm	580 mm	0 mm	0 mm	0 mm	950 mm	5700 mm	6	2.25 kg
D	8 mm	M_T1	70 mm	330 mm	220 mm	330 mm	220 mm	70 mm	1200 mm	44400 mm	37	17.54 kg
E	8 mm	M_T10	70 mm	220 mm	0 mm	0 mm	0 mm	70 mm	375 mm	13875 mm	37	5.48 kg
F	12 mm	M_00	0 mm	1100 mm	0 mm	0 mm	0 mm	0 mm	1125 mm	1125 mm	1	1.00 kg
F1	12 mm	M_00	0 mm	1120 mm	0 mm	0 mm	0 mm	0 mm	1125 mm	3375 mm	3	3.00 kg
G	16 mm	M_00	0 mm	4995 mm	0 mm	0 mm	0 mm	0 mm	5000 mm	10000 mm	2	15.80 kg
H	16 mm	M_17	0 mm	800 mm	200 mm	800 mm	0 mm	0 mm	1750 mm	5250 mm	3	8.30 kg
H1	16 mm	M_17	0 mm	800 mm	310 mm	800 mm	0 mm	0 mm	1850 mm	3700 mm	2	5.85 kg
H2	16 mm	M_17	0 mm	800 mm	1080 mm	800 mm	0 mm	0 mm	2625 mm	5250 mm	2	8.30 kg
H3	16 mm	M_17	0 mm	800 mm	1370 mm	800 mm	0 mm	0 mm	2900 mm	5800 mm	2	9.17 kg
I	20 mm	M_00	0 mm	2020 mm	0 mm	0 mm	0 mm	0 mm	2025 mm	2025 mm	1	5.00 kg
I1	20 mm	M_00	0 mm	2015 mm	0 mm	0 mm	0 mm	0 mm	2025 mm	2025 mm	1	5.00 kg
									349450 mm	267	184.24 kg	

2

Rebar schedule for PW-GF-18(B)

Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	Bar Length	Total Bar Length	Quantity	Weight
J	10 mm	Rebar Shape 9	740 mm	315 mm	200 mm	335 mm	745 mm	2250 mm	15750 mm	7	9.72 kg
K	16 mm	Rebar Shape 31	930 mm	520 mm	2510 mm	275 mm	1755 mm	6000 mm	6000 mm	1	9.48 kg
K1	16 mm	Rebar Shape 31	930 mm	520 mm	2515 mm	275 mm	1755 mm	6000 mm	6000 mm	1	9.48 kg
K2	16 mm	Rebar Shape 31	930 mm	500 mm	2550 mm	255 mm	1755 mm	6000 mm	6000 mm	1	9.48 kg
K3	16 mm	Rebar Shape 31	930 mm	495 mm	2560 mm	250 mm	1755 mm	6000 mm	6000 mm	1	9.48 kg
K4	16 mm	Rebar Shape 31	930 mm	435 mm	2675 mm	195 mm	1755 mm	6000 mm	6000 mm	1	9.48 kg
K5	16 mm	Rebar Shape 31	890 mm	475 mm	2675 mm	195 mm	1750 mm	6000 mm	6000 mm	1	9.48 kg
									51750 mm	13	66.62 kg

1

Rebar schedule for PW-GF-18(C)

Schedule Mark	Bar Diameter	Shape	A	B	C	Bar Length	Total Bar Length	Quantity	Weight
L	20 mm	26	1145 mm	290 mm	4650 mm	6100 mm	6100 mm	1	15.06 kg
							6100 mm	1	15.06 kg

Rebar Shape	Shape Image
M_00	
M_17	
M_17A	
26	
M_T1	
M_T10	
REBAR SHAPE 31	
REBAR SHAPE 9	

PROJECT -:
MF FACTORY

GENERAL NOTES:

GRADE OF CONCRETE - M40
GRADE OF STEEL - Fe500
STRIPPING STRENGTH - M20

COVER

WALL - 30mm
CORBEL - 25mm

ALL DIMENSIONS ARE IN MM

LEGENDS:

ERECTION MARK -

MOULD FACE -

CONTRACTOR -:

VME Precast Products

 Arihant Esta, 2g2, 2nd floor,
No.370, Church Road, Mogappair East,
Chennai-600037.
Tel:+91- 98400 - 41400 / 90802 - 22066

STRUCTURAL CONSULTANT -:

ES STRUCTURAL CONSULTANT

 B167, 12th cross street, Jawahar Nagar,
Palayamkottai, Tirunelveli-627007
Cell No: +91 9865803764

2	05-06-25	REVISED AS PER COLUDED	PK	PRC
1	02-06-25	REVISED AS PER COLUDED	PK	PRC
0	26-05-25	FOR APPROVAL	PK	PRC
Rev	Date	Description	Chkd	Appd.

REVISION SCHEDULE

DRAWING TITLE -:

PW-GF-18-BBS

JOB NO. : ESP24075	DRAWN BY:- IH
ELEMENT NO. : PW-GF-18	SHEET SIZE:- A3
DWG. NO. : PW-GF-18(S)	REV.NO:- 2
SCALE :	LEVEL. :