








Summary Schedule		
Bar Diameter	Total Bar Length	Weight
8 mm	294250 mm	116.25 kg
10 mm	2100 mm	1.30 kg
16 mm	60000 mm	94.82 kg
20 mm	14225 mm	35.13 kg
	370575 mm	247.50 kg

Rebar schedule for PW-GF-25(A)												
Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	G	Bar Length	Total Bar Length	Quantity	Weight
A	8 mm	M_00	0 mm	1100 mm	0 mm	0 mm	0 mm	0 mm	1100 mm	5500 mm	5	2.17 kg
A1	8 mm	M_00	0 mm	1400 mm	0 mm	0 mm	0 mm	0 mm	1400 mm	36400 mm	26	14.38 kg
A2	8 mm	M_00	0 mm	1440 mm	0 mm	0 mm	0 mm	0 mm	1450 mm	43500 mm	30	17.19 kg
A3	8 mm	M_00	0 mm	4995 mm	0 mm	0 mm	0 mm	0 mm	5000 mm	45000 mm	9	17.78 kg
A4	8 mm	M_00	0 mm	5035 mm	0 mm	0 mm	0 mm	0 mm	5050 mm	35350 mm	7	13.97 kg
B	8 mm	M_17	0 mm	400 mm	120 mm	400 mm	0 mm	0 mm	900 mm	12600 mm	14	4.98 kg
B1	8 mm	M_17	0 mm	400 mm	140 mm	400 mm	0 mm	0 mm	900 mm	26100 mm	29	10.31 kg
B2	8 mm	M_17	0 mm	440 mm	90 mm	440 mm	0 mm	0 mm	950 mm	24700 mm	26	9.76 kg
C	8 mm	M_17A	0 mm	580 mm	400 mm	0 mm	0 mm	0 mm	975 mm	6825 mm	7	2.70 kg
D	8 mm	M_T1	70 mm	330 mm	220 mm	330 mm	220 mm	70 mm	1200 mm	44400 mm	37	17.54 kg
E	8 mm	M_T10	70 mm	220 mm	0 mm	0 mm	0 mm	70 mm	375 mm	13875 mm	37	5.48 kg
F	10 mm	M_17A	0 mm	285 mm	775 mm	0 mm	0 mm	0 mm	1050 mm	2100 mm	2	1.30 kg
G	16 mm	M_00	0 mm	4995 mm	0 mm	0 mm	0 mm	0 mm	5000 mm	10000 mm	2	15.80 kg
H	16 mm	M_17	0 mm	800 mm	200 mm	800 mm	0 mm	0 mm	1750 mm	5250 mm	3	8.30 kg
H1	16 mm	M_17	0 mm	800 mm	310 mm	800 mm	0 mm	0 mm	1850 mm	3700 mm	2	5.85 kg
H2	16 mm	M_17	0 mm	800 mm	1080 mm	800 mm	0 mm	0 mm	2625 mm	5250 mm	2	8.30 kg
H3	16 mm	M_17	0 mm	800 mm	1370 mm	800 mm	0 mm	0 mm	2900 mm	5800 mm	2	9.17 kg
I	20 mm	M_00	0 mm	2020 mm	0 mm	0 mm	0 mm	0 mm	2025 mm	2025 mm	1	5.00 kg
									328375 mm	241	169.96 kg	

Rebar schedule for PW-GF-25(B)											
Schedule Mark	Bar Diameter	Shape	A	B	C	D	E	Bar Length	Total Bar Length	Quantity	Weight
J	16 mm	Rebar Shape 31	930 mm	520 mm	2510 mm	275 mm	745 mm	5000 mm	5000 mm	1	7.90 kg
J1	16 mm	Rebar Shape 31	930 mm	520 mm	2515 mm	275 mm	745 mm	5000 mm	5000 mm	1	7.90 kg
J2	16 mm	Rebar Shape 31	930 mm	500 mm	2550 mm	255 mm	745 mm	5000 mm	5000 mm	1	7.90 kg
J3	16 mm	Rebar Shape 31	930 mm	495 mm	2560 mm	250 mm	745 mm	5000 mm	5000 mm	1	7.90 kg
J4	16 mm	Rebar Shape 31	930 mm	435 mm	2675 mm	195 mm	745 mm	5000 mm	5000 mm	1	7.90 kg
J5	16 mm	Rebar Shape 31	890 mm	475 mm	2675 mm	195 mm	745 mm	5000 mm	5000 mm	1	7.90 kg
									30000 mm	6	47.41 kg

Rebar schedule for PW-GF-25(C)									
Schedule Mark	Bar Diameter	Shape	A	B	C	Bar Length	Total Bar Length	Quantity	Weight
K	20 mm	26	1145 mm	290 mm	4650 mm	6100 mm	12200 mm	2	30.13 kg
							12200 mm	2	30.13 kg

Rebar Shape	Shape Image
M_00	
M_17	
M_17A	
26	
M_T1	
M_T10	
REBAR SHAPE 31	

PROJECT -:
MF FACTORY

GENERAL NOTES:

GRADE OF CONCRETE	- M40
GRADE OF STEEL	- Fe500
STRIPPING STRENGTH	- M20

COVER

WALL	- 30mm
CORBEL	- 25mm

ALL DIMENSIONS ARE IN MM

LEGENDS:

ERECTION MARK	-	
MOULD FACE	-	

CONTRACTOR -:

VME Precast Products

Arihant Esta, 2g2, 2nd floor,
No.370, Church Road, Mogappair East,
Chennai-600037.
Tel:+91- 98400 - 41400 / 90802 - 22066

STRUCTURAL CONSULTANT -:

ES STRUCTURAL CONSULTANT

B167, 12th cross street, Jawahar Nagar,
Palayamkottai, Tirunelveli-627007
Cell No: +91 9865803764

0	26-05-25	FOR APPROVAL	PK	PRC
Rev	Date	Description	Chkd	Appd.

REVISION SCHEDULE

DRAWING TITLE -:

PW-GF-25-BBS

JOB NO. : ESP24075	DRAWN BY:- IH
ELEMENT NO. : PW-GF-25	SHEET SIZE:- A3
DWG. NO. : PW-GF-25(S)	REV.NO:- 0
SCALE :	LEVEL. :