
Comparative Phylogenetic Topologies Evaluated by HashRF Across Sarbecovirus Partitions
Demonstrating Reticulate Mosaicism (Red: SARS-CoV-2, Green: RpYN06/RsYN04, Purple: RmYN02, Blue: RaTG13)
Region B (ORF1a, nt 3,625-9,150)
HashRF vs A': 68.6% discordance
Region C (ORF1a, nt 9,261-11,795)
HashRF vs A': 62.9% discordance
Region A' (ORF1b, nt 13,291-19,628)
HashRF vs B: 68.6% discordance
Spike Gene (nt 21,563-25,384)
HashRF vs B: 73.3% discordance
taxa
Genetic Divergence (subst/site)
BtKY72 (Kenya outgroup)
SARS-CoV-1 (Guangzhou 2002)
RsYN04 (Bat sinicus 2019)
RmYN05 (Bat malayanus 2019)
Pangolin-CoV (Guangxi P4L 2017)
Pangolin-CoV (Guangdong 2019)
bat-SL-CoVZC45 (Zhoushan 2017)
bat-SL-CoVZXC21 (Zhoushan 2015)
RaTG13 (Bat affinis 2013)
SARS-CoV-2 (Wuhan-Hu-1)
RmYN02 (Bat malayanus 2019)
RpYN06 (Bat pusillus 2020)