

The CVDData.mdf File

The **CVDData.mdf** file stores all primary data for CABINET VISION and the S2M CENTER.

The following is the breakdown of the tables and their fields:

Assembly

This table stores Catalog Objects.

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
Name	The name of the assembly.
Description	A description for the assembly.
ParentID	A reference number to the parent assembly if this object is part of a group
AliasOf	A reference number to the main assembly if this object has been cloned. Zero, if the object is a main assembly.
Height	The default height of the object. If the object is saved with the Preserve Size option selected it will come out of the library to the saved size. Otherwise, it will revert to the default height for this object type.
Width	The default width of the object.
Depth	The default depth of the object. If the object is saved with the Preserve Size option selected it will come out of the library to the saved size. Otherwise, it will revert to the default depth for this object type.
AssemblyClassTypeID	A cross reference to [refAssemblyClassType].[ID]
AssemblyUnitTypeID	A cross reference to [refAssemblyUnitType].[ID]
HingeLeft	A Boolean flag set true if assembly is hinged on the left/top
HingeRight	A Boolean flag set true if assembly is hinged on the right/bottom
AutoFill	A Boolean flag if set to true will use this object for automatically filling empty spaces on the wall with objects.
Weight	The weight of the object in kilograms - Used in many stock catalogs for pricing.

Cubes	The mass of the object in cubic meters - Used in many stock catalogs for pricing.
Accessory	A Boolean flag if set to true indicates this assembly has additional information in the Accessory table.
Price	A flat cost that is to be associated with the item.
HingeChar	Index into Name indicating what character represent the hinge direction
Tags	A list of text strings used to search and categorize the assembly
AssemblyShapeID	A cross reference to the [AssemblyShape].[ID] field.
rGUID	Unique record identifier
LastUpdate	Time stamp on when this record was last modified
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

AssemblyCatalog

Field	Description
ID	A unique number to reference the assembly catalog
ContributorID	A cross reference to [Contributor].[ID] indicating the source of the assembly catalog
Name	The name for this assembly catalog
Description	The description of this assembly catalog
Ordinal	The order in which the catalog will appear in the list
MigrationData	The original imported data
ModularIncrement	During Auto-Fill objects placed will seek the same size while holding the differences to less than this value
Data	Additional XML data
Lic	Internal data
rGUID	Unique record identifier

LastUpdate	Time stamp on when this record was last modified
------------	--

AssemblyCatalogDoorStyle

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
Name	The door style's name.
Description	The door style's description.
Ordinal	The order in which the style is to be displayed
AssemblyCatalogPriceLabelID	A cross-reference to the [AssemblyCatalogPriceLabel].[ID] field. When this Door Style is selected, it will use the prices associated with this price label.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogDoorStyleDoorMap

Field	Description
ID	A unique number to identify the record
AssemblyCatalogDoorStyleID	A cross-reference to the [AssemblyCatalogDoorStyle].[ID] field.
AssemblyDoorStyleTypeID	A cross-reference to the [refAssemblyDoorStyleType].[ID] field.
DoorID	A cross-reference to the [Door].[ID] field.
Selected	When multiple doors of a type are available for a style - this indicates the default ID.
UpCharge	An upcharge amount associated with this door style.
UpChargeIncludeDoorCost	A Boolean value set true to include the door catalog price in the upcharge value

UpChargePercent	An upcharge percent associated with door style.
MaxDrawerHeight	For drawer fronts only. Indicates the maximum height this style should be used for a drawer front.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogDoorStyleDoorMapProfileMap

Field	Description
ID	A unique number to identify the record
AssemblyCatalogDoorStyleDoorMapID	A cross-reference to the [AssemblyCatalogDoorStyleDoorMap].[ID] field.
ProfileTypeID	A cross-reference to the [refProfileType].[ID] field.
ProfileID	A cross-reference to the [Profile].[ID] field.
ToolsetGUID	A cross reference to [PSNC].[Tools].[rGUID] indicating the toolset used for this profile
UpCharge	An upcharge amount associated with this profile.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogDoorStyleDoorMapScheduleMap

Field	Description
ID	A unique number to identify the record
AssemblyCatalogDoorStyleDoorMapID	A cross-reference to the [AssemblyCatalogDoorStyleDoorMap].[ID] field.
ScheduleID	A cross-reference to the [Schedule].[ID] field.
UpCharge	An upcharge amount associated with this schedule.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

AssemblyCatalogExtraModularInfo

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	Cross reference to [AssemblyCatalog].[ID]
BaseHeight	The default height for a base assembly.
BaseDepth	The default depth for a base assembly.
UpperHeight	The default height for an upper assembly.
UpperDepth	The default depth for a upper assembly.
TallHeight	The default height for an tall assembly.
TallDepth	The default depth for a tall assembly.
TwoPullWidth	The horizontal width of a drawer before the drawer receives two pulls.
AllowMixedDoorStyles	A Boolean flag set to true if the door style for the base and upper cabinets are to be selected separately.
DoorCatalogID	A cross reference to [DoorCatalog].[ID] linking the doors referencing in this library are referencing.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogLinePricing

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
Ordinal	The order in which the record will appear and be evaluated in the stock pricing table

Formula	The pricing equation for this line item. Equation can consist of raw numbers, job totals, variables, previous line numbers and options
Reference	A short unique string to identify the purpose of the record
Description	A description of the record
System	A Boolean flag indicating that the record was created by the system. These formulas can not be modified by either the manufacturer of the dealer
Locked	A Boolean flag indicating that the record was created by the manufacturer. These items can only be modified from the catalog editor
ShowAtTotal	A Boolean flag indicating if this record Reference and Result of Formula should appear in the bid center as a price total. Here the manufacturer or the dealer can decide what data is displayed
PerJob	A Boolean flag indicating in the record should be evaluated for each cabinet or only once per job. As an example... If you had a 20 cabinet job and the formula was simply 100 and PerJob = \$100 -- Not PerJob = \$2,000 (\$100 x 20 cabinets)
ShowAtCabinet	A Boolean flag indicating if this record should appear for an individual cabinet breakout in the bid center.
ShowAtAcc	A Boolean flag indicating if this record should appear for an individual accessory breakout in the bid center.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogOption

Field	Description
ID	A unique number to identify the record
AssemblyCatalogOptionGroupID	A cross-reference to the [AssemblyCatalogOptionGroup].[ID] field.
Name	A short name for the option.
Description	A description for the option.
Markup	The percent of profit to be applied to the up-charge.
Ordinal	The order in which the option will be displayed
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogOptionEffectMap

Field	Description
ID	A unique number to identify the record
AssemblyCatalogOptionID	A cross-reference to the [AssemblyCatalogOption].[ID] field.
OptionEffectTypeID	A cross-reference to the [refOptionEffectType].[ID] field.
RefID	A cross-reference to [UCS].[ID] field.
Value	The value that should be set for the item the type and param are pointing to
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogOptionGroup

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
Name	The option group name.
Description	The option group description.
Catalog	A Boolean flag set true if the option needs to be selected when an object is selected from the library.
Locked	A Boolean flag set true if the option is setup by the manufacturer and can not be modified.
Cabinet	A Boolean value indicating if the option can be changed per cabinet. If set to true then this item will appear in the option list when you right click on a cabinet and select properties
Ordinal	The order in which the option groups will be displayed

ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
---------------	--

AssemblyCatalogParameter

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
Name	The parameter's name
Description	The parameter's description
ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
ParameterStyleTypeID	A cross reference to [refParameterStyleType].[ID]
ParameterApplyToTypeID	A cross reference to [refParameterApplyToType].[ID]
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogPriceLabel

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
Name	The name of the price label.
Ordinal	The order in which the price label is to be displayed
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyCatalogPriceVariable

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
Name	A short unique string to identify the variable
Value	The default value the variable should represent
System	A Boolean flag indicating that the record was created by the system. These items can not be modified by either the manufacturer of the dealer
Locked	A Boolean flag indicating that the record was created by the manufacturer. These items can only be modified from the catalog editor
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyExtraAccessoryInfo

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
Graphic	A boolean value set to true if the accessory is visible, false if the accessory serves as an up charge.
ColumnPricing	A boolean value set to true if the accessory has multiple price options.
UpCharge	A flat cost associated with the accessory.
UpChargePercent	The up charge percent this accessory is to add to a Cabinet or Job.

Children	A boolean value set to true if the accessory has children, set false if the accessory is only one part.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyExtraInfo

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
Signature	An identifier used to cross reference prices from other stock catalogs for similar cabinets. The signature is comprised of the cabinet type, end types, and sectioning information.
Flags	Bit flags indicating View / Detail & Display: Floor Plan=0x01 Elevation=0x02 Perspective=0x04 Move=0x08 Low=0x10 Medium=0x20 High=0x40 Maximum=0x80 Stick=0x0100 Fill=0x0200 Outline=0x0400 Image=0x0800 Lineset=0x1000 Need=0x2000 Have=0x4000 DXF=0x8000
UserFlags	Bit flags of saved: Shape=x200 AsmID=x400

	Mat=x2k Desc=x4k No3D=x10k NoElev=x20k NoPlan=x40k PresSize=x100k PresConst=x200k NoDim=x800k Att=x1000k,Note=x2000k CAD=x4000k Height=x10000k Depth=x20000k SwitchSize=x40000k Finish=x80000k
StretchWidth	A boolean flag set true if assembly can be resized in width
StretchHeight	A boolean flag set true if assembly can be resized in height
StretchDepth	A boolean flag set true if assembly can be resized in depth
AssemblyElevationTypeID	A cross reference to [refAssemblyElevationType].[ID]
SnapToWall	A boolean flag set true if assembly snaps to wall when placed
SnapToCorner	A boolean flag set true if assembly snaps to corner when placed
ExtraBaseDoors	Used exclusively for stock catalog pricing. The number of additional doors to add to a cabinet. The doors are not visible, this field is utilized for stock catalogs that setup false door/drawer counts for their pricing structure.
ExtraUpperDoors	See ExtraBaseDoors.
ExtraDrawers	See ExtraBaseDoors.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyMenuTree

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
ParentID	A reference to another [AssemblyMenuTree].[ID] that points to the menu's parent. If set to 0 this menu appears when the library is first selected.
Name	The text displayed in the select window.
Ordinal	The sort order for a group of menus.
AssemblyIconID	Cross reference to [refAssemblyIcon].[ID] indicating the bitmap displayed in the select window.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyMenuTreeItem

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
AssemblyMenuTreeID	A cross reference to reference [AssemblyMenuTree].[ID] linking this assembly to a menu.
AssemblyID	A reference to the [Assembly].[ID] linking an assembly to this menu.
Label	Menu label description for items that do not reference assemblies
Ordinal	The sort order for display
AssemblyIconID	Cross reference to [refAssemblyIcon].[ID] indicating the bitmap displayed in the select window.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

AssemblyOptionExclusionMap

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
AssemblyCatalogOptionGroupID	A cross reference to [AssemblyCatalogOptionGroup].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyParameter

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
Name	The parameter's name
Description	The parameter's description
PreserveFlag	0x01=UserModified 0x02=MacroModified 0x04=UserCreated 0x10=MacroEquation 0x20=Attribute 0x40=HideIcon 0x80=Note 0x100=System 0x200=Catalog

ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPart

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
ParentID	A reference to another [AssemblyPart].[ID] if the part has a parent.
Name	The short internal name for the part.
Description	The part's description.
SubAssembly	A boolean flag set true if the part is a sub assembly, false indicating it is a single part with no children.
XPosition	X position for this part as an equation
YPosition	Y position for this part as an equation
ZPosition	Z position for this part as an equation
XRotation	The rotation of this part along the X axis as an equation
YRotation	The rotation of this part along the Y axis as an equation
ZRotation	The rotation of this part along the Z axis as an equation
Width	The width of this part as an equation
Length	The length of this part as an equation

Depth	The depth of this part as an equation
FixedShapeTypeID	A cross reference to the [refFixedShapeType].[ID] field. If this value is non-zero it is a referenced to a predefined system shapes.
AssemblyShapeID	A cross reference to the [AssemblyShape].[ID] field.
Flags	Bit flags indicating View / Detail & Display: Floor Plan=0x01 Elevation=0x02 Perspective=0x04 Move=0x08 Low=0x10 Medium=0x20 High=0x40 Maximum=0x80 Stick=0x0100 Fill=0x0200 Outline=0x0400 Image=0x0800 Lineset=0x1000 Need=0x2000 Have=0x4000 DXF=0x8000
AssemblyClassTypeID	A cross reference to [refAssemblyClassType].[ID]
AssemblyUnitTypeID	A cross reference to [refAssemblyUnitType].[ID]
AssemblyTypeID	A cross reference to [refAssemblyType].[ID]
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
UserFlags	Bit flags of saved: Shape = x200 AsmID = x400

	Mat = x2k Desc = x4k No3D = x10k NoElev = x20k NoPlan = x40k PresSize = x100k PresConst = x200k NoDim = x800k Att = x1000k Note = x2000k CAD = x4000k Height = x10000k Depth = x20000k SwitchSize = x40000k Finish = x80000k
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPartMenuTree

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
ParentID	A reference to another [AssemblyPartMenuTree].[ID] that points to the menu's parent. If set to 0 this menu appears when the library is first selected.
Name	The text displayed in the select window.
Ordinal	The sort order for a group of menus.
AssemblyIconID	Cross reference to [refAssemblyIcon].[ID] indicating the bitmap displayed in the select window.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPartMenuTreeItem

Field	Description
ID	A unique number to identify the record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
AssemblyPartMenuTreeID	A cross reference to reference [AssemblyPartMenuTree].[ID] linking this part to a menu.
AssemblyPartID	A reference to the [AssemblyPart].[ID] linking an AssemblyPart to this menu.
Label	Menu label description for items that do not reference parts
Ordinal	The sort order for display
AssemblyIconID	Cross reference to [refAssemblyIcon].[ID] indicating the bitmap displayed in the select window.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPartOperation

Field	Description
ID	A unique number to identify the record
AssemblyPartID	A cross reference to [AssemblyPart].[ID] indicating the part this operation is applied to
WorkPlaneTypeID	A cross reference to [refWorkPlaneType].[ID] indicating the workplane type of this operation
OperationTypeID	A cross reference to [refOperationType].[ID] indicating the type of operation
ToolGUID	A cross reference to [psnc].[Tools].[rGUID] indicating the tool used for this operation
Name	The name of this operation

Description	A description of this operation
XPosition	X position for this operation as an equation
YPosition	Y position for this operation as an equation
ZPosition	Z position for this operation as an equation
XRotation	The rotation of this operation along the X axis as an equation
YRotation	The rotation of this operation along the Y axis as an equation
ZRotation	The rotation of this operation along the Z axis as an equation
Width	The width of this operation as an equation
Length	The length of this operation as an equation
Depth	The depth of this operation as an equation
Repeat	The repeat value of this operation as an equation
Spacing	If repeat has a value greater than 1, this is the spacing between operations as an equation
Priority	An optional sequential value that indicates when to build this operation in comparison to other operations
AssemblyShapeID	A cross reference to the [AssemblyShape].[ID] field.
Flags	Bit flags indicating View / Detail & Display: Floor Plan=0x01 Elevation=0x02 Perspective=0x04 Move=0x08 Low=0x10 Medium=0x20 High=0x40 Maximum=0x80 Stick=0x0100 Fill=0x0200

	Outline=0x0400 Image=0x0800 Lineset=0x1000 Need=0x2000 Have=0x4000 DXF=0x8000
LastUpdate	Time stamp on when this record was last modified
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
rGUID	Unique record identifier

AssemblyPartOperationParameter

Field	Description
ID	A unique number to identify the record
AssemblyPartOperationID	A cross reference to [AssemblyPartOperation].[ID]
Name	The parameter's name
Description	The parameter's description
PreserveFlag	0x01=UserModified 0x02=MacroModified 0x04=UserCreated 0x10=MacroEquation 0x20=Attribute 0x40=HideIcon 0x80=Note 0x100=System 0x200=Catalog
ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value

ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPartParameter

Field	Description
ID	A unique number to identify the record
AssemblyPartID	A cross reference to [AssemblyPart].[ID]
Name	The parameter's name
Description	The parameter's description
PreserveFlag	0x01=UserModified 0x02=MacroModified 0x04=UserCreated 0x10=MacroEquation 0x20=Attribute 0x40=HideIcon 0x80=Note 0x100=System 0x200=Catalog
ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPreserveConstruction

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
AssemblyPartID	If non-zero a cross reference to [AssemblyPart].[ID]
ConstructionID	A cross reference to [Construction].[ID]
PartClassID	A cross reference to [refPartClass].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPreserveDoorStyle

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
AssemblyPartID	If non-zero a cross reference to [AssemblyPart].[ID]
DoorID	A cross reference to [Door].[ID]
ScheduleID	A cross reference to [Schedule].[ID]
OuterEdgeProfileID	A cross reference to [Profile].[ID]
InnerEdgeProfileID	A cross reference to [Profile].[ID]
RaisedPanelProfileID	A cross reference to [Profile].[ID]
RoutePatternProfileID	A cross reference to [Profile].[ID]
FingerPullProfileID	A cross reference to [Profile].[ID]
AssemblyDoorStyleTypeID	A cross-reference to the [refAssemblyDoorStyleType].[ID] field.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPreserveMaterial

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
AssemblyPartID	If non-zero a cross reference to [AssemblyPart].[ID]
PartID	A cross reference to [Part].[ID]
MaterialID	A cross reference to [Material].[ID]
PartFlags	Lo:0 x1=BndW1 x2=BndW2 x4=BndL1 x8=BndL2 x10=LamF x20=LamB x40=Len x80=Hgt x100=Opt x200=Cnc x400=Box1 x800=Box2 x1000=Box3 x2000=Box4 x4000=Box5 High:0 x1=FinF x2=FinB

	x4=FinEdge x8=FinEnd x10=TexF x20=TexB x40=TexEdge x80=TexEnd x100=Mod x200=IgnoreGrain
FaceFinishID	A cross reference to [Finish].[ID]
BackFinishID	A cross reference to [Finish].[ID]
EdgeFinishID	A cross reference to [Finish].[ID]
EndFinishID	A cross reference to [Finish].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPreserveSchedule

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
AssemblyPartID	If non-zero a cross reference to [AssemblyPart].[ID]
ScheduleID	A cross reference to [Schedule].[ID]
PartClassID	A cross reference to [refPartClass].[ID]
FinishedInterior	A boolean flag set true if the ScheduleGroupModifier is for finished interiors
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyPriceLabelMap

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
AssemblyCatalogPriceLabelID	A cross reference to [AssemblyCatalogPriceLabel].[ID]
ListPrice	The cost of the assembly for that price label.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblyScene

Field	Description			
ID	A unique number to identify the record			
AssemblyID	If non-zero then a cross reference to [Assembly].[ID]			
AssemblyPartID	If non-zero then a cross reference to [AssemblyPart].[ID]			
Attribute	A series of bit flags indicating the Scene's attribute:			
	Flags	Bits	Description	Value
	Axis	2	Axis scene is drawn on	
			Unknown	0
			XY	1
			XZ	2
			ZY	3
	Level	3	Level of scene	

			Unknown	0
			Layout	1
			Cabinet	2
			Part	3
			Drawing	4
	Overlay	1	Is drawn on one of the views	On
	Used	1	Has been used in drawings	On
	Lock	1	Scene can be edited	On
	Modified	1	Has been edited	On
	Explode	1	Is an exploded 3D view	On
	Hide	1	Is block drawn around scene instead of drawn	On
Left	The default left limit of the Scene.			
Right	The default right limit of the Scene.			
Top	The default top limit of the Scene.			
Bottom	The default bottom limit of the Scene.			
Count	The number of objects in the Scene.			
Scene	A block of binary data containing the CAD objects			
LastUpdate	Time stamp on when this record was last modified			
rGUID	Unique record identifier			

AssemblyShape

Field	Description

ID	A unique number to identify the record
CoordinateCount	The number of coordinates in this shape.
FaceCount	The number of faces in this shape.
Width	The width of the bounding box of the shape.
Height	The height of the bounding box of the shape.
Depth	The depth of the bounding box of the shape.
Flags	A series of bit flags for the shape.
ReferenceCount	An internal count of how many times the shape is being referenced by a part or assembly.
CoordinateData	A block of binary data containing coordinate information.
FaceData	A block of binary data containing face information.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

AssemblySimplePricing

Field	Description
ID	A unique number to identify the record
AssemblyID	A cross reference to [Assembly].[ID]
PerItem	This value will be added once each time the item is placed in a job
PerLinWidth	This value will be added for each mm along the width of the object
PerLinHeight	This value will be added for each mm along the height of the object
PerSqWxH	This value will be added for each square meter calculated by Width x Height of the object
PerSqWxD	This value will be added for each square meter calculated by Width x Depth of the object

PerSqHxD	This value will be added for each square meter calculated by Height x Depth of the object
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

CADImportDxfScheme

This table stores the DXF Schemes.

Field	Description
ID	A unique number used to identify the DXF scheme
Name	The name of the DXF scheme
PartLayer	The layer name for the part outline
OutlineLayer	The layer name for the part's shape
VBoreLayer	The layer name for vertical boring operations
HBoreLayer	The layer name for horizontal boring operations
HBoreLeftLayer	The layer name for left horizontal boring operations
HBoreRightLayer	The layer name for right horizontal boring operations
HBoreFrontLayer	The layer name for front horizontal boring operations
HBoreBackLayer	The layer name for back horizontal boring operations
RouteLayer	The layer name for route operations
DadoLayer	The layer name for dado operations
PocketLayer	The layer name for pocket operations
MiterLayer	The layer name for edge miter operations
ToolNumKey	The keyword or letter that precedes the tool number
OpDepthKey	The keyword or letter that precedes the operation depth

OpWidthKey	The keyword or letter that precedes the operation width
OffsetLeftKey	The keyword or letter that indicates the path should be offset to the left
OffsetRightKey	The keyword or letter that indicates the path should be offset to the right
ToolInsideKey	The keyword or letter that indicates the path should be inside the closed route path
ToolOutsideKey	The keyword or letter that indicates the path should be outside the closed route path
DecimalSymbol	The keyword or letter that indicates the decimal place
SecondaryFaceKey	The keyword or letter that indicates the operation should be on the opposite face
PartFaceKey	The keyword or letter on the PART layer that indicates the program is for the face of the part (back of part is default)
UseThickForDepth	Boolean option set true if the thickness of the operation should be used for the operation's depth
CADImportLinkID	Reference to [CADImportLink].[ID] setting this DXFScheme as the default for the CADImportLink..
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

CADImportLink

This table stores the CAD Link information.

Field	Description
ID	A unique internal number to identify the CAD Import Link
Name	A unique name to identify the CAD Import Link
Description	Additional information about the CAD Import Link
FileName	A typical file name for this kind of output
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Connection

This table stores Connection data.

Field	Description
ID	A unique number to reference the connection.
Name	The connection name.
Description	The connection description.
ConnectionTypeID	A cross reference to [refConnectionType].[ID].
rGUID	A global unique identification for the connection
System	A boolean value set true if this is a read-only system connection
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
ShowInList	A boolean value set true to appear in the connection list within a job

ConnectionSetMap

This table stores the Connection Set Map.

Field	Description
ID	A unique number to reference the connection set map.
ConnectionID	A cross reference to [Connection].[ID] for the primary connection ID.
MemberID	A cross reference to [Connection].[ID] for the secondary connection ID.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ConnectionStandardMap

This table stores the Connection Standard Map.

--

Field	Description
ID	A unique number to identify this record
ConnectionID	A cross reference to the [Connection].[ID] field linking this record to a Connection
ConnectionStandardID	A cross reference to [refConnectionStandard].[ID] field linking this record to a ConnectionStandard
Visited	A boolean value set true if this question has been asked.
Choice	The option button selected for this standard.
Value	Any value entered for this standard.
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field
UnitOfMeasureID	If non-zero, a cross reference to the [refUnitOfMeasure].[ID] field defining what unit of measure to display the value
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Construction

This table stores Construction data.

Field	Description
ID	A unique number to reference the construction method.
Name	The construction name.
Description	The construction description.
ConstructionTypeID	A cross reference to [refConstructionType].[ID].
rGUID	A global unique identification for the construction.
System	A boolean value set true if this is a read-only system construction method.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

LastUpdate	Time stamp on when this record was last modified
------------	--

ConstructionCondition

This table stores the Construction Conditions.

Field	Description
ID	A unique number to reference the construction condition
ConstructionID	A cross reference to [Construction].[ID]
Name	The condition's name
Condition	The condition
TypeID	A cross reference to [refCaseType].[ID]
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ConstructionExtraCaseInfo

This table stores extra case information.

Field	Description
ID	A unique number to reference the extra information.
ConstructionID	A cross reference to [Construction].[ID] linking this record to the Construction table.
CaseStyleID	A cross reference to [refCaseStyle].[ID].
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ConstructionExtraDrawerInfo

This table stores extra drawer information.

Field	Description
ID	A unique number to reference the extra information.
ConstructionID	A cross reference to [Construction].[ID] linking this record to the Construction table.
DrawerStyleID	A cross reference to [refDrawerStyle].[ID].
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ConstructionMenuTree

This table stores the Construction Menu Tree.

Field	Description
ID	A unique identification for each ConstructionMenuTree item
ParentID	A cross reference to [ConstructionMenuTree].[ID] indicating the parent of this menu item
Name	The name of the construction menu tree item
IsPart	A boolean value set true to use the actual part name for this item as the display text
DisplayText	The default display text the can be overwritten by the localized string
MulangID	A reference to the localized string ID
ConstructionTypeID	A cross reference to [refConstructionType].[ID].
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ConstructionParameter

This table stores the Construction Parameters.

Field	Description
ID	A unique number to reference the construction parameter
ConstructionID	A cross reference to [Construction].[ID]
Name	The parameter's name
Description	The parameter's description
ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ConstructionShape

This table stores the Construction Shape data.

Field	Description
ID	A unique identification for each shape.
ShapeTypeID	A cross-reference to [refShapeType].[ID] indicating the shape type.
Shape	The shape data.
rGUID	A global unique identification for the shape
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified

ConstructionStandardMap

This table stores the Construction Standard Map.

--	--

Field	Description
ID	A unique number to identify this record
ConstructionID	A cross reference to the [Construction].[ID] field linking this record to a construction
StandardID	A cross reference to either [refCaseStandard].[ID], [refDrawerStandard].[ID] or [refTopStandard].[ID] field linking this record to a Standard based on ConstructionType
Visited	A boolean value set true if this question has been asked.
Choice	The option button selected for this standard.
Value	Any value entered for this standard.
Data	Additional data that will not fit in value field.
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field
UnitOfMeasureID	If non-zero, a cross reference to the [refUnitOfMeasure].[ID] field defining what unit of measure to display the value
TypeID	A cross reference to the [refCaseType].[ID] field indicating the case type for this record based on ConstructionType
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Contributor

Field	Description
ID	A unique number to reference this contributor
ContributorTypeID	A cross reference to [refContributorType].[ID] indicating the type of contribution
Name	The name for this contribution
ContactInfo	XML contact information
MigrationData	The original imported data

Data	Additional XML data
Lic	Internal data
rGUID	A global unique identification for the contribution
LastUpdate	Time stamp on when this record was last modified
Suffix	A short unique identifier appended to root table names to prevent resources with identical names

DbAssociatedChild

Field	Description
ID	A unique number to identify the record
ParentID	Reference to Parent ID: Row ID of the parent table for an association of tables
ParentTableIndex	Parent table index: Value of the column in the parent table used to create the association with it's associates
AssociateTableName	Associate table name: The name of the associated table
AssociateTableIndexColumnName	Associate table index column name: The name of the column in the associated table that indexes a parent's ID Example: MaterialExtraRawInfo.MaterialID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbAssociatedParent

Field	Description
ID	A unique number used to reference this Associated Parent record.
ParentTableName	Parent table name: Name of the parent table for an association of tables
ParentTableIndexColumnName	Parent table index column name: Name of the column in the parent table used to create the association with it's associates
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbAssociatedPart

Field	Description
ID	A unique number used to reference this Associated Part record.
PartClassID	Reference to [refPartClass].[ID]
PartSubClassID	Reference to [refPartSubClass].[ID]
AssociatedPartTableName	Associated part table name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbContributorTables

Field	Description
ID	A unique number to identify the record
Name	The root table name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbCreatedOffline

Field	Description
ID	A unique number used to reference this Created Offline record.
RowID	Row ID
TableName	Table name
CreatedBy	Created by
rGUID	Unique record identifier

LastUpdate	Time stamp on when this record was last modified
------------	--

DbCreateRelated

Field	Description
ID	A unique number used to reference this Create Related record.
ParentTableName	Parent table name
RelatedTableName	Related table name
RelatedIndexColumnName	Related index column name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbDeletedOffline

Field	Description
ID	A unique number used to reference this Deleted Offline record.
rGUID	Globally unique identifier for the record.
TableName	Table name
DateDeleted	Date deleted
DeletedBy	Deleted by
LastUpdate	Time stamp on when this record was last modified

DbDeleteTableMap

Field	Description
ID	A unique number used to reference this Delete Table Map record.

TableDeleting	Table deleting: parent table doing the delete
TargetTable	Reference to the table targeted: child table affected by delete
TargetColumn	Which column is targeted: child table column to modify on delete
OnDeleteValue	On delete value: child table column update value
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbDynamicLookupTableMap

Field	Description
ID	A unique number used to reference this Dynamic Lookup Table Map record.
ParentTableName	References parent table name: name of table that has the dynamic lookup column
ParentLookupColumnName	References parent lookup column name: name of dynamic lookup column in parent table
LookupTableName	References lookup table name: Name of table containing dynamic lookup data
LookupTableNameColumn	References lookup table name column: Name of column containing dynamic lookup data
LookupTableDataColumn	References lookup table data column: Name of column used to perform db operations
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbInfo

This Table stores general information about the Database.

Field	Description
ID	A unique number used to reference this Database Information record.
Version	A number indicating the version of the Database. The Database version changes each time fields are added/removed from the Database. This process typically happens after a Build update during the Update Vers

SyncDate	Time stamp of last modification
MaterialMigrationData	A compressed binary copy of the imported material database
MaterialMigrationData	A compressed binary copy of the imported material database
UserID	Reference to [User].[ID]
Offline	A boolean value set true if the database is offline and will need to be synchronized
UserScheduleEdit	The name of the user that is currently editing a schedule
MaterialGUID	A global unique ID from the source database
ConstructionGUID	A global unique ID from the source database
rGUID	A global unique ID for this database
LastUpdate	Time stamp on when this record was last modified
PsyncMigrationData	A compressed binary copy of the imported psnc database
PsyncGUID	A global unique ID from the source psnc database
RunCounter	Global counter incremented each time output is created from any product. [Psync-xx].[RunInfo].[Counter] field reflects this value
OffcutCounter	Global offcut counter incremented each time an offcut is created
PatternCounter	Global pattern counter incremented each time a pattern is created
PsyncLibMigrationData	A compressed binary copy of the imported psnclib database
PsyncLibGUID	A global unique ID from the source psnclib database

DbLookupTableMap

Field	Description
ID	A unique number used to reference this Lookup Table Map record.
ParentTableName	References parent table name: name of parent table

LookupColumnName	References lookup column name: name of column in parent table that is a lookup
LookupTableName	References lookup table name: name of the table that is the source of the lookup data
LookupTableDefaultIndex	References lookup table default index: default lookup value
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbMaterialAliasMap

Field	Description
ID	A unique number used to reference this Material Alias Map record.
MaterialTypeID	A cross-reference to the [refMaterial Type].[ID] field indicating the type of Material.
TableName	Name of table containing variable alias data
ColumnName	Name of column containg variable alias data
JoinColumnName	Name of column containing value used for db operations. Currently must be dbLong (either primary key or foreign key example: Material.ID or 'MaterialExtraTable'.MaterialID)
MustBeUnique	Denotes the need for the uniqueness of this field
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbMaterialParameterMap

Field	Description
ID	A unique number used to reference this Material Parameter Map record.
TableName	References table with parameter
ColumnName	Column name in the table
ParameterName	Name of parameter

ParameterType	Type of parameter
ReadFlag	Read flag
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbMaterialPropertyGraphic

Field	Description
ID	A unique number used to reference this Material Parameter Map record.
TableName	References table with graphic
ColumnName	References column name in table
GraphicName	Graphic name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbModifiedOffline

Field	Description
ID	Unique ID - primary key
RowID	Row ID
TableName	Table Name
CreatedBy	Created by
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbOffline

Field	Description
ID	Unique ID - primary key
IsOffline	Offline
CheckedOut	Checked Out
CheckedIn	Checked In
UserName	User Name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbParameterRef

Field	Description
ID	Unique ID - primary key
Name	The parameter name
ObjectType	A cross reference to [refObjectType].[ID] indicating the type of object the parameter references
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbScheduleParameterMap

Field	Description
ID	A unique number used to reference the Schedule Parameter Map record.
TableName	Name of table
ColumnName	Column name

ParameterName	Parameter name
ParameterType	Reference to [refParameterType].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbSupportTables

Field	Description
ID	A unique number used to reference this Support Table record.
Name	The support table name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbTableList

Field	Description
ID	Unique ID - primary key
Name	The table name
Support	A boolean field set true to indicate system data
Contributor	A boolean field set true if the table contains a link to [Contributor].[ID]
Parameter	A boolean field set true if the table is a parameter list
Ref	A boolean field set true if the table is a reference list
Package	A boolean field set true if the table represent a primary package object
Choice	A boolean field set true if the table contains extended choice data

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbTableRef

Field	Description
ID	Unique ID - primary key
LeadTable	The table where the LeadField exists
LeadField	The field that stores a references another table
RefTable	The name of the table where the RefField exists
RefField	The field being referenced
ContributorMap	An optional SQL statement resolving the Contributor.ID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DbUpdateTimestampMap

Field	Description
ID	A unique number used to reference this Update Timestamp Map record.
TableUpdating	Name of table updating
TargetTable	Name of parent table with LastUpdate field
TargetColumn	Name of column in table updating that is FK to Parent's ID column
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Door

This Table stores a list of all Door designs and their attributes.

Field	Description
ID	A unique number to reference the door
DoorCatalogID	A cross reference to the [DoorCatalog].[ID] field linking this record to a door catalog
Name	The door name
Description	The door description
CostPerDoor	Cost associated with this door style that is applied per door.
CostPerSqM	Cost associated with this door style that is applied per square meter.
BandTop	Top banding tag indicator: N = None D = Door I = Interior etc.
BandBottom	Bottom banding tag indicator: N = None D = Door I = Interior etc.
BandLeft	Left banding tag indicator: N = None D = Door I = Interior etc.
BandRight	Right banding tag indicator: N = None D = Door I = Interior etc.

TopEdgeProfileTypeID	A cross reference to [refProfileType].[ID] indicating the profile type for this edge
BottomEdgeProfileTypeID	A cross reference to [refProfileType].[ID] indicating the profile type for this edge
LeftEdgeProfileTypeID	A cross reference to [refProfileType].[ID] indicating the profile type for this edge
RightEdgeProfileTypeID	A cross reference to [refProfileType].[ID] indicating the profile type for this edge
DefaultScheduleID	A cross reference to the [Schedule].[ID] field linking a default material to this door
DefaultOutsideEdgeID	A cross reference to the [Profile].[ID] field linking a default outside edge profile
DefaultInsideEdgeID	A cross reference to the [Profile].[ID] field linking a default inside edge profile
DefaultRaisedPanelID	A cross reference to the [Profile].[ID] field linking default raised panel profile
DefaultDoorRouteID	A cross reference to the [Profile].[ID] field linking a default route profile
DefaultFingerPullID	A cross reference to the [Profile].[ID] field linking a default finger pull profile
MirrorDoorID	A cross reference to the [Door].[ID] indicating the mirrored door to use. The primary door is the left and the mirror door is for a right hinged door
Build	The instructions on how to build this door
DoorOversize	Increase the door size on the cutlist. This does not effect the graphics
Notes	Additional notes about this door
Tags	A list of text strings used to search and categorize the door
rGUID	A global unique identification for the door
LastUpdate	Time stamp on when this record was last modified
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

DoorAssociationSize

Field	Description

ID	A unique number to identify this door association size matrix
DoorID	A cross reference to [Door].[ID] linking this item to a door
SizeOrder	Order the sizes in this sequence
SizeValue	A size in the association size matrix grid
IsWidth	A boolean set to true for a width, false for a height
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DoorAssociationSizeMap

Field	Description
ID	A unique number to identify this door association size map
DoorID	A cross refernce to [Door].[ID] linking this item to a door
WidthOrder	The width order in the door association size matrix
LengthOrder	The length order in the door association size matrix
AssociateID	A cross reference to the [Door].[ID] field linking this record to the associated door
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DoorCatalog

This Table stores a list of Door Catalogs.

Field	Description
ID	A unique number to reference the door catalog
ContributorID	A cross reference to [Contributor].[ID] indicating the source of the door catalog

Name	The name for this door catalog
Description	The description of this door catalog
MigrationData	The original imported data
Data	Additional XML data
Lic	Internal data
CostFactor	A value that can be applied to adjust the pricing of this door catalog
rGUID	A global unique identification for the door catalog
LastUpdate	Time stamp on when this record was last modified

DoorMenuTree

This Table stores the Door Categories

Field	Description
ID	A unique number to reference this door menu tree
DoorCatalogID	A cross reference to [DoorCatalog].[ID] linking this item to a door catalog
ParentID	A cross reference to ParentID indicating this item is a child of that parent
Name	The name of this category
Ordinal	The order of this item in the group
rGUID	A global unique identification for the door menu tree
LastUpdate	Time stamp on when this record was last modified
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

DoorMenuTreeItem

Field	Description

ID	A unique number to identify this DoorMenuTree item
DoorMenuTreeID	A cross reference to [DoorMenuTree].[ID] linking this record to an DoorMenuTree
DoorID	A cross reference to [Door].[ID] linking this record to a Door
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DoorOperation

This Table stores a list of Door Operations.

Field	Description
ID	A unique number to identify this operation
DoorID	A cross reference to [Door].[ID] indicating the door this operation is applied to
PartIDTag	Identifies a part from the door build XML - NOT a reference to Part.ID field. Panels are offset by 1000
WorkPlaneTypeID	A cross reference to [refWorkPlaneType].[ID] indicating the workplane type of this operation
OperationTypeID	A cross reference to [refOperationType].[ID] indicating the type of operation
ToolGUID	A cross reference to [psnc].[Tools].[rGUID] indicating the tool used for this operation
Name	The name of this operation
Description	A description of this operation
XPosition	X position for this operation as an equation
YPosition	Y position for this operation as an equation
ZPosition	Z position for this operation as an equation
XRotation	The rotation of this operation along the X axis as an equation
YRotation	The rotation of this operation along the Y axis as an equation

ZRotation	The rotation of this operation along the Z axis as an equation
Width	The width of this operation as an equation
Length	The length of this operation as an equation
Depth	The depth of this operation as an equation
Repeat	The repeat value of this operation as an equation
Spacing	If repeat has a value greater than 1, this is the spacing between operations as an equation
Priority	An optional sequential value that indicates when to build this operation in comparison to other operations
ShapeID	A cross reference to the [DoorShape].[ID] field linking this record to a door shape
rGUID	A global unique ID for this record
LastUpdate	Time stamp on when this record was last modified
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

DoorOperationParameter

Field	Description
ID	A unique number to reference the door layer parameter
DoorOperationID	A cross reference to [DoorOperation].[ID]
Name	The parameter's name
Description	The parameter's description
ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

DoorPrice

Field	Description
ID	A unique number to identify this door price
DoorPriceMatrixID	A cross reference to [DoorPriceMatrix].[ID] linking this item to a door price matrix
WidthOrder	The width order in the door price matrix grid
LengthOrder	The length order in the door price matrix grid
PriceFormula	The pricing formula for this door at this size
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DoorPriceMatrix

Field	Description
ID	A unique number to reference the door price matrix
DoorCatalogID	A cross reference to [DoorCatalog].[ID]
Name	The name of the door price matrix
DefaultFormula	The price formula if a formula override does not exist
NoMatchFormula	The price formula if there is no size match
ExactWidths	A boolean value set true if the widths are required to match exactly
ExactLengths	A boolean value set true if the lengths are required to match exactly
rGUID	A global unique identification for the door price matrix

LastUpdate	Time stamp on when this record was last modified
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

DoorPriceSize

Field	Description
ID	A unique number to identify this door price size
DoorPriceMatrixID	A cross reference to [DoorPriceMatrix].[ID] linking this item to a door price matrix
SizeOrder	Order the sizes in this sequence
SizeValue	A size in the association size matrix grid
IsWidth	A boolean set to true for a width, false for a height
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DoorProfileMap

Field	Description
ID	A unique number to identify this door profile map
DoorID	A cross reference to [Door].[ID] indicating the door this profile is linked to
ProfileTypeID	A cross reference to [refProfileType].[ID] indicating the profile type for this record
ProfileID	A cross reference to [Profile].[ID] indicating the profile for this record
MaterialID	A cross reference to [Material].[ID] indicating the material for this profile
ToolGUID	A cross reference to [psnc].[Tools].[rGUID] indicating the toolset used for this profile
CostPerDoor	The cost per door when using this profile

CostPerSqM	The cost per square meter when using this profile
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DoorScheduleMap

Field	Description
ID	A unique number to reference the door
DoorID	A cross reference to the [Door].[ID] field linking this record to a door
ScheduleID	A cross reference to the [Schedule].[ID] field linking this record to a material schedule
CostPerDoor	The cost per door when using this material schedule
CostPerSqM	The cost per square meter when using this material schedule
MinCost	The cost per job using this material schedule
DoorPriceMatrixID	A cross reference to the [DoorPriceMatrix].[ID] field linking a door price matrix to this record
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DrawingLegacySystemMap

Field	Description
ID	A unique number to identify the record
OldID	The original ID from LegacySystemMap
NewID	The new ID for this item
Angle	The Angle from LegacySystemMap
Scale	The Scale from LegacySystemMap

LineWidth	The LineWidth from LegacySystemMap
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

DrawingMenuTree

Field	Description
ID	A unique number to identify the record
ParentID	A cross reference to [DrawingMenuTree].[ID] for this items parent menu
Name	Drawing menu name
Ordinal	Drawing menu order
DrawingTypeID	A cross reference to [refDrawingType].[ID] indicating the type of drawing
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
rGUID	Unique record identifier
LastUpdate	Record update date and time

DrawingMenuItem

Field	Description
ID	A unique number to identify the record
DrawingMenuTreeID	A cross reference to [DrawingMenuTree].[ID] for this items parent menu
DrawingSceneID	A cross reference to [DrawingScene].[ID] linking a drawing to this menu
Ordinal	Drawing menu order
DrawingTypeID	A cross reference to [refDrawingType].[ID] indicating the type of drawing
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

DrawingScene

Field	Description
ID	A unique number to identify the record
Name	Drawing Scene Name
Attribute	A series of bit flags indicating the Scene's attributes: Axis (2 Bits) 0 =Unknown, 1=XY, 2=XZ, 3=ZY - Level (3 Bits) 0 = Unknown, 1=Layout, 2=Cabinet, 3=Part, 4=Drawing - 0x020 Overlay, 0x040 Used, 0x080 Lock, 0x100 Modified, 0x200 Explode, 0x400 Hide
Left	The default left limit of the Scene.
Top	The default top limit of the Scene.
Right	The default right limit of the Scene.
Bottom	The default bottom limit of the Scene.
Count	The number of objects in the Scene.
Objects	A block of binary data containing the CAD objects
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
rGUID	Unique record identifier
LastUpdate	Record update date and time

DrawingSceneExtraHatchInfo

Field	Description
ID	A unique number to identify the record
DrawingSceneID	A cross reference to [DrawingScene].[ID] linking this data to a drawing
Angle	Rotate the pattern by this value
Scale	Enlarge the pattern by this value

LineWidth	The thickness of the pen in the drawing routine
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Finish

This Table stores Finishes and their user defined properties.

Field	Description
ID	A unique number used to reference this Finish record.
Name	The name of the Finish.
Description	The description of the Finish.
Color	An RGB value indicating the color of the Finish under ambient light.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
System	A boolean set true if this record is System record.
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

FinishType

This Table stores Finish Types.

Field	Description
ID	A unique number used to reference this Finish Type record.
Name	The name of the Finish Type.
Description	The description of the Finish Type.
AmbientFactor	An RGB value indicating the color of the Finish under ambient light.

DiffuseFactor	An RGB value indicating the color of the Finish under diffused light.
SpecularFactor	An RGB value indicating the color of the Finish under specular light.
EmissiveFactor	An RGB value indicating the color of the Finish under emissive light.
Shininess	A value between 0 and 1 indicating how shiny the finish is: 0 = Flat 1 = Glossy.
Transparency	A value between 0 and 1 indicating how transparent the finish is: 0 = Solid 1 = Transparent
ShaderID	A cross-reference to the [refShaderType].[ID] linking this record to it's Shader Type.
System	A boolean set true if this record is System record.
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

IDMap_Assembly

Legacy data map.

Field	Description
ID	A unique number to identify the record
OldID	The OldID from the imported assembly catalog database
NewID	The NewID for this record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_AssemblyOption

Legacy data map.

Field	Description
ID	A unique number to identify the record
OldID	The OldID from the imported assembly catalog database
NewID	The NewID for this record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_AssemblyOptionGroup

Legacy data map.

Field	Description
ID	A unique number to identify the record
OldID	The OldID from the imported assembly catalog database
NewID	The NewID for this record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_AssemblyPart

Legacy data map.

Field	Description
ID	A unique number to identify the record

OldID	The OldID from the imported assembly catalog database
NewID	The NewID for this record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_AssemblyPartOperation

Legacy dat map.

Field	Description
ID	A unique number to identify the record
OldID	The OldID from the imported assembly catalog database
NewID	The NewID for this record
AssemblyCatalogID	A cross reference to [AssemblyCatalog].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_Construction

Legacy data map.

Field	Description
ID	A unique identifier for this record
OldID	The OldID from Wiz_data
NewID	The NewID for this record
ConstructionTypeID	A cross reference to [refConstructionType].[ID].
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

IDMap_Door

Legacy data map.

Field	Description
ID	A unique identifier for this record
OldID	The OldID from the imported door database
NewID	The NewID for this record
DoorCatalogID	A cross reference to [DoorCatalog].[ID]

IDMap_DoorPriceMatrix

Legacy data map.

Field	Description
ID	A unique identifier for this record
OldID	The OldID from the imported door database
NewID	The NewID for this record
DoorCatalogID	A cross reference to [DoorCatalog].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_DoorProfile

Legacy data map.

Field	Description
ID	A unique identifier for this record

OldID	The OldID from the imported door database
NewID	The NewID for this record
DoorCatalogID	A cross reference to [DoorCatalog].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_Drawing

Legacy data map.

Field	Description
ID	A unique identifier for this record
OldID	The OldID from the previous database
NewID	The NewID for this record
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_Finish

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Finish record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_FinishType

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Finish Type record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_HingePlate

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Hinge Plate record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_IJoint

Legacy data map.

Field	Description

ID	A unique identifier for this record
OldID	The OldID from Wiz_data
NewID	The NewID for this record
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_Material

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Material record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_Part

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Part record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

IDMap_Profile

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Profile record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_Schedule

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Schedule record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_Shape

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

--	--

Field	Description
ID	A unique number used to reference this ID Map Shape record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_SlidingDoorRoller

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Sliding Door Roller record.
OldID	Legacy Material.cvm ID number.
NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_Texture

This Table stores a cross reference between the legacy Material.cvm ID numbers and the new CxMaterials.accdb ID numbers in order to correctly open Jobs created prior to Version 9.

Field	Description
ID	A unique number used to reference this ID Map Texture record.
OldID	Legacy Material.cvm ID number.

NewID	New CxMaterials.accdb ID number.
Flag	Additional internal flags about this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IDMap_UCS

Legacy data map.

Field	Description
ID	A unique identifier for this record
OldID	The OldID from Wiz_data
NewID	The NewID for this record
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IJoint

This table stores Intelli-Joint data.

Field	Description
ID	A unique number to reference the Intelli-Joint.
Name	The Intelli-Joints name.
Description	The Intelli-Joints description.
rGUID	A global unique identification for the Intelli-Joint.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified

IJointOperation

This table stores the Intelli-Joint operations.

Field	Description
ID	A unique number to reference the Intelli-Joint operation
IJointID	A cross reference to [IJoint].[ID].
Name	The Intelli-Joint operation Name.
IJointOperationTypeID	A cross reference to [refIJointOperationType].[ID].
IJointOperationFaceID	A cross reference to [refIJointOperationFace].[ID].
Master	A boolean flag set true if the Operation is to be a Primary Operation.
ToolGUID	Specifies the Tool selected for the Operation. A Cross reference to [Tools].[rGUID] in the Psnc.mdb database.
XPosition	The value for the Operations X Location.
YPosition	The value for the Operations Y Location.
Width	The value for the Operations Width/Diameter.
Spacing	The value for the Operations Spacing/Length.
Depth	The value for the Operations Depth.
Quantity	The value for the Operations Quantity.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

IJointOperationParameter

This table stores the Intelli-Joint Operation Parameters.

--	--

Field	Description
ID	A unique number to reference the Intelli-Joint operation parameter
IJointOperationID	A cross reference to [IJointOperation].[ID]
Name	The parameter's name
Description	The parameter's description
ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Label

This table stores the Labels for use in +Label.

Field	Description
ID	A unique number to reference this Label in +Label.
Name	The Name for the Label Design in +Label.
Width	Represents the Width of the Label in Imperial Units.
Height	Represents the Height of the Label in Imperial Units.
Active	A Boolean value set to true if the Label is selected as the default Label.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

LabelLayout

This table stores the designs of the Labels for Label-It.

Field	Description
ID	A unique number to reference this Label Layout.
LabelID	Cross-reference to [Label].[ID] linking the Label Item to a Label.
LabelItemTypeID	Reference to [refLabelItemType].[ID] linking the label item to an type.
XPos	A value representing the X position of the Label item.
YPos	A value representing the Y position of the Label item.
Width	A value representing the Width of the Label item.
Height	A value representing the Height of the Label item.
FontName	The Font name for the Label item.
FontBold	A Boolean value set to true if the item is set to use a Bold Font for the Label item.
FontItalic	A Boolean value set to true if the item is set to use an Italic Font for the Label item.
Justify	The item's justification within the items bounding rectangle: 0 = Left 1 = Right 2 = Center
Text	The Text defined for the Label item.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Layer

Stores the Graphic for a Material.

Field	Description
-------	-------------

ID	A unique number used to reference this Layer record.
Name	The name of the Layer.
Description	The description of the Layer.
ParentID	Reference to [Layer].[ID]
MaterialID	A cross-reference to the [Material].[ID] indicating the Material for the Layer.
LayerTypeID	A cross-reference to the [refLayerType].[ID] indicating the Type for this Layer.
FinishID	A cross-reference to the [Finish].[ID] indicating the Finish for this Layer.
FinishTypeID	A cross-reference to the [FinishType].[ID] indicating the Finish Type for this Layer.
TextureID	A cross-reference to the [Texture].[ID] indicating the Texture for this Layer.
TextureMapID	A cross-reference to the [refTextureMapping].[ID] indicating the Texture Mapping for this Layer.
XPosition	The X Position of the Layer.
YPosition	The Y Position of the Layer.
ZPosition	The Z Position of the Layer.
XDimension	The X Dimension of the Layer.
YDimension	The Y Dimension of the Layer.
ZDimension	The Z Dimension of the Layer.
XRotation	The X Rotation of the Layer.
YRotation	The Y Rotation of the Layer.
ZRotation	The Z Rotation of the Layer.
ShapeID	A cross-reference to the [Shape].[ID] indicating the Shape for this Layer.
rGUID	Globally unique identifier for the record.

LastUpdate	Tracks last update for the record for Network and offline conflict resolution.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

LayerParameter

Stores Parameters assigned to Model Layers.

Field	Description
ID	A unique number used to reference this Layer Parameter record.
LayerID	A cross-reference to the [Layer].[ID] indicating the Layer the Parameter is associated to.
Name	Name of the Parameter.
Description	Description of the Parameter.
ParameterTypeID	The Type of Parameter.
ParamValue	The Value of the Parameter.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

LibraryPart

This table stores the S2M CENTER Library Parts.

Field	Description
ID	A unique number to reference this Part.
Name	The Name of the Part.
InternalName	The Internal (System) Part Name.
Optimize	A Boolean value set to true if the Part has been set for Optimization.
CNC	A Boolean value set to true if the Part has been set for CNC output.

Width	A value representing the Width of the Part + EDX value without banding.
Length	A value representing the Length of the Part + EDY value without banding.
WidthString	A value representing the Width displayed in output increment and precision.
LengthString	A value representing the Length displayed in output increment and precision.
NominalWidth	A value representing the Width of the Part without banding or EDX value.
NominalLength	A value representing the Length of the Part without banding or EDY value.
Comment	The user comment for the Part.
PrimaryEdge	The primary Part edge that rests against the point-to-point pins: 1 = Left 2 = Top 3 = Right 4 = Bottom
Mirror	A Boolean value set to true if the Part is output to a mirrored zone.
Shaped	A Boolean value set to true if the Part is shaped.
Outline	Shape in an ASCII comma delimited string. Format: (node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags: 0x08 = VTX_Radius 0x0400 = VTX_ArcLine 0x010000 = VTX_Visible
OutlineToolID	Reference to [Tool].[ID] linking a Tool to use for the outline of this Part.
GangBore	A Boolean value set to true if the Part has gang boring.
HorizontalBore	A Boolean value set to true if the Part has horizontal boring.
PrefPriMachineID	Reference to [Machine].[ID] linking this Part to the preferred Machine to use for primary output.

PrefSecMachineID	Reference to [Machine].[ID] linking this Part to the preferred Machine to use for secondary output.
Margin	Margin around part for Nesting.
HasBanding	A Boolean value set to true if the Edge Banding table contains data for this Part.
Banding	A Four character banding code: (Width1, Length1, Width2, Length2) 0 = None 1 = Door edging 2 = Exterior banding 3 = Interior banding
BandingCode	Banding code format. Edge types: (L)ength, (W)idth, (R)adius and (A)ngle Banding types: e(X)terior and (I)nterior Example:1L15I1R6X1A12X - 1 Length 15" long with Interior, 1 6" Radius with eXterior, 1 Angled edge 12" long with eXterior
BandingFlags	CABINET VISION edge banding flags from a Parts origin related to Part Edge as follows: (edges code_1....code_n) Example: 6NNENEN 6 sided part from face clockwise stroke: N = None I = Interior E = Exterior D = Door Also the User Definable Edge Characters.
FinishFace	Faces finish ID from the Material database.
FinishBack	Backs finish ID from the Material database.
FinishEdge	Edges finish ID from the Material database.
MetaFile	Binary metafile of part
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

LibraryPartDrawing

This table stores the Drawings of the S2M CENTER Library Parts.

Field	Description
ID	A unique number to reference this Drawing.
Drawing	Compressed binary ALPHACAM drawing data.
Width	A value representing the Width of the operation.
Length	A value representing the Length of the operations.
Depth	A value representing the Depth of the operations.
Outline	Shape in an ASCII comma delimited string. Format: (node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags: 0x08 = VTX_Radius 0x0400=VTX_ArcLine 0x010000=VTX_Visible
Image	A Binary metafile of ALPHACAM drawing.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

LibraryPartEdgeBanding

This table stores Edge banding information for the S2M CENTER Library Part.

Field	Description
ID	Unique Primary Reference
LibraryPartID	Reference to [LibraryPart.ID] linking the banding to a LibraryPart.
Edge	1 based edge identifier from the part origin moving in a counter clockwise direction around the part.
Indicator	A single character used to identify the banding in a Label:

	E = Exterior I = Interior D = Door
Material	The Banding Material name.
Color	The Banding Color name.
Thick	The Thickness of the Banding.
EdgeIndicator	The Edge of the Part the Banding is applied to: Front Back Top Bottom
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

LibraryPartMenuTree

Field	Description
ID	Unique Primary Reference
ParentID	Link to [LibraryPartMenuTree.ID] indicating parent child relationship in tree
Name	LibraryPartMenuTree Name
Ordinal	The sort order for a group of menus.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

LibraryPartMenuTreeItem

Field	Description

ID	Unique Primary Reference
LibraryPartMenuTreeID	Link to [LibraryPartMenuTreeItem.ID] indicating parent childrelationship in tree
LibraryPartID	Reference to [LibraryPart.ID] linking the banding to a LibraryPart
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

LibraryPartOperation

This table stores the Operations for the S2M CENTER Library Parts.

Field	Description
ID	Unique Primary Reference
LibraryPartID	Reference to [LibraryPart.ID] linking the banding to a LibraryPart
Name	The Name of the Operation.
Type	The Type of Operation: 1 = Dado 2 = Line Bore 3 = Cutout 4 = Route 9 = Hole
Style	The Style of Operation: 0x01 = Pocket 0x02 = Inside 0x04 = Outside 0x08 = MDF Glass 0x10 = MDF Outline 0x20 = Preserve Dir
ToolID	Cross-reference to [Tools].[ID] linking a Tool to the Operation. For automatic tool selection (recommended) the ToolID should be 0.

Width	The Width of the Operation.
Length	The Length of the Operation.
Depth	The Depth of the Operation.
PosX	The X position of the Operation.
PosY	The Y position of the Operation.
PosZ	The Z position of the Operation.
RotX	The Rotation of the Operation about the X axis.
RotY	The Rotation of the Operation about the Y axis.
RotZ	The Rotation of the Operation about the Z axis.
Repeat	The Repetition for Line Bores.
Spacing	The Spacing for Line Bores.
Outline	Shape in an ASCII comma delimited string. Format: (node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags: 0x08 = VTX_Radius 0x0400 = VTX_ArcLine 0x010000 = VTX_Visible
Group	Used to override the normal Operation sort. A positive group will allow an operation to be milled after the outline on a nest. A negative group will allow an Operation to be milled prior to the outline on a Part.
Priority	Override to the normal sort order of Operations. Operations are 1st sorted by priority ascending.
LibraryPartDrawingID	Reference to [LibraryPartDrawing.ID] linking an extended AlphaCAM drawing with this operation.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

LibraryPartOperationParameter

This table stores the Part Operation Parameters for the S2M CENTER Library Parts.

Field	Description
ID	Unique Primary Reference
LibraryPartOperationID	Link to [LibraryPartOperation.LibraryPartID] indicatingparent child relationship in tree
Name	Name
Description	Description
ParameterTypeID	Reference to ParameterType
ParamValue	Reference to ParamValue
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Machine

This table stores the S2M CENTER Machines.

Field	Description
ID	A unique number to reference this Machine.
Name	The Name for the Machine.
MachineTag	Short machine identifier used on labels
MachineManufacturerID	Reference to [MachineManufacturer].[ID] linking the machine to a manufacturer and the supported links.
MachineLinkID	Reference to [MachineLink].[ID] linking the machine to an output link.
MachineTypeID	Reference to [refMachineType].[ID] linking the machine to an machine type
Metric	A Boolean value set to true if Output in Metric is set for this Machine. This value is sometimes ignored if the Link demands a certain unit output.

OutputPath	The Directory output data files should be saved to for this Machine.
MaxWidth	A value representing the Maximum Sheet/Part Width that this Machine will handle.
MaxLength	A value representing the Maximum Sheet/Part Width that this Machine will handle.
OutputSummary	Output the CncRun summary file for primary and secondary machines.
Script	Optional VB Script to run after Link.
Unavailable	A Boolean value set True if the machine is not available to be used for output
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineDrillHead

This table stores the S2M CENTER Gang Drill (Multi-Drill) Head setups that are available.

Field	Description
ID	A unique number to reference this Gang Drill (Multi-Drill) Head.
Name	The Name for the Gang Drill (Multi-Drill) Head.
SpindleCount	Total or aggregate count of Spindles on this Gang Drill (Multi-Drill) Head.
MetricData	A value representing the Unit of Measure used to specify the Spindle Offsets: 0 = Imperial 1 = Millimeters
SpindleData	A comma-delimited string containing spindle data: Format:(spindle_1, X_offset_1, Y_offset_1, Z_offset_1, face_1.....spindle_n, X_offset_N, Y_offset_N, Z_offset_N, face_N) Face Value Definition: 0 = Face (Z-) 1 = Top (Y-)

	2 = Left (X+) 3 = Bottom (Y+) 4 = Right (X-) 5 = Back (Z+)
GraphicalOffset	Allows for graphical spindle offset to represent drill head correctly without breaking existing post. Format:(version, num_offsets, index_a, x_offset_a, y_offset_a, index_b, x_offset_b, y_offset_b,...
rGUID	Unique record identifier
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
rGUID	Unique record identifier

MachineDrillHeadData

This table stores Tool Locations in the cross-referenced S2M CENTER Gang Drill (Multi-Drill) Head.

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machines].[ID] linking the Gang Drill (Multi-Drill) Head to a Machine.
Spindle	The Spindle Number in the Gang Drill (Multi-Drill) Head.
ToolID	Cross-reference to [Tools].[ID] linking the Spindle to a Tool.
Length	A value representing the Length of Tool as used in the Gang Drill (Multi-Drill) Head.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraAlphaCAMInfo

This table stores Extra information for AlphaCAM Machines.

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra AlphaCAM data to a Machine setup.

PostFile	The name of the AlphaCAM Post.
SafeRapidZ	A value representing the Level at which Safe Rapid moves can take place.
RapidTraverseZ	A value representing the Level at which Rapid Moves can take place. This value must be less than the value set for [SafeRapidZ].
GangDrillHeadID	Cross-reference to [GangDrillHeads].[ID] linking the Gang Drill (Multi-Drill) Head.
GangFeedRate	A value representing the Feed Rate for Gang Drill (Multi-Drill) Boring.
GangSpindleSpeed	A value representing the Spindle Speed (RPM's) for the Gang Drill (Multi-Drill) Tools.
PartLeadType	A value representing the Normal Lead Type for the Machine: 0 = Tool Plunges 1 = Tool Ramps In 2 = Tool Ramps in leaving a Tab 3 = Onion Skin - Tool Ramps in leaving an Onion Skin 4 = Return Onion Skin - Tool ramps in leaving an Onion Skin until all Parts have been Outlined and then returns to remove Onion Skins.
SmallPartLeadType	See [PartLeadType].
VerySmallPartLeadType	See [PartLeadType].
ApplyCompOnRapid	A Boolean value set to true if the Tool Compensation is applied during the Machines Rapid Move.
RollAroundCorners	A Boolean value set to true if the Tool Path should have a Roll Radius Corner rather than an L Corner.
DrillTraverseAtSafeRapid	A Boolean value set to true if the Gang Drill (Multi-Drill) Head should move to the Safe Rapid Level between plunges.
CompensationType	A value representing the Compensation Type for the Machine: 0 = None – The path is Offset to Centerline. 1 = Machine – The Path is Offset to Centerline. Set the Compensation Value in the Machine Control equal to the original Tool Radius minus the Wear Radius. 2 = Tool Radius – The Path represents the outside of the Part. Set the Compensation Value in Machine Control equal to actual Tool Radius.
SaveDrawingFile	A Boolean value set to true if you want the System to Save an AlphaCAM drawing file while processing.
FileExtension	The File extension for Post output.
MaterialLengthsX	A Boolean value set to true if the X axis on the Machine is along the Length of the Sheet.

MicAtSpoilBoard	A Boolean value set to true if Z = 0 at the Spoil Board instead of the top of the Material.
PointOfOrigin	A value representing the 0,0 Point (Reference/Origin) of the Machine: 0 = Bottom Left 1 = Top Left 2 = Top Right 3 = Bottom Right
XPosFromPO	A Boolean value set to true if the X axis is a positive measurement from the Machine's Origin.
YPosFromPO	A Boolean value set to true if the Y axis is positive measurement from the Machine's Origin.
NestCorner	A value representing the Corner the Nest (Pack) should originate from: 0 = Bottom Left 1 = Top Left 2 = Top Right 3 = Bottom Right
XYLimits	A Boolean value set to true if the Machine has X/Y Gang Drill (Multi-Drill) Head limitations.
MinX	A value representing the Minimum allowable X position for the Primary Drill on the Gang Drill (Multi-Drill) Head.
MaxX	A value representing the Maximum allowable X position for the Primary Drill on the Gang Drill (Multi-Drill) Head.
MinY	A value representing the Minimum allowable Y position for the Primary Drill on the Gang Drill (Multi-Drill) Head.
MaxY	A value representing the Maximum allowable Y position for the Primary Drill on the Gang Drill (Multi-Drill) Head.
LimitTo3Axis	A Boolean value set to true if the Machine is Limited to output Operations that occur on a cardinal work plane.
ApproachOffset	A value representing the Distance to Offset the Tool from the finished path when Ramping in and out of the Material.
OffsetFromMatBottom	Maintain the approach offset to the bottom of the material to ensure a clean edge on back of the sheet
AdjustOpenToolPathForClimbCut	A boolean value when set true will possibly reverse the direction and tool side for an open path to account for climb vs conventional cut as if the path was drawn in a CCW direction. If false the origin
AddFinishPassToPocket	If operation and tool are not centerline create an additional compensated path for the pocket
CenterlineInteriorOpenPath	A boolean value when set true will force an interior open path to be milled centerline. If false additional moves will be added above material to set comp prior to the cut.

LinkedOutlines	Link part outlines on a nest as one continuous operations
Allow6thFace	Allow 6th face output on a nest. The 6th face pattern would be milled first, then the sheet would be flipped and the rest of the sheet would be milled
CommonLineCutting	Set part spacing to outline tool diameter and allow for a common cut between two parts
CommonLineMaxRetrace	Set the maximum distance a common line path can retrace over an already cut path. A larger value will reduce the number of rapids in the outline paths
CommonLineRetraceBySmallParts	A boolean value set true to allow retracing around small parts. Setting to false will increase the number of rapid moves in the output but will reduce the chance of nicking a small part that has moved
OptDrillSelection	Optimize drill sequence to minimize the number of spindle configuration changes instead of the shortest path between holes
Rotate6thFaceTrim	Rotate the position of the 6th face trip cuts to accomidate posts that modify the machine point of origin. 0=No Rotation, 1=90, 2=180, 3=270
SlopeArcLeadOnSpiralPocket	A boolean value set true to change the lead type on a spiral pocket from a straight plunge to a sloping arc
LinkOutlineOverlapAdj	A positive value creates additional overlap on the bridge of the linked outlines.
NoLeads	A boolean value when set true will output plunge lead-in/outs for all operations as well as forcing any tool comp to G41/G42 Tool Center. This is for posts being used to create output for 3rd party ve geometry.
WorkplaneAxisYHoriz	A boolean value when set true to set the local Y axis on a work plane horizontal (parallel to the default work plane). If false, the X axis will be horizontal (parallel to the default work plane).
WorkplaneAxisCWtilt	A boolean value when set true to make the axis change move in a clockwise direction as opposed to the default counter-clockwise direction.
MixHoleDiameters	A boolean value when set true will allow for a single multi-drill drop to mill holes of mixed diameters.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraCustomInfo

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra DXF data to a Machine setup.
CustomData	List of parameters and fields in the output file

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraDXFInfo

This table stores Extra information for DXF Machines.

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra DXF data to a Machine setup.
BorderColor	A value representing the DXF Color number for the Part's Outline.
NumDecimalInLayerName	A value representing the number of decimal places for formatting Depths in the Layer name.
Ouput_ForDecimal	A Boolean value set to true if " _ " is to be used in place of a "." for the decimal place in number formats.
BreakPolyLineIntoLine	A Boolean value set to true if the System needs to break poly-lines into single line segments.
RectanglesForSideBore	A Boolean value set to true if the System needs to output horizontal bores as rectangles instead of 3D circles.
ApplyDepthToOutput	A Boolean value set to true if the System needs to output objects with depth (3D).
BaseBoardIs0z	A Boolean value set to true if the bottom of the Part is 0 Z as opposed to setting the top of the part as 0 Z.
BottomEdgeIs0Y	A Boolean value set to true if the bottom edge of the part should be 0 Y (positive Y values) as opposed to the top of the part being 0 Y (negative Y values).
OffsetMirrorXPositive	A Boolean value set to true if the System needs to offset mirrored parts to the positive X quadrants.
BoardLayerName	The name for the Part Outline DXF Layer.
ThickAsZForRectHBore	A boolean value when set true will set the thickness of a rectangle horizontal bore to the Z Position.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraEdgeInfo

This table stores Extra information for Edge (Drill and Dowel) Machines.

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra data to a Machine Setup.
DepthMatchDrill	A value representing the Horizontal bore operation depth match at which operation will be directed to drill and dowel machine for drill
DepthMatchDowel	A value representing the Horizontal bore operation Depth Match at which the operation will be directed to a Drill and Dowel Machine for drill and dowel insertion.
DepthMatchGlue	A value representing the Horizontal bore operation Depth Match at which the operation will be directed to a Drill and Dowel Machine for drill, glue, and dowel insertion.
GlueDurationMS	A value representing the duration in milliseconds of Glue injection.
BarCodeFormat	The format string for bar codes. Values will be filled in based on variables in the format string inserted between {} {PO} = Program Name {ZO} = Zone Name
Zone14	The Normal Zone Name for use in barcodes.
Zone41	The Mirrored Zone Name for use in barcodes.
FaceUp	Feed the part into the machine face up. This can be overwritten on a single part with the DNDFLIP parameter
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraLabelInfo

This table stores Extra information for Machines utilizing +Label.

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra data to a Machine Setup.
LabelID	Cross-reference to [Label].[ID] linking the label to this Machine Setup.
SortOrder	A value representing the Sort Order for the Label-IT Labels:

	0 = Left to Right→Top to Bottom 1 = Top to Bottom→Left to Right 2 = Standard 3 = Phase1→Phase2→ Phase3 4 = Last Out→First In
OutputPath	The directory the Label-IT Job will be output to.
ImageOutputPath	Directory where label images will be saved to
PixelWidth	Width in pixels of label image
PixelHeight	Height in pixels of label image
ImageType	0 = Monochrome BMP 1 = 16 Color BMP 2 = 256 Color BMP 3 = 24bit Color BMP 4 = JPG
LabelLinkID	Reference to [MachineLink].[ID] linking the label machine to an output link.
LabelOrigin	Indicates the label position output to the machine: 0 = Center 1 = BottomLeft 2 = BottomRight 3 = TopRight 4 = TopLeft
AllowRotate	Allow the label image to be rotated: 0) Auto based on applicator machine, 1) None, 2) 0 90 180 270, 3) 0 180
Additional90s	Rotate the label image an addition 90 degrees x value (1=90, 2=180, 3=270)
ZPLTemplatePath	Optional location for ZPL Templates, if blank expect ZPL templates in image output directory
OffcutLabelID	Optional separate label design for offcuts. If left at 0 it will use the LabelID.
FullImagePath	A boolean value set true if full image path is output to PartRunData.ImageName by default just the file title is output.

OffcutImages	A boolean value set true if images for offcuts should be output along with images for parts.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraLockedData

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra DXF data to a Machine setup.
PropertyName	Machine Property Name that appears in Machine catalog
Parameter	Internal parameter name from refLinkParameter table
Locked	A boolean field is set to true if the data has been locked

MachineExtraMaterialHandlerInfo

This table stores Extra information for Material Handlers.

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra Material Handler data to a Machine Setup.
ImportFile	A fully qualified path to the current material inventory in the material handling system to import
AutoSyncOnOptimize	A boolean value set true to automatically synchronize materials with handling system on each optimization
OffcutImportFile	A fully qualified path to the current offcut inventory in the material handling system to import
AutoMakeImportFileCmd	Run this command prior to opening the import file. Its purpose is to create the inventory import file on demand. Example: c:\machine\makest.exe /C1 /a
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraNestInfo

This table stores Extra information for Nesting Machines.

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra Nesting data to a Machine Setup.
PartSpacingType	0=Fixed, 1=ToolDiam+Pad, 2=ToolDiam+Offsets+Pad
PartSpacing	A value representing the Margin around Parts when placed in a Nest.
PartSpacingPad	If PartSpacingType = 1 PartGap = (Outline Tool Width + Pad). If PartSpacingType = 2, PartGap = (Outline Tool Width + Approach Offset + First Pass Offset + Pad)
MarginLeft	A value representing the Left sheet margin.
MarginRight	A value representing the Right sheet margin.
MarginTop	A value representing the Top sheet margin.
MarginBottom	A value representing the Bottom sheet margin.
PartAreaForTab	A value representing the Minimum surface area at which a Part should be Tabbed.
PartDimForTab	A value representing the minimum dimension in Width and/or Length at which a Part should be Tabbed.
TabThickness	A value representing the Thickness of the Tab for Tabbed Parts.
TabLength	A value representing the Length of the Tab for Tabbed Parts.
PartAreaForSkin	A value representing the minimum surface area at which a Part should be Skinned.
PartDimForSkin	A value representing the minimum dimension in Width and/or Length at which Part should be Skinned.
SkinThickness	A value representing the Thickness of the Skin for Skinned Parts.
BarCodeFormat	The format string for bar codes. Values will be filled in based on variables in the format string inserted between {} {PO} = Program Name {ZO} = Zone Name

StepAngle	A value representing the Angle for rotating Parts for best fit in a Geometric (TrueShape) Nest.
GeometricNest	A Boolean value set to true if Geometric (TrueShape) Nesting should be used.
Quality	A value representing the selected Nest Quality: 1 = Fast 2 = Good 3 = Better 4 = Best 5 = Slow (Achieves the greatest results)
PackVertical	Determines if the nest pack will prefer a vertical or horizontal pack
PackForceDir	Pack direction on a block nest is not forced, it could pack the opposite direction if it means a larger offcut. This option will force the direction set by PackVertical
RotateMirror180	If values is set mirrored parts will be rotated an additional 180 degrees in the nest
FirstPassOffset	The amount of stock to leave on the rough pass (1st pass) of an onion skin lead in.
WastePocketToolID	Reference to [Tools.ID] defining a flat router for pocketing waste. Leave at 0 to turn off feature
WastePocketSkin	Thickness of skin for pocketed waste
WastePocketArea	Maximum area of waste to be pocketed. Any area less then this value will be pocketed
WastePocketDim	Maximum width/length of waste to be pocketed. Any dimension less then this value will be pocketed
SmallBoundary	Restricts small part placement on a true shape nest to inside this boundary from the sheet edge
SmallBoundaryShape	 0 = Exterior 2 = Bottom Left Corner 3 = Top Left Corner 4 = Top Right Corner 5 = Bottom Right Corner
VerySmallBoundary	Restricts very small part placement on a true shape nest to inside this boundary from the sheet edge
VerySmallBoundaryShape	0 = Exterior 1 = Interior Cross 2 = Bottom Left Corner 3 = Top Left Corner

	4 = Top Right Corner 5 = Bottom Right Corner
ZBreach	The maximum value a tool can cut into the spoil board. Any operation exceeding this value will produce an error and be ignored unless it has the parameter _ZBreachOK
VerySmallBoundaryShape	A value representing the Very Small Part Boundary Shape: 0 = Exterior 1 = Interior Cross
OutlineStartPoint	A value representing the Outline Start Point: 0 = Center 1 = Perimeter 2 = Corner
OutlineDecelLength	Length of segment at the end of the outline to slow down feed rate of tool.
OutlineDecelPercent	Percent of feed rate to run for the last deceleration segment of an outline.
LargePartArea	Area for a large part in SqlN. This value is used to determine a part size that is large enough that the table's vacuum is sufficient to hold it.
AutoSkinCenterParts	Add a return onion skin to parts in the center of the sheet regardless of lead type: 0 = None 1 = Very Small Parts 2 = Small Parts
OutlineSortType	0 = Size (default) 1 = Position (Sort by selecting the next closest outline) 2 = S Pattern (Sort by diagonal S pattern starting from top left) **Note: Options other than default should only be selected for a machine with excellent part hold down
SquareOffNest	Square off nest to produce a rectangular offcut
ScrapCuts	A boolean flag set true to create additional cuts reducing the size of the scrap pieces to smaller pieces
ScrapToolID	A cross reference to Tools.ID indicating what tool to use for the scrap cuts

ScrapMinCutLength	Any scrap cut less than this value will be ignored. This is to prevent tiny scrap cuts
ScrapMaxGapLength	This will determine the gap between scrap cuts along the length of the sheet
ScrapMaxGapWidth	This will determine the gap between scrap cuts along the width of the sheet
ScrapSkinThick	A non-zero value will leave a skin on the cut for maximum suction
ScrapBeforePart	A boolean value set true will order the scrap cuts prior to the part outlines
OffcutMarginLeft	Amount to trim off left side of offcut sheet
OffcutMarginRight	Amount to trim off right side of offcut sheet
OffcutMarginTop	Amount to trim off top side of offcut sheet
OffcutMarginBottom	Amount to trim off bottom side of offcut sheet
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraPartInfo

This table stores Extra information for Parts Machines.

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra Point-to-Point data to a Machine Setup.
FrontAndRearZones	A Boolean value set to true if Front Zones are available with this Machine Setup.
ZoneWidth	A value representing the Width of the Machine's Zones.
RearZoneDepth	A value representing the Depth of the rear Zone.
FrontZoneDepth	A value representing the Depth of the front Zone.
Zone12	The Rear Left Normal Zone Name for use in barcodes.
Zone34	The Rear Right Mirror Zone Name for use in barcodes.

Zone14	The Rear Normal Zone Name for use in barcodes.
Zone21	The Rear Left Mirror Zone Name for use in barcodes.
Zone43	The Rear Right Normal Zone Name for use in barcodes.
Zone41	The Rear Mirror Zone Name for use in barcodes.
Zone56	The Front Left Normal Zone Name for use in barcodes.
Zone78	The Front Right Mirror Zone Name for use in barcodes.
Zone58	The Front Normal Zone Name for use in barcodes.
Zone65	The Front Left Mirror Zone Name for use in barcodes.
Zone87	The Front Right Normal Zone Name for use in barcodes.
Zone85	The Front Mirror Zone Name for use in barcodes.
BarCodeFormat	The format string for bar codes. Values will be filled in based on variables in the format string inserted between {} {PO} = Program Name {ZO} = Zone Name
AlternateZones	A Boolean value set to true if the programs generated should be output in alternating zones from the normal to the mirror Zones.
BandingToolID	Reference to [Tool.ID] defining a tool to use for banding operations in AlphaCAM. Leave at 0 to turn off feature
OffsetByHalfEDXY	Offset the part operations in AlphaCAM by 1/2 the difference between size and nominal size of the part if the primary machine was not a router.
MatchPrograms	A boolean value if set true will allow matching parts to share program names.
ZBreach	The maximum value a tool can cut into the spoil board. Any operation exceeding this value will produce an error and be ignored unless it has the parameter _ZBreachOK
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineExtraSawInfo

This table stores Extra information for Saws.

--

Field	Description
ID	Unique Primary Reference
MachineID	Cross-reference to [Machine].[ID] linking this extra Saw data to a Machine Setup.
RipKerf	A value representing the Kerf (thickness) of the Saw blade used to perform Rip Cuts.
HeadKerf	A value representing the Kerf (thickness) of the Saw blade used to perform Head (Cross) Cuts.
CutClearanceTravel	A value representing the Minimum distance required for the Saw blade to clear the Material being cut. This value is measured from the center of the Saw blade (Arbor Center) to just beyond the tip of the Saw blade
BookHeight	A value representing the Maximum height of a Book (Stack) in the Imperial Unit of Measure.
MinBookSheets	A value representing the Minimum number of Sheets to be considered for a Book (Stack).
MaxBookSheets	A value representing the Maximum number of Sheets to be considered for a Book (Stack).
TrimLeft	A value representing the amount to trim off the left side of the sheet. (Left Dust Cut)
TrimRight	A value representing the amount to trim off right side of sheet. (Right Dust Cut)
TrimTop	A value representing the amount to trim off top of sheet. (Top Dust Cut)
TrimBottom	A value representing the amount to trim off bottom of sheet. (Bottom Dust Cut)
MinStripLength	A value representing the Minimum strip length this Saw is capable of handling.
MaxStripLength	A value representing the Maximum strip length this Saw is capable of handling.
MinStripWidth	A value representing the Minimum strip width this Saw is capable of handling.
MaxStripWidth	A value representing the Maximum strip width this Saw is capable of handling.
PanelLoadTime	A value representing the Time (in seconds) it takes to load a sheet/panel on this Saw.
PatternSetupTime	A value representing the Time (in seconds) it takes to prepare a pattern to be cut on this Saw.
Phase2TurnTime	A value representing the Time (in seconds) it takes to turn the Material to perform a 2nd phase cut on this Saw.
Phase3TurnTime	A value representing the Time (in seconds) it takes to turn the Material to perform a 3rd phase cut on this Saw.

RipCutSpeed	A value representing the Speed (in inches per second) for performing a Rip cut on this Saw.
HeadCutSpeed	A value representing the Speed (in inches per second) for performing a Head cut or Cross cut on this Saw.
RipCutRetrackSpeed	A value representing the Speed (in inches per second) while re-tracking (Retracting) from one rip cut to the next rip cut on this Saw.
HeadCutRetrackSpeed	A value representing the Speed (in inches per second) while re-tracking (Retracting) from one head/cross cut to the next head/cross cut on this Saw.
BookingOverheadTime	A value representing the Time (in seconds) spent for booking (stacking) a particular pattern as opposed to not booking (stacking) a particular pattern on this Saw.
HourlyCost	A value representing the Cost (in monetary units per hour) for time spent handling and cutting optimized Material on this Saw.
OverMakePenalty	A value representing the Time (in seconds) spent handling/sorting over make parts for a particular pattern on this Saw.
FirstCut	A value representing the first cut type for this Saw: 0 = Rip Cut 1 = Head (Cross) Cut 2 = Either
StripSort	A value representing the Strip sort preference for this Saw: 0 = Ascend 1 = Descend
PartSort	A value representing the Part sort preference for this Saw: 0 = Ascend 1 = Descend
Priority	A value representing the Optimization priority for this Saw: 0 = Yield 1 = Labor
Quality	A value representing the selected Optimization Quality: 1 = Fast 2 = Good 3 = Better 4 = Best
MinTCutWidth	A value representing the Minimum Part Width that can be created with a T-Cut for this Saw.

MaxTCutLength	A value representing the Maximum Part Length that can be created with a T-Cut for this Saw.
PartSizeTolerance	Allowable variance between part sizes to eliminate additional phase cuts.
NoZCuts	Eliminate Z-Cuts in patterns. Z-Cuts are the 3rd phase cut in a strip
NoTCuts	Eliminate T-Cuts in patterns. T-Cuts are multiple equal 3rd phase cuts in a strip that can define the strip width.
MaxPhase	Maximum number of rotations (turns) allowed for this saw. Placing a large value here may exceed your machines output capacity. Typical value is 3
OffcutsFirst	The default is for the offcuts and waste to occur at the end of the sheet, strip, etc. WithB this option set the offcut and waste will be cut first. Note: Grain Matching takes priority over this option.
SheetSideUp	Saw sheet side up preference 0 = Finished Side Up 1 = Finished Side Down 2 = Most operations up
OffcutTrimLeft	Amount to trim off left side of offcut sheet
OffcutTrimRight	Amount to trim off right side of offcut sheet
OffcutTrimTop	Amount to trim off top side of offcut sheet
OffcutTrimBottom	Amount to trim off bottom side of offcut sheet
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineLink

This table stores the available Machine Links.

Field	Description
ID	A unique number to reference this Link.
MachineTypeID	A cross reference to [refMachineType].[ID] linking this item to a specific machine type
NcProgramID	Internal function ID to be called for the link in PCncOut output library.
Name	Name for the output Link.
Description	Description for the Link displayed in the Machine Catalog.

LocalName	Optional display name for link in different locales
Script	Optional VB Script to run after Link. If [ProgramID] = 0, the System will expect a program script.
OutputOptions	A flag to show Output Options for this Link: 0x01 = Mirror Parts 0x02 = Output All Parts 0x04 = Output Broken Lines 0x08 = IntelliCAM Nest
ShowToolProps	Flags to show the Tool Properties required for the Link: 0x001 = Number 0x002 = Pen 0x004 = Layer 0x008 = Feed 0x010 = Descent 0x020 = Maximum Depth Per Pass 0x040=Rotate Clock-Wise 0x080=Tool Compensation 0x100=Drill Cone Angle 0x200=Drill To Shoulder 0x400=Spindle Speed 0x800=Height Offset ID 0x1000=A/B/C-Axis Rotation
ShowXProps	A flag to show extended Machine Properties for this Link: 0x01 = Extended DXF Properties 0x02 = AlphaCAM Properties
ShowXEdgeProps	A flag to show extended Edge Properties for this link: 0x01 = Show Horizontal Match Drill 0x02 = Show Horizontal Match Dowel 0x04 = Show Horizontal Match KD 0x08 = Show Horizontal Match Glue 0x10 = Show Horizontal Glue Duration Milliseconds

	0x20 = Show Zone 1-4 0x40 = Show Zone 4-1
ShowXMatHandlerProps	Flags to show material handler properties for this link: 0x01=ImportFile 0x02=AutoSyncOnOptimize 0x04=OffcutImportFile 0x08=AutoMakeImportFileCmd
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineManufacturer

This table stores the available Machine Manufacturers.

Field	Description
ID	A unique number to reference this Manufacturer.
Name	The Name of the Machine Manufacturer.
MachineLinkIDs	Comma delimited string containing references to [MachineLink].[ID] linking allowable output links to machine type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineOverride

This table stores any overrides placed on Materials.

Field	Description
ID	Unique Primary Reference
MachineSetID	A cross reference to [Machine].[ID] linking this record to a MachineSet
MaterialID	A cross reference to [Material].[ID] linking this record to a material

TrimTop	Value representing the Top Trim override.
TrimFront	Value representing the Front Trim override.
TrimBack	Value representing the Back Trim override.
TrimBottom	Value representing the Bottom Trim override.
FirstCut	Value specifying the First Cut Type: 0 = Rip Cut 1 = Head (Cross) Cut 2 = Either
Priority	Value specifying the Optimization priority: 0 = Yield 1 = Labor
StripSort	Value specifying the Strip sort preference: 0 = Ascend 1 = Descend
Quality	A value representing the selected Optimization Quality: 1 = Fast 2 = Good 3 = Better 4 = Best
MinStripWidth	A value representing the Minimum allowable Strip Width within a Pattern.
MaxStripWidth	A value representing the Maximum allowable Strip Width within a Pattern.
MinStripLength	A value representing the Minimum allowable Strip Length within a Pattern.
MaxStripLength	A value representing the Maximum allowable Strip Length within a Pattern.
PartSort	Value specifying the Part sort preference: 0 = Ascend 1 = Descend

StepAngle	A value representing the Angle increment for Geometric (TrueShape) Nesting.
GeometricNest	A Boolean value set to true if Nesting is set to use Geometric (TrueShape) Nesting.
OffcutWidth	A value representing the Minimum Width to be considered an Offcut rather than scrap.
OffcutLength	A value representing the Minimum Length to be considered an Offcut rather than scrap.
MinTCutWidth	A value representing the Minimum Part Width that can be created with a T-Cut.
MaxTCutLength	A value representing the Maximum Part Length that can be created with a T-Cut.
SquareOffNest	A Boolean value set to true if the system is set to Square-Off the Nest to produce rectangular Offcuts.
CommonLineCutting	Set part spacing to outline tool diameter and allow for a common cut between two parts
CommonLineMaxRetrace	Set the maximum distance a common line path can retrace over an already cut path. A larger value will reduce the number of rapids in the outline paths
CommonLineRetraceBySmallParts	A boolean value set true to allow retracing around small parts. Setting to false will increase the number of rapid moves in the output but will reduce the chance of nicking a small part that has moved
PackVertical	Determines if the nest pack will prefer a vertical or horizontal pack
PackForceDir	Pack direction on a block nest is not forced, it could pack the opposite direction if it means a larger offcut. This option will force the direction set by PackVertical
SheetPriority	Specifies the order where different sheet sizes are used; 0=Price (low to high), 1=Size (small to large) 2=Yield (best fit)
SmallBoundary	Restricts small part placement on a true shape nest to inside this boundary from the sheet edge
VerySmallBoundary	Restricts very small part placement on a true shape nest to inside this boundary from the sheet edge
NoZCuts	Eliminate Z-Cuts in patterns. Z-Cuts are the 3rd phase cut in a strip
NoTCuts	Eliminate T-Cuts in patterns. T-Cuts are multiple equal 3rd phase cuts in a strip that can define the strip width.
VerySmallBoundaryShape	A value representing the Very Small Part Boundaries Shape: 0 = Exterior 1 = Interior Cross
SmallBoundaryShape	0 = Exterior 2 = Bottom Left Corner 3 = Top Left Corner

	4 = Top Right Corner 5 = Bottom Right Corner
OffcutsFirst	The default is for the offcuts and waste to occur at the end of the sheet, strip, etc. WithB this option set the offcut and waste will be cut first. Note: Grain Matching takes priority over this option.
OffcutDiscount	Valid range of 0 - 100 representing a percentage discount on offcuts - a higher value will favor offcuts as sheets instead of full sheets
ReduceBins	Valid range of 0 - 5 as the value increases the less likely offcuts will be used from different bins.
OffcutSizePriority	0) No preference, 1) Prefer smaller offcuts, 2) Prefer larger offcuts
NoOffcutsFromOffcut	A boolean value when set true will limit offcut selection to offcuts that do not produce new offcuts.
SheetSideUp	Saw sheet side up preference 0 = Finished Side Up 1 = Finished Side Down 2 = Most operations up
OffcutTrimFront	Amount to trim off front side of offcut sheet
OffcutTrimBack	Amount to trim off back side of offcut sheet
OffcutTrimTop	Amount to trim off top side of offcut sheet
OffcutTrimBottom	Amount to trim off bottom side of offcut sheet
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineParameter

Field	Description
ID	A unique number to reference the machine parameter
MachineID	A cross reference to [Machine].[ID]

Name	The parameter's name.
Description	The parameter's description
ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineSet

This table stores the Machine Sets.

Field	Description
ID	Unique Primary Reference
MasterMachineID	Cross-Reference to [Machine.ID] indicating what Machine Set this record is associated with
SlaveMachineID	Cross-Reference to [Machine.ID] linking a machine that is used in this Machine Set
Primary	A boolean value set true if this machine is the primary machine for this set
Ordinal	The order in which the machines will be output to
PassThru	A boolean value set true to indicate that any operations assigned to this machine will also pass through to the next machine
PreBand	Output to this machine assumes a part that is already banded
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MachineSetFilterMap

This table stores filters associated with Machine Sets.

Field	Description
ID	Unique Primary Reference

MachineSetID	Cross-Reference to [MachineSet.ID] linking this filter to a Machine Set Machine
Ordinal	The order in which the filters are applied
OutputFilterID	Reference to [OutputFilter].[ID] linking this record to the filters table
OutputFilterTypeID	Reference to [refOutputFilterType].[ID] linking this record to an output filter type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Material

The main table in the Material.cvm, this Table stores the basic Material data for all Materials.

Field	Description
ID	A unique number used to reference this Material record.
ParentID	Reference to parent [Material].[ID] (for aliasing)
Name	The Material's Name.
Description	A description for the Material.
MaterialTypeID	A cross-reference to the [refMaterial Type].[ID] field indicating the type of Material.
UnitOfIssueID	A cross-reference to the [refUnitOfIssue].[Index] field indicating the Unit this Material is referenced in.
DefaultMaterialVendorID	A cross-reference to the [Vendor].[ID] field indicating who you purchase this Material from.
DefaultCost	The default cost of the Material per [UnitOfIssue].
SellPrice	The price to sell this material to the customer. If value is 0 material price will be Cost + DefaultMarkup. If value is not 0 then DefaultMarkup is ignored
DefaultMarkup	Markup the cost of this material by this percent when bidding
SalesTax	A Boolean flag set true if YOU pay Tax on this Material.
DefaultTaxRate	Tax rate for this Material.

Waste	The percent of Waste that is typical for this Material.
Estimate	Boolean value set true if this material should be included in the bid estimate under material cost
LoadModel	A boolean set true if this Material needs to load and display the model when used in a Job.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
Deleted	Material deleted flag (yes/no)
System	A boolean set true if this record is System record.
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.
NcInventory	A boolean field set true if this material appears in S2M material inventory

MaterialAlternateSizeInfo

This table stores Material sizes available for the Materials in the Material Catalog in the S2M Center Alphacam interface.

Field	Description
ID	A unique number to reference this Material Size.
MaterialID	Reference to [Material].[ID]
Width	A value representing the Width for this sheet of Material.
Length	A value representing the Length for this sheet of Material.
Cost	A value representing the Price associated with this sheet of Material.
AutoLoad	A boolean value set true to indicate this size will be an additional option in the material list when the parent material is in the job
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialBandingNameLookup

--	--

Field	Description
ID	A unique number used to reference this Banding Name Lookup record.
Name	Internal banding identifier
InUse	Yes/No is the banding already in use
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialCompositeMap

Field	Description
ID	Unique ID - primary key
CompositeMaterialID	Reference to member [Material].[ID]
MaterialID	Reference to [Material].[ID]
StackOrder	Position of the member in the stack
FaceUp	Member is face-up or face-down
Oversize	Overmake size for post assembly trimming
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraBandingInfo

This Table stores extra Banding information.

Field	Description
ID	A unique number used to reference this Extra Banding Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.

LengthTrim	The amount any Part built with this Material should be oversized for trim. Currently does not output to Nesting Machines.
Thickness	The thickness of the edgebanding.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier
NCBandingTag	A single character (a-z) associated with this banding

MaterialExtraBasketInfo

This Table stores extra Wire Basket information.

Field	Description
ID	A unique number used to reference this Extra Basket Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
BasketTypeID	A cross-reference to the [refBasketType].[ID] linking this record to it's Basket Type.
Depth	The Depth of the Wire Basket.
Width	The Width of the Wire Basket.
Height	The Height of the Wire Basket.
FirstHoleOffset	The first hole offset.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraBoardInfo

This Table stores extra Banding information.

Field	Description
ID	A unique number used to reference this Extra Board Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.

Thickness	The finished thickness of the Board Stock Material.
RoughThickness	Raw thickness of material before milling used for calculating board feet.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraCasterInfo

This Table stores extra Caster information.

Field	Description
ID	A unique number used to reference this Extra Caster Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Height	The Height of the Caster.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraClearanceInfo

This Table stores extra Clearance information.

Field	Description
ID	A unique number used to reference this Extra Clearance Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
SideClearance	The amount of Side Clearance required between the Drawer Box and the Opening for the Box for this Drawer Guide.
MinBelowBox	The amount of Clearance required between the bottom of the Drawer Box and the Opening for the Box for this Drawer Guide.
MinAboveBox	The amount of clearance required between the top of the Drawer Box and the Opening for the Box for this Drawer Guide.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

MaterialExtraCNCInfo

This Table stores extra CNC information.

Field	Description
ID	A unique number used to reference this Extra CNC Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Optimize	A Boolean flag set true indicates this Material is to be sent to the Optimizer/Nester.
GrainDependent	A Boolean value set true if this Material has Grain. This field is used with the Optimizer/Nester in determining if a Part can be rotated to produce better yield.
DropWidth	Minimum offcut width to preserve
DropLength	Minimum offcut length to preserve
FeedRatePercent	% of optimum Tool Feed Rate
SpindleSpeedPercent	% of optimum Tool Spindle Speed
MinimizeFaceChip	A Boolean value set true if this Material needs to choose a Tool for a CNC that will Minimize Face Chipping.
MinimizeBackChip	A Boolean value set true if this Material needs to choose a Tool for a CNC that will Minimize Back Chipping.
ClimbCut	A Boolean value set true if this Material needs to be cut with a Climb Cut on a CNC.
MaxDepthPerPass	The smaller of the two amounts (material & tool) will be used for the path
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraCompositeInfo

This Table stores Extra Information on Composite Materials.

Field	Description

ID	A unique number used to reference this Extra Composite Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
PreAssembled	Establishes if the Composite is assembled before or after Cutting/Machining. If it is not pre-assembled then the each Material that makes up the Composite a Part is cut and machined from is treated separately.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraConnectorInfo

This Table stores Extra Information on Connector Materials.

Field	Description
ID	A unique number used to reference this Extra Composite Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
ConnectorTypeID	A cross-reference to the [refConnectorType].[ID] linking this record to its Connector Type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraCounterTopInfo

Not Currently Implemented

Field	Description
ID	Not Currently Implemented
MaterialID	Not Currently Implemented
CostPerButtJoint	Not Currently Implemented
CostPerMiterJoint	Not Currently Implemented
CostPerCutout	Not Currently Implemented
CostPerEndCap	Not Currently Implemented

CostPerEndSplash	Not Currently Implemented
ScribeTrim	Not Currently Implemented
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraFingerPullInfo

This Table stores extra Clearance information.

Field	Description
ID	Unique ID - primary key
MaterialID	Reference to [Material].[ID]
Length	Length of the finger pull rail
EdgeTrim	Dimension that will be required to trim off the edge of a door to apply the finger pull rail to
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraGuideInfo

This Table stores extra Drawer Guide information.

Field	Description
ID	A unique number used to reference this Extra Drawer Guide Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
GuideTypeID	A cross-reference to the [refGuideType].[ID] indicating the mounting face for the Guide.
Height	The Height of the Drawer Guide
Depth	The Length of the Drawer Guide

Extension	The distance this Drawer Guide extends
ScrewCenterRefTop	Is true if the value in ScrewCenterToBoxBottom should be used to reference the distance from the top of the drawer box to screw center.
ScrewCenterToBoxBottom	The distance from the screw center to the box bottom
GuideHoleOffset	The distance from the face of the Assembly to the first hole. This value corresponds to the Graphic Reference Point.
BackNotchLength	The length of the notch cut into the drawer back to accommodate the drawer guide.
BackNotchHeight	The height of the notch cut into the drawer back to accommodate the drawer guide.
BackNotchOffset	The distance between the edge of the drawer back and the start of the notch.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraHingeInfo

This Table stores extra Hinge information.

Field	Description
ID	A unique number used to reference this Extra Hinge Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
HingeTypeID	A cross-reference to the [refHingeType].[ID] indicating the type of Hinge.
SideOverlay	For the Face Frame Construction Style only - The amount the side of the Door should Overlay the Face Frame when using this Hinge.
VerticalOverlay	For the Face Frame Construction Style only - The amount the top & bottom of the Door should Overlay the Face Frame when using this Hinge.
DoorEdgeToHinge	The minimum distance from the edge of the Door to the center line of the 1st Hinge for that Door.
Inset	The distance the Hinge Insets into the Face of the Cabinet.
MaxHingeSpacing	The maximum distance between two Hinges before adding an additional Hinge for support.
OpeningAngle	The maximum opening angle for the Hinge.
DoorEdgeToRefPt	Distance from the door edge to the reference point used by the hinge Model.

RollOutClearance	Side clearance when hinge is used in conjunction with a Roll Out.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraHingePlateInfo

This Table stores extra Hinge Plate information

Field	Description
ID	A unique number used to reference this Extra Hinge Plate Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
HingePlateTypeID	A cross-reference to the [refHingePlateType].[ID] indicating the type of Hinge Plate.
PlateHoleOffset	Distance between the face and the center-line of the hinge plate holes.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraLaminateInfo

This Table stores extra Laminate information.

Field	Description
ID	A unique number used to reference this Extra Laminate Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Oversize	The amount any Part built with this Material should be oversized for trim. Currently does not output to Nesting Machines.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraLegInfo

This Table stores extra Leg information

Field	Description
ID	A unique number used to reference this Extra Leg Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Height	The Height of the Leg.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraLegLevellerInfo

This Table stores extra Leg Leveler information

Field	Description
ID	A unique number used to reference this Extra Leg Leveler Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Height	The Height of the Leg Leveler.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraMiscellaneousInfo

This Table stores extra Miscellaneous Material information

Field	Description
ID	A unique number used to reference this Extra Miscellaneous Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Thickness	The Thickness of the Miscellaneous Material.
HasModel	Indicates if this Miscellaneous Material will have a 3D Model associated with it.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraMoldingInfo

This Table stores extra Molding information.

Field	Description
ID	A unique number used to reference this Extra Molding Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
ProfileTypeID	A cross-reference to the [refProfileType].[ID] linking this record to it's Profile Type data.
Length	The Length of the Molding.
CostPerJoint	The Cost Per Joint for this Molding.
MiterTrim	Defines the amount you compensate for the Moldings Length at each Miter.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraPullInfo

This Table stores extra Pull information.

Field	Description
ID	A unique number used to reference this Extra Pull Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
PullTypeID	A cross-reference to the [refPullType].[PullIID] indicating the type of Pull.
HorizontalInset	The distance from the edge of the Door side to the center of the Pull.
VerticalInset	The distance from the edge of the Door top/bottom to the center of the Pull.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraRodInfo

This Table stores extra Closet Rod information.

Field	Description
ID	A unique number used to reference this Extra Rod Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Length	The Length of the Rod.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraShadowlineBracketInfo

This Table stores extra Shadowline Bracket information.

Field	Description
ID	A unique number used to reference this Extra Size Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
BracketHoleOffset	Distance from edge to center of bracket hole
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraShadowlineChannelInfo

This Table stores extra Shadowline Channel information.

Field	Description
ID	A unique number used to reference this Extra Size Information record.

MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Length	Length of rail
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraSizeInfo

This Table stores extra Size information.

Field	Description
ID	A unique number used to reference this Extra Size Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Width	Width value
Length	Length value
Thickness	Thickness value
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialExtraSlidingDoorRailInfo

This Table stores extra Sliding Door Rail information.

Field	Description
ID	A unique number used to reference this Extra Sliding Door Rail Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
Length	The length of the Sliding Door Rail.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

MaterialExtraSlidingDoorRollerInfo

This Table stores extra Sliding Door Roller information.

Field	Description
ID	A unique number used to reference this Extra Size Information record.
MaterialID	A cross-reference to the [Material].[ID] linking this record to it's basic Material data.
RollerTypeID	A cross-reference to the [refSlidingDoorRollerType].[ID] indicating the type of Sliding Door Roller.
DoorEdgeInset	The distance from the side of the door to the center of the Sliding Door Roller in a hanging rail system
DoorEndInset	The distance from the end (Top and/or Bottom of the door to the center of the Sliding Door Roller (On a top mounting plate style, the distance from the back of the door to center of plate)
MountOnBack	A boolean set true if this Door Roller attaches to the back of the Door.
DoorDadoRefID	Reference to [refSlidingDoorDadoRef].[ID]
DoorDadoOffset	Dado offset
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialKitMap

Field	Description
ID	A unique number used to reference this Material Kit Map record.
KitMaterialID	Reference to kit member [Material].[ID]
MaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
Quantity	Quantity of items
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

MaterialMacro

Field	Description
ID	A unique number used to reference this Material Kit Map record.
MaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
Name	Macro name
Macro	Macro code
Order	Order of macros
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
ApplyCondition	Conditions for which JavaScript is applied
ApplyType	Object type for which JavaScript is applied
MacroType	Type of UCS Script
rGUID	Unique record identifier
UCSLibrary	Type of UCS Script/UCS Library
CodeBackup	Backup of UCS Code on Convert to JS

MaterialMenuTree

Field	Description
ID	A unique number used to reference this Material Menu Tree record.
MenuID	Reference to Menu ID
ParentID	Reference to parent material ID (for aliasing)

Name	Material name
Ordinal	Material group order
Flag	Flag
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

MaterialMenuTreeItem

Field	Description
ID	A unique number used to reference this Material Menu Tree Item record.
MenuID	
MenuTreeID	
MaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialMenuUser

Field	Description
ID	A unique number used to reference this Material Menu User record.
UserID	
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

MaterialMoldingSetMap

Field	Description
ID	A unique number used to reference this Material Molding Set record.
MoldingSetMaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
MaterialID	A cross-reference to the [Material].[ID] field indicating a Subordinate Material in this Molding Set.
XPosition	The X Position of the Profile within the Molding Set.
YPosition	The Y Position of the Profile within the Molding Set.
Rotation	Rotation for this molding
Mirror	A boolean value set true if the molding should be mirrored
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialParameter

This Table Stores Material Parameters.

Field	Description
ID	A unique number used to reference this Material Parameter record.
MaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
Name	The Material Parameter Name.
Description	The Material Parameter Description.
ParameterTypeID	A cross-reference to the [refParameterType].[ID] field indicating the Type of Parameter.
ParamValue	The Material Parameter Value.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialToolOutlineMap

This table stores Outline Tools assigned to specific Machine/Material combinations.

Field	Description
ID	Unique Primary Reference
MaterialID	Material identifier
MachineID	Cross-reference to [Machine].[ID] linking this record to a Machine.
FacUpToolID	Cross-Reference to [Tool].[ID] linking the Outline Tool to use if the Material is face up.
FaceDownToolID	Reference to [Tool].[ID] linking the Outline Tool to use if Material is Face Down.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialVendor

This Table stores all the Vendors.

Field	Description
ID	A unique number used to reference the Vendor record.
Name	The Vendor’s Name.
Address1	Address 1 for the Vendor.
Address2	Address 2 for the Vendor.
City	The City of the Vendor.
State	The State of the Vendor.
ZipCode	The Zip Code of the Vendor.

Country	The Country of the Vendor.
Phone	The Phone Number of the Vendor.
MobilePhone	The Mobile Phone Number of the Vendor.
Fax	The Fax Number of the Vendor.
eMail	The e-mail address of the Vendor.
Contact	The Contact for the Vendor.
Comment	Any additional comments on the Vendor.
AccountNumber	Your account number with the Vendor.
SalesTax	The Sales Tax you pay to the Vendor.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

MaterialVendorMap

Stores information specific to a Vendor for a Material.

Field	Description
ID	A unique number used to reference this Material Vendor record.
MaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
MaterialVendorID	A cross-reference to the [Vendor].[ID] field indicating the Vendor.
SKU	The Vendors SKU for this Material.
Cost	The Vendors Cost for this Material.
Markup	The Markup to use for this Vendors products.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

NetRights

Field	Description
ID	A unique number to identify the record
User	Encrypted User ID
Feature	Encrypted Feature ID
Access	Encrypted Access Level
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

NetServer

Field	Description
ID	A unique number to identify the record
Name	Encrypted Server Name
Port	Encrypted Server Port
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

NetUser

Field	Description
ID	A unique number to identify the record
Name	User Name
Password	Encrypted User Password

Status	Current user status including job and logged in/out
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

OffcutBin

This table stores the information for Offcut Bins.

Field	Description
ID	A unique number to reference this Offcut Bin.
Width	A value representing the Minimum Material Width that will fit in this Bin.
ToWidth	A value representing the Maximum Material Width that will fit in this Bin.
Length	A value representing the Minimum Material Length that will fit in this Bin.
ToLength	A value representing the Maximum Material Length that will fit in this Bin.
Name	Name to identify this bin.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

OffcutItem

This table stores all available Offcuts.

Field	Description
ID	A unique number to reference this Offcut Piece.
MaterialID	Material identifier
Name	The Name for the Material.
Width	A value representing the Width of this Offcut.

Length	A value representing the Length of this Offcut.
Quantity	A value representing the Quantity of this Offcut.
ThridPartyID	Possible Machine Handler ArticleCode for this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Operation

Field	Description
ID	A unique number used to reference this Operation record.
LayerID	Reference to [Layer].[ID]
WorkPlaneTypeID	Reference to [refWorkPlaneType].[ID]
OperationTypeID	Reference to [refOperationType].[ID]
ToolGUID	Reference to [PSNC].[Tool].[rGUID]
Name	Name of the Operation.
Description	Description of the Operation.
XPosition	X Position of the Operation.
YPosition	Y Position of the Operation.
ZPosition	Z Position of the Operation.
XRotation	X Rotation of the Operation.
YRotation	Y Rotation of the Operation.
ZRotation	Z Rotation of the Operation.
Width	Width of the Operation.

Length	Length of the Operation.
Depth	Depth of the Operation.
Repeat	Boring Repeat of the Operation.
Spacing	Boring Spacing of the Operation.
Priority	Priority of the Operation.
ShapeID	Reference to [Shape].[ID]
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
rGuid	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

OperationParameter

Field	Description
ID	A unique number used to reference this Operation Parameter record.
OperationID	A cross-reference to the [Operation.ID] field indicating the Operation.
Name	Name of the Operation Parameter.
Description	Description of the Operation Parameter.
ParameterTypeID	Reference to [refParameterType].[ID]
ParamValue	Value of the Operation Parameter.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

OutputFilter

This table stores the Filters.

Field	Description
ID	A unique internal number to identify the filter
Name	A unique name provided by the user to identify the filter
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

OutputFilterData

This table stores the Filter Data.

Field	Description
ID	A unique internal number to identify the filter data
OutputFilterID	Reference to [OutputFilter.ID] linking this data to a filter
OutputFilterDataTypeID	Reference to [refOutputFilterDataType].[ID] linking this type to an OutputFilterDataType
Data	Data varies based on type, typically an ID
Text	Data varies based on type, typically a name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PackageImport

Field	Description
ID	A unique number to identify the record
Name	The imported package name

PackageTypeID	A cross referene to [refPackageType].[ID]
Licensed	Imported data required a password to import
Encrypted	Imported data is encrypted
Revision	Each time a package is created the revision will be incremented
ContactName	Name of the person that created the package
ContactEMail	EMail of the person that created the package
ContactPhone	Phone of the person that created the package
ContactKeyName	Key Name of the person that created the package
Removed	A boolean flag set TRUE if the contents of the package were removed
RemovalDate	If package was removed the date/time it was deleted
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
ContributorGUID	Possibly reference to Contributor.rGUID field
rGUID	A global unique ID for this package
LastUpdate	Timestamp on when the package was imported

Part

This Table stores Parts and their user defined properties.

Field	Description
ID	A unique number to reference the Part record.
PartClassID	A cross-reference to the [refPartClass].[ID] indicating the Class of this Part.
PartSubClassID	Reference to [refPartSubClass].[ID]
Name	The short internal name for a Part.

Description	A description for this Part.
LaborSetup	The amount of Labor in minutes to be applied to a Job the 1st time this Part appears in the Job.
LaborEach	The amount of Labor in minutes to be applied to a Job every time this Part appears in the Job.
PriceFormula	Formula used to derive the price for this part in the Bid Center
PriceMatrixID	A cross-reference to the [PartPriceMatrices].[PriceMatrixID] field.
Category	A Boolean flag set true if this Part actually serves as a Category for other Parts rather than a true Part.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
Deleted	A Boolean flag set true if this Part has been Deleted.
System	A Boolean flag set true if this Part is under system control. Set to false automatically for any Parts that have been created by the user.
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

PartBandingInfo

Field	Description
ID	Unique ID - primary key
PartID	Reference to [Part].[ID]
Symbol	Banding symbol
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartClassMaterialMap

Field	Description
ID	A unique number used to reference this Part Class Material Map record.

PartClassID	A cross-reference to the [refPartClass].[ID] field indicating the Part Class.
MaterialTypeID	A cross-reference to the [refMaterial Type].[ID] field indicating the type of Material.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartCNCInfo

Stores the Extra CNC Information for Parts.

Field	Description
ID	A unique number used to reference this Part CNC Information record.
PartID	A cross-reference to the [Part].[ID] field indicating the Part.
Optimize	A Boolean flag set true if this Part is to be output to the Optimizer/Nester. <i>The Part must also be built from a Material that has been defined Optimize.</i>
IgnoreGrain	A boolean value set true if this part can be rotated on grained material
OutputToCNC	A Boolean flag set true if this Part is to have a file generated for CNC equipment.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartFinishInfo

Stores the Extra Finish Information for Parts.

Field	Description
ID	A unique number used to reference this Part CNC Information record.
PartID	A cross-reference to the [Part].[ID] field indicating the Part.
ExteriorFaceFinish	A boolean value set true if this parts face should use the selected Exterior Finish.
ExteriorBackFinish	A boolean value set true if this parts back should use the selected Exterior Finish.

ExteriorEdgeFinish	A boolean value set true if this parts edges should use the selected Exterior Finish.
ExteriorEndFinish	A boolean value set true if this parts ends should use the selected Exterior Finish.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartMaterialMap

Field	Description
ID	A unique number used to reference this Part Material Map record.
PartID	A cross-reference to the [Part].[ID] field indicating the Part.
MaterialTypeID	A cross-reference to the [refMaterialType].[ID] field indicating the Type of Material.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartMenuTree

Field	Description
ID	A unique number used to reference the Part Menu Tree record.
MenuID	Reference to [PartMenuUser].[ID]
ParentID	Reference to [PartMenuTree].[ID] of the parent ID
Name	Name of menu item
PartSubClassID	Reference to [refPartSubClass].[ID]
Flag	Can only delete 1 (user created banding) 1 = User created banding 2 = Deleted 3 = System Banding
DisplayText	Text displayed

MulangID	Multi-language ID
PartClassID	Reference to [refPartClass].[ID]
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartMenuTreeItem

Field	Description
ID	A unique number used to reference this Part Menu Tree Item record.
MenuID	Reference to [PartMenuUser].[ID]
MenuTreeID	Reference to [PartMenuTree].[ID]
PartID	A cross-reference to the [Part].[ID] field indicating the Part.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartMenuTreePartCategoryMap

Field	Description
ID	A unique number used to reference this Part Menu Tree Part Category record.
PartClassID	Reference to [refPartClass].[ID]
PartSubClassID	Reference to [refPartSubClass].[ID]
PartMenuTreeID	Reference to [PartMenuTree].[ID]
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

PartMenuTreePartClassMap

Field	Description
ID	A unique number used to reference this Part Menu Tree Part Class Map record.
PartMenuTreeID	Reference to [PartMenuTree].[ID]
PartClassID	Reference to [refPartClass].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartMenuUser

Field	Description
ID	A unique number used to reference this Part Menu User record.
UserID	Reference to [User].[ID]
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

PartPrice

This Table stores the Part Price for the Price Matrices.

Field	Description
ID	A unique number used to reference this Part Price record.
PartPriceMatrixID	A cross-reference to the [PartPriceMatrix].[ID] field.
WidthOrder	A numeric value establishing which Column in the grid this Price is located in.
LengthOrder	A numeric value establishing which Row in the grid this Price is located in.

PriceFormula	The price formula associated with this Width/Length combination.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartPriceMatrix

This Table stores the Part Price Matrix.

Field	Description
ID	A unique number used to reference this Part Price Matrix record.
Name	The Price Matrix Name.
DefaultFormula	The default price formula for each cell in this price matrix.
NoMatchFormula	The pricing formula to use if there is no match in the size matrix.
ExactWidths	Boolean value set true if an exact match must be made with the part widths.
ExactLengths	Boolean value set true if an exact match must be made with the part lengths.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

PartSize

This Table stores Part Size for Part Matrix Pricing information.

Field	Description
ID	A unique number used to reference this Part Size record.
PartPriceMatrixID	A cross-reference to the [PartPriceMatrix].[ID] field.

SizeOrder	The size row/column position
SizeValue	A numeric value representing the Size for the Matrix.
IsWidth	A Boolean flag if set true will signify this is a 'Width' Size. If set to false will signify this is a 'Length' Size.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

PartTextureInfo

Stores the Extra Texture Information for Parts.

Field	Description
ID	A unique number used to reference this Part Texture Information record.
PartID	A cross-reference to the [Part].[ID] field indicating the Part.
ExteriorFaceTexture	A boolean value set true if this parts face should use the selected Exterior Texture.
ExteriorBackTexture	A boolean value set true if this parts back should use the selected Exterior Texture.
ExteriorEdgeTexture	A boolean value set true if this parts edges should use the selected Exterior Texture.
ExteriorEndTexture	A boolean value set true if this parts ends should use the selected Exterior Texture.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Profile

This Table stores Profiles and their user defined properties.

Field	Description
ID	A unique number to reference the Profile record.
ProfileTypeID	A cross-reference to the [refProfileType].[ID] indicating the Type for this Profile.

Name	The name for the Profile.
SetupCost	One time per Job Setup Cost for the Profile. As specified in the Profile Catalog.
CostPerEach	Cost Per Each for the Profile. As specified in the Profile Catalog.
CostPerLinearMeter	Cost Per Lineal Meter for the Profile. As specified in the Profile Catalog.
ProfileSet	A Boolean flag if set true will signify this profile is a collection of other profiles.
ShapeID	A cross-reference to the [Shape].[ID] indicating the Shape for this Profile.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

ProfileExtraDoorInfo

This Table stores extra Profile information for Doors.

Field	Description
ID	A unique ID for this record.
ProfileID	A cross reference to [Profile].[ID] linking this record to a profile
CostPerDoor	Optional default cost per door
CostPerSqM	Optional cost per door based on area
Extend	A boolean value set true if the profile extends the width of the part by the profile width
AppliedX	X offset for applied molding
AppliedY	Y offset for applied molding
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ProfileSetMap

This Table stores Profile Set Maps.

Field	Description
ID	A unique number to reference the Profile Set Map record.
ProfileSetID	The profile ID of the profile which is the parent
ProfileID	The profile ID of the profile which is a profile set member (non parent)
XPosition	X position for this profile's shape
YPosition	Y position for this profile's shape
Rotation	Rotation for this profile's shape
Mirror	A boolean value set true if the profile should be mirrored
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refAssemblyCatalogType

This Table stores available Assembly Catalog Types.

Field	Description
ID	A unique number to identify the record
Name	The name of the assembly catalog type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refAssemblyClassType

This Table stores available Assembly Class Types.

Field	Description
-------	-------------

ID	A unique number to identify the record
Name	The name of the assembly class type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refAssemblyDoorStyleType

This Table stores available Assembly Door Style Types.

Field	Description
ID	A unique number to identify the record
Name	The name of the assembly door style type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refAssemblyElevationType

This Table stores available Assembly Elevation Types.

Field	Description
ID	A unique number to identify the record
Name	The name of the assembly elevation type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refAssemblyIcon

This Table stores available Assembly Icons.

Field	Description

ID	A unique number to identify the record
Name	The name of the assembly icon
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refAssemblyType

This Table stores available Assembly Types.

Field	Description
ID	A unique number to identify the record
Name	The name of the assembly type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refAssemblyUnitType

This Table stores available Assembly Unit Types.

Field	Description
ID	A unique number to identify the record
Name	The name of the assembly unit type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refBasketType

This Table stores available Wire Basket Types.

Field	Description
ID	A unique number used to reference this Basket Type record.

Name	The name of this Basket Type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refCaseChoiceType

This Table stores Construction Breakouts.

Field	Description
ID	A unique identification for each refCaseChoiceType
CaseStandardID	A cross reference to the [refCaseStandard].[ID] field linking this record to an CaseStandard
Choice	The option button selected for this standard.
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field for this choice
SpecialTypeID	A cross reference to the [refSpecialType].[ID] field indicating a special parameter type for this choice
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refCaseQLine

A lookup table for Case question lines.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refCaseStandard

A lookup table for Case Standards.

Field	Description
ID	A unique identification for each case standard
Name	The name of the case standard
Description	A brief description of case standard
CaseQLineID	A cross reference to [refCaseQLine].[ID] indicating what branch this standard applies to
Base	A boolean value set true if this standard should be shown for a base case
Base45	A boolean value set true if this standard should be shown for a base 45 case
Base90	A boolean value set true if this standard should be shown for a base 90 case
Upper	A boolean value set true if this standard should be shown for a Upper case
Upper45	A boolean value set true if this standard should be shown for a Upper 45 case
Upper90	A boolean value set true if this standard should be shown for a Upper 90 case
Tall	A boolean value set true if this standard should be shown for a tall case
Tall45	A boolean value set true if this standard should be shown for a tall 45 case
Tall90	A boolean value set true if this standard should be shown for a tall 90 case
Vanity	A boolean value set true if this standard should be shown for a vanity case
FrameOnly	A boolean value set true if this standard should only be shown for a frame construction type
FramelessOnly	A boolean value set true if this standard should only be shown for a frameless construction type
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field for the default parameter type for this standard
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refCaseStyle

A lookup table for Case Styles.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refCaseType

A lookup table for Case Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refConnectionChoiceType

Field	Description
ID	A unique identification for each refConnectionChoiceType
ConnectionStandardID	A cross reference to the [refConnectionStandard].[ID] field linking this record to an ConnectionStandard
Choice	The option button selected for this standard.
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field for this choice
SpecialTypeID	A cross reference to the [refSpecialType].[ID] field indicating a special parameter type for this choice

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refConnectionStandard

This table stores the Connection Standards.

Field	Description
ID	A unique identification for each connection standard
Name	The name of the connection standard
Description	A brief description of connection standard
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field for the default parameter type for this standard
ConnectionTypeID	A cross reference to the [refConnectionType].[ID] field indicating the type of connector
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refConnectionType

A lookup table for Connection Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refConnectorType

A lookup table for Connector Types.

Field	Description
-------	-------------

ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refConstructionType

A lookup table for Construction Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refContributorType

A lookup table for Contributor Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refCurrency

This Table stores available Currency Types.

Field	Description

ID	A unique number used to reference this Currency record.
Name	The Name of this Currency.
Symbol	The Symbol to use for this Currency.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refDoorPanelType

A lookup table for Door Panel Types.

Field	Description
ID	A unique identification for each door panel type
Name	The name of the door panel type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refDrawerChoiceType

Field	Description
ID	A unique identification for each refDrawerChoiceType
DrawerStandardID	A cross reference to the [refDrawerStandard].[ID] field linking this record to an DrawerStandard
Choice	The option button selected for this standard.
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field for this choice
SpecialTypeID	A cross reference to the [refSpecialType].[ID] field indicating a special parameter type for this choice
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refDrawerQLine

A lookup table for Drawer Question Lines.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refDrawerStandard

This table stores the Drawer Standards.

Field	Description
ID	A unique identification for each drawer standard
Name	The name of the drawer standard
Description	A brief description of drawer standard
DrawerQLineID	A cross reference to [refDrawerQLine].[ID] indicating what branch this standard applies to
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field for the default parameter type for this standard
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refDrawerStyle

A lookup table for Drawer Styles.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refDrawingType

A lookup table for Drawing Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refFingerPullType

A lookup table for Finger Pull Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refFixedShapeType

A lookup table for Fixed Shape Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

refGuideType

This Table stores available Guide Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refHingePlateType

This Table stores available Hinge Plate Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refHingeType

This Table stores available Hinge Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

refJointOperationFace

A lookup table for Intelli-Joint Operation Faces.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refJointOperationType

A lookup table for Intelli-Joint Operation Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refLabelItemType

This table stores the fields available for use in Label Designs in Label-IT.

Field	Description
ID	A unique number to reference this Label Item.
Name	Name (variable) for this Label Item.
Sample	The display text associated with this Label Item used in designing your Label in Label-IT.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

refLayerType

This Table stores available Layer Types.

Field	Description
ID	A unique number used to reference the Layer Type record.
Name	The name of the Layer type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refLinkParameter

This table stores special parameters for Links.

Field	Description
ID	Unique Primary Reference
Name	Name for the parameter
Parameter	Internal parameter name
ParameterTypeID	Reference to [refParameterType].[IID]
MachineLinkID	Comma delimited list of MachineLinkIDs that use this parameter
Tool	A boolean value set true if the parameter is associated with a tool
Machine	A boolean value set true if the parameter is associated with a machine
Description	Parameter description
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refMachineType

Field	Description
ID	A unique number used to reference the Machine Type record.
Name	The name of the Machine Type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refMaterialPropertyGraphic

Field	Description
ID	A unique number used to reference the Material Property Graphic record.
MaterialPropertyGraphicID	A cross-reference to the [MaterialPropertyGraphic].[ID] indicating the Material Part Graphic.
LookupValue	Represents Lookup value
GraphicName	File name of graphic for material
LookupTableMapID	Reference to [dbLookupTableMap].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refMaterialType

This Table stores available Material Types.

Field	Description
ID	A unique number used to reference the Material Type record.
Name	The name of the Material type.
IconIndex	Image list index for this material type when displayed

DefaultUnitOfIssueID	A cross-reference to the [refUnitOfIssue].[ID] field.
CanAlias	This material type can be aliased
CanUseInVarSize	Aliases of this material type can be used in Scheduling Variable Size
AliasHasLayer	Aliases of this material type have Layer data
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refNcProgram

Field	Description
ID	A unique number used to reference the Machine Type record.
Name	The name of the NC program
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refNetAccessLevel

Field	Description
ID	A unique number to identify the record
Name	Access level name
Flag	A bit flag referenced in NetRights
MulangID	Multi-language ID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refNetFeature

Field	Description
ID	A unique number to identify the record
Name	Feature name
ProductID	A cross-reference to refNetProduct.ID indicating the product for this feature
AccessLevelMask	A bit mask field indicating what NetAccessLevels are valid for this feature
Key	Identification string for this feature
MulangID	Multi-language ID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refNetProduct

Field	Description
ID	A unique number to identify the record
Name	Product name
MulangID	Multi-language ID
RegKey	Registry key to product path
RegValue	Registry value for product path
FileTitle	Product file title
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refObjectType

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refOperationType

This Table stores available Operation Types.

Field	Description
ID	A unique number used to reference the Operation Type record.
Name	The name of the Operation type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refOptionEffectType

This Table stores available Option Effect Types.

Field	Description
ID	A unique number used to reference the Option Effect Type record.
Name	The name of the Option Effect type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refOutputFilterDataType

Field	Description

ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refOutputFilterType

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refPackageType

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refParameterApplyToType

Field	Description
ID	A unique number to identify the record
Name	The name of the parameter apply to type
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

refParameterStyleType

This Table stores available Parameter Style Types.

Field	Description
ID	A unique number used to reference the Parameter Style Type record.
Name	The name of the Parameter Style type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refParameterType

This Table stores available Parameter Types.

Field	Description
ID	A unique number used to reference the Parameter Type record.
Name	The name of the Parameter type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refPartClass

This Table stores available Part Classes.

Field	Description
ID	A unique number used to reference the Part Class record.
Name	The name of the Part Class.
IconIndex	Display icon index

VariableSizing	Variable sizing for this part class, 0 for none, else number of sizing dimensions
UseInSchedule	Use this part in schedules?
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refPartSubClass

This Table stores available Part Subclasses.

Field	Description
ID	A unique number used to reference the Part Class record.
Name	Part sub class name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refProfileType

This Table stores available Profile Types.

Field	Description
ID	A unique number used to reference the Profile Type record.
Name	The name of the Profile type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refPullType

This Table stores available Pull Types.

Field	Description
ID	A unique number used to reference the Pull Type record.

Name	The name of the Pull type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refReportType

Field	Description
ID	A unique number to identify the record
Name	The name of the parameter apply to type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refSearchColumn

Field	Description
ID	A unique number used to reference the Search Column record.
Name	The name of the Search Column.
TableName	Table name the search is performed on
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refSearchComparator

Field	Description
ID	A unique number used to reference the Search Comparator record.
Name	The name of the Search Comparator.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refSearchGrouping

Field	Description
ID	A unique number used to reference the Search Grouping record.
Name	The name of the Search Grouping.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refShaderType

This Table stores available Shader Types.

Field	Description
ID	A unique number used to reference the Shader Type record.
Name	The name of the Shader type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refShadowlineChannel

This Table stores available Shadowline Channel Types.

Field	Description
ID	A unique number used to reference the Shadowline Channel Type record.
Name	The name of the Shadowline Channel Type.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

refShapeType

This Table stores available Shape Types.

Field	Description
ID	A unique number used to reference the Shape Type Type record.
Name	The name of the Shape type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refSlidingDoorDadoRef

This Table stores available Sliding Door Dado Reference.

Field	Description
ID	A unique number used to reference the Sliding Door Dado Reference record.
Name	The name of the Sliding Door Daod Reference.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refSlidingDoorRollerType

This Table stores available Sliding Door Rail Types.

Field	Description
ID	A unique number used to reference the Sliding Door Roller Type record.
Name	The name of the Sliding Door Roller Type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refSpecialType

Field	Description
ID	A unique identification for each special type
Name	The name of the special type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refTextureMapping

This Table stores available Texture Mappings.

Field	Description
ID	A unique number used to reference the Texture Mapping record.
Name	The name of the Texture Mapping.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refToolSetFDepthReference

Field	Description
ID	A unique number used to reference the Search Grouping record.
Name	The name of the Search Grouping.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refToolSetOperationType

--	--

Field	Description
ID	A unique number used to reference the Search Grouping record.
Name	The name of the Search Grouping.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refToolType

Field	Description
ID	A unique number used to reference the Search Grouping record.
Name	The name of the Search Grouping.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refTopChoiceType

Field	Description
ID	A unique identification for each refTopChoiceType
TopStandardID	A cross reference to the [refTopStandard].[ID] field linking this record to an TopStandard
Choice	The option button selected for this standard.
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field for this choice
SpecialTypeID	A cross reference to the [refSpecialType].[ID] field indicating a special parameter type for this choice
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refTopQLine

A lookup table for Counter Top Question Lines.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refTopStandard

This table stores the Counter Top Standards.

Field	Description
ID	A unique identification for each top standard
Name	The name of the top standard
Description	A brief description of the standard
TopQLineID	A cross reference to [refTopQLine].[ID] indicating what branch this standard applies to
ParameterTypeID	A cross reference to the [refParameterType].[ID] field indicating the type of data stored in the value field for the default parameter type for this standard
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSAssemblyClass

A lookup table for UCS Assembly Classes.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSAssemblyType

A lookup table for UCS Assembly Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSConstructionType

A lookup table for UCS Construction Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSEndType

A lookup table for UCS End Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

refUCSLinkToClass

A lookup table for UCS Link To Class.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSLinkToType

A lookup table for UCS Link To Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
UCSLinkToClassID	A cross reference to [refUCSLinkToClass].[ID] indicating what class of object this item links to.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSObjectType

A lookup table for UCS Object Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSOperatorType

A lookup table for UCS Operator Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSParameterType

A lookup table for UCS Parameter Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUCSType

A lookup table for UCS Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

refUCSVariableType

A lookup table for UCS Variable Types.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.
Tag	The tag used in code to identify the variable type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUnitOfIssue

This Table stores available Units of Issue.

Field	Description
ID	A unique number used to reference the Unit Of Issue record.
Name	The name of the Unit type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refUnitOfMeasure

A lookup table for Unit of Measure.

Field	Description
ID	A unique identifier for this record
Name	The name of the record.

Symbol	The symbol used to abbreviate the unit of measure
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

refWorkPlaneType

This Table stores available Work Plane Types.

Field	Description
ID	A unique number used to reference the Work Plane Type record.
Name	The name of the Work Plane Type.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Report

This table stores information for the S2M CENTER Reports.

Field	Description
ID	A unique number to reference this Report
Tag	A short unique identifier for system reports.
ReportTemplateID	A cross-reference to ReportTemplate.ID
Name	The Name for this Report.
Description	The Description for this Report.
rGUID	A global unique reference to the report.
System	A boolean field set true if the report is system report and can not be edited.
Settings	Table, relationship, variable, sort and filter settings to modify the contents of a report.
PartGraphics	A Boolean value set to true if the System needs to produce a Part Graphic for this Report.

PixelWidth	A value representing the Width of the graphic in pixels to create for this Report.
PixelHeight	A value representing the Height of the graphic in pixels to create for this Report.
Revision	A value representing the number of times this Report has been modified.
PrinterInfo	Additional printer information for advanced setup
ReportTypeID	Referent to [refReportType].[ID] indicating the type of report
Script	An optional Script used to add/modify data in database for complex reports.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
LastUpdate	Time stamp on when this record was last modified

ReportExtraNCData

Field	Description
ID	Unique Primary Reference.
ReportID	Reference to Report.ID
ExtraDataFile	Additional binary support file for this report
BandSymbolSize	The size of the banding symbol in part space. Increase size to make the banding symbol more readable
Label	A boolean field set true if the report is for printing lables.
LabelID	The LabelID to use for the graphic, a value of zero produces the part image
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier
DisplayPartSizes	A boolean field set to true if the system needs to display part sizes on the pattern drawings.
DisplayPartName	A boolean field set to true if the system needs to display part names on the parts in the pattern drawings.

ReportGroup

This table stores all the S2M CENTER Report Groups that have been setup in the Reports area.

Field	Description
ID	A unique number to reference the Report Group.
Name	The Name of the Report Group.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ReportList

This table ties the S2M CENTER Reports in the Report list to their associated Report Group.

Field	Description
ID	Unique Primary Reference
ReportGroupID	A cross reference to the ReportGroup.ID field.
ReportID	A cross reference to the Reports.ID field.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ReportQuery

This table stores Report Queries used by custom Reports.

Field	Description
ID	Unique Primary Reference
ReportID	A cross-reference to the [Report].[Report ID]
Name	A name to give the temporary Query
SQL	SQL statement

Import	A boolean field set true when this record is used to Import data from the Source, Table and Fields.
Fields	A comma delimited set of field names or * for all fields: Examples: *, ID, [Internal Name], Description, Width, Length where you are imported data from
Table	The table name where you are imported data from.
Source	A fully qualified path to the data source or a source variable. Examples: c:\junk\mydata.mdb, [DBPath]psnc-cv.accdb
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ReportRelation

This table stores Report Relationships.

Field	Description
ID	A unique ID to reference this relation
ReportID	A cross-reference to the [Report].[Report ID]
Name	Name for this relation
PrimaryTableID	A cross relation to [ReportTables].[ID]
PrimaryField	Field that links the primary table to the foreign table
ForeignTableID	A cross relation to [ReportTables].[ID]
ForeignField	Field that links the foreign table to the primary table
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ReportSource

This table stores Report Tables.

Field	Description
ID	A unique ID to reference this table

ReportID	A cross-reference to the [Report].[ID]
Provider	An optional connection string defining the data provider and how to connect to the data store
DataSource	A fully qualified path to the data source or a source variable. Examples: psnc-xx.mdb, c:\junk\mydata.mdb, [CxMaterials], [DBPath]psncLib.mdb
TableName	Name for the table or dataset
SQL	An optional SQL statment to gather the data. If blank it will default to SELECT * FROM [TableName]
FixedSort	An optional list of fields in the order of how they should be sorted. Example: Name ASC, Width DESC, Length DESC
SortFields	An optional comma delimited list of fields that exist in the SQL statement that sorting can be applied to. Leave blank for none or * for all
ConcatRelatedPrimary	Field name in dataset that will be linked to by foreign data
ConcatRelatedForeign	Field name in foreign data that links to ConcatRelatedPrimary
ConcatRelatedTable	Table name where ConcatRelatedForeign is found
ConcatRelatedField	Field to be concatenated. When this is specified, the data in that field is created, then a new line would be created, then the next record... so on and so forth
ConcatRelatedFormat	An optional formatted string used to format the ConcatRelatedField. If blank the default would be {Field}
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ReportSourceExtraNCData

Field	Description
ID	A unique ID to reference this table
ReportSourceID	A cross-reference to the [ReportSource].[ID]
FilterByRunCounterField	An optional field used to filter data by RunCounter. The name of the field must exist in the SQL field and represent the RunInfo.Counter
FilterByPatternIDField	An optional field used to filter data by Pattern. The name of the field must exist in the SQL field and represent the Patterns.ID
FilterByRunIDField	An optional field used to filter data by RunID. The name of the field must exist in the SQL field and represent the RunInfo.ID

FilterByPartIDField	An optional field used to filter data by Part. The name of the field must exist in the SQL field and represent the Parts.ID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ReportTemplate

This table stores Combit List & Label files.

Field	Description
ID	A unique number to identify this record
Template	Combit List & Label Unicode File.
rGuid	A global unique reference to the template
LastUpdate	Time stamp on when this record was last modified

ReportVariable

This table stores Report Variables.

Field	Description
ID	A unique ID to reference this variable
ReportID	A cross-reference to the [Report].[ID]
Name	The name of the variable
Value	The value of the variable
Type	The data type for the variable
rGuid	A global unique reference to the template
LastUpdate	Time stamp on when this record was last modified

Schedule

This Table stores all the Material Schedule general information.

Field	Description
ID	A unique number used to reference the Material Schedule record.
PartClassID	Reference to [refPartClass].[ID]
Name	A name for the Material Schedule
Description	A description for the Material Schedule.
PartUpcharge	Modify part price by increasing/decreasing by this percent
BuyOut	A Boolean flag set true if the Material Schedules is a Buy Out.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
Deleted	Schedule has been deleted
System	A Boolean flag set true if the Material Schedule is managed by the system and can not be deleted.
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

ScheduleCategoryMaterialMap

Field	Description
ID	A unique number used to reference the Schedule Category Material Map record.
PartMenuTreeID	Reference to [PartMenuTree].[ID]
ScheduleID	Reference to [Schedule].[ID]
MaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
PartID	A cross-reference to the [Part].[ID] field indicating the Part.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ScheduleExtraDoorInfo

This Table stores all the extra Door Material Schedule information.

Field	Description
ID	A unique ID for this record.
ScheduleID	A cross reference to [Schedule].[ID] linking this record to a schedule
CostPerDoor	Optional default cost per door
CostPerSqM	Optional cost per door based on area
MinCost	Optional minimum cost for a door when there is a smaller batch
Band	A boolean value set true if banding should be applied with this schedule
Purchase	A boolean value set true if the door is purchased and a cutlist should not be displayed
LaminateFace	No longer used.
LaminateBack	No longer used.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ScheduleExtraPullInfo

This Table stores the Extra Pull Information for Pull Material Schedules.

Field	Description
ID	A unique number used to reference the Schedule Extra Pull Information record.
ScheduleID	A cross-reference to the [Schedule].[ID] field indicating the Schedule.
RotateDoorPull	A Boolean flag set true if the Pull should be rotated 90 Degrees on a Door.
RotateDrawerPull	A Boolean flag set true if the Pull should be rotated 90 Degrees on a Drawer.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ScheduleExtraSlidingDoorInfo

This Table stores the Extra Sliding Door Information for Sliding Door Material Schedules.

Field	Description
ID	A unique number used to reference the Schedule Extra Sliding Door Information record.
ScheduleID	A cross-reference to the [Schedule].[ID] field indicating the Schedule.
FaceInset	The distance between face of the door and the opening
DoorGap	The distance between the back of the front door and face of the back door
DoorTopClearance	The distance between the top/shelf and the top of the doors (use a negative value if the door is inserted into the top)
DoorBottomClearance	The distance between the deck/bottom/shelf and the bottom of the doors (use a negative value if the door is inserted into the deck)
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ScheduleMap

This Table stores the Mapping information to bring together Schedules, Parts, and Materials.

Field	Description
ID	A unique number used to reference the Schedule Map record.
ScheduleID	A cross-reference to the [Schedule].[ID] field.
PartID	A cross-reference to the [Part].[ID] field indicating the Part.
MaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ScheduleParameter

This Table stores Material Schedule Parameters.

Field	Description
ID	A unique number used to reference the Schedule Parameter record.
ScheduleID	A cross-reference to the [Schedule].[ID] field.
Name	A name for the Material Schedule Parameter.
Description	A Description for the Material Schedule Parameter.
ParameterTypeID	A cross-reference to the [refParameterType].[ID] field.
ParamValue	A value for the Material Schedule Parameter.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ScheduleSizing

Field	Description
ID	A unique number used to reference the Schedule Sizing record.
ScheduleID	A cross-reference to the [Schedule].[ID] field.
PartID	A cross-reference to the [Part].[ID] field indicating the Part.
MaterialID	A cross-reference to the [Material].[ID] field indicating the Material.
Dimension	Variable part size
ParentID	Reference to [ScheduleSizing].[ID]
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

Search

Field	Description
ID	A unique number used to reference the Saved Query record.
QueryName	The name of the Saved Query.
TableName	
AuthorID	
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

SearchClause

Field	Description
ID	A unique number used to reference the Saved Query Clause record.
SearchID	Reference to [Search].[ID]
ColumnNameID	Reference to [refSearchColumn].[ID]
ComparatorNameID	Reference to [refSearchComparator].[ID]
CompareValue	Value of compare clause
GroupingNameID	Reference to [refSearchGrouping].[ID]
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

Shape

--	--

Field	Description
ID	A unique number used to reference the Shape record.
Shape	A string of information indicating the Shape.
ShapeTypeID	Reference to [refShapeType].[ID]
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item

Texture

This Table stores all the Textures.

Field	Description
ID	A unique number used to reference the Texture record.
Name	A name for the Texture
Description	A description for the Texture.
Path	The hard drive location where the image resides.
WorldWidth	The real world size this Texture represents.
WorldHeight	The real world size this Texture represents.
Decal	A Boolean flag set true indicates this Texture is to appear as shown. If false, this Texture will blend with the Finish.
Tile	A Boolean flag set true indicates to create a repeating tile for the Texture at the [Width] and [Height] specified for this Texture.
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
Deleted	A boolean indicating if the Texture has been Deleted.
System	A boolean set true if this record is System record.

rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

TextureMenuTree

Field	Description
ID	A unique number to reference the Texture Menu Tree record.
MenuID	References Menu ID
ParentID	References Parent ID
Name	Texture menu name
Ordinal	Texture menu order
Flag	Texture menu flag: 1 = ? 2 = Deleted 4 = Model
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this data
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

TextureMenuTreeItem

Field	Description
ID	A unique number used to reference this Texture Menu Tree Item record.
MenuID	References Menu ID
MenuTreeID	References Menu Tree ID
TextureID	A cross-reference to the [Texture].[ID] field indicating the Texture.

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

TextureMenuUser

Field	Description
ID	A unique number used to reference this Texture Menu User record.
UserID	
rGUID	Globally unique identifier for the record.
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

Tool

This table stores all the Tools.

Field	Description
ID	A unique number to reference this Tool.
Name	The Tool name.
ToolTypeID	
Size	A value representing the Tool size (Saw Kerf, or Router or Drill Bit Diameters.
WorkDepth	A value representing the allowable working depth for the Tool.
Kerf	The cutting width of a 5-axis saw blade
ToolNumber	Number for the tool specified on the machine
MachineID	Reference to [Machines.ID].linking the tool to a machine. 0=Any Machine, -1=Unavailable, -2=Multiple Machines (ToolAssignments)
OneQtrFeedRate	A value representing the user-defined feed rate for 1/4-inch deep cut. Used to dynamically output varying feed rates based on depth of cut and percentage value entered into Material Catalog.
ThreeQtrFeedRate	A value representing the user-defined feed rate for 3/4-inch deep cut. Used to dynamically output varying feed rates based on depth of cut and percentage value entered into Material Catalog.

DescentRate	A value representing the Descent rate for the Tool.
SpindleSpeed	Tool rotation speed
RotateCW	A Boolean value set to true if the Tool rotation is Clockwise.
Direction	A value representing the allowable Tool movement direction: 0x00 = Any 0x01 = Positive X 0x02 = Negative X 0x03 = Either X 0x04 = Positive Y 0x08 = Negative Y 0x12 = Either Y 0x15 = Either X or Y
Through	A Boolean value set to true if this Tool is the Preferred tool to use when an Operation goes through Material.
CleanFace	A Boolean value set to true if the Tool creates a clean face for the Part. (Down Shear)
CleanBack	A Boolean value set to true if the Tool creates a clean back face for the Part (Up Shear).
MaxDepthPerPass	A value representing the Maximum depth the Tool can move through a Material per pass.
OutlineTool	A Boolean value set to true if this Tool can to be used for cutting the Outline of a Part.
AutoSelect	A boolean value set true if the tool is availalbe for auto selection. Only applies to flat router bits and drills.
SelectTolerance	Allowable variance between tool and hole diameter for tool selection
Profile	The Tool's Shape in an ASCII comma delimited string. Format:(node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags: 0x08=VTX_Radius 0x0400=VTX_ArcLine

	0x010000=VTX_Visible
OuputCenterLine	A Boolean value set to true if this Tool is Output with a Center Line path vs. a Compensated Path.
ThroughDepthAdj	A value representing the additional depth to be added to operations going completely through the Material.
DrillConeAngle	A value representing the Angle of Drill Bit Tip (cone).
DrillToShoulder	A value instructing the System to Extend the Drill Depths by the Drill Cone Height.
HeightOffsetRegister	A value representing the location of the Height Offset Register on the Machine Control for this Tool.
Lollipop	A Boolean value set to true if the Ball or Bull-Nose Router bit has a Lollipop shape.
ShankDiam	A value representing the Tool shank Diameter for a Lollipop Tool.
CornerRadius	A value representing the Bull-Nose Router Bit Corner Radius.
SideWall	Vertical side wall above the shape of the tool (currently only used for V-Bit)
NestGapPad	Additional padding beyond the cut width when nesting (currently only used for V-Bit)
ABAxisRot	A Boolean value set to true if tool rotation +/- value in the A or B axis is allowed.
CAxisRot	A Boolean value set to true if tool rotation +/- value in the C axis is allowed.
TopRadius	Top radius for dovetail tool
YPosAtMin	Y Position at the smallest part of the dovetail tool
MinWidth	Smallest part of the dovetail tool
MaxWidth	Largest part of the dovetail tool
Pen	A value representing the CAD pen.
Layer	The CAD layer name.
rGUID	A global unique reference for this tool
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Tracks last update for the record for Network and offline conflict resolution.

ToolDataOverride

This table stores any Tool Strategies setup for Materials in the Material Catalog in the S2M Center Alphacam interface.

Field	Description
ID	Unique Primary Reference
MaterialID	Reference to [Material].[ID] linking a material to this tool strategy
ToolID	Cross-reference to [Tool].[ID] linking a Tool to this Tool Strategy.
FeedRate	A value representing the speed the Tool should move through the Material.
DescentRate	A value representing the speed the Tool should drop into the Material.
SpindleSpeed	A value representing the Tool rotation speed (RPM's).
MaxDepthPerPass	A value representing the Maximum depth the Tool can move per pass.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ToolExtraSetInfo

This table stores the Parameters available for the Tool Set.

Field	Description
ID	Unique Primary Reference
ToolID	Cross-reference to [Tool].[ID] linking the Tool Set Parameters to a Tool Set.
CutForGlass	A Boolean value set to true if the Tool Set can be used for Cut for Glass MDF Doors.
ShapedGlass	A Boolean value set to true if the Tool Set path follows each glass shape as opposed to one rectangular glass panel for all lites.
RabbetWidth	A value representing the Width of rabbet to create on the back of the MDF Door for glass insertion.
RabbetDepth	A value representing the Depth of rabbet to create on the back of the MDF Door for glass insertion.

BackRouteToolID	Cross-reference to [Tools].[ID] linking the Tool to use for the Back Pocket for MDF glass doors.
NestMargin	A value representing the additional margin added to the existing nest margin to provide clearance when the Tool Set is used for an Outline cut.
DoorOutsideEdge	A Boolean value set to true if the Tool Set can be used for a door outside edge profile.
DoorInsideEdge	A Boolean value set to true if the Tool Set can be used for a door inside edge profile.
DoorRaisedPanel	A Boolean value set to true if the Tool Set can be used for a door raised panel detail.
DoorRoute	A Boolean value set to true if the Tool Set can be used for a door route path.
FemalePlungeDepth	Depth the dovetail tool plunges into the material thickness of the female part
FemaleCutDepth	Distance the dovetail tool travels into the female part
FemaleCutAdj	Adjustment to widen female cut
FemalePocketToolID	Reference to [Tools.ID] linking the tool used to create the pocket for the dovetail plunge
FemalePocketWidth	Width of pocket created for dovetail plunge. This value must exceed dovetail MaxWidth
FemalePocketDepth	Depth of pocket created for dovetail plunge
MaleRabbetToolID	Reference to [Tools.ID] linking the tool used to create the rabbet for the male part
MaleRabbetDepth	Depth of rabbet on male part
MaleOutlineToolID	Reference to [Tools.ID] linking the tool used to create the outline for the male part. Tool radius must be less then tool's TopRadius value
TailExtension	Unlike the FemaleCutAdj this value effect both male and female paths effectively widening the dovetail.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ToolMachineMap

This table stores all the Tool to Machine assignments.

Field	Description
ID	Unique Primary Reference

ToolID	Reference to [Tool.ID] identifying what tool this record is linked to
MachineID	Reference to [Machine.ID] identifying what machine this tool is assigned to
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ToolParameter

Field	Description
ID	Unique Primary Reference
ToolID	Cross-reference to [Tool].[ID] linking a Tool to this Tool Parameter.
Name	The parameter's name
Description	The parameter's description
ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

ToolSetMap

This table stores the extra Tool information for the Tools assigned in a Tool Set.

Field	Description
ID	A unique number to reference this Tool Set.
MasterToolID	Cross-reference to [Tools].[ID] indicating what Tool Set this record is associated with.
Ordinal	A value representing the Order of the Tool within the Tool Set.
SlaveToolID	Cross-reference to [Tools].[ID] linking a Tool that is used in this Tool Set.

Offset	A value representing the Offset from Tool Center to Route Path.
Depth	A value representing the Depth of this operation
DropOffset	A value representing the Additional offset used for clearance when tool profile prohibits a direct plunge into material
CutForGlass	This is the tool used for front side cut for glass operation. The depth will dynamically set to material thickness minus 1/2 rabbet depth
ToolsetOpTypeID	Reference to [refToolsetOperationType].[ID] indicating the type of operation: 1=Rough/Finish, 2=Engrave, 3=Pocket, 4=Clean Up (Inside), 5=Vertical Slats, 6=Horizontal Slats, 7=Finish (Clean Up Outside), 8=Clean Up
CleanSideRight	Determines clockwise vs. counter clockwise path based on tool rotation and material climb cut. Set true to favor the right side, false to favor the left
StartAtCorner	Route path will start at corner of part (engrave only)
DepthReference	0=Top of Part, 1=Bottom of Part, 2=Operation Depth
CleanUpRadius	A value representing the Radius of tool to clean up after. Use a small tool and create a pocket operation for cleaner corners
SlatEdgeGap	A value representing the Gap between route path and start/end of slats.
FixedSlatWidth	A boolean value set true if the slats are a fixed width with the extra divided between the first and last. If set false all slat widths are equalized.
MaxError	This value is used to calculate the depths of cut and determines the surface finish. The depth of cut is calculated by moving the tool out by the Maximum Error then down till the contact point meets the slope.
MaxDepthPerCut	This is the depth of cut used if the depth calculated by the Maximum Error exceeds this value.
CleanBothSides	Clean up corners on the opposite side of the original tool path.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UCS

This table stores the User Created Standards.

Field	Description
ID	A unique number used to reference the UCS.
Ordinal	Represents the order that the UCS runs in. This is also the order that the UCS's are displayed in the UCS Editor.
Name	The Name of the UCS.

UCSTypeID	A cross reference to [refUCSType].[ID] indicating the type of UCS: 1 = An Add Part UCS, 2 = A Modify Part UCS, 3 = A Delete Part UCS
UCSObjectTypeID	A cross reference to [refUCSObjectType].[ID] indicating a PartID=1, IJointID=2, Dovetail ToolID=3, Door=4, DrwFmt=5, Dado=6, HBores=7, VBores=8
ObjectGUID	A Part, Tool or IJoint GUID based on the UCSObjectTypeID
UCSLinkToTypeID	A cross reference to [refUCSLinkToType].[ID] indicating object type the Added Part (UcsTypeID=1) is linked to
LinkToGUID	A cross reference to the [CxMaterials].[Part].[rGUID] of the part this object is linked to
AssemblyName	Represents the assembly Name chosen for the UCS. Wildcards * and ? are allowed.
PartMaterialID	Represents the Material selected for the Part in the UCS. Cross referenced to [Material].[ID]
PartDisplay	A boolean flag set true if the Part is to be displayed graphically.
LibraryPart	The location of the Library Part called in the UCS.
Code	The actual coding that makes up the UCS.
CodeModified	A boolean flag set true if the UCS has been manually modified.
Disabled	A boolean flag set true if the UCS has been disabled.
PreBuild	A boolean flag set true if the UCS should be applied prior to build.
rGUID	A global unique identification for the user created standard
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
ApplyCondition	Conditions for which JavaScript is applied
ApplyType	Object type for which JavaScript is applied
MacroType	Type of UCS Script
UCSLibrary	Type of UCS Script/UCS Library
CodeBackup	Backup of UCS Code on Convert to JS

UCSAssemblyClassMap

This table stores the UCS Assembly Class Map.

Field	Description
ID	A unique identification for each record.
UCSID	A cross-reference to [UCS].[ID] linking this assmbly class to a UCS.
UCSAssemblyClassID	A cross-reference to [refUCSAssemblyClass].[ID] indicating the case class selected.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UCSAssemblyTypeMap

This table stores the UCS Assembly Type Map.

Field	Description
ID	A unique identification for each record.
UCSID	A cross-reference to [UCS].[ID] linking this assmbly Type to a UCS.
UCSAssemblyTypeID	A cross-reference to [refUCSAssemblyType].[ID] indicating the case type selected.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UCSConstructionMap

This table stores the UCS Construction Map.

Field	Description
ID	A unique identification for each record.
UCSID	A cross-reference to [UCS].[ID] linking this assmbly Type to a UCS.
ConstructionID	A reference to the ID field in either the Case, Drawer or Top table indicating a filter on which construction methods this standard applies to

UCSConstructionTypeID	A cross-reference to [refUCSConstructionType].[ID] linking this record to a construction type
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UCSDoorMap

This table stores the UCS Door Map.

Field	Description
ID	A unique identification for each record.
UCSID	A cross-reference to [UCS].[ID] linking this assmbly Type to a UCS.
DoorID	A reference to the [Doors].[ID] field in the door database indicating a filter on which Doors this standard applies to
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UCSEnds

This table stores the UCS Ends.

Field	Description
ID	A unique identification for each record.
UCSID	A cross-reference to [UCS].[ID] linking this assmbly Type to a UCS.
LeftUCSEndTypeID	A cross-reference to [refUCSEndType].[ID] indicating the end type for the left end
LeftEndTypeValue	The value of the radius, angle or clip for the left end
RightUCSEndTypeID	A cross-reference to [refUCSEndType].[ID] indicating the end type for the right end
RightEndTypeValue	The value of the radius, angle or clip for the right end
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UCSIJointLocation

This table stores the UCS Intelli-Joint Location.

Field	Description
ID	A unique identification for each record.
UCSID	A cross-reference to [UCS].[ID] linking this assmbly Type to a UCS.
WidthEdgeNear	Place Intelli-Joint on the near width edge
WidthEdgeFar	Place Intelli-Joint on the far width edge
LengthEdgeNear	Place Intelli-Joint on the near length edge
LengthEdgeFar	Place Intelli-Joint on the far length edge
Local	If true Intelli-Joint scope is limited to the case it lives in. If false it can create operation on adjacent assemblies.
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UCSParameter

This table stores the UCS Parameters.

Field	Description
ID	A unique identification for each record.
UCSID	A cross-reference to [UCS].[ID] linking this assmbly Type to a UCS.
UCSParameterTypeID	A cross reference to [refUCSParameterType].[ID] indicating what feature in the UI this data is for
UCSOperatorTypeID	A cross reference to [refUCSOperatorType].[ID] indicating what operator to use in the UI for this data
Name	The parameter's name
Description	The parameter's description

ParameterTypeID	A cross reference to [refParameterType].[ID]
ParamValue	The parameter's value
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UCSVariable

This table stores the UCS Variables.

Field	Description
ID	A unique identification for each record.
UCSID	A cross-reference to [UCS].[ID] linking this assmbly Type to a UCS.
Name	The variable's name
Prompt	The variable's description
VariableTypeID	A cross reference to [refUCSVariableType].[ID] indicating the variable type
VariableValue	The variable's value
Modified	A boolean value set true if the variable has been assigned a value outside of the code editor
Choices	Stores the list of choices available for this variable
ContributorID	A cross reference to [Contributor].[ID] indicating the source of this item
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UIColumnDisplayText

Field	Description

ID	A unique number used to reference this Column Display Text record.
TableName	Table Name
ColumnName	Column Name
DisplayText	Text displayed
MulangID	Multi-language ID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UIColumnMeasureMap

Field	Description
ID	A unique number used to reference this Column Measure Map record.
OldColumn	Old column name
NewColumn	New column name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UILayerDisplayText

Field	Description
ID	A unique number used to reference this Layer Display Text record.
LayerName	The layer name
DisplayText	Text displayed
MulangID	Multi-language ID
LastUpdate	Time stamp on when this record was last modified

rGUID	Unique record identifier
-------	--------------------------

UILookupDisplayText

Field	Description
ID	A unique number used to reference this Lookup Display Text record.
TableName	References table name
LookupID	References lookup ID
DisplayText	References display text
MulangID	References multi-language ID
TableMulangID	References table multi-language ID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UIOperationDescriptionText

Field	Description
ID	A unique number used to reference this Operation Description Text record.
OperationName	The name of the Operation.
DisplayText	The display text for the Operation.
MulangID	Multi-language ID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UIScheduleColumnVisibility

--	--

Field	Description
ID	A unique number used to reference the Schedule Column Visibility record.
PartClassID	A cross-reference to the [refPartClass].[ID] field indicating the Part Class.
ColumnName	Column name
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UITableDisplayID

Field	Description
ID	A unique number used to reference the Table Display record.
TableName	The table name
DisplayText	Text displayed
MulangID	Multi-language ID
NameMulangID	Name multi-language ID
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

UIVariableSizeName

Field	Description
ID	A unique number used to reference this Variable Size Name record.
MaterialTypeID	A cross-reference to the [refMaterial Type].[ID] field indicating the type of Material.
ExtraInfoTableName	Table name that contains the size field
DimensionalColumnName	Field name for the size field

LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

User

Field	Description
ID	Unique ID - primary key
Name	The user name
Rights	User rights flag
LastUpdate	Time stamp on when this record was last modified
rGUID	Unique record identifier

The PNX Import/Export Files

The PNX and SNX files are SQL LocalDB backups which you can restore into an existing or new database to use. The PNX and SNX file store all Machining Information required for Importing/Exporting a Job to/from the S2M CENTER.

The following is the breakdown of the tables and their fields:

Assemblies

This table stores the Assemblies.

Field	Description
ID	A unique number to reference this assembly.
JobID	Reference to [Jobs].[ID] linking the assembly to a Job.
Number	The number for the assembly.
Name	The name of the assembly.

Width	A value representing the width of the assembly.
Height	A value representing the height of the assembly.
Depth	A value representing the depth of the assembly.
RoomID	Reference to [Rooms.ID] linking the assembly to a room.
WallNo	The Wall # the assembly is associated to.
Class	The Class of the Cabinet/Assembly: 1 = Base 2 = Upper 3 = Tall 4 = Vanity 5 = Sink 6 = Split Level 7 = Top
Type	The Type of the Cabinet/Assembly: 1 = Standard 2 = Corner 3 = Corner 45 4 = Corner 90 5 = Peninsula 6 = Lazy Susan 7 = Pantry 8 = End 9 = Blind Left 10 = Blind Right 11 = Filler
Description	The description for the assembly.
Comment	A user comment for the assembly.
Parameters	Parameters for the assembly.

DBInfo

This Table stores general information about this Database.

Field	Description
Schema	Internal database version counter used by update utility that adds fields and tables to the database

EdgeBanding

This table stores Edge Banding information for the Parts.

Field	Description
PartID	Cross-reference to [Parts].[ID] linking the banding to a Part.
Edge	1 based edge identifier from the part origin moving in a counter clockwise direction around the part.
Indicator	Single character used to identify the banding in a label: E = Exterior I = Interior D = Door
Material	The Banding material name.
Color	The Banding color name.
Thick	The Thickness of the banding.
EdgeIndicator	The Edge of the Part the banding is applied to: Front Back Top Bottom

Jobs

This table stores Job/Jobs from that make up the S2M CENTER Job.

Field	Description

ID	A unique number to reference this Job.
Name	The Name for the Job.
Description	The Description for the Job.
CustName	The Customer name as specified in the Job.
CustAddress	The Customer address as specified in the Job.
CustCity	The Customer city as specified in the Job.
CustState	The Customer state as specified in the Job.
CustZip	The Customer Zip as specified in the Job.
CustContact	The Customer contact person as specified in the Job.
CustEmail	The Customer email as specified in the Job.
CustFax	The Customer FAX as specified in the Job.
CustPhone	The Customer phone number as specified in the Job.
CustMobile	The Customer mobile number as specified in the Job.
Measure	The Date of measuring the Job.
Detail	The Date of detailing the Job.
Production	The Date of production for the Job.
Delivery	The Date of delivery for the Job.
Deposit	The Date of deposit acceptance for the Job.
Install	The Date of installation for the Job.
FinalPayment	The Date of final payment for the Job.
Comments	The Comments set on the Job.
JobFilePath	The Data file the Job is saved in.

Build	The programs build number that produced the data.
CompanyName	Company name on the security dongle.
Source	A flag indicating what Product produced the Job: 1 = CABINET VISION 2 = Kitchen Builder 3 = CabnetWare Face Frame 4 = CabnetWare 32mm
PncFile	Data file job was imported from.

Materials

This table stores all the Materials in the S2M CENTER Job.

Field	Description
ID	A unique number to reference this Material.
MatDBID	Material identifier. Combines [SourceDB] and [SourceDBID], using bit(24 + SourceDB) as a source flag.
SourceDB	The source of the Material: 0 = Unknown 1 = CABINET VISION 2 = Kitchen Builder 3 = Cabnetware Face Frame 4 = Cabnetware 32mm
SourceDBID	The source application's DBID for the Material.
Name	The name for the Material.
Description	The description for the Material.
Qty	A value representing the Quantity available of the Material.
Width	A value representing the Width for this sheet of Material.

Length	A value representing the Length for this sheet of Material.
Thick	A value representing the Thickness for this sheet of Material.
Type	The Materials Type: 0 = Panel Stock 1 = Board Stock 2 = Laminate 3 = Banding 4 = Hinges 5 = Guides 6 = Pulls 7 = Miscellaneous 8 = Tops 9 = Molding
Optimize	A Boolean value set to true if the Material can be used in a Panel optimization.
Offcut	A Boolean value set to true if this Material originated from an Offcut Bin.
SubSheet	Material represents a sub-sheet when grain matching block exceeds saw phase limitations.
Grain	A Boolean value set to true if the Material has Grain.
Cost	A value representing the Price associated with this sheet of Material.
FaceDependent	A Boolean value set to true if this Material is face dependent (single sided).
TextureFace	The Front material texture name.
TextureBack	The Back material texture name.
TextureEdge	The Edge material texture name.
MachineOverrideMatDBID	Cross-reference to [MachineOverrides].[MatDBID] linking a Material to overrides of the default parameters.
ClimbCut	A Boolean value set to true if it is better to cut this Material with a climb or conventional cut.
FeedRatePercent	A value representing the Percent of optimum Tool Feed Rate to use with this Material.

MinimizeFaceChip	A Boolean value set to true if the System needs to select a tool for operations that minimize chipping on the front face. Assists in Selecting Up Shear / Down Shear router bit.
MinimizeBackChip	A Boolean value set to true if the System needs to select a tool for operations that minimize chipping on the back face. Assists in Selecting Up Shear / Down Shear router bit.
FaceUpToolID	Cross-reference to [Tools].[ID] linking the outline tool to use if this Material is face up.
FaceDownToolID	Cross-reference to [Tools].[ID] linking the outline tool to use if this Material is face down.

PartOperations

This table stores the Part Operations.

Field	Description
PartID	Cross-reference to [Parts].[ID] linking the operation to a part.
ID	A unique number to reference this Part Operation.
Name	The Name for the operation.
Type	The Operation Type: 1 = Dado 2 = Line Bore 3 = Cutout 4 = Route 9 = Hole
Style	The Operation Style: 0x01 = Pocket 0x02 = Inside 0x04 = Outside 0x08 = MDF Glass 0x10 = MDF Outline 0x20 = Preserve Dir
ToolID	Cross-reference to [Tools].[ID] linking a tool to the operation. For automatic tool selection (recommended) the [ToolID] should be 0.
Width	A value representing the Width of the operation.

Length	A value representing the Length of the operation.
Depth	A value representing the Depth of the operation.
PosX	A value representing the X position of the operation.
PosY	A value representing the Y position of the operation.
PosZ	A value representing the Z position of the operation.
RotX	A value representing the Rotation of the operation about the X axis.
RotY	A value representing the Rotation of the operation about the Y axis.
RotZ	A value representing the Rotation of the operation about the Z axis.
Repeat	A value representing the Repetition for Line Bores.
Spacing	A value representing the Spacing for Line Bores.
Outline	Shape in an ASCII comma delimited string: Format: (node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags: 0x08 = VTX_Radius 0x0400 = VTX_ArcLine 0x010000 = VTX_Visible
Group	Used to override normal operation sort. A positive group will allow an operation to be milled after the outline on a nest. A negative group will allow an operation to be milled prior to the outline on a part.
Priority	An Override to the normal sort order of operations. Operations are 1st sorted by priority ascending.
DrawingID	Cross-reference to [Drawings].[ID] linking an extended AlphaCAM drawing with this operation.
Parameters	A List of System parameters associated with this operation.

Parts

This table stores the Parts for the S2M CENTER Job.

--	--

Field	Description
ID	A unique number to reference this Part.
JobID	Cross-reference to [Jobs].[ID] linking part to a job.
MatDBID	Material identifier.
Name	The Name for the part.
InternalName	The Internal part name.
Optimize	A Boolean value set to true if the Part has been set for Optimization.
CNC	A Boolean value set to true if the Part has been set for CNC output.
Width	A value representing the Width of the part + EDX value without banding.
Length	A value representing the Length of the part + EDY value without banding.
WidthString	A value representing the Width displayed in output increment and precision.
LengthString	A value representing the Length displayed in output increment and precision.
NominalWidth	A value representing the Width of part without banding or EDX value.
NominalLength	A value representing the Length of part without banding or EDY value.
Comment	The user comment for the part.
Qty	A value representing the Quantity of the part.
OverMake	A value representing the Quantity that may be over made for this part.
RoomID	Cross-reference to [Rooms].[ID] linking the part to a room.
AssemblyID	Cross-reference to [Assemblies].[ID] linking the part to an assembly.
PrimaryEdge	A value representing the Primary part edge that rests against the point-to-point pins: 1 = Left 2 = Top 3 = Right

	4 = Bottom
Mirror	A Boolean value set to true if the part should be output to a mirrored zone.
Shaped	A Boolean value set to true if the Part is shaped.
Outline	Shape in an ASCII comma delimited string: Format: (node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags: 0x08 = VTX_Radius 0x0400 = VTX_ArcLine 0x010000 = VTX_Visible
OutlineToolID	Cross-reference to [Tools].[ID] linking a tool to use for the outline of this part.
GangBore	A Boolean value set to true if the Part has Gang (Multi-Drill) Boring.
HorizontalBore	A Boolean value set to true if the Part has horizontal boring.
PriMachineID	Cross-reference to [Machines].[ID] linking this part to the machine used for primary output.
SecMachineID	Cross-reference to [Machines].[ID] linking this part to the machine used for secondary output.
HorMachineID	Cross-reference to [Machines].[ID] linking this part to the machine used for horizontal edge output.
CutMachineID	Cross-reference to [Machines].[ID] linking this part to the machine used for cutting part from a strip.
PrefPriMachineID	Cross-reference to [Machines].[ID] linking this part to the preferred machine to use for primary output.
PrefSecMachineID	Reference to [Machines].[ID] linking this part to the preferred machine to use for secondary output.
Margin	A value representing the Margin around part for nesting.
HasBanding	A Boolean value set to true if the EdgeBanding table contains data for this part.
Banding	Four character banding code (Width1, Length1, Width2, Length2) 0 = None 1 = Door Banding 2 = Exterior Banding

	B = Interior Banding Plus the alternative Banding Characters.
BandingCode	Banding code format. Edge types: (L)ength, (W)idth, (R)adius and (A)ngle Banding types: e(X)terior and (I)nterior Example: 1L15I1R6X1A12X - 1 Length 15" long with Interior, 1 6" Radius with eXterior, 1 Angled edge 12" long with eXterior
BandingFlags	Solid edge banding flags from a parts origin related to part edge as follows: (edges code_1....code_n) Example: 6NNENEN 6 sided part from face clockwise stroke: N = None I = Interior E = Exterior D = Door
FinishFace	The Face finish ID form material database.
FinishBack	The Back finish ID form material database.
FinishEdge	The Edge finish ID form material database.
Parameters	A list of System parameters associated with this part.

Rooms

This table stores the Rooms in the S2M CENTER Job.

Field	Description
JobID	Cross-reference to [Jobs].[ID] linking a room to a job.
ID	A unique number to reference this Room.
RoomName	The Name for the Room.

The psnc-ac.mdf Database

This Database stores all Machining Information required when processing a S2M CENTER Job in ALPHACAM.

The psnc-cv.mdf Database

This Database stores all Machining Information required when processing a Job from within the CABINET VISION S2M CENTER.

The psnc-nc.mdf Database

This Database stores all Machining Information required when processing a Job in the stand-alone S2M CENTER.

The +Label Job Files (.lld/.pld)

This Database stores all Machining Information required when processing a Job in +Label.

The following is the breakdown of the tables and their fields:

Assemblies

This table stores the Assemblies.

Field	Description
ID	A unique number to reference this Cabinet/Assembly.
JobID	Cross-reference to [Jobs].[ID] linking the Cabinet/Assembly to a Job.
Number	The number for the Cabinet/Assembly.
Name	The name of the Cabinet/Assembly.
Width	A value representing the Width of the Cabinet/Assembly.
Height	A value representing the Height of the Cabinet/Assembly.
Depth	A value representing the Depth of the Cabinet/Assembly.
RoomID	Cross-reference to [Rooms].[ID] linking the Cabinet/Assembly to a Room.
WallNo	The Wall # the Assembly is located on.
Class	The Class of the Cabinet/Assembly:

	1 = Base 2 = Upper 3 = Tall 4 = Vanity 5 = Sink 6 = Split Level
Type	The Type of the Cabinet/Assembly: 1 = Standard 2 = Corner 3 = Corner 45 4 = Corner 90 5 = Peninsula 6 = Lazy Susan 7 = Pantry 8 = End 9 = Blind Left 10 = Blind Right 11 = Filler
Description	The Description for the Cabinet/Assembly.
Comment	A user Comment for the Cabinet/Assembly.
Parameters	Not Used.

BandingSymbol

This Table stores Banding Symbol information.

Field	Description
ID	Unique ID - primary key
Indiator	Single character used to identify the banding in a label
Symbol	Symbol to substitute for Indicator

Cuts

This table stores the Cuts.

Field	Description
ID	Unique Primary Reference
RunID	Reference to [RunInfo.ID] linking this record to the RunInfo table
MaterialID	Reference to [Materials.ID] linking a pattern to a material
PatNo	Pattern number associated with a material
PatRpt	Pattern repetition (number of copies)
Sequence	Order of the cut within a pattern
Type	Cut record type: N = new pattern S = sub sheet C = cut P = part O = offcut W = waste G = gap
Phase	Indicates the cut phase: 1st, 2nd, 3rd. etc
Rip	Cut is a rip cut as opposed to a cross cut (rip cuts run the length of the sheet, cross cut run across the sheet)
TCut	Cut is a T cut
CutOrder	Order in which parts are produced
Width	Width of the section being cut
Length	Length of the section produced by the cut
Rotated	Part has been rotated W x L converse to sheets W x L

GroupID	Reference to [Groups.ID] linking a part produced by the cut to a group (0=no part)
PartX	X position of part relative to the sheet X axis
PartY	Y position of part relative to the sheet Y axis
Angle	Rotation of part
PatternID	Reference to [Patterns.ID] linking this record to the Patterns table

DBInfo

This Table stores general information about this Database.

Field	Description
Schema	Internal database version counter used by update utility that adds fields and tables to the database

Drawings

This table stores the Drawings.

Field	Description
ID	A unique number to reference this Drawing.
Drawing	Compressed binary ALPHACAM drawing data.
Width	A value representing the Width of Operations.
Length	A value representing the Length of Operations.
Depth	A value representing the Depth of Operations.
Outline	Shape in an ASCII comma delimited string: Format: (node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags: 0x08 = VTX_Radius 0x0400 = VTX_ArcLine 0x010000 = VTX_Visible

Image	Binary metafile of ALPHACAM drawing.
-------	--------------------------------------

EdgeBanding

This table stores Edge Banding information for the Parts.

Field	Description
PartID	Reference to [Parts].[ID] linking the banding to a Part.
Edge	1 based edge identifier from the part origin moving in a counter clockwise direction around the part.
Indicator	Single character used to identify the banding in a label: E = Exterior I = Interior D = Door
Material	The Banding material name.
Color	The Banding color name.
Thick	The Thickness of the banding.
EdgeIndicator	The Edge of the Part the banding is applied to: Front Back Top Bottom
Symbol	Reference to [BandingSymbol].[ID]

Groups

This table stores Part Groups.

Field	Description
ID	A unique number to reference this Group.
RunID	Cross-Reference to [RunInfo.ID] linking this record to the RunInfo table

MatDBID	Material identifier.
TotalQty	A value representing the Number of parts in the group.
Width	A value representing the Width of parts in the group.
Length	A value representing the Length of parts in the group.
TotalOverMake	A value representing the Number of parts that may be over made for the group.
Margin	A value representing the Margin to be allowed around parts in the group for nesting.
AssemblyID	Reference to [Assemblies].[ID] linking the group to an assembly: 0 if not nesting per assembly
PartID	Links to ID field in Parts table when grain matching. Otherwise the value will be zero.
IgnoreGrain	A Boolean flag set true if these parts should ignore the material grain and be rotated.

Jobs

This table stores Job/Jobs from that make up the S2M CENTER Job.

Field	Description
ID	A unique number to reference this Job.
Name	The Name for the Job.
Description	The Description for the Job.
CustName	The Customer name as specified in the Job.
CustAddress	The Customer address as specified in the Job.
CustCity	The Customer city as specified in the Job.
CustState	The Customer state as specified in the Job.
CustZip	The Customer Zip as specified in the Job.
CustContact	The Customer contact person as specified in the Job.

CustEmail	The Customer e-mail address as specified in the Job.
CustFax	The Customer FAX number as specified in the Job.
CustPhone	The Customer phone number as specified in the Job.
CustMobile	The Customer mobile number as specified in the Job.
Measure	The Date of measuring the Job.
Detail	The Date of detailing the Job.
Production	The Date of production for the Job.
Delivery	The Date of delivery for the Job.
Deposit	The Date of deposit acceptance for the Job.
Install	The Date of installation for the Job.
FinalPayment	The Date of final payment for the Job.
Comments	The Comments set on the Job.
JobFilePath	The Data file the Job is saved in.
Build	The programs build number that produced the data.
CompanyName	Company name on the security dongle.
Source	Flag indicating what Product produced the Job: 1 = CABINET VISION 2 = Kitchen Builder 3 = Cabnetware Face Frame 4 = Cabnetware 32mm
PncFile	Data file job was imported from.

Materials

This table stores all the Materials in the S2M CENTER Job.

--	--

Field	Description
ID	A unique number to reference this Material.
MatDBID	Material identifier. Combines [SourceDB] and [SourceDBID], using bit(24 + SourceDB) as a source flag.
SourceDB	The source of the Material: 0 = Unknown 1 = CABINET VISION 2 = Kitchen Builder 3 = Cabnetware Face Frame 4 = Cabnetware 32mm
SourceDBID	The source application's DBID for the Material.
Name	The name for the Material.
Description	The description of the Material.
Qty	A value representing the Quantity available of the Material.
Width	A value representing the Width for this sheet of Material.
Length	A value representing the Length for this sheet of Material.
Thick	A value representing the Thickness for this sheet of Material.
Type	The Materials Type: 0 = Panel Stock 1 = Board Stock 2 = Laminate 3 = Banding 4 = Hinges 5 = Guides 6 = Pulls 7 = Miscellaneous 8 = Tops 9 = Molding

Optimize	A Boolean value set to true if the Material can be used in a Panel optimization.
Offcut	A Boolean value set to true if this Material originated from an Offcut Bin.
SubSheet	Material represents a sub-sheet when grain matching block exceeds saw phase limitations.
Grain	A Boolean value set to true if the Material has Grain.
Cost	A value representing the Price associated with this sheet of Material.
FaceDependent	A Boolean value set to true if this Material is face dependent (single sided).
TextureFace	The Front material texture name.
TextureBack	The Back material texture name.
TextureEdge	The Edge material texture name.
MachineOverrideMatDBID	Cross-reference to [MachineOverrides].[MatDBID] linking a Material to overrides of the default parameters.
ClimbCut	A Boolean value set to true if it is better to cut this Material with a climb or conventional cut.
FeedRatePercent	A value representing the Percent of optimum Tool Feed Rate to use with this Material.
SpindleSpeedPercent	% of optimum Tool Spindle Speed
MinimizeFaceChip	A Boolean value set to true if the System needs to select a tool for operations that minimize chipping on the front face. Assists in Selecting Up Shear / Down Shear router bit.
MinimizeBackChip	A Boolean value set to true if the System needs to select a tool for operations that minimize chipping on the back face. Assists in Selecting Up Shear / Down Shear router bit.
FaceUpToolID	Cross-reference to [Tools].[ID] linking the outline tool to use if this Material is face up.
FaceDownToolID	Cross-reference to [Tools].[ID] linking the outline tool to use if this Material is face down.
OffcutWidth	Minimum width to be considered offcut rather than scrap
OffcutLength	Minimum length to be considered offcut rather than scrap
MaxDepthPerPass	The smaller of the two amounts (material & tool) will be used for the path
Parameters	List of parameters associated with this material
Bin	If an offcut this will specify the bin name

OffcutRunData

This table stores the offcut run data.

Field	Description
ID	Unique Primary Reference
RunID	Reference to [RunInfo.ID] linking the record to a run record
CutID	Reference to [Cuts.ID] linking the record to a cut record
OffcutID	Internal offcut ID - combination of RunCounter and CutID
ImageName	File title of offcut/label image
IndexedID	Sequential Unique ID using OffcutIndex as the starting ID

Operations

This table stores all the Operations for the S2M CENTER Job.

Field	Description
ID	A unique number to reference this Operation.
RunID	Reference to [RunInfo.ID] linking this record to the RunInfo table
CutID	Reference to [Cuts].[ID] linking the operation to a cut panel record for nested CNC routers.
PartID	Reference to [Parts].[ID] linking the operation to a part.
Name	The Name for the operation.
Type	The Operation Type: P = Part O = Outline D = Dado B = Bore R = Route

	C = Cutout(pocket) I = Island(pocket) X = Edge Bore
Style	The Operation Style: 0x01 = Pocket 0x02 = Inside 0x04 = Outside 0x08 = MDF Glass 0x10 = MDF Outline 0x20 = Preserve Dir
ToolID	Reference to [Tools].[ID] linking the operation to a tool.
Face	The Face the operation will be milled from.
Flipped	A Boolean value set to true if the operation and its geometry is flipped to be face up.
Width	A value representing the Width of the operation (or part) width / diameter.
Length	A value representing the Length of the operation (or part) length.
Depth	A value representing the Depth of the operation.
Through	A Boolean value set to true if Operation extends through the part.
ExtrudeX	A value representing the X component of direction vector for operation.
ExtrudeY	A value representing the Y component of direction vector for operation.
ExtrudeZ	A value representing the Z component of direction vector for operation.
ClosedPath	A Boolean value set to true if the Operation contains a closed shape path.
LeadType	The Lead Type for the Operation: 0 = Tool Plunges In/Out 1 = Tool Ramps In/Out 2 = Tool Ramps In/Out leaving a Tab 3 = Tool Ramps In/Out leaving an Onion Skin

	4 = Tool Ramps In/Out leaving an Onion Skin until all parts have been outlined and then returns to remove onion skins (Return Onion Skin).
PartOperationID	Reference to [PartOperations].[ID] linking the operation to a part operation.
PanelLayoutID	Reference to [PanelLayouts].[ID] linking the operation to a part on a sheet.
Priority	An Override to normal sort order of operations. Operations are 1st sorted by priority ascending.
Pen	Represents the DXF pen color.
Layer	Represents the DXF layer name.
ToolsetsID	Reference to [Toolsets.ID] if this operations was a result of a toolset

PanelLayout

This table stores the Panel Layouts.

Field	Description
ID	A unique number to reference this Panel Layout.
RunID	Reference to [RunInfo.ID] linking this record to the RunInfo table
PartID	Reference to [Parts].[ID] linking a part to the parts table.
MaterialID	Reference to [Materials].[ID] linking to the materials table.
PatNo	The Pattern # the part is on.
PartIndex	The Index of the part on the pattern.
PatIndex	The Index of the pattern for repetitions (book).
CutID	Reference to [Cuts].[ID] linking a part to the cut that produced the part.
FaceUp	A Boolean value set to true if the Panel is Face side up: For a 1 sided Material the Sheet will be set so the most operations are up. For a 2 sided Material the Parts will be flipped individually so that the most operations are up.
2ndProgram	A Boolean value set to true if a second program is required for the reverse face or edges - in other words any operations not covered by the face program.

SizeIndex	Parts are numbered sequentially for this panel. Alpha character groups parts of same size.
-----------	--

PartCustomData

This table stores the Part Custom Data.

Field	Description
ID	Unique Primary Reference
PartID	Reference to [Parts].[ID] linking the record to a part
Field01	User defined additional data for this part
Field02	User defined additional data for this part
Field03	User defined additional data for this part
Field04	User defined additional data for this part
Field05	User defined additional data for this part
Field06	User defined additional data for this part
Field07	User defined additional data for this part
Field08	User defined additional data for this part
Field09	User defined additional data for this part
Field10	User defined additional data for this part
Field11	User defined additional data for this part
Field12	User defined additional data for this part
Field13	User defined additional data for this part
Field14	User defined additional data for this part
Field15	User defined additional data for this part
Field16	User defined additional data for this part

Field17	User defined additional data for this part
Field18	User defined additional data for this part
Field19	User defined additional data for this part
Field20	User defined additional data for this part
Field21	User defined additional data for this part
Field22	User defined additional data for this part
Field23	User defined additional data for this part
Field24	User defined additional data for this part
Field25	User defined additional data for this part

PartOperations

This table stores the Part Operations.

Field	Description
PartID	Reference to [Parts].[ID] linking the operation to a part.
ID	A unique number to reference this Part Operation.
Name	The Name for the operation.
Type	The Operation Type: 1 = Dado 2 = Line Bore 3 = Cutout 4 = Route 9 = Hole 13 = Label 14 = PlungeZ
Style	The Operation Style:

	0x01 = Pocket 0x02 = Inside 0x04 = Outside 0x08 = MDFGlass 0x10 = MDFOutline 0x20 = PreserveDir 0x40 = Island 0x80 = NoPocket 0x100 = CommonOutline 0x200 = Miter
ToolID	Reference to [Tools].[ID] linking a tool to the operation. For automatic tool selection (recommended) the [ToolID] should be 0.
Width	A value representing the Width of the operation.
Length	A value representing the Length of the operation.
Depth	A value representing the Depth of the operation.
PosX	A value representing the X position of the operation.
PosY	A value representing the Y position of the operation.
PosZ	A value representing the Z position of the operation.
RotX	A value representing the Rotation of the operation about the X axis.
RotY	A value representing the Rotation of the operation about the Y axis.
RotZ	A value representing the Rotation of the operation about the Z axis.
Repeat	A value representing the Repetition for Line Bores.
Spacing	A value representing the Spacing for Line Bores.
Outline	Shape in an ASCII comma delimited string: Format: (node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags:

	0x08 = VTX_Radius 0x0400 = VTX_ArcLine 0x010000 = VTX_Visible
Group	Used to override normal operation sort. A positive group will allow an operation to be milled after the outline on a nest. A negative group will allow an operation to be milled prior to the outline on a part.
Priority	An Override to the normal sort order of operations. Operations are 1st sorted by priority ascending.
DrawingID	Reference to [Drawings].[ID] linking an extended ALPHACAM drawing with this operation.
Parameters	A List of System parameters associated with this operation.

PartRunData

This table stores the Parts Run Data.

Field	Description
RunID	Reference to [RunInfo.ID] linking the record to a run record
PartID	Reference to [Parts.ID] linking the record to a part record
Output	Output Type Flag: 0x01 = Selected 0x02 = Primary Machine 0x04 = Secondary Machine 0x08 = Drill and Dowel 0x10 = Too Big For Standard Sheet 0x20 = Too Big For Machine 0x40 = Too Big For Any Sheet
GroupID	Reference to [Groups.ID] linking the part to a group
FrProgram	Program name for the part front face operations
BaProgram	Program name for the part back face operations
FrMirror	Face operation are in a mirrored work field
BaMirror	Back operation are in a mirrored work field

FrBarCode	Front program bar code
BaBarCode	Back program bar code
FrWorkZone	Front program work zone
BaWorkZone	Back program work zone
LeBarCode	Bar code for horizontal machining on left edge
RiBarCode	Bar code for horizontal machining on right edge
ToBarCode	Bar code for horizontal machining on top edge
BoBarCode	Bar code for horizontal machining on bottom edge
IntBandBarCode	Bar code for interior banding
ExtBandBarCode	Bar code for exterior banding
Image	Binary graphic for this part used in reports
ImageName	File title of part/label image
RunMargin	Margin around the part for nesting
RunPrimaryEdge	Primary part edge that rest against the point-to-point pins (1=left, 2=top, 3=right, 4=bottom)
RunQty	Quantity of the part in this Machine Set Run
CutWidth	Part width as cut on machine. Extended size: which includes pre-mill + EDX & EDY
CutLength	Part length as cut on machine. Extended size: which includes pre-mill + EDX & EDY
Orientation	Indicates the Arrow Position, Arrow Flip and Face Up/Down flag. The Flags are as follows: 0x01 – Arrow Left 0x02 – Arrow Right 0x04 – Arrow Up 0x08 – Arrow Down

	0x10 – Arrow Flip 0x20 – Face Up These values are repeated for each of the 4 Edges: ▪ The Left Edge Uses the first 8 bits: 0x01 – 0xff ▪ The Right Edge Uses the next 8 bits: 0x0100 – 0xff00 ▪ The Top Edge Uses the next 8 bits: 0x010000 – 0xff0000 ▪ The Bottom Edge Uses the next 8 bits: 0x01000000 – 0xff000000 So a single field can store the Arrow orientation for all 4 Edges: 0x12011821 0x12000000 = Bottom Edge – Arrow Flip Right 0x00010000 = Top Edge – Arrow Left 0x00001800 = Right Edge – Flip Down 0x00000021 = Left Edge – Face Up – Arrow Left The orientation flag is also used for the Front and Back program. The Bits have the same meaning with the exception that ▪ The Front Edge Uses the first 8 bits: 0x01 – 0xff ▪ The Back Edge Uses the next 8 bits: 0x0100 – 0xff00
BandedWidth	Finished part width after banding. Size includes banding
BandedLength	Finished part length after banding. Size include banding

Parts

This table stores the Parts for the S2M CENTER Job.

Field	Description
ID	A unique number to reference this Part.
JobID	Reference to [Jobs].[ID] linking part to a job.
MatDBID	Material identifier.
Name	The Name for the part.

InternalName	The Internal part name.
Optimize	A Boolean value set to true if the Part has been set for Optimization.
CNC	A Boolean value set to true if the Part has been set for CNC output.
Width	A value representing the Width of the part + EDX value without banding.
Length	A value representing the Length of the part + EDY value without banding.
WidthString	A value representing the Width displayed in output increment and precision.
LengthString	A value representing the Length displayed in output increment and precision.
NominalWidth	A value representing the Width of part without banding or EDX value.
NominalLength	A value representing the Length of part without banding or EDY value.
Comment	The user comment for the part.
Qty	A value representing the Quantity of the part.
OverMake	A value representing the Quantity that may be over made for this part.
RoomID	Reference to [Rooms].[ID] linking the part to a room.
AssemblyID	Reference to [Assemblies].[ID] linking the part to an assembly.
PrimaryEdge	A value representing the Primary part edge that rests against the point-to-point pins: 1 = Left 2 = Top 3 = Right 4 = Bottom
Mirror	A Boolean value set to true if the part should be output to a mirrored zone.
Shaped	A Boolean value set to true if the Part is shaped.
Outline	Shape in an ASCII comma delimited string: Format:

	(node count,x1,x2 ,radius1,flags1,.....xN,yN, radiusN,flagsN) Flags: 0x08 = VTX_Radius 0x0400 = VTX_ArcLine 0x010000 = VTX_Visible
OutlineToolID	Cross-reference to [Tools].[ID] linking a tool to use for the outline of this part.
GangBore	A Boolean value set to true if the Part has Gang (Multi-Drill) Boring.
HorizontalBore	A Boolean value set to true if the Part has horizontal boring.
PriMachineID	Reference to [Machines].[ID] linking this part to the machine used for primary output.
SecMachineID	Reference to [Machines].[ID] linking this part to the machine used for secondary output.
HoMachineID	Reference to [Machines].[ID] linking this part to the machine used for horizontal edge output.
CutMachineID	Reference to [Machines].[ID] linking this part to the machine used for cutting part from a strip.
PrefPriMachineID	Reference to [Machines].[ID] linking this part to the preferred machine to use for primary output.
PrefSecMachineID	Reference to [Machines].[ID] linking this part to the preferred machine to use for secondary output.
Margin	A value representing the Margin around part for nesting.
HasBanding	A Boolean value set to true if the EdgeBanding table contains data for this part.
Banding	Four character banding code (Width1, Length1, Width2, Length2) 0 = None 1 = Door Banding 2 = Exterior Banding 3 = Interior Banding Plus the alternative Banding Characters.
BandingCode	Banding code format. Edge types: (L)ength, (W)idth, (R)adius and (A)ngle Banding types: e(X)terior and (I)nterior Example:1L1511R6X1A12X - 1 Length 15" long with Interior, 1 6" Radius with eXterior, 1 Angled edge 12" long with eXterior

BandingFlags	CABINET VISION edge banding flags from a parts origin related to part edge as follows: (edges code_1....code_n) Example: 6NNENEN 6 sided part from face clockwise stroke: N = None I = Interior E = Exterior D = Door
FinishFace	The Face finish ID form material database.
FinishBack	The Back finish ID form material database.
FinishEdge	The Edge finish ID form material database.
Parameters	A list of System parameters associated with this part.
Composite	A boolean value set true if this part is the finished composite part
CompositeID	Reference to [Parts.ID] linking this child part to the master composite part
BandingSymbols	Banding Symbols for the Part.

PartWorkflow

This table stores the Part Work Flow with Machine Sets.

Field	Description
RunCounter	Reference to [RunInfo.Counter] linking the record to a run counter. The part workflow is per machine set
PartID	Reference to [Parts.ID] linking the record to a part record
WorkFlow	A series of machine tags indicating the sequence and machines required to mill this part. Any machines listed in (M1/M2/M3) can be sent to any machine in the (list). Examples: Saw-DnD(PP1/PP2) OR Saw-DnD-P2P OR Saw(DD1/DD2)(PP1/PP2)

Patterns

This table stores the Patterns for the S2M CENTER Job.

Field	Description
-------	-------------

ID	Unique Primary Reference
RunID	Reference to [RunInfo.ID] linking this record to the RunInfo table
PrimaryProgram	Primary program name for this pattern if applicable
PrimaryBarcode	Primary barcode for this pattern if applicable
SixthFace	A boolean value set true if this pattern has a 6th face
SixthFaceProgram	Sixth face program name for this pattern if applicable
SixthFaceBarcode	Sixth face barcode for this pattern if applicable
Image	Binary graphic for this pattern used in reports
Index	Global pattern counter incremented each time a pattern is created

ReportTempAssets

This table stores the Report Template Assets for the S2M CENTER Job.

Field	Description
Name	The name of the table or view
IsView	A boolean value set true if the item is a query/view

Rooms

This table stores the Room Information for the S2M CENTER Job.

Field	Description
JobID	Reference to [Jobs.ID] linking a room to a job
ID	Unique Primary Reference
RoomName	Name for the room

RunInfo

This table stores the Run Information for the S2M CENTER Job.

Field	Description
ID	A unique internal number to identify the machine output
Counter	Counter incremented each time output is created.
RunTag	A 3 character string to identify the Run: R01
RunTime	Time stamp when output was created.
MachineID	Reference to [Machines.ID] indicating what machine was used for output
Output	A boolean value set true if output needs to be created for this machine
OutputPath	Directory selected for the output files
ImagePath	Directory for label images
LabelITFile	+Label file with data for this run
TrueShape	Current output is a geometric nest
PreUnfinFace	A boolean flag set true if output occurred with the Mill From Unfinished End When Possible was true
MachineType	Machine type: 1 = Sheet Rip Cross [Saw] 2 = Sheet Nest [Router] 3 = Part 5 Face [Router,P2P] 4 = Part Edge[DrillDowel,HMC] 5 = Part Cross [Tigerstop] 6 = Other 7 = Machine Set 8 = Material Handler

Shapes

This table stores all the Shapes.

Field	Description

OperationID	Reference to [Operations].[ID] linking the shape to an operation.
Sequence	The Shape element sequence within an operation.
Type	The Shape Type: OP = Open Poly line start CP = Closed Polygon start VT = Vertex EP = Poly End AB = Arc Begin AC = Arc Center AE = Arc End CI = Circle
Compensation	Tool compensation type: N = None L = Left R = Right
ShapeX	A value representing the X position of this shape element.
ShapeY	A value representing the Y position of this shape element.
ShapeZ	A value representing the Z position of this shape element.
Radius	A value representing the Radius of this shape element.

Install Support Folder

ZPLView.exe

A utility for viewing ZPL (.zpl) files generated by the Real-time Label Image feature of the S2M CENTER.

BlumDynaplan

Contains the BXFExt.ini (Stores Part Name Localization entries) referred to in the following S2M CENTER Help File Topic: **Ribbonbar>Import DXF>Other CAD Importers>Blum Dynaplan**

FreeImage

FreeImage component source.

Generic Object Libraries

This contains sample Stock Catalogs for both Cabinets (Generic.pkg) and Closets (Generic Closets.pkg). Simply use the Setup Package Utility to import them.

Images

Miscellaneous background images for use in Renderings.

International

Tools used for performing language and feature Localization in CABINET VISION and the S2M CENTER.

PartListCreator

The S2M CENTER Part List Creator tool as documented in the following S2M CENTER Help file topic: **Ribbonbar>Main Tab>Import DXF>Other CAD Importers>S2M Part List> Creating an S2M Center Part List**

Sample Models

Contains Sample Models used in Model Editor Tutorials within this Help file.

Sample ORDX

A sample of a documented ORDX file.

Setup

Contains Registry keys to enable and disable the migration of data from legacy versions.

TestAdoDbConnection

Files used to test the ability of OLE DB Provider “Microsoft.ACE.OLEDB.12.0” to connect to a Microsoft Access 2007 (*.accdb) database file.

ZPLView.exe

A utility for viewing ZPL (.zpl) files generated by the Real-time Label Image feature of the S2M CENTER.