

[HOME](#) > [HEALTHY COASTAL ECOSYSTEMS](#) >ILLINOIS-INDIANA SEA GRANT-SUPPORTED RESEARCH FINDS FRESHWATER
JELLYFISH MAY INCREASE IN NUMBERS AS GREAT LAKES WATERS WARM[HOME](#) > [HEALTHY COASTAL ECOSYSTEMS](#) >ILLINOIS-INDIANA SEA GRANT-SUPPORTED RESEARCH FINDS FRESHWATER
JELLYFISH MAY INCREASE IN NUMBERS AS GREAT LAKES WATERS WARM

Illinois-Indiana Sea Grant-supported research finds freshwater jellyfish may increase in numbers as Great Lakes waters warm

August 5, 2025

Most people think of jellyfish as only found in salty seas—perhaps some folks have stinging memories of encounters in ocean waters or have spent time observing these exotic and delicate creatures in seaside aquariums. But it turns out there are also freshwater jellyfish. They are native to China’s Yangtze River but are now found on every continent, except Antarctica.

Illinois-Indiana Sea Grant funded a research team led by biologist Nadine Folino Rorem at Wheaton College and Paulyn Carwright at the University of Kansas to study *Craspedacusta sowerbii* and analyze the local environmental conditions where these jellyfish are found. This species has been living in the Great Lakes region for decades, including in Illinois and Indiana waters.

“We’ve been trying to figure out the cues that control some aspects of the *Craspedacusta* life cycle,” said Rorem. “Our objective was to assess where



[HOME](#) > [HEALTHY COASTAL ECOSYSTEMS](#) >ILLINOIS-INDIANA SEA GRANT-SUPPORTED RESEARCH FINDS FRESHWATER
JELLYFISH MAY INCREASE IN NUMBERS AS GREAT LAKES WATERS WARM

through those stages at different temperatures.

“Since scientists are seeing increases in jellies in marine environments due to increases in water temperature, we’re thinking we’re probably going to see a similar situation with *Craspedacusta*,” added Rorem. The concern is that the jellyfish might become more of a threat to local aquatic food webs.

Rorem’s team found that *Craspedacusta* are indeed more likely to thrive in warmer waters.

Freshwater jellyfish are smaller than many ocean species—they start out microscopic in their younger polyp stage and grow to be a nickel-sized medusa or jellyfish. When a polyp transitions into a medusa, the more typical jellyfish form, it can grow to the size of a quarter. Because they are so small, these jellyfish do not have the ability to effectively sting people.

The researchers spent a good deal of time in the field, tracking down reported sightings of this organism. Rorem traveled to a lot of places, including Coal City, Illinois and Hammond, Indiana, knocking on doors to get permission to sample in backyard drainage ponds and other water bodies. The team spent some time in Wolf Lake, which straddles the Illinois and Indiana border near Lake Michigan—in both lakes, jellyfish in the polyp stage have been spotted.

According to Rorem, the reason that jellyfish in the medusa stage have not been detected in these waters is because they are not that abundant or they are not surviving, which she attributes to the possibilities of predation or other ecological factors, such as variation in water chemistry.



[HOME](#) > [HEALTHY COASTAL ECOSYSTEMS](#) >ILLINOIS-INDIANA SEA GRANT-SUPPORTED RESEARCH FINDS FRESHWATER
JELLYFISH MAY INCREASE IN NUMBERS AS GREAT LAKES WATERS WARM

develop a much more efficient way to sample for jellyfish polyps, and other species as well. When they placed plastic and glass microscope slides in strategic locations in the water for several months, they found *Craspedacusta* polyps living on these surfaces.

“This new sampling method is one of the exciting things that came out of this project,” said Rorem. “Jonathan spearheaded that—he’s one of those exceptional students that I’ve really enjoyed working with since he was a freshman.”



Jonathan Zhu, a student at Wheaton College, looks for freshwater jellyfish in water samples from Illinois and Indiana ponds and rivers. Photo from Illinois-Indiana Sea Grant.

In the lab, the research team also worked to keep *Craspedacusta* alive throughout its life stages. While they were challenged in achieving ideal water movement ^

[HOME](#) > [HEALTHY COASTAL ECOSYSTEMS](#) >

ILLINOIS-INDIANA SEA GRANT-SUPPORTED RESEARCH FINDS FRESHWATER JELLYFISH MAY INCREASE IN NUMBERS AS GREAT LAKES WATERS WARM

likely be more successful. We found that different populations reacted the same to temperature factors, which means if temperatures increase, you're probably going to see a similar response in different locations in northern Illinois and Indiana, meaning increases in some of these life cycle stages," said Rorem.

Illinois-Indiana Sea Grant

[RETURN TO NEWS](#)

Related Posts

CALIFORNIA

FIVE WAYS SEA GRANT AND THE U.S. COASTAL RESEARCH PROGRAM ARE ADDRESSING COASTAL CHALLENGES TO MAKE COMMUNITIES SAFER

[HOME](#) > [HEALTHY COASTAL ECOSYSTEMS](#) >

ILLINOIS-INDIANA SEA GRANT-SUPPORTED RESEARCH FINDS FRESHWATER JELLYFISH MAY INCREASE IN NUMBERS AS GREAT LAKES WATERS WARM

HEALTHY COASTAL ECOSYSTEMS

MERGING AI AND UNDERWATER PHOTOGRAPHY TO REVEAL HIDDEN OCEAN WORLDS

A new research initiative developing at MIT Sea Grant, called LOBSTgER — short for Learning Oceanic Bioecological Systems Through Generative Representations — brings together artificial intelligence and underwater photography to document the ocean life left vulnerable to changes and share them with the public in new visual ways. Co-led by underwater photographer and visiting artist at MIT Sea Grant Keith Ellenbogen and MIT mechanical engineering PhD student Andreas Mentzelopoulos, the project explores how generative AI can expand scientific storytelling by building on field-based photographic data.

[READ MORE >](#)

June 25, 2025

[HOME](#) > [HEALTHY COASTAL ECOSYSTEMS](#) >

ILLINOIS-INDIANA SEA GRANT-SUPPORTED RESEARCH FINDS FRESHWATER JELLYFISH MAY INCREASE IN NUMBERS AS GREAT LAKES WATERS WARM

SEA GRANT RESEARCH INFORMS RULE CHANGE ALLOWING SUMMER OYSTER HARVEST IN GEORGIA

In April 2025, the Georgia Department of Natural Resources (DNR) approved a new rule making it possible to harvest oysters commercially in warmer weather without compromising food safety. The rule change was informed, in part, by a collaborative study between Marine Extension and Georgia Sea Grant, Georgia DNR and local shellfish growers.

[READ MORE >](#)

May 28, 2025

Science Serving
America's Coasts

National Sea Grant College Program

📍 1315 East-West Highway, Silver Spring, MD 20910

✉ Contact Us

STAY CONNECTED



SEA GRANT NETWORK

Visit **Inside Sea Grant** for guidance documents, templates, forms and more.

[Visit NOAA](#)

[Visit NOAA Research](#)

[Visit the Department of Commerce](#)

[Freedom of Information Act](#)

[Web Accessibility Statement](#)

[Disclaimer for External Links](#)

[NOAA Privacy Statement](#)

PROVIDE FEEDBACK



[HOME](#) > [HEALTHY COASTAL ECOSYSTEMS](#) >

ILLINOIS-INDIANA SEA GRANT-SUPPORTED RESEARCH FINDS FRESHWATER JELLYFISH MAY INCREASE IN NUMBERS AS GREAT LAKES WATERS WARM

