

MASTER PRD — DigitalStudioz.com

Version: FINAL-v3 · Jedi Master Blueprint

Date: July 17, 2026 **Project:** DigitalStudioz.com (Data-Driven Media Studio Portal | Tactile Brutalist) **Host Environment:** LocalWP (or EnvKit) → Hostinger via WP-CLI + GitHub Actions **Core Stack:** Divi 5 + ACF PRO + Fluent Stack + Three-Layer MCP Architecture

What This Document Is: The complete, single-source blueprint for building DigitalStudioz.com with AI-assisted development. Cursor can read this file and understand every tool, every link, every pattern, and every rule it needs to execute the build.

1. Core Infrastructure (Mandatory)

Component	Choice	Purpose
Theme	<code>dgtl-digitalstudioz-theme</code> (Blank Child Theme)	Custom development base
Data Backbone	ACF PRO (official license)	Repeater Fields, Flexible Content, ACF Blocks — all required for Divi 5 Loop Builder
Email	FluentSMTP (Free)	Transactional email via Brevo
Forms	Fluent Forms (Free → Pro if needed)	ACF integration for form-to-CPT mapping
SEO	Rank Math SEO	CPT metadata → ACF fields → auto schema
Security	Wordfence (Production only)	WAF
Migration	WP Migrate DB Pro + WP-CLI	Staging → Production

■■ ACF PRO is NOT Optional

The free version lacks three features your data-first architecture depends on: - **Repeater Fields** — flexible lists (technologies, team, milestones) - **Flexible Content Fields** — page builder inside ACF - **ACF Blocks (PRO)** — custom Gutenberg blocks for Divi 5 Loop Builder

Purchase: advancedcustomfields.com/pro/ — do NOT use GPL clubs (HustleWP etc.)

2. Complete Reference Links

Core Tools

Tool	Link
Cursor AI	cursor.com
Divi 5 Theme	elegantthemes.com
ACF PRO	advancedcustomfields.com/pro/
LocalWP	localwp.com
Hostinger	hostinger.com
Brevo (SMTP)	brevo.com

WordPress Plugins

Plugin	Link	Free/Paid
FluentSMTP	fluentsmtp.com	Free
Fluent Forms	fluentforms.com	Free (Pro optional)
Rank Math SEO	rankmath.com	Free
Wordfence	wordfence.com	Free
WP Migrate DB Pro	deliciousbrains.com	Paid
Squad Modules Lite	WP.org	Free (65 Divi 5 modules)
AI Engine	WP.org	Free (100K+ installs)

MCP Servers (Primary Stack)

MCP Server	Link	Tools	Cost
LocalWP Agent Tools (10up)	GitHub	12 tools — WP-CLI, logs, config, auto .cursor/mcp.json	FREE
Novamira	GitHub · Site	PHP execution, filesystem, DB, snapshots	Free (Pro €49/yr)
IA Webmaster Bridge	GitHub	108 tools, 105 Divi 5 modules, Theme Builder, design system, SEO, 8-layer security	FREE (GPL-3.0)

Divi5 Toolkit	GitHub	CSS (4 formats), WCAG, CWV, validation	FREE
WP MCP Adapter + WSP	GitHub · GitHub	Direct Cursor→WordPress content management	FREE

Safety & New Tools (July 2026)

Tool	Link	Why
wpmcp	GitHub	Snapshot-before-every-write. AI CAN'T wreck your site.
acf-mcp-server	GitHub	AI-safe ACF JSON management. TypeScript, Zod, dryRun.
MGD_Divi5-Dev_SKILL	GitHub	18 Claude/Codex slash commands for Divi 5
EnvKit	GitHub	LocalWP alternative w/ built-in MCP. ■429.

Divi 5 Documentation

Resource	Link
Elegant Themes Divi 5 Docs	help.elegantthemes.com
Elegant Themes General	elegantthemes.com/documentation/divi/
Community LLM-Friendly Docs	16wells.github.io/divi-docs/
Loop Builder Guide	diviflash.com
ACF + Loop Builder Video	YouTube
ACF Official Docs	advancedcustomfields.com/resources/
ACF Blocks Docs	advancedcustomfields.com/resources/blocks/
WP Block Editor Handbook	developer.wordpress.org/block-editor/
MCP Protocol Docs	modelcontextprotocol.io
Divi Forums	elegantthemes.com/forum/

Design & Workflow Tools

Tool	Link	Purpose
getdesign.md	getdesign.md	Brand design tokens
Go Full Page	Chrome Web Store	Full-page reference screenshots
ZipWP	zipwp.com	Cloud WordPress sandbox
Crafter Pro	Via Elegant Themes	Paid Divi 5 design system

3. Three-Layer AI Architecture

■	LAYER 1: Local Environment Control	■
■	LocalWP Agent Tools (10up) – 12 MCP tools	■
■	→ WP-CLI, logs, config, start/stop services	■
■	→ Auto-generates .cursor/mcp.json	■
■	LAYER 2: WordPress Operations	■
■	Novamira (Free) – PHP execution, filesystem	■
■	+ wpmcp – safety snapshots, rollback	■
■	+ acf-mcp-server – JSON-first ACF management	■
■	LAYER 3: Divi 5 Page Building	■
■	IA Webmaster Bridge – 108 tools, 105 modules	■
■	+ Divi5 Toolkit – CSS, WCAG, validation	■
■	+ MGD_Divi5-Dev_SKILL – 18 slash commands	■
■	OPTIONAL: Direct Cursor→WordPress	■
■	WP MCP Adapter + WSP WordPress MCP	■

4. Master Workflow Diagram

DIGITALSTUDIOZ WORKFLOW									
CURSOR LocalWP Novamira WordPress									
+ Agent Agent + wpmcp + Divi 5									
PHP execution · filesystem · DB · snapshots									
ACF JSON → wp acf sync · 105 Divi modules									
IA Webmaster Bridge · Divi5 Toolkit									
Composer 2.5 Grok 4.5 DeepSeek V4									
(Inline) 60% (Complex)25% (Coding) 10%									
DEPLOY: LocalWP → GitHub → GitHub Actions → Hostinger									

5. Complete Directory Structure

```
digitalstudioz-workspace/          ← Git root
■■■■ .cursorrules                  ← PHP/CSS rules + dgtl_ naming
■■■■ .cursor/
■   ■■■■ mcp.json                  ← All MCP endpoints
■   ■■■■ rules/wordpress-coding-standards.mdc
■   ■■■■ docs/
■       ■■■■ WP-Divi5-Dev-PRD-FINAL-v3.md ← This document
■
■■■■ wp-content/
■   ■■■■ themes/
■       ■   ■■■■ Divi/              ← Parent (DO NOT EDIT)
■       ■   ■■■■ dgtl-digitalstudioz-theme/ ← Child (ALL custom code)
■       ■       ■■■■ style.css
■       ■       ■■■■ functions.php    ← dgtl_ CPTs + enqueues
■       ■       ■■■■ acf-json/        ← AI-generated ACF JSON
■       ■           ■■■■ group-dgtl-project-fields.json
■       ■           ■■■■ group-dgtl-service-fields.json
■       ■           ■■■■ group-dgtl-team-fields.json
■       ■       ■■■■ template-parts/
■       ■           ■■■■ hero/dgtl-hero-portfolio.php
■       ■           ■■■■ cards/dgtl-card-project-bento.php
■       ■           ■■■■ sections/dgtl-about-tactile.php
■       ■       ■■■■ inc/
■       ■           ■■■■ dgtl-acf-register.php
■       ■           ■■■■ dgtl-cpts.php
■       ■           ■■■■ dgtl-taxonomies.php
■       ■           ■■■■ dgtl-enqueue.php
■       ■           ■■■■ dgtl-security.php
■       ■       ■■■■ assets/
■       ■           ■■■■ css/dgtl-tactile-brutalist.css
■       ■           ■■■■ js/dgtl-interactions.js
■       ■           ■■■■ img/
■       ■       ■■■■ screenshot.png
■       ■
■       ■■■■ plugins/
■           ■■■■ advanced-custom-fields-pro/
■           ■■■■ fluent-smtp/
■           ■■■■ fluentform/
■           ■■■■ seo-by-rank-math/
■           ■■■■ wordfence/
■
■■■■ reference/                    ← Old Next.js site (read-only)
■■■■ docs/
■■■■ .env.local                    ← API keys (gitignored)
■■■■ .gitignore
■■■■ README.md
```

Naming Conventions

Type	Convention	Example
PHP functions	dgtl_ prefix	dgtl_register_cpts()

CSS classes	<code>dgtl-</code> prefix	<code>.dgtl-hero-title</code>
Template parts	<code>dgtl-{type}-{name}.php</code>	<code>dgtl-card-project-bento.php</code>
ACF JSON	<code>group-dgtl-{cpt}-fields.json</code>	<code>group-dgtl-project-fields.json</code>

6. Data-First Workflow

Phase 1: ACF Schema

- Register CPTs via `dgtl_register_cpts()` — always `'show_in_rest' => true`
- AI writes ACF JSON → `wp acf sync`
- Location rules target CPTs (`dgtl_project`, `dgtl_service`)

Phase 2: Template Build

- **Loop Builder** — never hardcode content
- **Dynamic Content** — stacked discs icon maps ACF→frontend
- **IAWB** builds pages via MCP — 105 modules, Theme Builder

Phase 3: Design System

- Tokens-first via IA Webmaster Bridge
- Colors: `#121212` bg / `#1c1c1c` surface / `#00ffcc` accent

Phase 4: Custom Code (Optional)

- Only build what Divi + Loop Builder can't do

7. Screenshot-to-Divi Build Pattern

Step 1: Go Full Page Chrome extension → capture reference site
Step 2: Feed to AI: "Rebuild this in Divi 5 using [modules list]"
Step 3: AI builds via IAWB or generates Divi shortcode
Step 4: Screenshot result → circle problems → "fix this"
Step 5: Repeat 2-4 rounds → responsive check

■■ CRITICAL — Never Skip This Instruction:

"Use separate Divi modules — Hero, Blurb, Heading, Testimonial, Image, CTA, Button, Code Module (forms only). Break into separate rows/columns. Use Theme Builder for global header/footer — NOT on individual pages."

8. AI Model Strategy

Priority Order

Tier	Model	%	Cost	When
1	Cursor Composer 2.5	60%	Included	Tab complete, Ctrl+K, CSS tweaks
2	Grok 4.5 (promo)	25%	\$1/M in / \$3/M out	Complex multi-file, ACF refactoring
3	DeepSeek V4 Pro	10%	~\$0.87/M out	Pure coding — PHP, React, CSS
4	GLM 5.2	5%	~\$4.40/M out	Massive refactoring, whole-repo queries

After July 21 (Grok promo ends):

45% Composer → 35% DeepSeek → 15% Grok → 5% GLM

Cursor Setup

- Agent/Auto does NOT auto-use Grok. Open **model picker** (bottom-left) → select "Grok 4.5"
- Composer 2.5 = tab completions + Ctrl+K only

Evaluation Method

Don't rank globally — rank by YOUR project: 1. Does the code WORK in LocalWP? 2. Is it using `dgTL` naming? 3. Which model needs fewer manual edits? That one wins.

9. Design: Tactile Brutalism

Element	Spec
Corners	0px (sharp) or full pill
Borders	1px solid #333333 — NO shadows
Background	#121212 (Cod Gray)
Surface	#1c1c1c
Text	#E0E0E0

Accent	#00ffcc (Acid Cyan)
--------	---------------------

Site Structure

- **Nav:** Fixed top, 1px border. Logo left. WORK | ABOUT | CONTACT right.
- **Hero:** "ENGINEERING DIGITAL IMPACT." — kinetic typography
- **Portfolio:** Bento-grid. Card 1: VADER PROTOCOL ENGINE. Card 2: DIGITALSTUDIOZ PORTAL.
- **About:** "We reject Soft UI. DigitalStudioz prioritizes engineered precision."
- **Footer:** "POWERED BY THE MSC MEDIA ENGINE"

Best Reference Sites (Awwwards 2026)

- [revelatio.studio](#) — Glitch type + odometer counters + bento
- [silentpartnersstudio.com](#) — Edge-frame, cinematic dark
- [yungbld.com](#) — Bento-grid, raw file-name aesthetic
- [obys.agency](#) — Click-to-enter gate, horizontal scroll
- [cinetica.studio](#) — Glyph typography as brand system

10. Development Playbooks

Scenario	Method
Blank site	Set global vars first (colors, fonts, spacing)
AI page build	IAWB MCP — 105 modules, 79 typed builders
Screenshot→Divi	Capture → explicit module list → iterate 2-4 rounds
ACF fields	AI writes JSON → <code>wp acf sync</code>
CSS	Divi5 Toolkit — 4 formats + WCAG + CWV
Deploy	<code>git pull</code> → <code>wp search-replace</code> → <code>wp cache flush</code>

11. .cursorrules

- `dgtl_` / `dgtl-` namespace on everything
- `defined('ABSPATH') || exit;` in every PHP file
- Native JSON block structure only — no legacy shortcodes
- Colors: `#121212` / `#1c1c1c` / `#00ffcc` / `#E0E0E0`
- All MCP layers active before development
- Novamira snapshot before every AI edit
- One task per prompt — never the whole site

12. Production Deployment

```
git pull origin main
wp core update --minor
wp plugin update --all
wp search-replace "local-site.local" "digitalstudioz.com" --all-tables
wp cache flush
wp rewrite flush
```

Hardening Checklist

- ☐ Remove: Novamira, IAWB, Query Monitor, dev toolkits, .cursorsrules
- ☐ Enable: Wordfence, WP Super Cache
- ☐ Set: `WP_DEBUG = false`
- ☐ Verify: Divi modules render, forms deliver, SEO metadata
- ☐ Backup: Full WPvivid before final deploy

13. Setup Checklist (First Session)

- ☐ Install LocalWP (or evaluate EnvKit)
- ☐ Install Divi 5 + create child theme
- ☐ Purchase & install ACF PRO
- ☐ Install: FluentSMTP, Fluent Forms, Rank Math SEO, Squad Modules Lite
- ☐ Install: LocalWP Agent Tools, Novamira, IA Webmaster Bridge, wpmcp
- ☐ Configure `.cursor/mcp.json` with all endpoints
- ☐ Create full directory structure (Section 5)
- ☐ Create `acf-json/` directory
- ☐ Write `functions.php` with `dgtl_register_cpts() + show_in_rest => true`
- ☐ First ACF field group as JSON → `wp acf sync`
- ☐ Set design tokens (`#121212`, `#1c1c1c`, `#00ffcc`, `#E0E0E0`)
- ☐ Build first page: "Create a hero section with..."
- ☐ Verify Loop Builder + Dynamic Content
- ☐ Take first wpmcp snapshot

14. PDF Generation (Local + Cloud)

Method	Tool	When
Online	Google Docs API (markdown → Doc → PDF)	Drive backup included

Offline	xhtml2pdf (pure Python, no deps)	Local-only, instant
---------	----------------------------------	---------------------

15. Scope Boundaries

■ No 3D/WebGL · No React/Webpack (Phase 1-3) · No Tailwind conflicts · No Divi 4 · No Docker · Clean slate

Phase 4+: Custom Divi 5 React modules, scroll animations, API integrations

FINAL-v3 · July 17, 2026 Sources: Original PRD v1 + 4 Research Passes (Hermes MCPs, 11 YouTube videos, Full Gemini conversation, Awwwards studio analysis, July 2026 GitHub discovery, Cursor pricing research)