
App Container (appc)

github.com/appc appc-dev@googlegroups.com

Jonathan Boulle





App Container (appc)

- Announced December 2014
 - initially with rkt, but subsequently split out completely
- Umbrella project for application containers
 - eponymous specification
 - also: actool, acbuild, docker2aci, cni, ...
- Project lives at github.com/appc

App Container Spec noun

An open specification for running applications in containers

Containers?!

Application Containers

Application Containers

self-contained, portable way to run software (decoupled from operating system)

optionally isolated (memory, network, ...)

Linux applications - pre-containers

KERNEL SYSTEMD SSH PYTHON
JAVA
NGINX
MYSQL
OPENSSL

distro distro distro distro distro distro distro

APP

Linux applications - post-containers

KERNEL SYSTEMD SSH distro distro distro distro distro distro distro

LXC/DOCKER/ RKT PYTHON
JAVA
NGINX
MYSQL
OPENSSL

APP

KERNEL SYSTEMD SSH





LXC/DOCKER/ RKT

appc motivation

Why are we doing this?

Back in late 2014...

Multiple container tools (LXC, Docker, chroot)

- Widely used *de facto* standards, but various critical deficiencies (security, composability)

 No existing well-defined, open specification for application containers

Back in 2014...

 We (CoreOS) decided to create new project to drive conversation around a standard

"Write down what a container actually is"

- "Build once, sign once, run anywhere"

appc principles

What's important?

Composable

Integrate with existing systems
Non-prescriptive about build workflows
OS/architecture agnostic

Secure

Cryptographic image addressing Image signing and encryption Execution isolation Container identity

Decentralized

Federated namespace without federated image hosting

Immutable labels: images are fully selfdescribing, globally addressable

Open

Independent GitHub organisation and governance policy
Contributors from a wide community

Simple but efficient

Simple to understand and implement, but eye to optimisation (e.g. content-based caching)

Standards-based

Well-known tools (tar, gzip, gpg, http), extensible with modern technologies (bittorrent, xz)

appc components

What's in the spec?

appc components

- Image Format
 - what does an application consist of?
- Image Discovery
 - how can an image be located?
- Pod
 - how can applications be grouped and run?
- Executor (runtime)
 - what does the execution environment look like?

Image Format

Application Container Image (.aci)
tarball of rootfs + manifest
uniquely identified by ImageID (hash)

Image Discovery

Resolves app name →artefact (.aci)
example.com/http-server
coreos.com/etcd

DNS + HTTPS + HTML meta tags

Pods

grouping of multiple applications (templated or deterministic)

shared execution context (namespaces, volumes)

Executor

runtime environment isolators, networking, lifecycle metadata service

Metadata Service

http://\$AC_METADATA_URL/acMetadata container metadata container identity (HMAC verification)

appc today

What's the current status?

appc today

- 9 months since initial announcement
 - v0.8.0(ish) imminent
- three mature(ish) implementations
 - variety of other tooling (in various stages)
- new networking spec
 - CNI: Container Networking Interface
- appc vs OCI
 - another container standard??

appc implementations

appc implementations

coreos/rkt

- First, most complete implementation
- Go/Linux, cgroups/namespaces, lkvm

3ofcoins/jetpack

- FreeBSD Jails/ZFS-based executor
- Go, uses upstream appc schema code

apcera/kurma

- Recursive init system Linux+kurma
- Go/Linux

appc implementations (cont)

- Various tooling:
 - github.com/sgotti/baci
 - github.com/justinsb/appc-java
 - github.com/cdaylward/libappc
 - github.com/klizhentas/deb2aci
 - github.com/appc/docker2aci
 - github.com/appc/goaci
- Mesos (partial, under development)
- Kubernetes (indirectly, via rkt)

CNI

Container Networking Interface

CNI - Container Networking Interface

- Every runtime will attempt to solve networking
 - CNI emerged out of rkt's networking code
- Simple CLI interface for plugins
 - add container to network
 - delete container from network
 - L3 allocate/maintain IP addresses
 - IPAM plugin
- Distinct from appc spec

CNI - Container Networking Interface

- Currently used by rkt
- docker-run.sh wrapper script
- Exploring integration with other systems
 - weave
 - kubernetes
- For more details, see Eugene talk at 4pm on Wednesday! http://sched.co/3Xol

appc and OCI

aka https://xkcd.com/927

OCI - Open Containers Initiative

- Announced June 2015 (as OCP)
- Lightweight, open governance project
- Linux Foundation
- Container runtime format
 - configuration on disk, execution environment
- Runtime implementation (runc)

appc vs OCI

appc

- image format
- runtime environment
- pods
- image discovery

OCI

- runtime format
- runtime environment

appc vs OCI

appc runtime

- environment variables
- Linux device files
- hooks
- etc...

- descriptive
- multiple apps

OCI runtime

- environment variables
- Linux device files
- hooks
- etc...

- prescriptive
- single app (process)

appc and OCI

tl;dr: complementary still evolving

appc lessons learned

multiple implementations are *very* useful

"one honking great idea"

multiple implementations

- spec initially developed in tandem with just rkt
- other implementations provide critical feedback:
 - areas that need to be clarified
 - things to be fixed for cross-platform
- leverage common code to improve all implementations
- define line between spec and implementation

usability matters

aka, prescriptivism is sometimes nice aka, users (rightly) want easy-to-use tools

usability matters

example: building ACIs vs Docker images

- motivation with appc was to integrate with existing build systems, provide flexibility
- Dockerfile is opinionated, prescribed workflow
- tools like acbuild are much less accessible for developers
- many potential users are turned away

usability matters

example: appc executors vs Docker rkt

- + power features like signature validation built-in from day 1
- no focus on easy use like boot2docker kurma
 - immensely powerful, building block for complex orchestration
 - steep learning curve, bleeding edge

explicit is better than implicit

aka, initial perception is critical aka, show your work

explicit is better than implicit

example: image format

- canonical form is a single file (tarball)
- designers intended to optimise by storing exploded on disk and indexing manifests
- unfortunately, non-obvious to many approaching the spec

initial perception is critical

example: composability

- Initially, monolithic spec containing definitions of all components, for readability/context
- Lot of (indirect) feedback about spec being "too big", "too complicated to implement"
- To solve, split spec into distinct, discrete sections while clearly discussing interlinks

takeaway: show your work

appc is the result of extensive thought, experimentation, discussion...

...but this isn't always obvious in the text

"why are things the way they are?"

- "hmm, I don't quite remember.."
- revisit a lot of old discussions

Mix RFC-style spec and user stories/examples

appc tomorrow

What's next?

appc tomorrow

- Development still active!
 - Push towards 1.0
- Better build tooling
 - github.com/appc/acbuild
- Production-ready implementations!
 - rkt 1.0 Real Soon Now™
- Continue harmonisation effort with OCI

get involved!

github.com/appc appc-dev@googlegroups.com

Questions?

Credits

- SpaceX <u>Falcon 9 Landing</u> by Elon Musk
- Golang gopher by Renee French, licensed under <u>CC BY 3.0</u>
- Tux by Larry Ewing, Simon Budig and Anja Gerwinski