NERVEXPRESS©

Isela Olmedo

Assessment of the Physical Fitness Level

1/8/2026 3:50:28 PM



Assessment of the transition period

Min HR - 77

Max HR - 89

Chronotropic reaction HR (supine) / Max HR	0.75
Compensation response Min HR / Max HR	0.86
Ortho-Test Ratio RR average Supine vs RR average Upright	1.16

Conclusion :

CHRONOTROPIC REACTION DECREASES MODERATELY IN RESPONSE TO ORTHOTEST WHILE VASCULAR COMPENSATION IS ABSENT

Graphical Presentation of the Physical Fitness



13 Levels of functioning of the Physiological systems

1/1 - The best Physical Fitness

13/7 - The worst Physical Fitness

- Athletic zone
- Normal zone
- Below normal
- Current Physical Fitness

Physical Fitness Level - 10/5

Doctor's name:

Doctor's signature:

NERVEXPRESS©

Isela Olmedo

Assessment of ANS functional state based on Heart Rate Variability analysis

1/8/2026 3:50:28 PM

Electrocardiographic Rhythm Strip



HR	R(HF)	R(LF1)	R(LF2)
66	25	28	29

HR	R(HF)	R(LF1)	R(LF2)
77	28	28	27

Extrasystoles analysis

Single extrasystoles.

Supine

BP	PP	MAP
N/A	N/A	N/A

Upright

BP	PP	MAP
N/A	N/A	N/A

ANS ASSESSMENT (SUPINE)

PARASYMPATHETIC SYSTEM IS DECREASED MODERATELY WHILE SYMPATHETIC ACTIVITY ON AVERAGE LEVEL

ANS ASSESSMENT (UPRIGHT)

PARASYMPATHETIC SYSTEM IS DECREASED SIGNIFICANTLY WHILE SYMPATHETIC IS INCREASED SLIGHTLY

GRAPHICAL PRESENTATION OF THE ANS CONDITION



CONCLUSION

- 2.5 - ACTIVITY OF PARASYMPATHETIC SYSTEM

0.5 - ACTIVITY OF SYMPATHETIC SYSTEM

NERVEXPRESS©

Isela Olmedo

Physical Fitness evaluation based on Heart Rate Variability analysis

1/8/2026 3:50:28 PM

Electrocardiographic Rhythm Strip



HR	SDNN	TI	SC1	SC2	SC3
66	24	183	13	15	5

HR	SDNN	TI	SC1	SC2	SC3
77	48	150	14	15	4

Extrasystoles analysis

Single extrasystoles.

max

min

Transition parameters

ChMR	30/15	Iot
0.75	0.86	1.16

Parameters of Optimal Variability

POV (SUPINE) = 10

POV (UPRIGHT) = 6

Equilibrium Assessment

Index of discrepancy = -1

Current Physical Fitness- 10/5



13 LEVELS OF FUNCTIONING OF THE PHYSIOLOGICAL SYSTEMS

Point (1/1) - The best possible Physical Fitness

Point (13/7) - The worst possible Physical Fitness

CONCLUSION

THE FUNCTIONING OF PHYSIOLOGICAL SYSTEMS IS MODERATELY REDUCED, WHILE THE ADAPTATION RESERVE IS MODERATELY REDUCED

NERVEXPRESS©

For Data Interpretation only, NOT A DIAGNOSIS; must be interpreted by a Physician

Isela Olmedo

Interpretation of ANS assessment based on Heart Rate Variability

1/8/2026 3:50:28 PM

Orthotest	Valsalva Maneuver combined with Deep Breathing
Autonomic Nervous system activity is within the negative PSNS zone.	Deep breathing vs. Normal breathing slightly elevates the Parasympathetic activity. Deep breathing vs. Normal breathing slightly elevates the Sympathetic activity. Valsalva ratio is on an average level.

Summary

Valsalva maneuver combined with Deep breathing shows a slight reserve of the Sympathoadrenergic function.
Baroreceptors sensitivity is on an average level.
Valsalva test compared with Orthostatic test shows a slight improvement of the Parasympathetic function.
There is a slightly decreased level of adaptability
There is a possibility of the beginning stage of some chronic problems.

* Final decision can be made ONLY by combining ANS assessment conclusions with clinical data!

Doctor's name: _____ Doctor's signature: _____