NERVEXPRESS©

Isela Olmedo

Assessment of ANS function during Valsalva Maneuver combined with Deep Breathing

1/8/2026 3:56:46 PM

Electrocardiographic Rhythm Strip



HR	R(HF)	R(LF1)	R(LF2)
66	25	28	29

Valsalva Maneuver

HR	R(HF)	R(LF1)	R(LF2)
70	25	23	15

Extrasystoles analysis

Single extrasystoles.

- Athletic level (>1.7)
- Average level (1.3 - 1.7)
- Low level (<1.3)

Valsalva Ratio 1.46

E/I Ratio 1.10

GRAPHICAL PRESENTATION OF THE ANS CONDITION



ANS ASSESSMENT (NORMAL BREATHING)	ANS ASSESSMENT (DEEP BREATHING)
PARASYMPATHETIC SYSTEM IS DECREASED MODERATELY WHILE SYMPATHETIC ACTIVITY ON AVERAGE LEVEL	PARASYMPATHETIC SYSTEM IS DECREASED SLIGHTLY WHILE SYMPATHETIC IS INCREASED SLIGHTLY

Normal Breathing

BP	PP	MAP
N/A	N/A	N/A

Deep Breathing

BP	PP	MAP
N/A	N/A	N/A

NERVEXPRESS©

For Data Interpretation only, NOT A DIAGNOSIS; must be interpreted by a Physician

Isela Olmedo

Interpretation of ANS assessment based on Heart Rate Variability

1/8/2026 3:56:46 PM

Orthotest	Valsalva Maneuver combined with Deep Breathing
Autonomic Nervous system activity is within the negative PSNS zone.	Deep breathing vs. Normal breathing slightly elevates the Parasympathetic activity. Deep breathing vs. Normal breathing slightly elevates the Sympathetic activity. Valsalva ratio is on an average level.

Summary

Valsalva maneuver combined with Deep breathing shows a slight reserve of the Sympathoadrenergic function.
Baroreceptors sensitivity is on an average level.
Valsalva test compared with Orthostatic test shows a slight improvement of the Parasympathetic function.
There is a slightly decreased level of adaptability
There is a possibility of the beginning stage of some chronic problems.

* Final decision can be made ONLY by combining ANS assessment conclusions with clinical data!

Doctor's name: _____ Doctor's signature: _____