NERVEXPRESS©

Michael Brennan

Assessment of ANS function during Valsalva Maneuver combined with Deep Breathing

12/15/2025 9:19:35 AM

Electrocardiographic Rhythm Strip



HR	R(HF)	R(LF1)	R(LF2)
59	25	23	28

Valsalva Maneuver

HR	R(HF)	R(LF1)	R(LF2)
61	16	7	9

Extrasystoles analysis

Extrasystoles not recognized

- Athletic level (>1.7)
- Average level (1.3 - 1.7)
- Low level (<1.3)

Valsalva Ratio 1.63

E/I Ratio 1.35

GRAPHICAL PRESENTATION OF THE ANS CONDITION



ANS ASSESSMENT (NORMAL BREATHING)	ANS ASSESSMENT (DEEP BREATHING)
PARASYMPATHETIC SYSTEM IS DECREASED MODERATELY WHILE SYMPATHETIC IS DECREASED SLIGHTLY	INFLUENCE OF PARASYMPATHETIC SYSTEM PREVAILS MODERATELY WHILE SYMPATHETIC IS INCREASED SIGNIFICANTLY

Normal Breathing

BP	PP	MAP
N/A	N/A	N/A

Deep Breathing

BP	PP	MAP
N/A	N/A	N/A

NERVEXPRESS©

For Data Interpretation only, NOT A DIAGNOSIS; must be interpreted by a Physician

Michael Brennan

Interpretation of ANS assessment based on Heart Rate Variability

12/15/2025 9:19:35 AM

Orthotest	Valsalva Maneuver combined with Deep Breathing
Autonomic Nervous system activity is within the negative PSNS zone. Moderate decrease of SNS is within the negative PSNS zone. THE PSNS PORTION OF THE AUTONOMIC NERVOUS SYSTEM IS BLOCK. THE SNS PORTION OF THE AUTONOMIC NERVOUS SYSTEM I SWITCHED.	Deep breathing vs. Normal breathing sharply elevates the Parasympathetic activity. Deep breathing vs. Normal breathing sharply elevates Sympathetic activity. Valsalva ratio is on an average level.

Summary

Valsalva maneuver combined with Deep breathing shows a sharp reserve of Sympathoadrenergic function.
Baroreceptors sensitivity is on an average level.
Valsalva test compared with Orthostatic test shows a sharp improvement of Parasympathetic function.
Autonomic function is close to the normal physiologic range.
There is a sharply decreased level of adaptability

* **Final decision can be made ONLY by combining ANS assessment conclusions with clinical data!**

Doctor's name: _____ **Doctor's signature:** _____