NERVEXPRESS©

Michael Brennan

Assessment of the Physical Fitness Level

2/28/2024 9:02:25 AM



Transition

Assessment of the transition period

Min HR - 77

Max HR - 105

Chronotropic reaction HR (supine) / Max HR	0.78
Compensation response Min HR / Max HR	0.80
Ortho-Test Ratio RR average Supine vs RR average Upright	1.00

Conclusion :

COMMON REACTION DECREASES SIGNIFICANTLY IN RESPONSE TO ORTHOTEST

Graphical Presentation of the Physical Fitness



13 Levels of functioning of the Physiological systems

1/1 - The best Physical Fitness

13/7 - The worst Physical Fitness

- Athletic zone
- Normal zone
- Below normal
- Current Physical Fitness

Physical Fitness Level - 10/6

Doctor's name:

Doctor's signature:

NERVEXPRESS©

Michael Brennan

Assessment of ANS functional state based on Heart Rate Variability analysis

2/28/2024 9:02:25 AM

Electrocardiographic Rhythm Strip





HR	R(HF)	R(LF1)	R(LF2)
88	28	13	1

HR	R(HF)	R(LF1)	R(LF2)
87	28	21	25

Extrasystoles analysis

Single extrasystoles.

ANS ASSESSMENT (SUPINE)	ANS ASSESSMENT (UPRIGHT)
PARASYMPATHETIC SYSTEM IS DECREASED MODERATELY WHILE SYMPATHETIC IS INCREASED SIGNIFICANTLY	PARASYMPATHETIC SYSTEM IS DECREASED MODERATELY WHILE SYMPATHETIC IS INCREASED MODERATELY

CONCLUSION

- 2.0 - ACTIVITY OF PARASYMPATHETIC SYSTEM

2.5 - ACTIVITY OF SYMPATHETIC SYSTEM

NERVEXPRESS©

Michael Brennan

Physical Fitness evaluation based on Heart Rate Variability analysis

2/28/2024 9:02:25 AM

Electrocardiographic Rhythm Strip



HR	SDNN	TI	SC1	SC2	SC3
88	116	64	15	11	13

HR	SDNN	TI	SC1	SC2	SC3
87	24	395	15	13	6

Extrasystoles analysis

Single extrasystoles.

max

min

Transition parameters

ChMR	30/15	Iot
0.78	0.80	1.00

Parameters of Optimal Variability	Equilibrium Assessment
POV (SUPINE) = 11 POV (UPRIGHT) = 6	Index of discrepancy = 6

Current Physical Fitness - 10/6



13 LEVELS OF FUNCTIONING OF THE PHYSIOLOGICAL SYSTEMS

Point (1/1) - The best possible Physical Fitness

Point (13/7) - The worst possible Physical Fitness

CONCLUSION

THE FUNCTIONING OF PHYSIOLOGICAL SYSTEMS IS MODERATELY REDUCED, WHILE THE ADAPTATION RESERVE IS SIGNIFICANTLY REDUCED

NERVEXPRESS©

For Data Interpretation only, NOT A DIAGNOSIS; must be interpreted by a Physician

Michael Brennan

Interpretation of ANS assessment based on Heart Rate Variability

2/28/2024 9:02:25 AM

Orthotest	Valsalva Maneuver combined with Deep Breathing
Sympathetic activity is moderately elevated. Autonomic Nervous system activity is within the negative PSNS zone. THE PSNS PORTION OF THE AUTONOMIC NERVOUS SYSTEM IS STABLE. THE SNS PORTION OF THE AUTONOMIC NERVOUS SYSTEM I SWITCHED.	Deep breathing vs. Normal breathing sharply elevates the Parasympathetic activity. Deep breathing vs. Normal breathing shows a slight decrease of the Sympathetic activity.

Summary

There is a moderately increased stress level.
Deep breathing has slightly stabilized the Sympathetic function.
Valsalva test compared with Orthostatic test shows a sharp improvement of Parasympathetic function.
Autonomic function is close to the normal physiologic range.
There is a significantly decreased level of adaptability

* Final decision can be made ONLY by combining ANS assessment conclusions with clinical data!

Doctor's name: _____ Doctor's signature: _____