NERVEXPRESS©

Geraldine Demartino

Assessment of the Physical Fitness Level

5/2/2024 2:17:48 PM



Transition

Assessment of the transition period

Min HR - 81



Max HR - 126

Chronotropic reaction HR (supine) / Max HR	0.48
Compensation response Min HR / Max HR	0.84
Ortho-Test Ratio RR average Supine vs RR average Upright	1.95

Conclusion :

VASCULAR COMPENSATION DECREASES SHARPLY IN RESPONSE TO ORTHOTEST WHILE CHRONOTROPIC REACTION IS WITHIN NORMAL PARAMETERS

Graphical Presentation of the Physical Fitness



13 Levels of functioning of the Physiological systems

1/1 - The best Physical Fitness

13/7 - The worst Physical Fitness

- Athletic zone
- Normal zone
- Below normal
- Current Physical Fitness

Physical Fitness Level - 13/1

Doctor's name:

Doctor's signature:

NERVEXPRESS©

Geraldine Demartino

Assessment of ANS functional state based on Heart Rate Variability analysis

5/2/2024 2:17:48 PM

Electrocardiographic Rhythm Strip





HR	R(HF)	R(LF1)	R(LF2)
61	30	30	30

HR	R(HF)	R(LF1)	R(LF2)
119	30	30	30

Extrasystoles analysis

Single extrasystoles.

ANS ASSESSMENT (SUPINE)	ANS ASSESSMENT (UPRIGHT)
PARASYMPATHETIC SYSTEM IS DECREASED SHARPLY WHILE SYMPATHETIC IS DECREASED SLIGHTLY	PARASYMPATHETIC SYSTEM IS DECREASED SHARPLY WHILE SYMPATHETIC IS INCREASED SHARPLY

CONCLUSION

- 4.0 - ACTIVITY OF PARASYMPATHETIC SYSTEM

1.5 - ACTIVITY OF SYMPATHETIC SYSTEM

NERVEXPRESS©

Geraldine Demartino

Physical Fitness evaluation based on Heart Rate Variability analysis

5/2/2024 2:17:48 PM

Electrocardiographic Rhythm Strip



Current Physical Fitness - 13/1



13 LEVELS OF FUNCTIONING OF THE PHYSIOLOGICAL SYSTEMS

Point (1/1) - The best possible Physical Fitness

Point (13/7) - The worst possible Physical Fitness

HR	SDNN	TI	SC1	SC2	SC3
61	23	680	15	15	1

HR	SDNN	TI	SC1	SC2	SC3
119	4	3680	15	15	1

Extrasystoles analysis

Single extrasystoles.

max



min

Transition parameters

ChMR	30/15	Iot
0.48	0.84	1.95

Parameters of Optimal Variability	Equilibrium Assessment
POV (SUPINE) = 1 POV (UPRIGHT) = 1	Index of discrepancy = -3

CONCLUSION

THE FUNCTIONING OF PHYSIOLOGICAL SYSTEMS IS AT THE LOWEST LEVEL, WHILE THE ADAPTATION RESERVE IS AT THE HIGHEST LEVEL

NERVEXPRESS©

For Data Interpretation only, NOT A DIAGNOSIS; must be interpreted by a Physician

Geraldine Demartino

Interpretation of ANS assessment based on Heart Rate Variability

5/2/2024 2:17:48 PM

Orthotest	Valsalva Maneuver combined with Deep Breathing
Autonomic Nervous system activity is within the negative PSNS zone. Parasympathetic system activity is sharply decreased. There is a severe Sympathetic Hyper-Regulation in response to the orthostatic intervention. THE PSNS PORTION OF THE AUTONOMIC NERVOUS SYSTEM IS STABLE.	**Deep breathing vs. Normal breathing slightly elevates the Parasympathetic activity. Valsalva ratio is on a high level.**

Summary

Baroreceptors sensitivity is on a high level.
Valsalva test compared with Orthostatic test shows a slight improvement of the Parasympathetic function.
There is a possibility of some chronic problems.

* **Final decision can be made ONLY by combining ANS assessment conclusions with clinical data!**

Doctor's name: _____ **Doctor's signature:** _____