
Year-round: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 3,561 mornings, Jan 2017 to Oct 2026



Best named breaks year-round

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 4 kt SW	**69%**
2	**Uluwatu** Bali, Indonesia · 7 kt ESE	**64%**
3	**Iquique** Chile · 5 kt SSW	**58%**
4	**Nias** Sumatra, Indonesia · 6 kt SE	**54%**
5	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**47%**
6	**Krui** Lampung, Sumatra · 6 kt SE	**47%**
7	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**47%**
8	**Pascuales** Colima, Mexico · 3 kt WNW	**42%**
9	**Santa Teresa** Costa Rica · 5 kt NNE	**39%**
10	**Pavones** Costa Rica · 4 kt WNW	**38%**
11	**Skeleton Bay** Namibia · 6 kt S	**36%**
12	**Cactus Beach** South Australia · 12 kt SE	**36%**
13	**Margaret River** Western Australia · 14 kt SE	**35%**
14	**Elands Bay** South Africa · 7 kt S	**35%**
15	**Tamarin** Mauritius · 11 kt ESE	**35%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 7 kt SSE	**55%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**53%**
◆7	**Chañaral coast** Chile · 6 kt SW	**53%**
◆6	**La Serena coast** Chile · 6 kt SSW	**46%**
◆1	**Ancud coast** Chile · 9 kt NNW	**39%**
◆18	**Port Denison coast** Australia · 12 kt SSE	**38%**
◆4	**Camaná coast** Peru · 8 kt SE	**38%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s



Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

Popular breaks, month by month

The 40 well-known breaks with the strongest three-month season (best one per 100 miles of coast), listed by year-round consistency. Breaks in the enclosed seas are on the map insets.

#	Break	Region	J	F	M	A	M	J	J	A	S	O	N	D	Year	Worst	Best 3 months	Tide range	Typical good morning	Morning wind
1	**Arica**	Chile	45	59	70	76	74	81	75	77	77	77	71	49	**69%**	45%	Jun–Aug 78%	3–4 ft	5 ft @ 13 s SW, surf ~8 ft	4 kt SW
2	**Kuta**	Bali, Indonesia	28	38	45	66	62	79	79	81	78	76	47	35	**60%**	28%	Jun–Aug 79%	6–8 ft	5 ft @ 14 s SSW, surf ~8 ft	7 kt ESE
3	**Iquique**	Chile	38	47	64	67	68	74	69	69	53	53	53	36	**58%**	36%	Jun–Aug 71%	3–4 ft	5 ft @ 13 s SW, surf ~8 ft	5 kt SSW
4	**Nias**	Sumatra, Indonesia	39	42	43	66	72	81	71	61	51	53	34	34	**54%**	34%	May–Jul 75%	2–3 ft	5 ft @ 14 s SSW, surf ~8 ft	6 kt SE
5	**Cimaja**	Pelabuhan Ratu, West Java	26	27	28	45	55	71	72	69	67	53	26	24	**47%**	24%	Jun–Aug 71%	3–4 ft	4 ft @ 15 s SSW, surf ~7 ft	4 kt ESE
6	**Krui**	Lampung, Sumatra	28	35	35	64	67	79	57	38	39	53	40	25	**47%**	25%	Apr–Jun 70%	3–4 ft	5 ft @ 14 s SSW, surf ~8 ft	6 kt SE
7	**Puerto Escondido**	Oaxaca, Mexico	7	24	42	61	69	71	64	59	57	57	33	8	**47%**	7%	May–Jul 68%	3–4 ft	4 ft @ 15 s SSW, surf ~7 ft	3 kt WNW
8	**Pascuales**	Colima, Mexico	4	17	39	59	68	64	57	52	54	51	27	7	**42%**	4%	Apr–Jun 64%	2–3 ft	4 ft @ 15 s SSW, surf ~7 ft	3 kt WNW
9	**Santa Teresa**	Costa Rica	11	20	34	47	63	60	55	46	48	45	31	9	**39%**	9%	May–Jul 59%	7–9 ft	4 ft @ 14 s SSW, surf ~7 ft	5 kt NNE
10	**Pavones**	Costa Rica	11	26	41	49	56	51	53	43	47	42	28	8	**38%**	8%	May–Jul 53%	8–10 ft	4 ft @ 14 s SSW, surf ~7 ft	4 kt WNW
11	**Skeleton Bay**	Namibia	32	36	25	27	37	46	52	45	36	33	35	32	**36%**	25%	Jun–Aug 47%	4–5 ft	5 ft @ 12 s SSW, surf ~8 ft	6 kt S
12	**Cactus Beach**	South Australia	20	20	29	47	48	47	40	49	44	35	31	20	**36%**	20%	Apr–Jun 47%	4–5 ft	6 ft @ 14 s SW, surf ~9 ft	12 kt SE
13	**Margaret River**	Western Australia	40	46	49	46	31	22	16	23	31	34	45	45	**35%**	16%	Feb–Apr 47%	2–2 ft	7 ft @ 13 s SW, surf ~11 ft	14 kt SE
14	**Elands Bay**	South Africa	24	28	23	33	52	42	47	42	37	36	26	27	**35%**	23%	May–Jul 47%	4–6 ft	5 ft @ 12 s WSW, surf ~8 ft	7 kt S
15	**Tamarin**	Mauritius	24	24	27	39	40	34	42	46	43	39	28	32	**35%**	24%	Jul–Sep 44%	2–2 ft	5 ft @ 14 s SSW, surf ~8 ft	11 kt ESE
16	**Shipstern Bluff**	Tasmania, Australia	31	32	36	34	36	32	36	35	35	32	32	23	**33%**	23%	Jul–Sep 35%	3–3 ft	6 ft @ 13 s SSW, surf ~8 ft	14 kt N
17	**Punta de Lobos**	Chile	35	39	34	28	38	36	35	31	31	30	23	25	**32%**	23%	May–Jul 36%	4–5 ft	6 ft @ 12 s SW, surf ~9 ft	10 kt SSW
18	**Saint-Leu**	Réunion	20	21	22	29	40	36	40	50	37	31	29	28	**32%**	20%	Jul–Sep 42%	1–2 ft	5 ft @ 15 s SSW, surf ~8 ft	6 kt SE
19	**Safi**	Morocco	56	61	45	27	16	7	6	4	17	38	56	60	**32%**	4%	Dec–Feb 59%	7–10 ft	6 ft @ 13 s NW, surf ~9 ft	9 kt NNE
20	**Westport**	Washington	48	47	42	32	25	19	6	12	29	35	35	50	**31%**	6%	Dec–Feb 48%	8–10 ft	6 ft @ 12 s W, surf ~9 ft	8 kt NW
21	**Ocean Beach SF**	California	53	47	32	27	24	18	9	11	20	40	46	50	**31%**	9%	Dec–Feb 50%	6–7 ft	5 ft @ 13 s W, surf ~8 ft	7 kt WNW
22	**Raglan**	New Zealand	29	34	36	40	37	32	29	28	27	28	26	20	**31%**	20%	Mar–May 38%	8–10 ft	5 ft @ 13 s WSW, surf ~8 ft	11 kt SW
23	**Rapa Nui**	Easter Island	32	41	30	28	27	29	25	19	31	37	27	32	**30%**	19%	Dec–Feb 35%	2–2 ft	6 ft @ 14 s SW, surf ~9 ft	12 kt E
24	**Saquarema**	Brazil	17	20	31	37	45	42	32	30	21	19	21	19	**28%**	17%	Apr–Jun 42%	3–3 ft	5 ft @ 12 s S, surf ~8 ft	6 kt NE
25	**Batu Karas**	Java, Indonesia	25	30	34	53	29	24	8	15	15	29	36	36	**28%**	8%	Feb–Apr 39%	4–5 ft	5 ft @ 13 s SSW, surf ~8 ft	9 kt E
26	**Mentawais**	Sumatra, Indonesia	13	13	15	35	39	54	43	35	28	27	11	10	**27%**	10%	May–Jul 45%	3–3 ft	4 ft @ 14 s SSW, surf ~7 ft	6 kt SE
27	**Punta Hermosa**	Peru	25	44	50	31	28	26	24	19	12	20	23	18	**27%**	12%	Feb–Apr 42%	2–3 ft	5 ft @ 14 s SSW, surf ~7 ft	8 kt S
28	**Cabo Ledo**	Angola	10	7	9	23	39	49	52	49	33	21	16	8	**27%**	7%	Jun–Aug 50%	4–5 ft	5 ft @ 13 s SW, surf ~7 ft	5 kt SSE
29	**Muizenberg**	Cape Town, South Africa	13	12	21	22	44	44	42	37	31	18	13	10	**26%**	10%	May–Jul 43%	4–5 ft	6 ft @ 12 s SW, surf ~9 ft	12 kt SE
30	**Popoyo**	Nicaragua	2	8	18	35	46	48	35	26	29	31	13	3	**25%**	2%	May–Jul 43%	6–8 ft	4 ft @ 15 s SSW, surf ~7 ft	13 kt ENE
31	**Imsouane**	Morocco	40	46	32	21	13	3	2	3	13	30	37	49	**24%**	2%	Dec–Feb 45%	7–9 ft	6 ft @ 13 s NW, surf ~9 ft	9 kt N
32	**Ericeira**	Portugal	29	37	31	22	15	6	6	5	21	28	25	32	**21%**	5%	Dec–Feb 32%	7–10 ft	6 ft @ 13 s NW, surf ~9 ft	12 kt N
33	**Zurriola**	San Sebastián, Spain	28	41	31	16	9	7	5	9	18	27	29	36	**21%**	5%	Dec–Feb 35%	10–13 ft	5 ft @ 13 s NW, surf ~8 ft	8 kt W
34	**Chicama**	Peru	14	28	42	29	24	14	19	11	13	16	20	9	**20%**	9%	Feb–Apr 33%	3–4 ft	4 ft @ 14 s SSW, surf ~7 ft	8 kt SSE
35	**Hanalei Bay**	Kauai, Hawaii	44	36	28	19	8	3	0	1	8	33	27	33	**20%**	0%	Dec–Feb 38%	2–2 ft	6 ft @ 13 s NNW, surf ~9 ft	9 kt E
36	**Tofino**	British Columbia	31	33	25	22	15	12	2	6	19	23	21	30	**20%**	2%	Dec–Feb 32%	8–11 ft	6 ft @ 12 s W, surf ~8 ft	8 kt WNW
37	**Punta Roca**	El Salvador	1	4	14	22	37	31	29	14	24	19	12	1	**18%**	1%	May–Jul 33%	6–7 ft	4 ft @ 15 s SSW, surf ~7 ft	5 kt NE
38	**Todos Santos**	Baja California	41	30	19	14	14	8	3	0	4	12	18	33	**16%**	0%	Dec–Feb 35%	5–7 ft	5 ft @ 12 s WNW, surf ~7 ft	7 kt NW
39	**Fernando de Noronha**	Brazil	27	34	31	16	2	0	0	0	2	10	16	25	**13%**	0%	Jan–Mar 31%	6–8 ft	4 ft @ 14 s N, surf ~7 ft	14 kt ESE
40	**Ramin**	Sistan-Baluchestan, Iran	0	0	0	0	3	35	38	33	9	4	1	0	**11%**	0%	Jun–Aug 35%	6–8 ft	5 ft @ 11 s S, surf ~8 ft	6 kt E

Month cells use the map colours (% of mornings good+). Typical good morning = medians over the good+ mornings: swell height @ peak period and the direction it comes from, and estimated breaking surf (Komar–Gaughan). Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Each break is read from Météo-France MFWAM (Copernicus Marine) at its ~8 km cell: either swell train inside its exposure window, with ERA5 morning wind ≤ 8 kt or offshore. Reefs, points and sheltering inside that cell are not modelled.

Under-the-radar stretches, month by month

Coast where mornings are often good+ with swell aimed at the shore (≥40% year-round, or ≥65% over its best three months), at least 300 km from the well-known breaks and within 150 km of a town of 5,000+. Listed by year-round consistency; numbers match the ◆ markers on the maps.

#	Stretch	Region	J	F	M	A	M	J	J	A	S	O	N	D	Year	Worst	Best 3 months	Tide range	Typical good morning	Morning wind
◆10	**Marcona coast**	Peru	65	77	87	83	60	43	38	31	28	35	60	57	**55%**	28%	Feb–Apr 82%	3–3 ft	5 ft @ 13 s SSW, surf ~8 ft	7 kt SSE
◆8	**Greymouth coast**	New Zealand	39	47	51	60	60	58	65	64	56	49	44	39	**53%**	39%	Jun–Aug 62%	7–9 ft	6 ft @ 12 s WSW, surf ~9 ft	5 kt E
◆7	**Chañaral coast**	Chile	41	51	63	61	63	61	58	57	48	45	46	38	**53%**	38%	Mar–May 62%	3–4 ft	5 ft @ 13 s SW, surf ~8 ft	6 kt SW
◆6	**La Serena coast**	Chile	55	58	56	48	49	41	37	38	36	40	49	50	**46%**	36%	Jan–Mar 57%	4–5 ft	5 ft @ 12 s SW, surf ~8 ft	6 kt SSW
◆1	**Ancud coast**	Chile	48	47	46	44	41	31	32	33	34	35	35	39	**39%**	31%	Jan–Mar 47%	4–5 ft	7 ft @ 12 s WSW, surf ~10 ft	9 kt NNW
◆18	**Port Denison coast**	Australia	21	27	30	42	50	55	56	53	52	31	18	21	**38%**	18%	Jun–Aug 55%	2–2 ft	6 ft @ 13 s SW, surf ~9 ft	12 kt SSE
◆4	**Camaná coast**	Peru	52	62	69	64	30	30	28	26	20	16	26	33	**38%**	16%	Feb–Apr 65%	3–3 ft	5 ft @ 13 s SSW, surf ~8 ft	8 kt SE
◆20	**Nelson coast**	New Zealand	35	44	46	42	40	42	36	40	33	29	31	31	**38%**	29%	Feb–Apr 44%	8–11 ft	6 ft @ 13 s WSW, surf ~9 ft	9 kt SSW
◆14	**Oranjemund coast**	Namibia	18	23	32	34	52	52	51	46	37	29	22	21	**35%**	18%	May–Jul 52%	4–6 ft	6 ft @ 13 s SW, surf ~9 ft	8 kt SSE
◆3	**La Ligua coast**	Chile	43	50	45	35	33	33	27	32	25	27	30	37	**35%**	25%	Jan–Mar 46%	4–5 ft	6 ft @ 12 s SW, surf ~9 ft	9 kt S
◆22	**Bredasdorp coast**	South Africa	19	22	26	32	49	50	56	47	36	22	22	19	**34%**	19%	May–Jul 51%	5–6 ft	6 ft @ 12 s SSW, surf ~8 ft	9 kt E
◆13	**Meningie coast**	Australia	26	28	31	42	34	37	33	35	31	34	33	26	**33%**	26%	Apr–Jun 38%	2–3 ft	6 ft @ 12 s SW, surf ~8 ft	11 kt NNE
◆5	**Toltén coast**	Chile	20	26	28	39	34	33	26	25	33	31	25	20	**28%**	20%	Apr–Jun 35%	4–5 ft	7 ft @ 12 s SW, surf ~10 ft	11 kt S
◆9	**Isabela coast**	Galápagos, Ecuador	27	34	55	64	56	30	14	13	11	11	7	11	**28%**	7%	Mar–May 59%	4–5 ft	5 ft @ 14 s SSW, surf ~8 ft	8 kt SSE
◆11	**Port Lincoln coast**	Australia	42	32	36	27	20	18	12	20	23	31	30	35	**27%**	12%	Jan–Mar 36%	3–4 ft	6 ft @ 13 s SW, surf ~10 ft	13 kt SE
◆17	**Blitar coast**	Indonesia	30	38	46	46	20	14	3	7	10	29	39	47	**27%**	3%	Feb–Apr 43%	5–7 ft	5 ft @ 13 s SSW, surf ~8 ft	10 kt ESE
◆23	**Huarmey coast**	Peru	33	54	58	33	21	19	19	13	12	17	23	16	**27%**	12%	Jan–Mar 49%	3–3 ft	5 ft @ 14 s SSW, surf ~8 ft	9 kt S
◆21	**Kaitaia coast**	New Zealand	22	29	30	25	20	18	16	21	17	21	21	16	**21%**	16%	Feb–Apr 28%	7–9 ft	5 ft @ 13 s SW, surf ~8 ft	13 kt SSW
◆16	**Pointe-Noire coast**	Congo (Brazzaville)	8	8	10	23	30	33	42	40	20	13	13	7	**21%**	7%	Jun–Aug 38%	4–5 ft	4 ft @ 13 s SSW, surf ~7 ft	5 kt SSE
◆12	**Nzeto coast**	Angola	8	5	10	22	30	38	42	37	19	11	13	8	**21%**	5%	Jun–Aug 39%	4–5 ft	5 ft @ 14 s SSW, surf ~7 ft	6 kt SSE
◆25	**Salalah coast**	Oman	0	0	0	0	10	48	71	69	29	0	0	0	**20%**	0%	Jun–Aug 63%	4–5 ft	6 ft @ 10 s S, surf ~9 ft	4 kt SSW
◆19	**Sumbe coast**	Angola	4	3	5	17	29	40	41	35	22	14	11	6	**19%**	3%	Jun–Aug 39%	4–5 ft	4 ft @ 13 s SW, surf ~7 ft	5 kt S
◆15	**Quellón coast**	Chile	17	23	22	21	21	16	17	18	16	17	16	14	**18%**	14%	Feb–Apr 22%	4–5 ft	7 ft @ 12 s WSW, surf ~10 ft	14 kt WNW
◆27	**Chabahar coast**	Iran	0	0	0	0	4	56	59	56	16	4	1	0	**17%**	0%	Jun–Aug 57%	6–8 ft	6 ft @ 11 s S, surf ~8 ft	6 kt NE
◆2	**Antofagasta coast**	Chile	18	24	17	16	19	15	17	12	12	6	7	9	**14%**	6%	Jan–Mar 20%	3–4 ft	6 ft @ 13 s SW, surf ~8 ft	10 kt SSW
◆24	**Gwadar coast**	Pakistan	0	0	0	0	1	30	59	34	1	1	0	0	**11%**	0%	Jun–Aug 41%	6–8 ft	5 ft @ 12 s SSW, surf ~7 ft	7 kt WSW
◆26	**Karachi coast**	Pakistan	0	0	0	0	2	16	19	15	4	1	0	0	**5%**	0%	Jun–Aug 17%	7–9 ft	6 ft @ 11 s SSW, surf ~8 ft	10 kt W

Month cells use the map colours (% of mornings good+). Typical good morning = medians over the good+ mornings: swell height @ peak period and the direction it comes from, and estimated breaking surf (Komar–Gaughan). Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Stretches were found on the WW3 grid; each is rated at its coast from Météo-France MFWAM (Copernicus Marine, ~8 km), either swell train, with ERA5 morning wind ≤ 8 kt or offshore. Check local reefs and access before booking a trip.

Uncharted coast, month by month

Shoreline that's often good+ by Jon's Criteria but at least 300 km from every named break, regional coast and surf spot mapped in OpenStreetMap, named after the nearest town. Each is rated as the atlas rates its coast: the nearest offshore model cell, counting only swell from the directions this shore is open to.


#	Nearest town	Region	J	F	M	A	M	J	J	A	S	O	N	D	Year	Worst	Best 3 months	Tide range	Typical good morning	Morning wind
✶1	**Ancud**	Chile · 874 km from charted surf	78	73	73	68	67	62	56	69	67	70	75	84	**70%**	56%	Nov–Jan 79%	4–5 ft	4 ft @ 10 s WSW, surf ~7 ft	–
✶2	**Mejillones**	Chile · 326 km from charted surf	80	80	78	73	65	58	54	52	49	60	68	71	**65%**	49%	Jan–Mar 79%	3–4 ft	6 ft @ 12 s SSW, surf ~8 ft	–
✶3	**Ovalle**	Chile · 391 km from charted surf	67	72	69	65	68	60	60	58	59	60	60	68	**64%**	58%	Jan–Mar 69%	4–5 ft	8 ft @ 12 s SW, surf ~10 ft	–
✶4	**Lebu**	Chile · 417 km from charted surf	50	60	59	64	70	61	55	65	64	63	64	59	**61%**	50%	Apr–Jun 65%	4–5 ft	10 ft @ 16 s SW, surf ~15 ft	–
✶5	**Chañaral**	Chile · 687 km from charted surf	75	77	73	63	57	51	48	45	45	56	59	71	**60%**	45%	Jan–Mar 75%	3–4 ft	8 ft @ 16 s SSW, surf ~13 ft	–
✶6	**Mount Gambier**	Australia · 320 km from charted surf	61	64	67	61	54	57	50	55	50	58	63	66	**59%**	50%	Feb–Apr 64%	2–3 ft	4 ft @ 14 s SW, surf ~8 ft	–
✶7	**Talcahuano**	Chile · 654 km from charted surf	42	42	47	57	54	50	45	49	50	50	51	39	**48%**	39%	Apr–Jun 54%	3–4 ft	4 ft @ 12 s SW, surf ~7 ft	–
✶8	**Nzeto**	Angola · 324 km from charted surf	23	31	28	48	53	60	70	73	62	45	35	28	**47%**	23%	Jul–Sep 68%	4–5 ft	6 ft @ 12 s SSW, surf ~8 ft	–
✶9	**Puerto Villamil**	Ecuador · 1,231 km from charted surf	49	40	56	62	58	47	45	46	52	39	29	26	**46%**	26%	Mar–May 59%	4–5 ft	6 ft @ 10 s SSW, surf ~9 ft	–
✶10	**Oranjemund**	Namibia · 508 km from charted surf	40	38	39	49	56	53	52	54	45	38	40	45	**46%**	38%	May–Jul 54%	4–6 ft	10 ft @ 14 s SW, surf ~15 ft	–
✶11	**Sibolga**	Indonesia · 349 km from charted surf	23	24	20	43	55	66	76	74	58	46	16	26	**44%**	16%	Jun–Aug 72%	2–2 ft	6 ft @ 20 s SSW, surf ~12 ft	–
✶12	**Moçâmedes**	Angola · 623 km from charted surf	19	23	27	39	48	47	62	63	58	46	30	30	**41%**	19%	Jul–Sep 61%	3–4 ft	6 ft @ 16 s SSW, surf ~9 ft	–
✶13	**Pointe-Noire**	Congo (Brazzaville) · 632 km from charted surf	16	23	22	40	51	54	62	68	58	40	32	22	**41%**	16%	Jul–Sep 63%	4–5 ft	4 ft @ 14 s SSW, surf ~8 ft	–
✶14	**Kaitaia**	New Zealand · 330 km from charted surf	46	49	48	40	33	29	36	36	35	42	51	48	**41%**	29%	Nov–Jan 48%	6–8 ft	4 ft @ 14 s SW, surf ~7 ft	–
✶15	**Puerto Aisén**	Chile · 1,364 km from charted surf	58	50	42	38	36	30	30	36	31	38	42	58	**40%**	30%	Dec–Feb 55%	4–5 ft	12 ft @ 12 s SW, surf ~15 ft	–
✶16	**Sandspit**	Canada · 383 km from charted surf	46	41	48	45	46	34	16	26	48	48	43	44	**40%**	16%	Mar–May 46%	9–12 ft	8 ft @ 10 s W, surf ~11 ft	–
✶17	**Rørvik**	Norway · 372 km from charted surf	58	66	62	37	28	17	6	12	32	51	56	63	**40%**	6%	Dec–Feb 62%	6–8 ft	8 ft @ 10 s W, surf ~10 ft	–
✶18	**Port Denison**	Australia · 363 km from charted surf	28	36	33	45	36	41	28	38	42	47	42	37	**38%**	28%	Sep–Nov 44%	2–2 ft	10 ft @ 14 s SW, surf ~15 ft	–
✶19	**Opuwo**	Namibia · 565 km from charted surf	42	42	32	36	33	40	40	39	38	35	41	33	**37%**	32%	Jun–Aug 40%	3–4 ft	8 ft @ 10 s S, surf ~10 ft	–
✶20	**Port-Gentil**	Gabon · 1,100 km from charted surf	15	19	18	41	50	52	56	56	51	33	28	12	**36%**	12%	Jun–Aug 55%	4–5 ft	4 ft @ 14 s SSW, surf ~8 ft	–

Month cells use the map colours (% of mornings good+). Typical good morning = medians over the good+ mornings: swell height @ peak period and the direction it comes from, and estimated breaking surf (Komar–Gaughan). Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Uncharted here means not mapped: plenty of these coasts are surfed by locals, and many are remote or hard to reach. The wave model has no reefs or sandbars; check access and local knowledge before going.

October–March: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 1,737 mornings, Jan 2017 to Oct 2026, these months only



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks, October–March

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 4 kt SW	**62%**
2	**G-Land** Java, Indonesia · 6 kt W	**55%**
3	**Safi** Morocco · 8 kt ENE	**53%**
4	**Iquique** Chile · 5 kt SSW	**49%**
5	**Ocean Beach SF** California · 7 kt NW	**45%**
6	**Margaret River** Western Australia · 13 kt SE	**43%**
7	**Westport** Washington · 10 kt ESE	**43%**
8	**Nias** Sumatra, Indonesia · 6 kt NW	**41%**
9	**Imsouane** Morocco · 7 kt N	**39%**
10	**Krui** Lampung, Sumatra · 6 kt NW	**36%**
11	**Desert Point** Lombok, Indonesia · 8 kt W	**34%**
12	**Hanalei Bay** Kauai, Hawaii · 9 kt E	**34%**
13	**Rapa Nui** Easter Island · 11 kt E	**33%**
14	**Skeleton Bay** Namibia · 5 kt S	**32%**
15	**Zurriola** San Sebastián, Spain · 11 kt S	**32%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 6 kt SSE	**64%**
◆6	**La Serena coast** Chile · 6 kt SSW	**52%**
◆7	**Chañaral coast** Chile · 6 kt SW	**47%**
◆8	**Greymouth coast** New Zealand · 5 kt WSW	**45%**
◆4	**Camaná coast** Peru · 7 kt SE	**44%**
◆1	**Ancud coast** Chile · 8 kt S	**42%**
◆3	**La Ligua coast** Chile · 9 kt S	**39%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

April–September: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 1,824 mornings, Apr 2017 to Sep 2026, these months only



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks, April–September

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**77%**
2	**Kuta** Bali, Indonesia · 9 kt ESE	**74%**
3	**Nias** Sumatra, Indonesia · 6 kt SE	**67%**
4	**Iquique** Chile · 5 kt SSW	**67%**
5	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**64%**
6	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**63%**
7	**Pascuales** Colima, Mexico · 3 kt WNW	**59%**
8	**Krui** Lampung, Sumatra · 6 kt SE	**57%**
9	**Santa Teresa** Costa Rica · 4 kt WNW	**53%**
10	**Pavones** Costa Rica · 4 kt WNW	**50%**
11	**Cactus Beach** South Australia · 12 kt N	**46%**
12	**Elands Bay** South Africa · 8 kt ENE	**42%**
13	**Cabo Ledo** Angola · 5 kt SSE	**41%**
14	**Tamarin** Mauritius · 12 kt ESE	**41%**
15	**Skeleton Bay** Namibia · 7 kt S	**41%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆8	**Greymouth coast** New Zealand · 6 kt E	**61%**
◆7	**Chañaral coast** Chile · 6 kt SSW	**58%**
◆18	**Port Denison coast** Australia · 11 kt ENE	**51%**
◆10	**Marcona coast** Peru · 8 kt SSE	**47%**
◆14	**Oranjemund coast** Namibia · 8 kt SE	**46%**
◆22	**Bredasdorp coast** South Africa · 7 kt WNW	**45%**
◆6	**La Serena coast** Chile · 7 kt SSW	**41%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

November: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 9 seasons, 2017–2025 (255 mornings; 15 days missing from the archive)



Best named breaks in November

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**71%**
2	**Uluwatu** Bali, Indonesia · 4 kt ESE	**60%**
3	**Safi** Morocco · 8 kt ENE	**56%**
4	**Iquique** Chile · 7 kt SSW	**53%**
5	**Ocean Beach SF** California · 6 kt ENE	**46%**
6	**Margaret River** Western Australia · 13 kt ESE	**45%**
7	**Krui** Lampung, Sumatra · 5 kt NW	**40%**
8	**Imsouane** Morocco · 7 kt NNE	**37%**
9	**Batu Karas** Java, Indonesia · 7 kt E	**36%**
10	**Westport** Washington · 11 kt ESE	**35%**
11	**Skeleton Bay** Namibia · 6 kt S	**35%**
12	**Nias** Sumatra, Indonesia · 7 kt WNW	**34%**
13	**Puerto Escondido** Oaxaca, Mexico · 3 kt N	**33%**
14	**Playa Hermosa** Costa Rica · 4 kt ESE	**32%**
15	**Shipstern Bluff** Tasmania, Australia · 14 kt NNE	**32%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 7 kt SSE	**60%**
◆6	**La Serena coast** Chile · 7 kt SSW	**49%**
◆7	**Chañaral coast** Chile · 7 kt SW	**46%**
◆8	**Greymouth coast** New Zealand · 5 kt WSW	**44%**
◆17	**Blitar coast** Indonesia · 7 kt ESE	**39%**
◆1	**Ancud coast** Chile · 9 kt S	**35%**
◆13	**Meningie coast** Australia · 10 kt WSW	**33%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

December: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 9 seasons, 2017–2025 (279 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in December

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Safi** Morocco · 8 kt ENE	**60%**
2	**Ocean Beach SF** California · 8 kt ENE	**50%**
3	**Westport** Washington · 11 kt ESE	**50%**
4	**G-Land** Java, Indonesia · 6 kt W	**50%**
5	**Arica** Chile · 4 kt SW	**49%**
6	**Imsouane** Morocco · 6 kt NNE	**49%**
7	**Margaret River** Western Australia · 13 kt SE	**45%**
8	**Iquique** Chile · 6 kt SSW	**36%**
9	**Batu Karas** Java, Indonesia · 7 kt W	**36%**
10	**Salsa Brava** Caribbean Costa Rica · 4 kt NW	**36%**
11	**Zurriola** San Sebastián, Spain · 11 kt S	**36%**
12	**Makaha** Oahu, Hawaii · 12 kt ENE	**34%**
13	**Nias** Sumatra, Indonesia · 6 kt NW	**34%**
14	**Todos Santos** Baja California · 6 kt NNW	**33%**
15	**Rapa Nui** Easter Island · 12 kt E	**32%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 6 kt SSE	**57%**
◆6	**La Serena coast** Chile · 6 kt SSW	**50%**
◆17	**Blitar coast** Indonesia · 7 kt W	**47%**
◆1	**Ancud coast** Chile · 9 kt S	**39%**
◆8	**Greymouth coast** New Zealand · 6 kt WSW	**39%**
◆7	**Chañaral coast** Chile · 7 kt SW	**38%**
◆3	**La Ligua coast** Chile · 9 kt SSW	**37%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

January: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (310 mornings)



Best named breaks in January

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Safi** Morocco · 8 kt ENE	**56%**
2	**Ocean Beach SF** California · 7 kt ENE	**53%**
3	**Westport** Washington · 11 kt ESE	**48%**
4	**Arica** Chile · 3 kt SW	**45%**
5	**G-Land** Java, Indonesia · 7 kt W	**45%**
6	**Hanalei Bay** Kauai, Hawaii · 8 kt E	**44%**
7	**Todos Santos** Baja California · 6 kt NNW	**41%**
8	**Salsa Brava** Caribbean Costa Rica · 4 kt WNW	**41%**
9	**Imsouane** Morocco · 7 kt NNE	**40%**
10	**Margaret River** Western Australia · 13 kt SE	**40%**
11	**Nias** Sumatra, Indonesia · 6 kt NW	**39%**
12	**Iquique** Chile · 5 kt SSW	**38%**
13	**Punta de Lobos** Chile · 9 kt SSW	**35%**
14	**Rapa Nui** Easter Island · 11 kt E	**32%**
15	**Skeleton Bay** Namibia · 4 kt S	**32%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 5 kt SSE	**65%**
◆6	**La Serena coast** Chile · 5 kt SSW	**55%**
◆4	**Camaná coast** Peru · 6 kt SE	**52%**
◆1	**Ancud coast** Chile · 7 kt S	**48%**
◆3	**La Ligua coast** Chile · 7 kt SSW	**43%**
◆11	**Port Lincoln coast** Australia · 12 kt SE	**42%**
◆7	**Chañaral coast** Chile · 6 kt SW	**41%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

February: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (282 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in February

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Safi** Morocco · 8 kt ENE	**61%**
2	**Arica** Chile · 3 kt SW	**59%**
3	**Salsa Brava** Caribbean Costa Rica · 4 kt WSW	**53%**
4	**G-Land** Java, Indonesia · 7 kt W	**48%**
5	**Ocean Beach SF** California · 8 kt NNW	**47%**
6	**Westport** Washington · 10 kt ESE	**47%**
7	**Iquique** Chile · 4 kt SSW	**47%**
8	**Imsouane** Morocco · 7 kt N	**46%**
9	**Margaret River** Western Australia · 14 kt SE	**46%**
10	**Punta Hermosa** Peru · 5 kt S	**44%**
11	**Nias** Sumatra, Indonesia · 5 kt NW	**42%**
12	**Rapa Nui** Easter Island · 11 kt E	**41%**
13	**Zurriola** San Sebastián, Spain · 11 kt S	**41%**
14	**Punta de Lobos** Chile · 8 kt SSW	**39%**
15	**Ericeira** Portugal · 11 kt N	**37%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 4 kt SSE	**77%**
◆4	**Camaná coast** Peru · 5 kt SE	**62%**
◆6	**La Serena coast** Chile · 5 kt SSW	**58%**
◆23	**Huarmey coast** Peru · 5 kt SSE	**54%**
◆7	**Chañaral coast** Chile · 6 kt SW	**51%**
◆3	**La Ligua coast** Chile · 7 kt S	**50%**
◆8	**Greymouth coast** New Zealand · 4 kt NE	**47%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

March: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (308 mornings; 2 days missing from the archive)



Best named breaks in March

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 3 kt SW	**70%**
2	**Iquique** Chile · 4 kt S	**64%**
3	**Uluwatu** Bali, Indonesia · 4 kt W	**54%**
4	**Punta Hermosa** Peru · 6 kt S	**50%**
5	**Margaret River** Western Australia · 14 kt ESE	**49%**
6	**Safi** Morocco · 10 kt NE	**45%**
7	**Nias** Sumatra, Indonesia · 5 kt NW	**43%**
8	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**42%**
9	**Westport** Washington · 9 kt S	**42%**
10	**Chicama** Peru · 5 kt SSE	**42%**
11	**Pavones** Costa Rica · 3 kt NW	**41%**
12	**Pascuales** Colima, Mexico · 3 kt WNW	**39%**
13	**Raglan** New Zealand · 10 kt E	**36%**
14	**Biarritz** France · 9 kt S	**36%**
15	**Shipstern Bluff** Tasmania, Australia · 13 kt SW	**36%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 5 kt SSE	**87%**
◆4	**Camaná coast** Peru · 6 kt SE	**69%**
◆7	**Chañaral coast** Chile · 5 kt SW	**63%**
◆23	**Huarmey coast** Peru · 6 kt SSE	**58%**
◆6	**La Serena coast** Chile · 6 kt SSW	**56%**
◆9	**Isabela coast** Galápagos, Ecuador · 3 kt SSE	**55%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**51%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

April: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (295 mornings; 5 days missing from the archive)



Best named breaks in April

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 4 kt SW	**76%**
2	**Uluwatu** Bali, Indonesia · 6 kt E	**74%**
3	**Iquique** Chile · 4 kt S	**67%**
4	**Nias** Sumatra, Indonesia · 5 kt NW	**66%**
5	**Krui** Lampung, Sumatra · 4 kt NW	**64%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt W	**61%**
7	**Pascuales** Colima, Mexico · 3 kt WNW	**59%**
8	**Batu Karas** Java, Indonesia · 7 kt E	**53%**
9	**Pavones** Costa Rica · 3 kt WNW	**49%**
10	**Playa Hermosa** Costa Rica · 3 kt NNW	**49%**
11	**Cactus Beach** South Australia · 10 kt NNE	**47%**
12	**Margaret River** Western Australia · 13 kt ESE	**46%**
13	**Cimaja** Pelabuhan Ratu, West Java · 3 kt ESE	**45%**
14	**Raglan** New Zealand · 11 kt E	**40%**
15	**Tamarin** Mauritius · 11 kt ESE	**39%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 6 kt SSE	**83%**
◆9	**Isabela coast** Galápagos, Ecuador · 3 kt SSE	**64%**
◆4	**Camaná coast** Peru · 7 kt SE	**64%**
◆7	**Chañaral coast** Chile · 5 kt SSW	**61%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**60%**
◆6	**La Serena coast** Chile · 6 kt SSW	**48%**
◆17	**Blitar coast** Indonesia · 8 kt E	**46%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

May: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (310 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in May

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**74%**
2	**Uluwatu** Bali, Indonesia · 10 kt ESE	**73%**
3	**Nias** Sumatra, Indonesia · 5 kt NW	**72%**
4	**Puerto Escondido** Oaxaca, Mexico · 3 kt W	**69%**
5	**Pascuales** Colima, Mexico · 3 kt WNW	**68%**
6	**Iquique** Chile · 4 kt S	**68%**
7	**Krui** Lampung, Sumatra · 5 kt ESE	**67%**
8	**Santa Teresa** Costa Rica · 4 kt NW	**63%**
9	**Pavones** Costa Rica · 4 kt WNW	**56%**
10	**Cimaja** Pelabuhan Ratu, West Java · 3 kt ESE	**55%**
11	**Elands Bay** South Africa · 6 kt ENE	**52%**
12	**Cactus Beach** South Australia · 11 kt NNE	**48%**
13	**Popoyo** Nicaragua · 10 kt ENE	**46%**
14	**Saquarema** Brazil · 6 kt NE	**45%**
15	**Muizenberg** Cape Town, South Africa · 10 kt NNW	**44%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 5 kt SSW	**63%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**60%**
◆10	**Marcona coast** Peru · 7 kt SSE	**60%**
◆9	**Isabela coast** Galápagos, Ecuador · 6 kt SSE	**56%**
◆14	**Oranjemund coast** Namibia · 7 kt SE	**52%**
◆18	**Port Denison coast** Australia · 12 kt ENE	**50%**
◆6	**La Serena coast** Chile · 7 kt SSW	**49%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

June: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (300 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in June

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**81%**
2	**Nias** Sumatra, Indonesia · 5 kt SE	**81%**
3	**Uluwatu** Bali, Indonesia · 10 kt ESE	**79%**
4	**Krui** Lampung, Sumatra · 4 kt ESE	**79%**
5	**Iquique** Chile · 5 kt S	**74%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**71%**
7	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**71%**
8	**Pascuales** Colima, Mexico · 4 kt WNW	**64%**
9	**Santa Teresa** Costa Rica · 4 kt WNW	**60%**
10	**Mentawais** Sumatra, Indonesia · 5 kt SE	**54%**
11	**Pavones** Costa Rica · 4 kt WNW	**51%**
12	**Cabo Ledo** Angola · 4 kt SSE	**49%**
13	**Popoyo** Nicaragua · 11 kt ENE	**48%**
14	**Cactus Beach** South Australia · 12 kt N	**47%**
15	**Skeleton Bay** Namibia · 8 kt S	**46%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 6 kt SSW	**61%**
◆8	**Greymouth coast** New Zealand · 6 kt ESE	**58%**
◆27	**Chabahar coast** Iran · 6 kt ESE	**56%**
◆18	**Port Denison coast** Australia · 11 kt ENE	**55%**
◆14	**Oranjemund coast** Namibia · 8 kt NE	**52%**
◆22	**Bredasdorp coast** South Africa · 7 kt NW	**50%**
◆25	**Salalah coast** Oman · 4 kt SW	**48%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

July: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (309 mornings; 1 days missing from the archive)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in July

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Kuta** Bali, Indonesia · 11 kt ESE	**79%**
2	**Arica** Chile · 5 kt SW	**75%**
3	**Cimaja** Pelabuhan Ratu, West Java · 5 kt ESE	**72%**
4	**Nias** Sumatra, Indonesia · 6 kt SE	**71%**
5	**Iquique** Chile · 5 kt SSW	**69%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt NNW	**64%**
7	**Krui** Lampung, Sumatra · 7 kt ESE	**57%**
8	**Pascuales** Colima, Mexico · 3 kt NE	**57%**
9	**Santa Teresa** Costa Rica · 4 kt ESE	**55%**
10	**Pavones** Costa Rica · 4 kt WNW	**53%**
11	**Skeleton Bay** Namibia · 8 kt S	**52%**
12	**Cabo Ledo** Angola · 4 kt SSE	**52%**
13	**Elands Bay** South Africa · 8 kt NE	**47%**
14	**Mentawais** Sumatra, Indonesia · 7 kt SE	**43%**
15	**Tamarin** Mauritius · 13 kt ESE	**42%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆25	**Salalah coast** Oman · 5 kt SSW	**71%**
◆8	**Greymouth coast** New Zealand · 6 kt ESE	**65%**
◆24	**Gwadar coast** Pakistan · 7 kt SW	**59%**
◆27	**Chabahar coast** Iran · 7 kt ESE	**59%**
◆7	**Chañaral coast** Chile · 6 kt SSW	**58%**
◆18	**Port Denison coast** Australia · 11 kt NE	**56%**
◆22	**Bredasdorp coast** South Africa · 7 kt NW	**56%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

August: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (310 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in August

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Kuta** Bali, Indonesia · 10 kt ESE	**81%**
2	**Arica** Chile · 5 kt SW	**77%**
3	**Cimaja** Pelabuhan Ratu, West Java · 5 kt ESE	**69%**
4	**Iquique** Chile · 6 kt SSW	**69%**
5	**Nias** Sumatra, Indonesia · 7 kt SE	**61%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt NW	**59%**
7	**Pascuales** Colima, Mexico · 3 kt ESE	**52%**
8	**Saint-Leu** Réunion · 6 kt SE	**50%**
9	**Cactus Beach** South Australia · 12 kt N	**49%**
10	**Cabo Ledo** Angola · 5 kt SE	**49%**
11	**Playa Hermosa** Costa Rica · 4 kt WNW	**48%**
12	**Tamarin** Mauritius · 12 kt ESE	**46%**
13	**Skeleton Bay** Namibia · 7 kt S	**45%**
14	**Pavones** Costa Rica · 4 kt WNW	**43%**
15	**Elands Bay** South Africa · 8 kt NNE	**42%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆25	**Salalah coast** Oman · 4 kt SSW	**69%**
◆8	**Greymouth coast** New Zealand · 6 kt E	**64%**
◆7	**Chañaral coast** Chile · 6 kt SSW	**57%**
◆27	**Chabahar coast** Iran · 6 kt SE	**56%**
◆18	**Port Denison coast** Australia · 11 kt E	**53%**
◆22	**Bredasdorp coast** South Africa · 8 kt WNW	**47%**
◆14	**Oranjemund coast** Namibia · 9 kt SE	**46%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

September: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (300 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in September

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Kuta** Bali, Indonesia · 8 kt ESE	**78%**
2	**Arica** Chile · 5 kt SW	**77%**
3	**Cimaja** Pelabuhan Ratu, West Java · 6 kt SE	**67%**
4	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**57%**
5	**Pascuales** Colima, Mexico · 4 kt SE	**54%**
6	**Iquique** Chile · 7 kt SSW	**53%**
7	**Nias** Sumatra, Indonesia · 8 kt SE	**51%**
8	**Playa Hermosa** Costa Rica · 3 kt WNW	**49%**
9	**Pavones** Costa Rica · 4 kt W	**47%**
10	**Cactus Beach** South Australia · 13 kt N	**44%**
11	**Tamarin** Mauritius · 13 kt ESE	**43%**
12	**Krui** Lampung, Sumatra · 8 kt SE	**39%**
13	**Elands Bay** South Africa · 8 kt SSE	**37%**
14	**Saint-Leu** Réunion · 5 kt SE	**37%**
15	**Skeleton Bay** Namibia · 7 kt S	**36%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆8	**Greymouth coast** New Zealand · 6 kt WSW	**56%**
◆18	**Port Denison coast** Australia · 11 kt E	**52%**
◆7	**Chañaral coast** Chile · 7 kt SW	**48%**
◆14	**Oranjemund coast** Namibia · 9 kt SSE	**37%**
◆22	**Bredasdorp coast** South Africa · 9 kt WNW	**36%**
◆6	**La Serena coast** Chile · 8 kt SSW	**36%**
◆1	**Ancud coast** Chile · 10 kt N	**34%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

October: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (303 mornings; 7 days missing from the archive)



Best named breaks in October

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Uluwatu** Bali, Indonesia · 5 kt ESE	**80%**
2	**Arica** Chile · 5 kt SW	**77%**
3	**Puerto Escondido** Oaxaca, Mexico · 3 kt NNW	**57%**
4	**Cimaja** Pelabuhan Ratu, West Java · 5 kt SE	**53%**
5	**Krui** Lampung, Sumatra · 6 kt SE	**53%**
6	**Nias** Sumatra, Indonesia · 7 kt SE	**53%**
7	**Iquique** Chile · 7 kt SSW	**53%**
8	**Pascuales** Colima, Mexico · 3 kt NW	**51%**
9	**Santa Teresa** Costa Rica · 5 kt WNW	**45%**
10	**Pavones** Costa Rica · 5 kt W	**42%**
11	**Ocean Beach SF** California · 5 kt NW	**40%**
12	**Tamarin** Mauritius · 11 kt ESE	**39%**
13	**Safi** Morocco · 7 kt NE	**38%**
14	**Rapa Nui** Easter Island · 12 kt E	**37%**
15	**Elands Bay** South Africa · 6 kt S	**36%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆8	**Greymouth coast** New Zealand · 6 kt WSW	**49%**
◆7	**Chañaral coast** Chile · 7 kt SW	**45%**
◆6	**La Serena coast** Chile · 8 kt SSW	**40%**
◆10	**Marcona coast** Peru · 8 kt SSE	**35%**
◆1	**Ancud coast** Chile · 9 kt SSE	**35%**
◆13	**Meningie coast** Australia · 11 kt NNE	**34%**
◆18	**Port Denison coast** Australia · 11 kt SE	**31%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.


Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

Lake Michigan: when and where it's good

Good lake surf = total wave height 4–10 ft (1.22–3 m) with dominant period ≥ 6 s (the model's mean period scaled to what buoys report), arriving within 75° of the shore's facing, on the ~08:00 sample. Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good morning	Morning wind
1	**Holland**	Michigan	31	21	14	13	3	3	1	3	6	16	28	29	**14%**	Nov–Jan 29%	0%	none	6 ft @ 7 s W	12 kt SSW
2	**Grand Haven**	Michigan	30	19	14	14	3	2	1	3	6	17	28	29	**14%**	Nov–Jan 29%	0%	none	6 ft @ 7 s W	11 kt SSW
3	**Ludington**	Michigan	25	19	13	11	4	2	2	3	6	16	28	25	**12%**	Nov–Jan 26%	0%	none	6 ft @ 7 s W	12 kt SSW
4	**St. Joseph**	Michigan	27	19	14	10	3	2	2	3	4	14	22	22	**12%**	Nov–Jan 24%	0%	none	6 ft @ 7 s NW	11 kt SSW
5	**Frankfort**	Michigan	23	18	12	9	2	3	1	1	7	15	27	25	**11%**	Nov–Jan 25%	0%	none	6 ft @ 7 s W	13 kt SSW
6	**Warren Dunes**	Michigan	24	15	12	9	2	2	2	2	4	13	18	19	**10%**	Nov–Jan 20%	0%	none	5 ft @ 7 s NW	10 kt SSW
7	**New Buffalo**	Michigan	25	15	10	9	2	2	2	2	4	14	18	16	**10%**	Nov–Jan 20%	0%	none	5 ft @ 7 s NNW	11 kt SSW
8	**Portage**	Indiana	18	12	9	8	3	1	2	3	5	13	12	13	**8%**	Nov–Jan 14%	0%	none	5 ft @ 7 s N	9 kt SSW
9	**Gary**	Indiana	17	9	8	7	2	1	2	3	4	11	11	10	**7%**	Nov–Jan 13%	0%	none	5 ft @ 7 s N	9 kt SSW
10	**Sheboygan**	Wisconsin	8	7	11	9	4	1	1	2	4	8	7	8	**6%**	Feb–Apr 9%	0%	none	6 ft @ 7 s ENE	11 kt SSW
11	**Whiting**	Indiana	11	6	6	6	2	1	1	2	4	8	8	6	**5%**	Nov–Jan 9%	0%	none	5 ft @ 7 s N	9 kt SSW
12	**Milwaukee**	Wisconsin	7	5	11	6	2	1	0	2	3	6	5	9	**5%**	Jan–Mar 8%	0%	none	5 ft @ 7 s ENE	11 kt SSW
13	**Racine**	Wisconsin	7	6	10	5	4	1	1	2	4	6	4	5	**4%**	Jan–Mar 8%	0%	none	5 ft @ 7 s NE	11 kt SSW
14	**Grant Park**	South Milwaukee, Wisconsin	7	5	8	5	3	1	1	2	3	7	4	8	**4%**	Jan–Mar 7%	0%	none	5 ft @ 7 s ENE	11 kt SSW
15	**Chicago**	Illinois	8	5	6	5	2	1	2	2	3	5	2	3	**4%**	Jan–Mar 6%	0%	none	5 ft @ 7 s NNE	10 kt SSW

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good morning = medians over good mornings: total wave height @ dominant period and the direction waves come from.


Coasts are ranked by year-round good %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Good lake surf doesn't use wind (lake and sea surf is windswell); Ocean good+ does: ≤ 8 k

Lake Superior: when and where it's good

Good lake surf = total wave height 4–10 ft (1.22–3 m) with dominant period ≥ 6 s (the model's mean period scaled to what buoys report), arriving within 75° of the shore's facing, on the ~08:00 sample. Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with good lake surf



#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good morning	Morning wind
1	**Grand Marais MI**	Michigan	27	18	13	9	4	3	2	5	8	17	28	29	**13%**	Nov–Jan 28%	0%	none	6 ft @ 7 s NW	11 kt SSW
2	**Au Train**	Michigan	28	17	10	9	4	3	1	3	8	18	29	28	**13%**	Nov–Jan 28%	0%	none	6 ft @ 7 s NNW	11 kt SSW
3	**Agawa Bay**	Ontario	23	11	4	4	2	3	3	4	8	17	29	27	**11%**	Nov–Jan 26%	0%	none	6 ft @ 7 s W	11 kt SSE
4	**Whitefish Point**	Michigan	25	13	10	4	2	2	1	3	6	15	27	28	**11%**	Nov–Jan 27%	0%	none	6 ft @ 7 s NW	12 kt SSE
5	**Marquette**	Michigan	21	16	11	11	3	1	0	3	6	16	24	24	**11%**	Nov–Jan 23%	0%	none	6 ft @ 7 s N	12 kt NW
6	**Ontonagon**	Michigan	22	8	8	9	2	0	0	2	6	13	24	24	**10%**	Nov–Jan 23%	0%	none	6 ft @ 7 s NW	10 kt WSW
7	**Terrace Bay**	Ontario	14	10	7	4	3	2	2	3	10	17	23	18	**9%**	Oct–Dec 19%	0%	none	6 ft @ 7 s SSW	12 kt NE
8	**Little Girl's Point**	Michigan	9	3	5	7	3	0	0	1	2	8	10	10	**5%**	Nov–Jan 10%	0%	none	6 ft @ 7 s NNE	10 kt SSW
9	**Grand Marais MN**	Minnesota	4	1	1	0	0	0	0	0	1	4	4	2	**1%**	Oct–Dec 3%	0%	none	5 ft @ 7 s S	11 kt SW
10	**Park Point**	Duluth, Minnesota	2	3	6	4	1	0	0	0	0	2	1	1	**1%**	Feb–Apr 4%	0%	none	6 ft @ 7 s ENE	8 kt ENE
11	**Stoney Point**	Minnesota	0	0	0	1	0	0	0	0	0	1	1	0	**0%**	Oct–Dec 1%	0%	none	7 ft @ 7 s ENE	8 kt ENE

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good morning = medians over good mornings: total wave height @ dominant period and the direction waves come from.


Coasts are ranked by year-round good %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Good lake surf doesn't use wind (lake and sea surf is windswell); Ocean good+ does: ≤ 8 k

Mediterranean: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell



Mediterranean: coast by coast

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.


#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Susa**	Cyrenaica, Libya	48	46	45	35	22	17	33	27	34	40	36	46	**36%**	Dec–Feb 47%	1%	0–0 ft	4 ft @ 6 s NNW	9 kt W
2	**Capo Mannu**	Sardinia, Italy	49	40	40	32	30	20	24	22	23	30	47	43	**33%**	Nov–Jan 46%	2%	1–1 ft	5 ft @ 7 s WNW	8 kt ESE
3	**Alexandria**	Egypt	45	42	40	29	24	19	38	28	30	24	26	39	**32%**	Jan–Mar 42%	0%	1–1 ft	4 ft @ 6 s NW	9 kt NW
4	**Ajaccio**	Corsica, France	49	40	39	29	27	19	23	18	25	28	45	43	**32%**	Nov–Jan 45%	2%	1–1 ft	5 ft @ 7 s W	6 kt WNW
5	**Tabarka**	Tunisia	49	43	36	29	22	10	19	15	18	27	44	45	**29%**	Nov–Jan 46%	1%	1–1 ft	5 ft @ 7 s NW	10 kt W
6	**Paphos**	Cyprus	41	37	39	28	25	17	20	23	25	15	19	34	**27%**	Jan–Mar 39%	0%	1–1 ft	4 ft @ 6 s W	6 kt WNW
7	**Falasarna**	Crete, Greece	47	35	35	25	18	14	18	12	16	18	32	44	**26%**	Dec–Feb 42%	0%	0–0 ft	5 ft @ 6 s W	12 kt NE
8	**Tripoli**	Libya	45	34	35	34	19	9	12	7	19	25	29	43	**26%**	Dec–Feb 41%	1%	1–1 ft	4 ft @ 6 s N	9 kt ESE
9	**Benghazi**	Libya	45	34	29	26	17	12	17	9	14	20	28	48	**25%**	Dec–Feb 42%	1%	0–1 ft	5 ft @ 7 s NW	10 kt NNE
10	**Bizerte**	Tunisia	37	33	28	24	16	7	18	13	14	25	28	32	**23%**	Dec–Feb 34%	0%	1–1 ft	5 ft @ 7 s NNW	12 kt WNW
11	**Algiers**	Algeria	39	26	33	27	16	6	10	13	17	17	36	32	**22%**	Nov–Jan 36%	1%	0–0 ft	4 ft @ 7 s N	9 kt ENE
12	**Gaza**	Palestine	42	34	34	23	20	8	15	10	12	13	18	36	**22%**	Dec–Feb 37%	1%	1–1 ft	4 ft @ 7 s WNW	5 kt WSW
13	**Beirut**	Lebanon	41	30	34	21	19	8	10	12	10	10	15	33	**20%**	Jan–Mar 35%	1%	1–1 ft	4 ft @ 7 s W	8 kt SSW
14	**Kalo Nero**	Messinia, Greece	44	35	26	18	10	5	6	4	9	15	33	43	**20%**	Dec–Feb 41%	1%	0–0 ft	4 ft @ 6 s WSW	5 kt NNW
15	**Livorno**	Tuscany, Italy	30	25	24	17	19	10	10	11	21	17	26	30	**20%**	Nov–Jan 29%	1%	1–1 ft	5 ft @ 7 s WSW	7 kt E
16	**Santa Marinella**	Lazio, Italy	25	22	25	19	16	6	7	9	14	16	29	28	**18%**	Nov–Jan 27%	0%	1–1 ft	4 ft @ 6 s SW	8 kt NE
17	**Marseille**	France	25	21	21	14	11	6	6	5	8	14	22	24	**15%**	Nov–Jan 24%	0%	1–1 ft	5 ft @ 6 s WSW	9 kt NW
18	**Varazze**	Liguria, Italy	21	18	21	11	11	5	3	4	7	15	18	19	**13%**	Jan–Mar 20%	1%	1–1 ft	4 ft @ 7 s SSW	7 kt NNW
19	**Barcelona**	Spain	16	16	28	19	4	3	0	3	9	15	18	11	**12%**	Feb–Apr 21%	1%	0–1 ft	4 ft @ 7 s ESE	7 kt NE
20	**Kelibia**	Cap Bon, Tunisia	13	11	25	25	12	3	1	1	7	15	11	14	**11%**	Mar–May 21%	0%	0–0 ft	4 ft @ 6 s E	10 kt NW
21	**Mondello**	Sicily, Italy	20	15	13	8	3	2	3	2	7	11	10	18	**9%**	Dec–Feb 18%	0%	1–1 ft	5 ft @ 6 s NNW	6 kt WSW
22	**Kastro**	Kyllini, Greece	17	13	4	4	2	0	0	0	1	3	16	18	**6%**	Nov–Jan 17%	0%	0–1 ft	4 ft @ 6 s SSW	9 kt NNW
23	**Hammamet**	Tunisia	6	5	15	15	6	1	0	0	2	7	4	6	**6%**	Mar–May 12%	0%	0–1 ft	4 ft @ 6 s ESE	9 kt NW
24	**Antalya**	Turkey	13	5	3	1	0	0	0	0	0	0	2	9	**3%**	Dec–Feb 9%	0%	1–1 ft	4 ft @ 6 s SSE	4 kt NNW

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Greece: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Falasarna**	West Crete	47	35	35	25	18	14	18	12	16	18	32	44	**26%**	Dec–Feb 42%	0%	0–0 ft	5 ft @ 6 s W	12 kt NE
2	**Zakynthos west**	Ionian Islands	46	35	30	24	16	8	14	8	13	20	40	45	**25%**	Nov–Jan 44%	1%	0–1 ft	5 ft @ 6 s W	9 kt NNW
3	**Kokkini Hani**	North Crete	32	31	28	18	14	9	20	19	22	25	23	25	**22%**	Jan–Mar 30%	0%	0–0 ft	4 ft @ 6 s N	10 kt WNW
4	**Kalo Nero**	Messinia, W Peloponnese	44	35	26	18	10	5	6	4	9	15	33	43	**20%**	Dec–Feb 41%	1%	0–0 ft	4 ft @ 6 s WSW	5 kt NNW
5	**Komos**	South Crete	40	28	31	22	14	6	7	5	8	12	24	40	**20%**	Dec–Feb 36%	1%	0–0 ft	4 ft @ 6 s WSW	6 kt N
6	**Chania**	North Crete	28	25	24	16	11	8	14	16	22	25	22	19	**19%**	Jan–Mar 26%	0%	0–0 ft	5 ft @ 6 s N	10 kt W
7	**Agios Gordios**	Corfu, west coast	35	27	23	15	9	3	5	2	9	15	25	36	**17%**	Dec–Feb 33%	0%	1–1 ft	5 ft @ 6 s WSW	9 kt NNW
8	**Tinos north**	Cyclades	22	21	20	12	9	6	9	16	19	23	19	14	**16%**	Jan–Mar 21%	0%	0–1 ft	6 ft @ 6 s N	16 kt N
9	**Kymi**	East Evia	24	24	21	13	7	2	4	9	17	14	17	16	**14%**	Jan–Mar 23%	0%	1–1 ft	6 ft @ 6 s NE	11 kt NNE
10	**Kastro**	Kyllini, NW Peloponnese	17	13	4	4	2	0	0	0	1	3	16	18	**6%**	Nov–Jan 17%	0%	0–1 ft	4 ft @ 6 s SSW	9 kt NNW
11	**Ialysos**	Rhodes, northwest	8	7	6	4	2	1	0	0	1	1	4	6	**3%**	Dec–Feb 7%	0%	1–1 ft	4 ft @ 5 s WNW	9 kt NW


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Caspian Sea: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell




#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Nabran**	Azerbaijan	31	22	22	13	9	4	7	6	17	23	32	34	**18%**	Nov–Jan 32%	0%	none	5 ft @ 6 s NE	8 kt SE
2	**Ramsar**	Iran	16	17	16	11	9	5	11	9	16	15	18	14	**13%**	Sep–Nov 16%	0%	none	4 ft @ 6 s N	5 kt E
3	**Babolsar**	Iran	14	15	14	12	7	6	14	9	13	10	16	11	**12%**	Jan–Mar 14%	0%	none	4 ft @ 6 s NNW	6 kt W
4	**Derbent**	Dagestan, Russia	19	10	13	9	4	1	2	6	10	16	23	28	**11%**	Nov–Jan 23%	0%	none	4 ft @ 6 s E	5 kt NNW
5	**Novkhani**	Absheron, Azerbaijan	15	16	12	8	6	5	9	8	10	12	14	11	**10%**	Jan–Mar 14%	0%	none	5 ft @ 6 s N	11 kt NNW
6	**Makhachkala**	Dagestan, Russia	19	9	10	7	2	0	1	1	8	13	20	28	**10%**	Nov–Jan 22%	0%	none	4 ft @ 6 s ESE	9 kt SE
7	**Awaza**	Turkmenistan	10	13	10	7	7	4	9	5	7	8	10	10	**8%**	Jan–Mar 11%	0%	none	4 ft @ 6 s NW	9 kt E
8	**Aktau**	Kazakhstan	15	14	9	8	5	2	3	0	2	10	13	10	**7%**	Dec–Feb 13%	0%	none	5 ft @ 6 s WSW	12 kt ESE
9	**Lankaran**	Azerbaijan	6	7	4	1	1	1	2	2	4	5	5	5	**4%**	Dec–Feb 6%	0%	none	4 ft @ 6 s NE	5 kt SSE
10	**Shikhov**	Baku, Azerbaijan	0	0	0	0	0	0	0	0	0	0	0	0	**0%**	Oct–Dec 0%	0%	none	5 ft @ 5 s SE	11 kt N


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Black Sea: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell




#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Kilyos**	Istanbul, Turkey	31	35	25	17	14	9	13	35	36	28	29	33	**25%**	Aug–Oct 33%	0%	0–0 ft	5 ft @ 6 s NNE	11 kt NE
2	**Şile**	Istanbul, Turkey	30	33	22	15	9	7	10	28	32	28	25	32	**22%**	Dec–Feb 32%	0%	0–0 ft	4 ft @ 6 s NNE	8 kt ENE
3	**Sozopol**	Bulgaria	26	27	18	11	8	4	5	19	26	19	21	21	**17%**	Dec–Feb 25%	0%	0–0 ft	4 ft @ 6 s ENE	10 kt N
4	**Vama Veche**	Romania	23	26	19	11	9	3	2	13	22	20	23	24	**16%**	Dec–Feb 24%	0%	0–0 ft	5 ft @ 6 s ENE	10 kt N
5	**Batumi**	Georgia	24	25	12	13	5	6	9	5	12	13	16	20	**13%**	Dec–Feb 23%	1%	0–0 ft	4 ft @ 6 s WNW	5 kt SW
6	**Sochi**	Russia	28	26	11	12	3	4	5	2	7	10	17	21	**12%**	Dec–Feb 25%	1%	0–0 ft	4 ft @ 6 s WSW	5 kt SE
7	**Varna**	Bulgaria	17	22	14	7	6	1	1	10	17	15	14	18	**12%**	Dec–Feb 19%	0%	0–0 ft	4 ft @ 6 s ENE	10 kt N
8	**Anapa**	Russia	22	17	9	10	4	3	3	1	4	8	12	19	**9%**	Dec–Feb 19%	0%	0–0 ft	5 ft @ 6 s WSW	11 kt NE
9	**Odesa**	Ukraine	9	6	4	2	2	1	1	0	1	2	8	9	**4%**	Nov–Jan 9%	0%	0–0 ft	4 ft @ 5 s SSE	10 kt NNE


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.

Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Madagascar: when and where it's good+

Good+ = swell ≥ 4 ft over 9 s, or ≥ 3 ft over 14 s; breaking under 16 ft; either swell train, aimed at the shore; morning wind ≤ 8 kt or offshore; on the ~08:00 sample.
Read from Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, with ERA5 wind just offshore.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good+ morning	Morning wind
1	**Ifaty**	Toliara, southwest	24	22	28	39	51	51	61	56	36	30	24	27	**38%**	Jun–Aug 56%	38%	7–9 ft	5 ft @ 13 s SSW	7 kt SE
2	**Lavanono**	Deep south	20	17	13	21	38	32	39	41	27	26	22	24	**27%**	Jun–Aug 37%	27%	5–6 ft	5 ft @ 13 s SSW	9 kt E
3	**Manakara**	Southeast	21	24	31	37	26	32	35	25	15	11	7	14	**23%**	Apr–Jun 32%	23%	1–1 ft	5 ft @ 10 s SE	9 kt NNE
4	**Anakao**	Toliara, southwest	11	13	13	20	25	30	39	33	21	15	11	15	**21%**	Jun–Aug 34%	21%	6–9 ft	5 ft @ 14 s SSW	10 kt SE
5	**Andavadoaka**	Morombe, west	5	8	9	14	16	19	24	23	14	11	6	10	**13%**	Jun–Aug 22%	13%	7–10 ft	4 ft @ 14 s SSW	9 kt SSE
6	**Fort Dauphin**	Tolagnaro, southeast	4	2	4	9	5	8	9	7	3	4	2	2	**5%**	Jun–Aug 8%	5%	1–1 ft	5 ft @ 11 s SSE	11 kt NNE
7	**Mahambo**	East	4	5	5	3	5	5	4	10	6	5	2	4	**5%**	Aug–Oct 7%	5%	2–2 ft	5 ft @ 10 s ESE	10 kt SSE
8	**Maintirano**	West	1	1	3	3	2	4	6	6	6	6	2	2	**4%**	Aug–Oct 6%	4%	10–13 ft	5 ft @ 11 s SW	7 kt SSE
9	**Morondava**	West	1	3	2	2	3	4	4	6	5	4	2	2	**3%**	Jul–Sep 5%	3%	8–12 ft	4 ft @ 12 s SW	7 kt E
10	**Sainte-Marie**	Nosy Boraha, east	3	5	4	2	4	3	3	4	4	1	0	1	**3%**	Jul–Sep 4%	3%	2–3 ft	5 ft @ 11 s ESE	10 kt SSE
11	**Ramena**	Antsiranana, north	2	0	1	0	1	1	0	0	0	0	1	2	**1%**	Nov–Jan 2%	1%	5–7 ft	4 ft @ 11 s E	16 kt SE
12	**Mahajanga**	Northwest	0	0	0	1	0	0	0	0	0	0	0	1	**0%**	Nov–Jan 0%	0%	9–12 ft	5 ft @ 10 s N	10 kt ESE
13	**Nosy Be**	Northwest	0	0	0	0	0	0	0	0	0	0	0	0	**0%**	Aug–Oct 0%	0%	8–11 ft	4 ft @ 10 s WSW	3 kt NE

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good+ morning = medians over good+ mornings: swell height @ peak period and the direction it comes from.
Coasts are ranked by year-round good+ %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Peru: when and where it's good+

Good+ = swell ≥ 4 ft over 9 s, or ≥ 3 ft over 14 s; breaking under 16 ft; either swell train, aimed at the shore; morning wind ≤ 8 kt or offshore; on the ~08:00 sample.
Read from Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, with ERA5 wind just offshore.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good+ morning	Morning wind
1	**Ilo**	Moquegua	55	62	72	64	40	40	46	46	39	40	53	42	**50%**	Feb–Apr 66%	50%	3–4 ft	5 ft @ 13 s SSW	7 kt SE
2	**Camaná**	Arequipa	57	70	76	68	32	32	30	29	20	17	29	39	**42%**	Feb–Apr 71%	42%	3–3 ft	5 ft @ 13 s SSW	8 kt SE
3	**Miraflores**	Lima	39	59	61	39	32	31	28	22	17	27	31	27	**34%**	Jan–Mar 53%	34%	2–3 ft	5 ft @ 14 s SSW	8 kt SSE
4	**Mollendo**	Arequipa	45	63	52	42	21	17	20	20	16	18	29	32	**31%**	Jan–Mar 53%	31%	3–4 ft	5 ft @ 13 s SSW	9 kt SE
5	**Cerro Azul**	Lima	39	56	71	44	28	20	17	13	7	17	22	28	**30%**	Feb–Apr 57%	30%	2–3 ft	5 ft @ 14 s SSW	8 kt SSW
6	**Punta Hermosa**	Lima	31	51	55	32	28	27	24	19	12	20	24	20	**29%**	Feb–Apr 46%	29%	2–3 ft	5 ft @ 14 s SSW	8 kt S
7	**Huarmey**	Áncash	33	54	58	33	21	19	19	13	12	17	23	16	**27%**	Jan–Mar 49%	27%	3–3 ft	5 ft @ 14 s SSW	9 kt S
8	**Huanchaco**	Trujillo	32	46	58	33	15	13	17	12	14	13	23	19	**25%**	Feb–Apr 46%	25%	3–4 ft	5 ft @ 13 s SSW	9 kt SSE
9	**Chicama**	La Libertad	20	32	36	18	7	6	13	8	9	9	19	10	**15%**	Jan–Mar 29%	15%	3–4 ft	5 ft @ 14 s SSW	10 kt SSE
10	**Pacasmayo**	La Libertad	5	7	18	9	6	2	8	3	4	6	8	2	**7%**	Feb–Apr 11%	7%	3–4 ft	4 ft @ 13 s SSW	9 kt SSE
11	**Máncora**	Piura	7	5	15	8	7	5	2	0	2	3	1	2	**5%**	Mar–May 10%	5%	5–6 ft	4 ft @ 15 s SW	10 kt SSW
12	**Lobitos**	Piura	4	4	6	4	2	4	1	1	0	1	0	2	**2%**	Feb–Apr 5%	2%	4–6 ft	4 ft @ 16 s WSW	12 kt SSE
13	**Cabo Blanco**	Piura	4	1	1	0	0	1	0	0	0	0	0	0	**1%**	Jan–Mar 2%	1%	5–6 ft	4 ft @ 15 s W	13 kt S


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good+ morning = medians over good+ mornings: swell height @ peak period and the direction it comes from.
Coasts are ranked by year-round good+ %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

California: when and where it's good+

Good+ = swell ≥ 4 ft over 9 s, or ≥ 3 ft over 14 s; breaking under 16 ft; either swell train, aimed at the shore; morning wind ≤ 8 kt or offshore; on the ~08:00 sample.
Read from Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, with ERA5 wind just offshore.



Average of these coasts: % of mornings with good+ surf



California: coast by coast


Good+ = swell ≥ 4 ft over 9 s, or ≥ 3 ft over 14 s; breaking under 16 ft; either swell train, aimed at the shore; morning wind ≤ 8 kt or offshore; on the ~08:00 sample.
Read from Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, with ERA5 wind just offshore.

#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good+ morning	Morning wind
1	**Ocean Beach SF**	San Francisco	53	47	32	27	24	18	9	11	20	40	46	50	**31%**	Dec–Feb 50%	31%	6–7 ft	5 ft @ 13 s W	7 kt WNW
2	**Montara**	San Mateo	43	33	23	20	15	9	7	5	14	31	35	37	**22%**	Nov–Jan 38%	22%	6–7 ft	5 ft @ 13 s W	8 kt NW
3	**Ocean Beach SD**	San Diego	50	34	31	26	14	9	5	3	4	18	22	43	**21%**	Dec–Feb 42%	21%	5–7 ft	4 ft @ 14 s W	5 kt WNW
4	**Linda Mar**	Pacifica, San Mateo	41	34	21	15	14	8	8	5	12	24	34	37	**21%**	Nov–Jan 38%	21%	6–7 ft	5 ft @ 12 s WNW	7 kt WNW
5	**Morro Bay**	San Luis Obispo	35	30	26	14	11	7	1	1	5	16	22	29	**16%**	Dec–Feb 32%	16%	5–7 ft	5 ft @ 13 s W	7 kt NW
6	**Waddell Creek**	Santa Cruz	38	19	17	13	12	9	5	4	10	21	20	27	**16%**	Nov–Jan 28%	16%	5–7 ft	5 ft @ 15 s WSW	9 kt NW
7	**Windansea**	La Jolla, San Diego	38	18	19	13	6	5	2	2	2	7	10	33	**13%**	Dec–Feb 30%	13%	5–7 ft	4 ft @ 15 s W	5 kt WNW
8	**Huntington Beach**	Orange County	8	6	5	11	19	18	19	9	15	16	5	6	**12%**	May–Jul 19%	12%	5–7 ft	4 ft @ 15 s SSW	4 kt W
9	**County Line**	Yerba Buena Rd at PCH, Ventura/Los Angeles line	13	10	8	8	16	17	14	8	9	11	5	10	**11%**	May–Jul 15%	11%	5–7 ft	4 ft @ 15 s SSW	4 kt W
10	**Trestles**	San Clemente	14	7	8	9	15	15	14	5	10	10	4	9	**10%**	May–Jul 14%	10%	5–7 ft	4 ft @ 15 s SW	4 kt SSE
11	**Bolinas**	Marin	30	14	13	9	4	1	0	1	1	10	15	20	**10%**	Nov–Jan 22%	10%	6–7 ft	4 ft @ 14 s SW	7 kt WNW
12	**Oceanside**	San Diego	12	7	7	11	18	16	11	5	6	10	2	8	**9%**	May–Jul 15%	9%	5–7 ft	4 ft @ 15 s SW	3 kt NE
13	**Zuma**	Malibu, Los Angeles	11	8	5	7	13	14	13	5	9	11	4	8	**9%**	May–Jul 13%	9%	5–7 ft	4 ft @ 15 s SSW	5 kt WNW
14	**Black's Beach**	La Jolla, San Diego	27	11	11	9	5	2	1	0	1	4	6	19	**8%**	Dec–Feb 19%	8%	5–7 ft	4 ft @ 14 s W	5 kt WNW
15	**Pleasure Point**	Santa Cruz	23	9	10	5	2	4	3	2	2	6	8	18	**8%**	Dec–Feb 17%	8%	5–7 ft	4 ft @ 15 s SSW	5 kt NW
16	**Zeros**	Nicholas Canyon Beach, Malibu	12	7	6	6	9	9	7	4	5	7	2	8	**7%**	Dec–Feb 9%	7%	5–7 ft	4 ft @ 15 s SSW	4 kt W
17	**Swami's**	Encinitas, San Diego	21	11	9	6	4	4	3	2	1	5	2	14	**7%**	Dec–Feb 15%	7%	5–7 ft	4 ft @ 15 s WSW	5 kt WNW
18	**Pismo Beach**	San Luis Obispo	20	11	9	2	2	1	0	1	0	4	11	14	**6%**	Dec–Feb 15%	6%	5–7 ft	4 ft @ 14 s WSW	8 kt NW
19	**Steamer Lane**	Santa Cruz	19	7	6	2	2	2	0	1	1	6	9	16	**6%**	Nov–Jan 15%	6%	5–7 ft	4 ft @ 15 s SSW	8 kt NW
20	**Manhattan Beach**	Los Angeles	14	9	8	4	4	3	1	1	0	3	2	12	**5%**	Dec–Feb 12%	5%	5–7 ft	4 ft @ 14 s WSW	4 kt W
21	**Oxnard Shores**	Oxnard, Ventura	9	8	2	5	6	7	3	1	5	3	2	8	**5%**	Dec–Feb 8%	5%	5–7 ft	4 ft @ 14 s SW	5 kt SW
22	**Rincon**	Santa Barbara/Ventura	15	7	4	1	1	0	0	0	0	2	2	11	**3%**	Dec–Feb 11%	3%	5–7 ft	4 ft @ 15 s SW	5 kt SW
23	**Ventura Point**	Surfer's Point, Ventura	15	7	3	1	0	0	0	0	1	2	1	10	**3%**	Dec–Feb 11%	3%	5–7 ft	4 ft @ 15 s SW	5 kt SW
24	**Malibu**	Los Angeles	0	1	1	2	4	6	3	1	2	2	0	0	**2%**	May–Jul 4%	2%	5–7 ft	3 ft @ 17 s S	3 kt NNE
25	**Newport**	Orange County	0	0	1	2	2	4	6	1	2	1	0	0	**2%**	May–Jul 4%	2%	5–7 ft	3 ft @ 17 s SSW	4 kt W
26	**Port Hueneme**	Ventura	0	0	1	0	3	3	1	1	3	2	0	0	**1%**	May–Jul 3%	1%	5–7 ft	3 ft @ 15 s SSW	5 kt W


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good+ morning = medians over good+ mornings: swell height @ peak period and the direction it comes from.
Coasts are ranked by year-round good+ %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Baltic Sea: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell




#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Klaipėda**	Lithuania	46	35	25	21	8	13	25	18	26	40	34	43	**28%**	Dec–Feb 41%	0%	0–0 ft	5 ft @ 6 s W	12 kt WSW
2	**Liepāja**	Latvia	41	38	23	19	8	13	24	18	27	39	36	42	**27%**	Dec–Feb 40%	0%	0–0 ft	5 ft @ 6 s W	12 kt WSW
3	**Pāvilosta**	Latvia	42	36	25	16	7	12	23	19	25	38	36	42	**26%**	Dec–Feb 40%	0%	0–0 ft	5 ft @ 6 s WSW	11 kt SW
4	**Łeba**	Pomerania, Poland	26	22	17	15	8	5	12	6	15	20	17	19	**15%**	Dec–Feb 22%	0%	0–0 ft	5 ft @ 6 s NNW	13 kt W
5	**Hanko**	Uusimaa, Finland	20	16	10	4	2	2	5	7	11	19	18	26	**11%**	Nov–Jan 21%	0%	0–0 ft	5 ft @ 6 s SW	13 kt SW
6	**Władysławowo**	Pomerania, Poland	22	18	11	13	4	2	6	3	12	15	13	16	**11%**	Dec–Feb 19%	0%	0–0 ft	4 ft @ 6 s N	13 kt W
7	**Kołobrzeg**	West Pomerania, Poland	21	19	9	14	5	5	7	3	11	16	12	13	**11%**	Dec–Feb 18%	0%	0–0 ft	5 ft @ 6 s N	10 kt W
8	**Torö**	Södermanland, Sweden	15	10	4	2	0	0	2	2	5	11	11	16	**6%**	Nov–Jan 14%	0%	0–0 ft	4 ft @ 6 s S	11 kt WSW
9	**Dziwnów**	West Pomerania, Poland	14	8	4	4	2	1	2	1	4	6	4	5	**5%**	Dec–Feb 9%	0%	0–0 ft	5 ft @ 5 s NNE	13 kt W
10	**Warnemünde**	Mecklenburg, Germany	2	1	0	0	0	0	0	0	0	1	0	1	**0%**	Dec–Feb 1%	0%	0–0 ft	5 ft @ 5 s NNW	10 kt WSW


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Hudson Bay: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell



#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Arviat**	Kivalliq, Nunavut, Canada	0	0	0	0	1	3	7	16	30	25	25	0	**17%**	Sep–Nov 27%	0%	9–12 ft	5 ft @ 6 s E	12 kt NW
2	**Inukjuak**	Nunavik, Quebec, Canada	2	0	0	0	0	3	10	14	28	40	40	26	**16%**	Sep–Nov 36%	0%	2–2 ft	5 ft @ 6 s W	13 kt NW
3	**Akulivik**	Nunavik, Quebec, Canada	1	0	1	0	0	3	9	14	26	37	35	18	**16%**	Sep–Nov 33%	0%	1–1 ft	5 ft @ 6 s W	12 kt NW
4	**Fort Severn**	Ontario, Canada	2	0	0	0	0	0	3	12	21	32	37	18	**13%**	Sep–Nov 30%	0%	10–13 ft	5 ft @ 6 s N	13 kt NW
5	**Kuujjuarapik**	Nunavik, Quebec, Canada	2	2	1	0	0	1	3	9	18	24	31	26	**12%**	Oct–Dec 27%	0%	5–6 ft	5 ft @ 6 s WNW	11 kt SSW
6	**Churchill**	Manitoba, Canada	0	0	0	0	0	1	2	13	23	28	32	2	**11%**	Sep–Nov 28%	0%	11–15 ft	5 ft @ 6 s NNE	13 kt NW
7	**Chisasibi**	James Bay, Quebec, Canada	1	0	0	0	0	0	1	4	9	15	21	14	**6%**	Oct–Dec 17%	0%	4–5 ft	5 ft @ 6 s WNW	12 kt S
8	**Rankin Inlet**	Kivalliq, Nunavut, Canada	0	0	0	0	0	0	0	1	4	3	1	0	**1%**	Sep–Nov 3%	0%	12–15 ft	4 ft @ 6 s SE	12 kt NNW

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe