
Year-round: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 1,803 mornings, Nov 2021 to Oct 2026



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks year-round

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 4 kt SW	**69%**
2	**Uluwatu** Bali, Indonesia · 7 kt ESE	**64%**
3	**Iquique** Chile · 5 kt SSW	**62%**
4	**Nias** Sumatra, Indonesia · 6 kt SE	**52%**
5	**Krui** Lampung, Sumatra · 6 kt NW	**49%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**46%**
7	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**46%**
8	**Pascuales** Colima, Mexico · 3 kt WNW	**41%**
9	**Playa Hermosa** Costa Rica · 4 kt N	**37%**
10	**Pavones** Costa Rica · 4 kt WNW	**37%**
11	**Margaret River** Western Australia · 14 kt ESE	**36%**
12	**Cactus Beach** South Australia · 12 kt SE	**35%**
13	**Shipstern Bluff** Tasmania, Australia · 14 kt N	**35%**
14	**Skeleton Bay** Namibia · 6 kt S	**35%**
15	**Mentawais** Sumatra, Indonesia · 7 kt SE	**34%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 6 kt SW	**56%**
◆10	**Marcona coast** Peru · 7 kt SSE	**55%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**48%**
◆6	**La Serena coast** Chile · 6 kt SSW	**46%**
◆1	**Ancud coast** Chile · 9 kt NNW	**38%**
◆20	**Nelson coast** New Zealand · 9 kt SSW	**38%**
◆4	**Camaná coast** Peru · 8 kt SE	**37%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea good = 4 ft @ 6 s



Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

Popular breaks, month by month

The 40 well-known breaks with the strongest three-month season (best one per 100 miles of coast), listed by year-round consistency. Breaks in the enclosed seas are on the map insets.

#	Break	Region	J	F	M	A	M	J	J	A	S	O	N	D	Year	Worst	Best 3 months	Tide range	Typical good morning	Morning wind
1	**Arica**	Chile	51	58	74	73	79	77	74	75	74	77	66	52	**69%**	51%	May–Jul 77%	3–4 ft	5 ft @ 13 s SSW, surf ~8 ft	4 kt SW
2	**Uluwatu**	Bali, Indonesia	35	44	57	67	72	80	73	81	74	81	55	43	**64%**	35%	Aug–Oct 79%	6–8 ft	5 ft @ 14 s SSW, surf ~8 ft	7 kt ESE
3	**Iquique**	Chile	52	50	70	70	73	76	69	75	57	60	53	41	**62%**	41%	Jun–Aug 74%	3–4 ft	5 ft @ 13 s SW, surf ~8 ft	5 kt SSW
4	**Nias**	Sumatra, Indonesia	39	38	43	66	69	81	70	53	50	53	29	35	**52%**	29%	May–Jul 73%	2–3 ft	5 ft @ 15 s SSW, surf ~8 ft	6 kt SE
5	**Krui**	Lampung, Sumatra	31	36	36	64	67	79	60	45	46	57	40	30	**49%**	30%	Apr–Jun 70%	3–4 ft	5 ft @ 14 s SSW, surf ~8 ft	6 kt NW
6	**Puerto Escondido**	Oaxaca, Mexico	7	18	37	64	72	67	64	61	59	57	36	12	**46%**	7%	May–Jul 68%	3–4 ft	4 ft @ 15 s SSW, surf ~7 ft	3 kt WNW
7	**Cimaja**	Pelabuhan Ratu, West Java	23	27	28	44	48	67	68	69	69	52	24	27	**46%**	23%	Jul–Sep 69%	3–4 ft	4 ft @ 15 s SSW, surf ~7 ft	4 kt ESE
8	**Pascuales**	Colima, Mexico	4	16	29	55	72	59	54	57	55	56	25	8	**41%**	4%	Apr–Jun 62%	2–3 ft	4 ft @ 15 s SSW, surf ~7 ft	3 kt WNW
9	**Pavones**	Costa Rica	14	16	42	55	57	43	51	41	47	45	28	6	**37%**	6%	Apr–Jun 52%	8–10 ft	4 ft @ 15 s SSW, surf ~7 ft	4 kt WNW
10	**Santa Teresa**	Costa Rica	16	11	37	45	62	51	49	43	43	46	29	8	**37%**	8%	May–Jul 54%	7–9 ft	4 ft @ 15 s SSW, surf ~7 ft	4 kt NNE
11	**Margaret River**	Western Australia	39	45	55	47	34	22	16	19	34	29	50	45	**36%**	16%	Feb–Apr 49%	2–2 ft	7 ft @ 13 s SW, surf ~10 ft	14 kt ESE
12	**Cactus Beach**	South Australia	17	21	28	45	43	47	44	49	43	38	23	21	**35%**	17%	Jun–Aug 47%	4–5 ft	6 ft @ 14 s SW, surf ~9 ft	12 kt SE
13	**Shipstern Bluff**	Tasmania, Australia	34	34	38	35	40	31	36	37	39	33	36	25	**35%**	25%	Mar–May 38%	3–3 ft	6 ft @ 13 s SSW, surf ~9 ft	14 kt N
14	**Skeleton Bay**	Namibia	28	37	21	31	40	43	44	53	30	30	33	26	**35%**	21%	Jun–Aug 47%	4–5 ft	5 ft @ 12 s SSW, surf ~8 ft	6 kt S
15	**Mentawais**	Sumatra, Indonesia	18	16	22	39	50	63	51	40	32	38	14	18	**34%**	14%	May–Jul 54%	3–3 ft	4 ft @ 15 s SSW, surf ~8 ft	7 kt SE
16	**Tamarin**	Mauritius	19	23	23	39	34	36	44	41	46	31	29	32	**33%**	19%	Jul–Sep 44%	2–2 ft	5 ft @ 15 s SSW, surf ~8 ft	11 kt ESE
17	**Elands Bay**	South Africa	24	28	23	25	54	36	44	38	33	37	27	21	**33%**	21%	May–Jul 45%	4–6 ft	5 ft @ 12 s SW, surf ~8 ft	7 kt S
18	**Ocean Beach SF**	California	56	55	30	24	25	19	9	10	25	41	53	48	**32%**	9%	Dec–Feb 53%	6–7 ft	5 ft @ 13 s W, surf ~8 ft	7 kt WNW
19	**Punta de Lobos**	Chile	35	33	34	31	42	36	35	26	29	36	25	27	**32%**	25%	May–Jul 38%	4–5 ft	6 ft @ 12 s SW, surf ~9 ft	9 kt SSW
20	**Safi**	Morocco	54	52	48	29	13	8	6	4	17	38	53	59	**31%**	4%	Nov–Jan 55%	7–10 ft	6 ft @ 13 s NW, surf ~9 ft	9 kt NNE
21	**Westport**	Washington	55	52	37	32	23	14	5	6	24	32	41	46	**31%**	5%	Dec–Feb 51%	8–10 ft	6 ft @ 12 s W, surf ~9 ft	8 kt NW
22	**Saint-Leu**	Réunion	18	15	19	35	35	34	41	43	39	27	32	25	**30%**	15%	Jul–Sep 41%	1–2 ft	5 ft @ 15 s SSW, surf ~8 ft	6 kt SE
23	**Raglan**	New Zealand	28	37	34	43	37	20	27	29	26	28	27	26	**30%**	20%	Feb–Apr 38%	8–10 ft	5 ft @ 13 s WSW, surf ~8 ft	11 kt SW
24	**Rapa Nui**	Easter Island	30	39	28	32	27	28	27	19	29	38	27	35	**30%**	19%	Dec–Feb 35%	2–2 ft	6 ft @ 15 s SW, surf ~9 ft	12 kt E
25	**Saquarema**	Brazil	21	14	24	35	46	41	34	30	23	19	20	17	**27%**	14%	Apr–Jun 41%	3–3 ft	5 ft @ 12 s S, surf ~8 ft	7 kt NE
26	**Imsouane**	Morocco	44	39	33	25	10	3	3	6	19	38	38	51	**26%**	3%	Dec–Feb 45%	7–9 ft	6 ft @ 13 s NW, surf ~9 ft	9 kt N
27	**Nazaré**	Portugal	31	48	35	23	16	9	8	8	21	26	21	32	**23%**	8%	Jan–Mar 38%	7–10 ft	6 ft @ 13 s NW, surf ~9 ft	11 kt N
28	**Bells Beach**	Victoria, Australia	6	18	25	28	28	21	29	30	35	26	19	10	**23%**	6%	Jul–Sep 31%	6–7 ft	5 ft @ 13 s SW, surf ~7 ft	10 kt N
29	**Teahupo'o**	Tahiti	19	27	28	23	33	23	25	21	25	15	16	15	**23%**	15%	Mar–May 28%	1–1 ft	5 ft @ 14 s SSW, surf ~8 ft	12 kt E
30	**Mundaka**	Basque Country, Spain	30	41	39	19	11	12	6	11	23	25	21	30	**22%**	6%	Jan–Mar 37%	10–13 ft	5 ft @ 13 s NW, surf ~8 ft	9 kt SSW
31	**Popoyo**	Nicaragua	3	6	14	29	42	39	29	23	27	32	13	6	**22%**	3%	Apr–Jun 37%	6–8 ft	4 ft @ 16 s SSW, surf ~7 ft	14 kt ENE
32	**Chicama**	Peru	26	28	52	38	16	9	16	8	14	17	21	15	**22%**	8%	Feb–Apr 39%	3–4 ft	4 ft @ 14 s SSW, surf ~7 ft	8 kt SSE
33	**Jeffreys Bay**	South Africa	12	13	16	19	26	31	32	22	21	15	16	17	**20%**	12%	May–Jul 30%	4–6 ft	5 ft @ 12 s S, surf ~8 ft	11 kt W
34	**Hanalei Bay**	Kauai, Hawaii	57	36	26	10	5	0	1	1	9	31	27	35	**20%**	0%	Dec–Feb 43%	2–2 ft	6 ft @ 13 s NNW, surf ~9 ft	9 kt E
35	**Todos Santos**	Baja California	43	40	23	13	17	12	5	1	5	13	27	28	**19%**	1%	Dec–Feb 37%	5–7 ft	5 ft @ 13 s WNW, surf ~7 ft	7 kt NW
36	**Santa Bárbara**	Azores	24	28	21	20	8	11	6	7	17	22	30	25	**18%**	6%	Nov–Jan 26%	4–5 ft	6 ft @ 12 s NNW, surf ~9 ft	10 kt SW
37	**Tofino**	British Columbia	30	30	24	17	13	7	3	3	14	17	20	25	**17%**	3%	Dec–Feb 28%	8–11 ft	5 ft @ 12 s WSW, surf ~8 ft	8 kt WNW
38	**Punta Hermosa**	Peru	26	36	37	21	14	11	12	6	4	6	10	12	**16%**	4%	Jan–Mar 33%	2–3 ft	4 ft @ 14 s SSW, surf ~7 ft	10 kt S
39	**Punta Roca**	El Salvador	1	4	11	15	31	29	20	11	22	17	11	1	**14%**	1%	May–Jul 27%	6–7 ft	4 ft @ 15 s SSW, surf ~7 ft	5 kt NE
40	**Pipeline**	Oahu, Hawaii	45	28	14	7	5	0	0	1	2	25	21	23	**14%**	0%	Dec–Feb 32%	2–2 ft	6 ft @ 14 s NNW, surf ~9 ft	12 kt ENE

Month cells use the map colours (% of mornings good+). Typical good morning = medians over the good+ mornings: swell height @ peak period and the direction it comes from, and estimated breaking surf (Komar–Gaughan). Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Each break is read from Météo-France MFWAM (Copernicus Marine) at its ~8 km cell: either swell train inside its exposure window, with ERA5 morning wind ≤ 8 kt or offshore. Reefs, points and sheltering inside that cell are not modelled.

Under-the-radar stretches, month by month

Coast where mornings are often good+ with swell aimed at the shore (≥40% year-round, or ≥65% over its best three months), at least 300 km from the well-known breaks and within 150 km of a town of 5,000+. Listed by year-round consistency; numbers match the ◆ markers on the maps.


#	Stretch	Region	J	F	M	A	M	J	J	A	S	O	N	D	Year	Worst	Best 3 months	Tide range	Typical good morning	Morning wind
◆7	**Chañaral coast**	Chile	45	52	72	63	70	65	60	61	50	49	43	40	**56%**	40%	Mar–May 68%	3–4 ft	5 ft @ 13 s SW, surf ~8 ft	6 kt SW
◆10	**Marcona coast**	Peru	63	73	82	82	59	41	39	34	30	36	60	57	**55%**	30%	Feb–Apr 79%	3–3 ft	5 ft @ 13 s SSW, surf ~8 ft	7 kt SSE
◆8	**Greymouth coast**	New Zealand	32	44	50	55	57	43	61	59	49	47	44	36	**48%**	32%	Jul–Sep 56%	7–9 ft	6 ft @ 12 s WSW, surf ~8 ft	5 kt E
◆6	**La Serena coast**	Chile	52	54	59	48	50	41	39	39	30	51	46	48	**46%**	30%	Jan–Mar 55%	4–5 ft	5 ft @ 12 s SW, surf ~8 ft	6 kt SSW
◆1	**Ancud coast**	Chile	51	43	34	42	39	33	30	37	34	36	39	43	**38%**	30%	Dec–Feb 45%	4–5 ft	6 ft @ 12 s WSW, surf ~9 ft	9 kt NNW
◆20	**Nelson coast**	New Zealand	39	45	46	43	39	35	36	45	29	27	32	35	**38%**	27%	Feb–Apr 45%	8–11 ft	6 ft @ 13 s WSW, surf ~9 ft	9 kt SSW
◆4	**Camaná coast**	Peru	52	64	66	69	26	24	28	28	19	17	22	27	**37%**	17%	Feb–Apr 66%	3–3 ft	5 ft @ 13 s SSW, surf ~8 ft	8 kt SE
◆3	**La Ligua coast**	Chile	42	51	50	37	33	36	30	29	23	34	30	37	**36%**	23%	Jan–Mar 48%	4–5 ft	6 ft @ 12 s SW, surf ~9 ft	9 kt S
◆18	**Port Denison coast**	Australia	22	26	25	34	44	46	59	51	51	31	15	19	**35%**	15%	Jul–Sep 54%	2–2 ft	5 ft @ 13 s SW, surf ~8 ft	12 kt E
◆13	**Meningie coast**	Australia	17	34	36	43	37	37	34	41	31	38	37	26	**34%**	17%	Apr–Jun 39%	2–3 ft	6 ft @ 12 s SW, surf ~9 ft	11 kt NNE
◆22	**Bredasdorp coast**	South Africa	19	23	19	32	51	45	51	46	33	21	25	15	**32%**	15%	May–Jul 49%	5–6 ft	6 ft @ 12 s SSW, surf ~8 ft	8 kt E
◆14	**Oranjemund coast**	Namibia	20	21	28	23	51	47	49	44	27	28	24	17	**32%**	17%	May–Jul 49%	4–6 ft	6 ft @ 13 s SW, surf ~9 ft	8 kt SSE
◆17	**Blitar coast**	Indonesia	30	35	41	43	28	13	4	10	18	38	42	43	**28%**	4%	Oct–Dec 41%	5–7 ft	5 ft @ 13 s SSW, surf ~8 ft	10 kt ESE
◆11	**Port Lincoln coast**	Australia	41	40	41	25	19	17	10	19	27	33	28	36	**28%**	10%	Jan–Mar 41%	3–4 ft	6 ft @ 14 s SW, surf ~10 ft	13 kt SE
◆5	**Toltén coast**	Chile	25	25	26	35	30	33	25	26	30	30	27	19	**28%**	19%	Apr–Jun 33%	4–5 ft	6 ft @ 12 s SW, surf ~9 ft	11 kt S
◆9	**Isabela coast**	Galápagos, Ecuador	21	35	52	69	55	27	9	9	10	9	10	12	**27%**	9%	Mar–May 59%	4–5 ft	5 ft @ 15 s SSW, surf ~8 ft	8 kt SSE
◆16	**Pointe-Noire coast**	Congo (Brazzaville)	15	13	15	29	40	34	48	48	22	13	13	6	**25%**	6%	Jun–Aug 43%	4–5 ft	5 ft @ 13 s SSW, surf ~7 ft	5 kt SE
◆12	**Nzeto coast**	Angola	13	8	14	23	39	37	45	40	22	9	14	8	**23%**	8%	Jun–Aug 41%	4–5 ft	5 ft @ 13 s SSW, surf ~7 ft	6 kt SSE
◆21	**Kaitaia coast**	New Zealand	20	30	28	29	24	13	18	24	16	19	24	21	**22%**	13%	Feb–Apr 29%	7–9 ft	5 ft @ 14 s SW, surf ~8 ft	13 kt S
◆19	**Sumbe coast**	Angola	11	6	8	17	32	37	42	38	22	9	10	3	**20%**	3%	Jun–Aug 39%	4–5 ft	4 ft @ 14 s SW, surf ~7 ft	5 kt S
◆15	**Quellón coast**	Chile	19	23	17	23	20	15	21	25	12	20	19	16	**19%**	12%	Feb–Apr 21%	4–5 ft	7 ft @ 12 s WSW, surf ~10 ft	14 kt SSW
◆25	**Salalah coast**	Oman	0	0	0	0	14	32	66	55	29	0	0	0	**17%**	0%	Jun–Aug 51%	4–5 ft	6 ft @ 9 s S, surf ~8 ft	4 kt SSW
◆23	**Huarmey coast**	Peru	31	43	48	17	11	6	8	2	4	6	12	7	**16%**	2%	Jan–Mar 41%	3–3 ft	5 ft @ 14 s SSW, surf ~8 ft	10 kt SSE
◆27	**Chabahar coast**	Iran	1	0	0	0	5	45	58	50	10	3	0	0	**15%**	0%	Jun–Aug 51%	6–8 ft	6 ft @ 11 s S, surf ~8 ft	6 kt W
◆2	**Antofagasta coast**	Chile	12	27	17	13	11	17	16	14	13	4	7	8	**13%**	4%	Feb–Apr 19%	3–4 ft	5 ft @ 13 s SW, surf ~8 ft	10 kt SSW
◆24	**Gwadar coast**	Pakistan	0	0	0	0	1	29	71	32	1	1	0	0	**12%**	0%	Jun–Aug 44%	6–8 ft	5 ft @ 12 s SSW, surf ~7 ft	7 kt WSW
◆26	**Karachi coast**	Pakistan	0	0	0	0	1	12	27	14	3	0	0	0	**5%**	0%	Jun–Aug 18%	7–9 ft	6 ft @ 11 s SSW, surf ~9 ft	10 kt W

Month cells use the map colours (% of mornings good+). Typical good morning = medians over the good+ mornings: swell height @ peak period and the direction it comes from, and estimated breaking surf (Komar–Gaughan). Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Stretches were found on the WW3 grid; each is rated at its coast from Météo-France MFWAM (Copernicus Marine, ~8 km), either swell train, with ERA5 morning wind ≤ 8 kt or offshore. Check local reefs and access before booking a trip.

October–March: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 889 mornings, Nov 2021 to Oct 2026, these months only



Best named breaks, October–March

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 4 kt SW	**63%**
2	**Iquique** Chile · 5 kt SSW	**54%**
3	**G-Land** Java, Indonesia · 6 kt W	**53%**
4	**Safi** Morocco · 8 kt ENE	**51%**
5	**Ocean Beach SF** California · 7 kt NW	**47%**
6	**Margaret River** Western Australia · 14 kt SE	**44%**
7	**Westport** Washington · 10 kt ESE	**44%**
8	**Imsouane** Morocco · 7 kt N	**41%**
9	**Nias** Sumatra, Indonesia · 6 kt NW	**40%**
10	**Krui** Lampung, Sumatra · 6 kt NW	**38%**
11	**Desert Point** Lombok, Indonesia · 8 kt W	**37%**
12	**Hanalei Bay** Kauai, Hawaii · 8 kt E	**36%**
13	**Shipstern Bluff** Tasmania, Australia · 14 kt NNE	**33%**
14	**Rapa Nui** Easter Island · 11 kt E	**33%**
15	**Nazaré** Portugal · 12 kt NNE	**32%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 6 kt SSE	**62%**
◆6	**La Serena coast** Chile · 6 kt SSW	**52%**
◆7	**Chañaral coast** Chile · 6 kt SW	**50%**
◆8	**Greymouth coast** New Zealand · 5 kt WSW	**42%**
◆4	**Camaná coast** Peru · 7 kt SE	**42%**
◆1	**Ancud coast** Chile · 8 kt S	**41%**
◆3	**La Ligua coast** Chile · 8 kt S	**41%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

April–September: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 914 mornings, Apr 2022 to Sep 2026, these months only



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks, April–September

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**75%**
2	**Uluwatu** Bali, Indonesia · 9 kt ESE	**75%**
3	**Iquique** Chile · 5 kt SSW	**70%**
4	**Nias** Sumatra, Indonesia · 6 kt SE	**65%**
5	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**65%**
6	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**61%**
7	**Krui** Lampung, Sumatra · 6 kt SE	**60%**
8	**Pascuales** Colima, Mexico · 3 kt WNW	**59%**
9	**Playa Hermosa** Costa Rica · 4 kt NW	**50%**
10	**Pavones** Costa Rica · 4 kt WNW	**49%**
11	**Mentawais** Sumatra, Indonesia · 6 kt SE	**46%**
12	**Cactus Beach** South Australia · 12 kt NNE	**45%**
13	**Skeleton Bay** Namibia · 7 kt S	**40%**
14	**Tamarin** Mauritius · 12 kt ESE	**40%**
15	**Elands Bay** South Africa · 8 kt NE	**38%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 6 kt SSW	**61%**
◆8	**Greymouth coast** New Zealand · 6 kt E	**54%**
◆18	**Port Denison coast** Australia · 11 kt ENE	**48%**
◆10	**Marcona coast** Peru · 8 kt SSE	**47%**
◆22	**Bredasdorp coast** South Africa · 7 kt WNW	**43%**
◆6	**La Serena coast** Chile · 7 kt SSW	**41%**
◆14	**Oranjemund coast** Namibia · 8 kt SE	**40%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

November: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2021–2025 (135 mornings; 15 days missing from the archive)



Best named breaks in November

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**66%**
2	**Uluwatu** Bali, Indonesia · 4 kt E	**55%**
3	**Safi** Morocco · 7 kt ENE	**53%**
4	**Iquique** Chile · 7 kt SSW	**53%**
5	**Ocean Beach SF** California · 7 kt ENE	**53%**
6	**Margaret River** Western Australia · 13 kt ESE	**50%**
7	**Westport** Washington · 11 kt ESE	**41%**
8	**Krui** Lampung, Sumatra · 5 kt NW	**40%**
9	**Imsouane** Morocco · 7 kt NNE	**38%**
10	**Puerto Escondido** Oaxaca, Mexico · 3 kt N	**36%**
11	**Shipstern Bluff** Tasmania, Australia · 14 kt WSW	**36%**
12	**Skeleton Bay** Namibia · 6 kt S	**33%**
13	**Saint-Leu** Réunion · 4 kt SE	**32%**
14	**Playa Hermosa** Costa Rica · 4 kt W	**31%**
15	**Santa Bárbara** Azores · 12 kt WSW	**30%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 7 kt SSE	**60%**
◆6	**La Serena coast** Chile · 7 kt SSW	**46%**
◆8	**Greymouth coast** New Zealand · 5 kt WSW	**44%**
◆7	**Chañaral coast** Chile · 7 kt SW	**43%**
◆17	**Blitar coast** Indonesia · 6 kt ESE	**42%**
◆1	**Ancud coast** Chile · 9 kt NNW	**39%**
◆13	**Meningie coast** Australia · 10 kt SE	**37%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

December: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2021–2025 (155 mornings)



Best named breaks in December

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Safi** Morocco · 8 kt ENE	**59%**
2	**Arica** Chile · 4 kt SW	**52%**
3	**Imsouane** Morocco · 7 kt NNE	**51%**
4	**G-Land** Java, Indonesia · 6 kt W	**48%**
5	**Ocean Beach SF** California · 8 kt ENE	**48%**
6	**Westport** Washington · 11 kt ESE	**46%**
7	**Margaret River** Western Australia · 14 kt SE	**45%**
8	**Iquique** Chile · 6 kt SSW	**41%**
9	**Desert Point** Lombok, Indonesia · 8 kt W	**36%**
10	**Rapa Nui** Easter Island · 12 kt E	**35%**
11	**Hanalei Bay** Kauai, Hawaii · 9 kt E	**35%**
12	**Nias** Sumatra, Indonesia · 7 kt NW	**35%**
13	**Zurriola** San Sebastián, Spain · 10 kt S	**34%**
14	**Ericeira** Portugal · 12 kt E	**34%**
15	**Unstad** Lofoten, Norway · 17 kt SSE	**32%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 6 kt SSE	**57%**
◆6	**La Serena coast** Chile · 6 kt SSW	**48%**
◆1	**Ancud coast** Chile · 8 kt S	**43%**
◆17	**Blitar coast** Indonesia · 7 kt W	**43%**
◆7	**Chañaral coast** Chile · 7 kt SW	**40%**
◆3	**La Ligua coast** Chile · 8 kt SSW	**37%**
◆8	**Greymouth coast** New Zealand · 6 kt WSW	**36%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

January: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (155 mornings)



Best named breaks in January

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Hanalei Bay** Kauai, Hawaii · 7 kt E	**57%**
2	**Ocean Beach SF** California · 8 kt ENE	**56%**
3	**Westport** Washington · 11 kt ESE	**55%**
4	**Safi** Morocco · 8 kt ENE	**54%**
5	**Iquique** Chile · 5 kt SSW	**52%**
6	**Arica** Chile · 3 kt SW	**51%**
7	**Pipeline** Oahu, Hawaii · 9 kt ENE	**45%**
8	**Imsouane** Morocco · 7 kt NNE	**44%**
9	**Todos Santos** Baja California · 5 kt NW	**43%**
10	**G-Land** Java, Indonesia · 7 kt W	**43%**
11	**Nias** Sumatra, Indonesia · 6 kt NW	**39%**
12	**Margaret River** Western Australia · 13 kt SE	**39%**
13	**Punta de Lobos** Chile · 8 kt SSW	**35%**
14	**Salsa Brava** Caribbean Costa Rica · 4 kt WNW	**34%**
15	**Shipstern Bluff** Tasmania, Australia · 12 kt NNE	**34%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 5 kt SSE	**63%**
◆6	**La Serena coast** Chile · 6 kt SSW	**52%**
◆4	**Camaná coast** Peru · 6 kt SE	**52%**
◆1	**Ancud coast** Chile · 7 kt S	**51%**
◆7	**Chañaral coast** Chile · 6 kt SW	**45%**
◆3	**La Ligua coast** Chile · 7 kt SSW	**42%**
◆11	**Port Lincoln coast** Australia · 12 kt SE	**41%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

February: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (141 mornings)



Best named breaks in February

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 3 kt SW	**58%**
2	**Ocean Beach SF** California · 7 kt NNW	**55%**
3	**Westport** Washington · 9 kt ESE	**52%**
4	**Safi** Morocco · 8 kt ENE	**52%**
5	**Iquique** Chile · 4 kt SSW	**50%**
6	**Nazaré** Portugal · 11 kt ESE	**48%**
7	**G-Land** Java, Indonesia · 7 kt W	**45%**
8	**Margaret River** Western Australia · 14 kt SE	**45%**
9	**Salsa Brava** Caribbean Costa Rica · 4 kt WSW	**45%**
10	**Mundaka** Basque Country, Spain · 11 kt SSW	**41%**
11	**Todos Santos** Baja California · 7 kt NNW	**40%**
12	**Rapa Nui** Easter Island · 11 kt E	**39%**
13	**Imsouane** Morocco · 8 kt N	**39%**
14	**Nias** Sumatra, Indonesia · 5 kt NW	**38%**
15	**Skeleton Bay** Namibia · 4 kt S	**37%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 4 kt SSE	**73%**
◆4	**Camaná coast** Peru · 5 kt SE	**64%**
◆6	**La Serena coast** Chile · 5 kt SSW	**54%**
◆7	**Chañaral coast** Chile · 5 kt SW	**52%**
◆3	**La Ligua coast** Chile · 7 kt S	**51%**
◆20	**Nelson coast** New Zealand · 7 kt SSW	**45%**
◆8	**Greymouth coast** New Zealand · 4 kt ESE	**44%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

March: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (155 mornings)



Best named breaks in March

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 3 kt WSW	**74%**
2	**Iquique** Chile · 4 kt S	**70%**
3	**G-Land** Java, Indonesia · 5 kt WNW	**57%**
4	**Margaret River** Western Australia · 14 kt ESE	**55%**
5	**Chicama** Peru · 5 kt SSE	**52%**
6	**Safi** Morocco · 11 kt NE	**48%**
7	**Desert Point** Lombok, Indonesia · 7 kt W	**48%**
8	**Nias** Sumatra, Indonesia · 5 kt NW	**43%**
9	**Pavones** Costa Rica · 2 kt ESE	**42%**
10	**Mundaka** Basque Country, Spain · 11 kt SSE	**39%**
11	**Shipstern Bluff** Tasmania, Australia · 13 kt SW	**38%**
12	**Westport** Washington · 10 kt S	**37%**
13	**Punta Hermosa** Peru · 7 kt S	**37%**
14	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**37%**
15	**Santa Teresa** Costa Rica · 5 kt NE	**37%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 5 kt SSE	**82%**
◆7	**Chañaral coast** Chile · 5 kt SW	**72%**
◆4	**Camaná coast** Peru · 6 kt SE	**66%**
◆6	**La Serena coast** Chile · 5 kt SSW	**59%**
◆9	**Isabela coast** Galápagos, Ecuador · 4 kt SSE	**52%**
◆8	**Greymouth coast** New Zealand · 4 kt E	**50%**
◆3	**La Ligua coast** Chile · 7 kt S	**50%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

April: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (150 mornings)



Best named breaks in April

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 3 kt SW	**73%**
2	**Iquique** Chile · 4 kt S	**70%**
3	**Uluwatu** Bali, Indonesia · 6 kt E	**67%**
4	**Nias** Sumatra, Indonesia · 5 kt NW	**66%**
5	**Puerto Escondido** Oaxaca, Mexico · 3 kt W	**64%**
6	**Krui** Lampung, Sumatra · 5 kt NW	**64%**
7	**Pascuales** Colima, Mexico · 3 kt WNW	**55%**
8	**Pavones** Costa Rica · 3 kt WNW	**55%**
9	**Playa Hermosa** Costa Rica · 3 kt ESE	**49%**
10	**Margaret River** Western Australia · 13 kt ESE	**47%**
11	**Cactus Beach** South Australia · 10 kt NNE	**45%**
12	**Cimaja** Pelabuhan Ratu, West Java · 3 kt ESE	**44%**
13	**Raglan** New Zealand · 11 kt E	**43%**
14	**Mentawais** Sumatra, Indonesia · 5 kt NW	**39%**
15	**Tamarin** Mauritius · 10 kt ESE	**39%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 5 kt SSE	**82%**
◆9	**Isabela coast** Galápagos, Ecuador · 3 kt SSE	**69%**
◆4	**Camaná coast** Peru · 6 kt SE	**69%**
◆7	**Chañaral coast** Chile · 5 kt SSW	**63%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**55%**
◆6	**La Serena coast** Chile · 6 kt SSW	**48%**
◆17	**Blitar coast** Indonesia · 8 kt E	**43%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

May: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (155 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in May

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**79%**
2	**Iquique** Chile · 5 kt S	**73%**
3	**Puerto Escondido** Oaxaca, Mexico · 3 kt W	**72%**
4	**Uluwatu** Bali, Indonesia · 9 kt ESE	**72%**
5	**Pascuales** Colima, Mexico · 3 kt WNW	**72%**
6	**Nias** Sumatra, Indonesia · 6 kt NW	**69%**
7	**Krui** Lampung, Sumatra · 4 kt ESE	**67%**
8	**Santa Teresa** Costa Rica · 4 kt NW	**62%**
9	**Pavones** Costa Rica · 3 kt WNW	**57%**
10	**Elands Bay** South Africa · 6 kt NE	**54%**
11	**Mentawais** Sumatra, Indonesia · 6 kt SE	**50%**
12	**Cimaja** Pelabuhan Ratu, West Java · 3 kt ESE	**48%**
13	**Saquarema** Brazil · 6 kt NE	**46%**
14	**Cactus Beach** South Australia · 10 kt NNE	**43%**
15	**Popoyo** Nicaragua · 11 kt ENE	**42%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 6 kt SSW	**70%**
◆10	**Marcona coast** Peru · 7 kt SSE	**59%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**57%**
◆9	**Isabela coast** Galápagos, Ecuador · 7 kt SSE	**55%**
◆14	**Oranjemund coast** Namibia · 7 kt SE	**51%**
◆22	**Bredasdorp coast** South Africa · 6 kt WNW	**51%**
◆6	**La Serena coast** Chile · 7 kt SSW	**50%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

June: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (150 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in June

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Nias** Sumatra, Indonesia · 5 kt ESE	**81%**
2	**Uluwatu** Bali, Indonesia · 10 kt ESE	**80%**
3	**Krui** Lampung, Sumatra · 4 kt ESE	**79%**
4	**Arica** Chile · 5 kt SW	**77%**
5	**Iquique** Chile · 5 kt S	**76%**
6	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**67%**
7	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**67%**
8	**Mentawais** Sumatra, Indonesia · 5 kt ESE	**63%**
9	**Pascuales** Colima, Mexico · 4 kt WNW	**59%**
10	**Santa Teresa** Costa Rica · 4 kt WNW	**51%**
11	**Cactus Beach** South Australia · 13 kt N	**47%**
12	**Skeleton Bay** Namibia · 7 kt S	**43%**
13	**Pavones** Costa Rica · 4 kt WNW	**43%**
14	**Saquarema** Brazil · 5 kt NE	**41%**
15	**Popoyo** Nicaragua · 10 kt ENE	**39%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 5 kt SSW	**65%**
◆14	**Oranjemund coast** Namibia · 9 kt NE	**47%**
◆18	**Port Denison coast** Australia · 11 kt NE	**46%**
◆22	**Bredasdorp coast** South Africa · 7 kt WNW	**45%**
◆27	**Chabahar coast** Iran · 7 kt ESE	**45%**
◆8	**Greymouth coast** New Zealand · 6 kt E	**43%**
◆6	**La Serena coast** Chile · 7 kt S	**41%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

July: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (154 mornings; 1 days missing from the archive)



Best named breaks in July

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**74%**
2	**Uluwatu** Bali, Indonesia · 11 kt ESE	**73%**
3	**Nias** Sumatra, Indonesia · 6 kt SE	**70%**
4	**Iquique** Chile · 5 kt SSW	**69%**
5	**Cimaja** Pelabuhan Ratu, West Java · 5 kt ESE	**68%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt NNW	**64%**
7	**Krui** Lampung, Sumatra · 6 kt ESE	**60%**
8	**Pascuales** Colima, Mexico · 3 kt ENE	**54%**
9	**Pavones** Costa Rica · 4 kt WNW	**51%**
10	**Mentawais** Sumatra, Indonesia · 6 kt SE	**51%**
11	**Santa Teresa** Costa Rica · 3 kt NNE	**49%**
12	**Tamarin** Mauritius · 12 kt ESE	**44%**
13	**Skeleton Bay** Namibia · 7 kt S	**44%**
14	**Elands Bay** South Africa · 8 kt NE	**44%**
15	**Cactus Beach** South Australia · 12 kt N	**44%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆24	**Gwadar coast** Pakistan · 6 kt SW	**71%**
◆25	**Salalah coast** Oman · 5 kt SSW	**66%**
◆8	**Greymouth coast** New Zealand · 6 kt ESE	**61%**
◆7	**Chañaral coast** Chile · 6 kt SSW	**60%**
◆18	**Port Denison coast** Australia · 12 kt NE	**59%**
◆27	**Chabahar coast** Iran · 7 kt ESE	**58%**
◆22	**Bredasdorp coast** South Africa · 7 kt WNW	**51%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

August: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (155 mornings)



Best named breaks in August

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Uluwatu** Bali, Indonesia · 9 kt ESE	**81%**
2	**Iquique** Chile · 5 kt SSW	**75%**
3	**Arica** Chile · 5 kt SW	**75%**
4	**Cimaja** Pelabuhan Ratu, West Java · 5 kt ESE	**69%**
5	**Puerto Escondido** Oaxaca, Mexico · 3 kt NW	**61%**
6	**Pascuales** Colima, Mexico · 4 kt ESE	**57%**
7	**Skeleton Bay** Namibia · 6 kt S	**53%**
8	**Nias** Sumatra, Indonesia · 8 kt SE	**53%**
9	**Cactus Beach** South Australia · 12 kt NNE	**49%**
10	**Playa Hermosa** Costa Rica · 4 kt SE	**46%**
11	**Krui** Lampung, Sumatra · 8 kt SE	**45%**
12	**Saint-Leu** Réunion · 5 kt SE	**43%**
13	**Tamarin** Mauritius · 12 kt ESE	**41%**
14	**Pavones** Costa Rica · 4 kt WNW	**41%**
15	**Mentawais** Sumatra, Indonesia · 9 kt SE	**40%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 6 kt SSW	**61%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**59%**
◆25	**Salalah coast** Oman · 4 kt SSW	**55%**
◆18	**Port Denison coast** Australia · 11 kt E	**51%**
◆27	**Chabahar coast** Iran · 7 kt ESE	**50%**
◆16	**Pointe-Noire coast** Congo (Brazzaville) · 5 kt SSE	**48%**
◆22	**Bredasdorp coast** South Africa · 8 kt W	**46%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

September: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (150 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in September

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**74%**
2	**Uluwatu** Bali, Indonesia · 8 kt ESE	**74%**
3	**Cimaja** Pelabuhan Ratu, West Java · 5 kt SE	**69%**
4	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**59%**
5	**Iquique** Chile · 6 kt SSW	**57%**
6	**Pascuales** Colima, Mexico · 4 kt ESE	**55%**
7	**Nias** Sumatra, Indonesia · 9 kt SE	**50%**
8	**Pavones** Costa Rica · 4 kt W	**47%**
9	**Tamarin** Mauritius · 13 kt ESE	**46%**
10	**Krui** Lampung, Sumatra · 8 kt SE	**46%**
11	**Playa Hermosa** Costa Rica · 3 kt WSW	**45%**
12	**Cactus Beach** South Australia · 13 kt N	**43%**
13	**Saint-Leu** Réunion · 6 kt SE	**39%**
14	**Shipstern Bluff** Tasmania, Australia · 15 kt NNW	**39%**
15	**Bells Beach** Victoria, Australia · 11 kt NW	**35%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆18	**Port Denison coast** Australia · 10 kt E	**51%**
◆7	**Chañaral coast** Chile · 7 kt SSW	**50%**
◆8	**Greymouth coast** New Zealand · 7 kt WSW	**49%**
◆1	**Ancud coast** Chile · 10 kt N	**34%**
◆22	**Bredasdorp coast** South Africa · 9 kt WNW	**33%**
◆13	**Meningie coast** Australia · 12 kt N	**31%**
◆5	**Toltén coast** Chile · 11 kt N	**30%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

October: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 5 seasons, 2022–2026 (148 mornings; 7 days missing from the archive)



Best named breaks in October

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Uluwatu** Bali, Indonesia · 5 kt ESE	**81%**
2	**Arica** Chile · 5 kt SW	**77%**
3	**Iquique** Chile · 7 kt SSW	**60%**
4	**Puerto Escondido** Oaxaca, Mexico · 3 kt N	**57%**
5	**Krui** Lampung, Sumatra · 6 kt SE	**57%**
6	**Pascuales** Colima, Mexico · 3 kt ESE	**56%**
7	**Nias** Sumatra, Indonesia · 7 kt SE	**53%**
8	**Cimaja** Pelabuhan Ratu, West Java · 5 kt SE	**52%**
9	**Santa Teresa** Costa Rica · 5 kt WNW	**46%**
10	**Pavones** Costa Rica · 5 kt W	**45%**
11	**Ocean Beach SF** California · 5 kt NW	**41%**
12	**Imsouane** Morocco · 6 kt N	**38%**
13	**Cactus Beach** South Australia · 11 kt ESE	**38%**
14	**Rapa Nui** Easter Island · 12 kt E	**38%**
15	**Safi** Morocco · 7 kt NE	**38%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆6	**La Serena coast** Chile · 6 kt SSW	**51%**
◆7	**Chañaral coast** Chile · 7 kt SW	**49%**
◆8	**Greymouth coast** New Zealand · 6 kt WSW	**47%**
◆17	**Blitar coast** Indonesia · 9 kt ESE	**38%**
◆13	**Meningie coast** Australia · 12 kt NNE	**38%**
◆1	**Ancud coast** Chile · 9 kt S	**36%**
◆10	**Marcona coast** Peru · 8 kt SSE	**36%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.


Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

Lake Michigan: when and where it's good

Good lake surf = total wave height 4–10 ft (1.22–3 m) with dominant period ≥ 6 s (taken as 1.29× the mean period), arriving within 75° of the shore's facing, on the ~08:00 sample. Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good morning	Morning wind
1	**Holland**	Michigan	30	24	16	12	2	2	1	2	5	12	27	28	**13%**	Nov–Jan 28%	0%	none	5 ft @ 7 s W	12 kt SSW
2	**Grand Haven**	Michigan	28	18	15	10	2	1	0	2	3	13	27	26	**12%**	Nov–Jan 27%	0%	none	5 ft @ 7 s W	11 kt SSW
3	**Ludington**	Michigan	25	19	14	9	3	1	1	2	3	11	27	27	**11%**	Nov–Jan 26%	0%	none	5 ft @ 7 s W	13 kt S
4	**Frankfort**	Michigan	21	19	14	9	3	2	0	1	3	9	26	26	**11%**	Nov–Jan 25%	0%	none	5 ft @ 7 s W	13 kt SSW
5	**St. Joseph**	Michigan	27	16	12	7	2	2	2	1	7	12	23	17	**11%**	Nov–Jan 22%	0%	none	5 ft @ 7 s NW	11 kt SSW
6	**New Buffalo**	Michigan	19	14	12	5	2	1	1	1	5	11	16	11	**8%**	Nov–Jan 15%	0%	none	5 ft @ 7 s NNW	11 kt SSW
7	**Portage**	Indiana	12	9	8	4	1	1	1	1	5	12	7	7	**6%**	Jan–Mar 10%	0%	none	5 ft @ 7 s NNW	9 kt SSW
8	**Sheboygan**	Wisconsin	6	5	9	7	1	2	0	1	3	6	4	5	**4%**	Feb–Apr 7%	0%	none	5 ft @ 7 s E	11 kt SSW
9	**Gary**	Indiana	8	7	7	2	0	1	1	1	4	7	4	4	**4%**	Jan–Mar 8%	0%	none	5 ft @ 7 s N	9 kt SSW
10	**Milwaukee**	Wisconsin	5	2	7	6	1	1	1	1	3	4	4	5	**3%**	Feb–Apr 5%	0%	none	5 ft @ 7 s ENE	11 kt SSW
11	**Racine**	Wisconsin	6	4	5	3	1	1	1	1	3	5	3	3	**3%**	Jan–Mar 5%	0%	none	5 ft @ 7 s NE	11 kt SSW
12	**Chicago**	Illinois	5	3	7	2	1	2	1	2	3	3	1	1	**2%**	Jan–Mar 5%	0%	none	5 ft @ 7 s NNE	10 kt SSW
13	**Whiting**	Indiana	6	1	5	1	0	1	1	1	3	5	1	2	**2%**	Jan–Mar 4%	0%	none	5 ft @ 7 s N	9 kt SSW

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good morning = medians over good mornings: total wave height @ dominant period and the direction waves come from.


Coasts are ranked by year-round good %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Good lake surf doesn't use wind (lake and sea surf is windswell); Ocean good+ does: ≤ 8 k

Lake Superior: when and where it's good

Good lake surf = total wave height 4–10 ft (1.22–3 m) with dominant period ≥ 6 s (taken as 1.29× the mean period), arriving within 75° of the shore's facing, on the ~08:00 sample. Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with good lake surf



#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good morning	Morning wind
1	**Grand Marais MI**	Michigan	28	18	13	8	1	3	0	3	6	13	27	23	**12%**	Nov–Jan 26%	0%	none	5 ft @ 7 s NW	11 kt SSW
2	**Whitefish Point**	Michigan	25	12	9	7	1	2	0	3	3	12	24	27	**10%**	Nov–Jan 25%	0%	none	5 ft @ 7 s NW	12 kt SSE
3	**Marquette**	Michigan	21	17	17	11	1	1	0	2	5	12	21	19	**10%**	Nov–Jan 20%	0%	none	6 ft @ 7 s N	12 kt NW
4	**Au Train**	Michigan	19	16	14	6	1	1	0	2	5	9	24	19	**9%**	Nov–Jan 21%	0%	none	5 ft @ 7 s NNW	11 kt SSW
5	**Ontonagon**	Michigan	19	8	11	11	1	0	0	1	4	10	23	20	**9%**	Nov–Jan 21%	0%	none	5 ft @ 7 s NW	10 kt WSW
6	**Agawa Bay**	Ontario	21	8	5	5	1	1	0	2	3	9	23	26	**9%**	Nov–Jan 24%	0%	none	5 ft @ 8 s W	11 kt SSE
7	**Terrace Bay**	Ontario	12	9	6	4	2	0	1	1	4	13	20	15	**7%**	Oct–Dec 16%	0%	none	5 ft @ 7 s SSW	12 kt NNE
8	**Little Girl's Point**	Michigan	8	4	8	7	1	0	0	0	1	6	10	8	**4%**	Nov–Jan 8%	0%	none	5 ft @ 7 s N	10 kt SSW
9	**Park Point**	Duluth, Minnesota	2	2	5	5	1	0	0	0	0	3	1	2	**2%**	Feb–Apr 4%	0%	none	6 ft @ 7 s ENE	8 kt ENE
10	**Grand Marais MN**	Minnesota	3	1	0	1	1	0	0	0	0	3	2	1	**1%**	Nov–Jan 2%	0%	none	5 ft @ 6 s SSW	11 kt ENE
11	**Stoney Point**	Minnesota	0	1	0	2	0	0	0	0	0	1	1	0	**0%**	Feb–Apr 1%	0%	none	6 ft @ 7 s ENE	8 kt ENE

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good morning = medians over good mornings: total wave height @ dominant period and the direction waves come from.


Coasts are ranked by year-round good %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Good lake surf doesn't use wind (lake and sea surf is windswell); Ocean good+ does: ≤ 8 k

Mediterranean: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell



Mediterranean: coast by coast

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.


#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Susa**	Cyrenaica, Libya	47	48	45	40	26	19	37	25	33	40	36	46	**37%**	Dec–Feb 47%	1%	0–0 ft	5 ft @ 6 s NNW	9 kt W
2	**Capo Mannu**	Sardinia, Italy	46	43	35	29	27	17	25	23	23	28	50	38	**32%**	Nov–Jan 45%	1%	1–1 ft	5 ft @ 7 s WNW	8 kt ESE
3	**Ajaccio**	Corsica, France	51	45	35	31	23	18	22	19	25	24	51	37	**32%**	Nov–Jan 46%	2%	1–1 ft	5 ft @ 7 s W	6 kt WNW
4	**Alexandria**	Egypt	39	45	39	30	26	19	33	21	21	24	24	37	**30%**	Jan–Mar 41%	1%	1–1 ft	4 ft @ 7 s NW	8 kt NW
5	**Tabarka**	Tunisia	52	49	30	33	23	9	19	14	17	21	47	35	**29%**	Dec–Feb 45%	1%	1–1 ft	5 ft @ 7 s NW	10 kt W
6	**Paphos**	Cyprus	36	43	36	32	28	15	19	25	27	18	20	32	**28%**	Jan–Mar 38%	0%	1–1 ft	4 ft @ 6 s W	6 kt W
7	**Tripoli**	Libya	44	38	34	37	21	10	10	6	19	18	24	40	**25%**	Dec–Feb 40%	1%	1–1 ft	5 ft @ 6 s N	9 kt ESE
8	**Falasarna**	Crete, Greece	44	36	32	31	14	9	18	11	14	15	36	41	**25%**	Nov–Jan 40%	0%	0–0 ft	5 ft @ 6 s W	12 kt NE
9	**Benghazi**	Libya	43	30	27	29	19	12	16	8	13	17	30	46	**24%**	Dec–Feb 40%	0%	0–1 ft	5 ft @ 7 s NW	10 kt N
10	**Algiers**	Algeria	34	29	39	30	19	9	12	11	18	15	37	32	**24%**	Nov–Jan 34%	1%	0–0 ft	4 ft @ 7 s N	9 kt ENE
11	**Gaza**	Palestine	35	37	33	21	23	7	13	10	10	17	19	35	**22%**	Dec–Feb 36%	1%	1–1 ft	4 ft @ 7 s WNW	5 kt WSW
12	**Livorno**	Tuscany, Italy	33	27	21	21	15	9	14	12	25	19	36	26	**21%**	Nov–Jan 32%	1%	1–1 ft	5 ft @ 6 s WSW	7 kt E
13	**Bizerte**	Tunisia	37	36	23	27	15	5	17	11	11	15	32	29	**21%**	Dec–Feb 34%	0%	1–1 ft	5 ft @ 7 s NNW	12 kt WNW
14	**Beirut**	Lebanon	37	36	33	21	25	5	7	13	11	15	15	32	**21%**	Jan–Mar 35%	1%	1–1 ft	4 ft @ 7 s W	8 kt SSW
15	**Kalo Nero**	Messinia, Greece	41	36	22	22	9	4	8	4	9	14	38	37	**20%**	Nov–Jan 39%	1%	0–0 ft	4 ft @ 7 s WSW	5 kt NNW
16	**Santa Marinella**	Lazio, Italy	27	23	26	20	12	7	8	11	16	20	28	26	**19%**	Nov–Jan 27%	0%	1–1 ft	4 ft @ 6 s SW	8 kt NE
17	**Marseille**	France	25	23	19	14	8	5	4	6	11	14	23	19	**14%**	Jan–Mar 22%	0%	1–1 ft	5 ft @ 6 s WSW	9 kt NW
18	**Varazze**	Liguria, Italy	20	19	23	13	7	5	3	5	9	18	20	16	**13%**	Jan–Mar 21%	1%	1–1 ft	4 ft @ 7 s SSW	7 kt NNW
19	**Barcelona**	Spain	20	16	37	17	2	3	0	5	8	16	15	11	**12%**	Jan–Mar 24%	0%	0–1 ft	4 ft @ 6 s ESE	6 kt NE
20	**Kelibia**	Cap Bon, Tunisia	14	10	30	20	15	3	2	1	6	13	10	14	**12%**	Mar–May 22%	0%	0–0 ft	4 ft @ 6 s E	10 kt NW
21	**Mondello**	Sicily, Italy	13	13	9	11	2	1	3	1	9	8	9	16	**8%**	Dec–Feb 14%	0%	1–1 ft	4 ft @ 6 s NNW	5 kt WSW
22	**Hammamet**	Tunisia	6	7	25	15	8	2	1	1	1	8	2	8	**7%**	Mar–May 16%	0%	0–1 ft	4 ft @ 6 s ESE	9 kt NW
23	**Kastro**	Kyllini, Greece	16	14	2	5	2	0	0	0	1	2	16	14	**6%**	Nov–Jan 15%	0%	0–1 ft	4 ft @ 6 s SW	9 kt NNW
24	**Antalya**	Turkey	12	7	3	2	1	0	0	0	0	0	3	10	**3%**	Dec–Feb 10%	0%	1–1 ft	4 ft @ 6 s SSE	4 kt NNW

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Greece: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Zakynthos west**	Ionian Islands	44	35	26	31	16	7	16	8	13	23	44	41	**25%**	Nov–Jan 43%	0%	0–1 ft	5 ft @ 6 s W	9 kt NNW
2	**Falasarna**	West Crete	44	36	32	31	14	9	18	11	14	15	36	41	**25%**	Nov–Jan 40%	0%	0–0 ft	5 ft @ 6 s W	12 kt NE
3	**Kokkini Hani**	North Crete	29	31	28	17	15	10	16	14	19	26	23	23	**21%**	Jan–Mar 30%	0%	0–0 ft	4 ft @ 6 s N	10 kt WNW
4	**Kalo Nero**	Messinia, W Peloponnese	41	36	22	22	9	4	8	4	9	14	38	37	**20%**	Nov–Jan 39%	1%	0–0 ft	4 ft @ 7 s WSW	5 kt NNW
5	**Komos**	South Crete	35	30	28	27	15	3	7	6	7	10	27	39	**20%**	Dec–Feb 35%	1%	0–0 ft	4 ft @ 6 s W	6 kt N
6	**Chania**	North Crete	23	28	25	16	15	10	13	14	21	25	24	16	**19%**	Jan–Mar 25%	0%	0–0 ft	5 ft @ 6 s N	10 kt W
7	**Agios Gordios**	Corfu, west coast	33	28	20	21	11	2	6	3	10	18	30	33	**18%**	Nov–Jan 32%	0%	1–1 ft	5 ft @ 6 s WSW	9 kt NNW
8	**Tinos north**	Cyclades	19	24	22	11	12	9	9	14	18	22	19	13	**16%**	Jan–Mar 22%	0%	0–1 ft	6 ft @ 6 s N	16 kt N
9	**Kymi**	East Evia	23	24	24	12	8	1	3	8	15	15	16	17	**14%**	Jan–Mar 24%	0%	1–1 ft	5 ft @ 6 s NE	11 kt N
10	**Kastro**	Kyllini, NW Peloponnese	16	14	2	5	2	0	0	0	1	2	16	14	**6%**	Nov–Jan 15%	0%	0–1 ft	4 ft @ 6 s SW	9 kt NNW
11	**Ialysos**	Rhodes, northwest	6	7	3	2	3	0	0	0	0	1	5	2	**2%**	Jan–Mar 5%	0%	1–1 ft	4 ft @ 5 s WNW	9 kt NW


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Caspian Sea: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell




#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Nabran**	Azerbaijan	37	26	19	15	10	5	6	7	17	27	30	33	**19%**	Nov–Jan 33%	0%	none	5 ft @ 6 s NE	8 kt SE
2	**Ramsar**	Iran	18	21	15	9	10	7	12	6	16	16	14	17	**13%**	Dec–Feb 18%	0%	none	4 ft @ 6 s N	5 kt E
3	**Babolsar**	Iran	17	18	12	9	7	8	14	6	13	12	17	14	**12%**	Dec–Feb 16%	0%	none	4 ft @ 6 s NNW	6 kt W
4	**Novkhani**	Absheron, Azerbaijan	15	19	14	9	6	5	8	8	10	14	15	13	**11%**	Jan–Mar 16%	0%	none	5 ft @ 6 s N	11 kt NNW
5	**Derbent**	Dagestan, Russia	21	9	8	9	3	1	2	6	11	15	18	27	**11%**	Nov–Jan 22%	0%	none	4 ft @ 6 s E	5 kt NNW
6	**Awaza**	Turkmenistan	11	14	12	8	8	5	8	5	7	8	15	13	**10%**	Nov–Jan 13%	0%	none	4 ft @ 6 s NW	9 kt E
7	**Makhachkala**	Dagestan, Russia	22	9	7	7	1	1	1	1	11	13	15	27	**9%**	Nov–Jan 21%	0%	none	4 ft @ 6 s ESE	9 kt SE
8	**Aktau**	Kazakhstan	19	13	12	7	7	2	2	0	2	10	19	11	**9%**	Nov–Jan 16%	0%	none	5 ft @ 6 s WSW	12 kt ESE
9	**Lankaran**	Azerbaijan	10	9	5	2	2	2	2	2	3	6	6	6	**4%**	Dec–Feb 8%	0%	none	4 ft @ 6 s NE	5 kt SSE
10	**Shikhov**	Baku, Azerbaijan	0	0	0	0	0	0	0	0	0	0	0	1	**0%**	Oct–Dec 0%	0%	none	5 ft @ 5 s SE	11 kt N


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Black Sea: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell





#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Kilyos**	Istanbul, Turkey	33	36	26	18	18	9	12	34	38	28	24	35	**26%**	Dec–Feb 35%	0%	0–0 ft	5 ft @ 6 s NNE	11 kt NE
2	**Şile**	Istanbul, Turkey	32	35	23	15	14	7	10	27	33	27	19	33	**23%**	Dec–Feb 33%	0%	0–0 ft	5 ft @ 6 s NNE	8 kt ENE
3	**Sozopol**	Bulgaria	26	30	20	10	12	5	3	20	27	18	16	25	**18%**	Dec–Feb 27%	0%	0–0 ft	4 ft @ 6 s ENE	10 kt N
4	**Vama Veche**	Romania	22	32	21	9	13	4	3	15	27	16	16	27	**17%**	Dec–Feb 27%	0%	0–0 ft	5 ft @ 6 s ENE	10 kt N
5	**Batumi**	Georgia	26	27	14	15	4	6	7	3	13	16	19	20	**14%**	Dec–Feb 24%	1%	0–0 ft	4 ft @ 7 s WNW	5 kt SW
6	**Sochi**	Russia	32	28	10	15	5	4	4	1	7	12	24	25	**14%**	Dec–Feb 28%	1%	0–0 ft	5 ft @ 6 s WSW	5 kt SE
7	**Varna**	Bulgaria	19	25	16	8	10	1	1	14	19	11	9	21	**13%**	Dec–Feb 21%	0%	0–0 ft	4 ft @ 6 s ENE	10 kt N
8	**Anapa**	Russia	24	14	8	15	3	3	2	0	4	10	15	22	**10%**	Nov–Jan 20%	0%	0–0 ft	5 ft @ 6 s WSW	11 kt NE
9	**Odesa**	Ukraine	12	6	5	2	3	1	1	0	1	2	10	10	**4%**	Nov–Jan 11%	0%	0–0 ft	4 ft @ 5 s SSE	10 kt NNE

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Madagascar: when and where it's good+

Good+ = swell ≥ 4 ft over 9 s, or ≥ 3 ft over 14 s; breaking under 16 ft; either swell train, aimed at the shore; morning wind ≤ 8 kt or offshore; on the ~08:00 sample.
Read from Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, with ERA5 wind just offshore.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good+ morning	Morning wind
1	**Ifaty**	Toliara, southwest	25	20	23	41	53	49	62	52	43	27	21	25	**37%**	May–Jul 55%	37%	7–9 ft	5 ft @ 14 s SSW	7 kt SE
2	**Lavanono**	Deep south	14	12	11	21	34	33	43	30	29	23	25	23	**25%**	May–Jul 37%	25%	5–6 ft	5 ft @ 13 s SSW	9 kt E
3	**Anakao**	Toliara, southwest	12	17	17	19	28	36	42	34	25	11	16	16	**23%**	Jun–Aug 37%	23%	6–9 ft	5 ft @ 14 s SSW	10 kt SE
4	**Manakara**	Southeast	17	20	23	31	28	33	30	23	17	13	9	7	**21%**	Apr–Jun 31%	21%	1–1 ft	5 ft @ 11 s SE	8 kt NNE
5	**Andavadoaka**	Morombe, west	6	9	15	19	24	22	28	21	20	12	7	12	**17%**	May–Jul 25%	17%	7–10 ft	5 ft @ 13 s SSW	9 kt SSE
6	**Fort Dauphin**	Tolagnaro, southeast	6	2	5	17	10	17	17	12	5	8	4	3	**9%**	Jun–Aug 15%	9%	1–1 ft	5 ft @ 11 s SSE	11 kt NNE
7	**Morondava**	West	1	2	1	2	3	5	5	7	7	2	1	2	**3%**	Jul–Sep 6%	3%	8–12 ft	4 ft @ 12 s SW	6 kt E
8	**Maintirano**	West	1	1	3	2	3	3	5	5	4	6	2	1	**3%**	Aug–Oct 5%	3%	10–13 ft	5 ft @ 11 s SW	7 kt SSE
9	**Mahambo**	East	3	4	1	2	3	4	4	7	2	1	1	2	**3%**	Jun–Aug 5%	3%	2–2 ft	4 ft @ 10 s ESE	10 kt SSE
10	**Sainte-Marie**	Nosy Boraha, east	2	4	1	1	3	3	2	2	0	0	0	0	**1%**	May–Jul 3%	1%	2–3 ft	4 ft @ 11 s ESE	10 kt SSE
11	**Ramena**	Antsiranana, north	3	0	1	0	2	1	0	0	0	0	0	1	**1%**	Nov–Jan 1%	1%	5–7 ft	5 ft @ 10 s ESE	16 kt SE
12	**Mahajanga**	Northwest	1	0	0	0	0	0	0	0	0	0	0	0	**0%**	Jan–Mar 0%	0%	9–12 ft	5 ft @ 10 s N	10 kt ESE
13	**Nosy Be**	Northwest	0	0	0	0	0	0	0	0	0	0	0	0	**0%**	Jan–Mar 0%	0%	8–11 ft	–	3 kt NE

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good+ morning = medians over good+ mornings: swell height @ peak period and the direction it comes from.
Coasts are ranked by year-round good+ %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Peru: when and where it's good+

Good+ = swell ≥ 4 ft over 9 s, or ≥ 3 ft over 14 s; breaking under 16 ft; either swell train, aimed at the shore; morning wind ≤ 8 kt or offshore; on the ~08:00 sample.
Read from Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, with ERA5 wind just offshore.





#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good+ morning	Morning wind
1	**Ilo**	Moquegua	60	65	70	71	34	35	43	46	38	41	42	40	**49%**	Feb–Apr 69%	49%	3–4 ft	5 ft @ 13 s SSW	7 kt SE
2	**Camaná**	Arequipa	54	67	70	72	26	27	30	30	19	18	24	30	**39%**	Feb–Apr 70%	39%	3–3 ft	5 ft @ 13 s SSW	8 kt SE
3	**Mollendo**	Arequipa	41	59	45	39	14	13	19	21	15	13	22	25	**27%**	Jan–Mar 48%	27%	3–4 ft	5 ft @ 13 s SSW	9 kt SE
4	**Cerro Azul**	Lima	42	47	60	33	15	11	6	5	2	7	12	19	**22%**	Jan–Mar 50%	22%	2–3 ft	5 ft @ 14 s SSW	9 kt SSW
5	**Miraflores**	Lima	39	50	46	25	17	11	14	8	5	8	13	17	**21%**	Jan–Mar 45%	21%	2–3 ft	5 ft @ 13 s SSW	10 kt SSE
6	**Huanchaco**	Trujillo	36	37	55	27	11	9	12	5	11	9	19	19	**21%**	Jan–Mar 43%	21%	3–4 ft	5 ft @ 14 s SSW	9 kt SSE
7	**Punta Hermosa**	Lima	39	50	46	23	14	11	12	6	4	6	13	16	**20%**	Jan–Mar 45%	20%	2–3 ft	5 ft @ 14 s SSW	10 kt S
8	**Huarmey**	Áncash	31	43	48	17	11	6	8	2	4	6	12	7	**16%**	Jan–Mar 41%	16%	3–3 ft	5 ft @ 14 s SSW	10 kt SSE
9	**Chicama**	La Libertad	22	21	34	18	6	3	7	3	4	5	17	8	**12%**	Jan–Mar 26%	12%	3–4 ft	4 ft @ 14 s SSW	10 kt SSE
10	**Pacasmayo**	La Libertad	10	10	26	17	5	2	7	1	3	7	13	4	**9%**	Feb–Apr 18%	9%	3–4 ft	4 ft @ 13 s SSW	9 kt SSE
11	**Máncora**	Piura	3	2	8	5	3	6	3	1	1	2	0	3	**3%**	Mar–May 5%	3%	5–6 ft	4 ft @ 16 s SW	10 kt SSW
12	**Lobitos**	Piura	2	3	6	2	2	7	3	1	1	2	0	1	**3%**	May–Jul 4%	3%	4–6 ft	4 ft @ 17 s SW	12 kt SSE
13	**Cabo Blanco**	Piura	2	1	2	0	0	3	1	0	0	0	0	0	**1%**	Jan–Mar 2%	1%	5–6 ft	4 ft @ 17 s WSW	13 kt S

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good+ morning = medians over good+ mornings: swell height @ peak period and the direction it comes from.
Coasts are ranked by year-round good+ %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.