
Year-round: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 3,561 mornings, Jan 2017 to Oct 2026



Best named breaks year-round

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 4 kt SW	**71%**
2	**Uluwatu** Bali, Indonesia · 7 kt ESE	**65%**
3	**Iquique** Chile · 5 kt SSW	**60%**
4	**Nias** Sumatra, Indonesia · 6 kt SE	**56%**
5	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**52%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**52%**
7	**Krui** Lampung, Sumatra · 6 kt SE	**49%**
8	**Pascuales** Colima, Mexico · 3 kt WNW	**46%**
9	**Playa Hermosa** Costa Rica · 4 kt N	**43%**
10	**Pavones** Costa Rica · 4 kt WNW	**43%**
11	**Skeleton Bay** Namibia · 6 kt S	**38%**
12	**Tamarin** Mauritius · 11 kt ESE	**37%**
13	**Cactus Beach** South Australia · 12 kt SE	**37%**
14	**Elands Bay** South Africa · 7 kt S	**36%**
15	**Margaret River** Western Australia · 14 kt SE	**35%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 7 kt SSE	**56%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**55%**
◆7	**Chañaral coast** Chile · 6 kt SW	**54%**
◆6	**La Serena coast** Chile · 6 kt SSW	**48%**
◆18	**Port Denison coast** Australia · 12 kt SSE	**39%**
◆4	**Camaná coast** Peru · 8 kt SE	**39%**
◆1	**Ancud coast** Chile · 9 kt NNW	**39%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s



Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

Popular breaks, month by month

The 40 well-known breaks with the strongest three-month season (best one per 100 miles of coast), listed by year-round consistency. Breaks in the enclosed seas are on the map insets.

#	Break	Region	J	F	M	A	M	J	J	A	S	O	N	D	Year	Worst	Best 3 months	Tide range	Typical good morning	Morning wind
1	**Arica**	Chile	46	61	72	76	76	82	77	78	78	77	71	50	**71%**	46%	Jun–Aug 79%	3–4 ft	5 ft @ 14 s SW, surf ~8 ft	4 kt SW
2	**Uluwatu**	Bali, Indonesia	39	47	56	77	77	80	72	74	75	80	61	43	**65%**	39%	Apr–Jun 78%	6–8 ft	5 ft @ 15 s SSW, surf ~8 ft	7 kt ESE
3	**Iquique**	Chile	41	51	66	70	70	75	70	70	56	53	54	38	**60%**	38%	Jun–Aug 72%	3–4 ft	5 ft @ 14 s SW, surf ~8 ft	5 kt SSW
4	**Nias**	Sumatra, Indonesia	43	47	45	67	74	82	72	61	52	54	35	38	**56%**	35%	May–Jul 76%	2–3 ft	5 ft @ 15 s SSW, surf ~8 ft	6 kt SE
5	**Cimaja**	Pelabuhan Ratu, West Java	29	34	31	55	59	75	76	73	71	56	29	28	**52%**	28%	Jun–Aug 74%	3–4 ft	4 ft @ 15 s SSW, surf ~7 ft	4 kt ESE
6	**Puerto Escondido**	Oaxaca, Mexico	10	30	52	72	75	73	68	61	58	61	41	15	**52%**	10%	Apr–Jun 73%	3–4 ft	4 ft @ 15 s SSW, surf ~7 ft	3 kt WNW
7	**Krui**	Lampung, Sumatra	30	38	38	66	71	80	58	40	39	55	43	30	**49%**	30%	Apr–Jun 72%	3–4 ft	5 ft @ 15 s SSW, surf ~8 ft	6 kt SE
8	**Pascuales**	Colima, Mexico	5	20	43	66	74	69	61	57	58	58	32	8	**46%**	5%	Apr–Jun 70%	2–3 ft	4 ft @ 16 s SSW, surf ~7 ft	3 kt WNW
9	**Santa Teresa**	Costa Rica	16	26	45	53	65	61	57	48	49	46	34	12	**43%**	12%	May–Jul 61%	7–9 ft	4 ft @ 15 s SSW, surf ~7 ft	5 kt NNE
10	**Pavones**	Costa Rica	14	32	52	60	59	53	54	45	49	45	32	12	**43%**	12%	Apr–Jun 57%	8–10 ft	4 ft @ 15 s SSW, surf ~7 ft	4 kt WNW
11	**Skeleton Bay**	Namibia	33	38	27	29	40	47	52	47	37	34	35	32	**38%**	27%	Jun–Aug 49%	4–5 ft	5 ft @ 12 s SSW, surf ~8 ft	6 kt S
12	**Tamarin**	Mauritius	25	28	30	41	42	36	44	49	45	41	30	35	**37%**	25%	Jul–Sep 46%	2–2 ft	5 ft @ 15 s SSW, surf ~8 ft	11 kt ESE
13	**Cactus Beach**	South Australia	21	20	30	48	48	49	40	49	44	37	31	22	**37%**	20%	Apr–Jun 48%	4–5 ft	6 ft @ 15 s SW, surf ~9 ft	12 kt SE
14	**Elands Bay**	South Africa	25	29	25	33	53	42	48	42	37	37	26	28	**36%**	25%	May–Jul 47%	4–6 ft	5 ft @ 13 s WSW, surf ~8 ft	7 kt S
15	**Margaret River**	Western Australia	39	45	49	45	31	21	16	22	30	33	45	45	**35%**	16%	Feb–Apr 47%	2–2 ft	7 ft @ 13 s SW, surf ~11 ft	14 kt SE
16	**Saint-Leu**	Réunion	25	23	25	31	42	36	41	50	38	33	32	31	**34%**	23%	Jul–Sep 43%	1–2 ft	5 ft @ 15 s SSW, surf ~8 ft	6 kt SE
17	**Shipstern Bluff**	Tasmania, Australia	32	32	37	35	38	33	37	35	37	33	34	24	**34%**	24%	Jul–Sep 36%	3–3 ft	5 ft @ 13 s SSW, surf ~8 ft	14 kt N
18	**Safi**	Morocco	57	61	48	27	17	8	6	4	18	40	57	61	**33%**	4%	Dec–Feb 60%	7–10 ft	6 ft @ 13 s NW, surf ~9 ft	9 kt NNE
19	**Punta de Lobos**	Chile	36	41	34	29	39	37	34	31	31	30	24	26	**33%**	24%	Jan–Mar 37%	4–5 ft	6 ft @ 13 s SW, surf ~9 ft	10 kt SSW
20	**Raglan**	New Zealand	30	36	38	41	38	34	29	30	27	28	27	21	**32%**	21%	Mar–May 39%	8–10 ft	5 ft @ 14 s WSW, surf ~8 ft	11 kt SW
21	**Westport**	Washington	49	48	43	34	25	18	6	13	27	35	36	50	**32%**	6%	Dec–Feb 49%	8–10 ft	6 ft @ 12 s W, surf ~9 ft	8 kt NW
22	**Ocean Beach SF**	California	53	47	32	27	24	18	9	11	20	40	46	50	**31%**	9%	Dec–Feb 50%	6–7 ft	5 ft @ 13 s W, surf ~8 ft	7 kt WNW
23	**Mentawais**	Sumatra, Indonesia	15	17	19	39	45	58	46	38	28	30	15	12	**30%**	12%	May–Jul 50%	3–3 ft	4 ft @ 15 s SSW, surf ~7 ft	6 kt SE
24	**Rapa Nui**	Easter Island	34	42	31	28	26	28	25	20	31	38	29	33	**30%**	20%	Dec–Feb 37%	2–2 ft	5 ft @ 15 s SW, surf ~9 ft	12 kt E
25	**Saquarema**	Brazil	18	22	33	37	48	44	33	30	23	21	22	20	**29%**	18%	Apr–Jun 43%	3–3 ft	5 ft @ 12 s S, surf ~8 ft	6 kt NE
26	**Punta Hermosa**	Peru	28	46	54	34	29	27	24	20	12	20	24	20	**28%**	12%	Feb–Apr 45%	2–3 ft	5 ft @ 15 s SSW, surf ~8 ft	8 kt S
27	**Popoyo**	Nicaragua	3	9	20	40	52	52	39	29	33	34	16	5	**28%**	3%	Apr–Jun 48%	6–8 ft	4 ft @ 16 s SSW, surf ~7 ft	13 kt ENE
28	**Imsouane**	Morocco	40	46	33	22	13	3	2	4	14	32	39	49	**24%**	2%	Dec–Feb 45%	7–9 ft	5 ft @ 14 s NW, surf ~9 ft	9 kt N
29	**Zurriola**	San Sebastián, Spain	29	41	32	18	10	8	5	9	19	29	31	37	**22%**	5%	Dec–Feb 36%	10–13 ft	5 ft @ 14 s NW, surf ~8 ft	8 kt W
30	**Bells Beach**	Victoria, Australia	12	15	20	30	25	23	30	28	31	20	16	10	**22%**	10%	Jul–Sep 30%	6–7 ft	5 ft @ 14 s SW, surf ~7 ft	10 kt WNW
31	**Chicama**	Peru	19	34	45	32	24	14	19	12	14	16	21	12	**22%**	12%	Feb–Apr 37%	3–4 ft	4 ft @ 15 s SSW, surf ~7 ft	8 kt SSE
32	**Ericeira**	Portugal	30	38	31	23	16	7	7	5	22	29	25	32	**22%**	5%	Dec–Feb 33%	7–10 ft	6 ft @ 13 s NW, surf ~9 ft	12 kt N
33	**Jeffreys Bay**	South Africa	14	18	17	20	28	29	33	26	19	16	15	21	**21%**	14%	May–Jul 30%	4–6 ft	6 ft @ 13 s SSW, surf ~8 ft	11 kt W
34	**Tofino**	British Columbia	32	33	26	22	16	12	2	6	20	23	21	29	**20%**	2%	Dec–Feb 31%	8–11 ft	6 ft @ 12 s W, surf ~8 ft	8 kt WNW
35	**Punta Roca**	El Salvador	2	5	17	26	39	36	30	16	25	22	14	1	**20%**	1%	May–Jul 35%	6–7 ft	4 ft @ 16 s SSW, surf ~7 ft	5 kt NE
36	**Hanalei Bay**	Kauai, Hawaii	47	33	25	16	6	2	0	0	8	31	27	33	**19%**	0%	Dec–Feb 38%	2–2 ft	6 ft @ 14 s NNW, surf ~9 ft	9 kt E
37	**Todos Santos**	Baja California	44	33	20	15	15	8	4	1	5	14	21	35	**18%**	1%	Dec–Feb 37%	5–7 ft	5 ft @ 13 s WNW, surf ~7 ft	7 kt NW
38	**St Clair**	Dunedin, New Zealand	10	11	17	26	28	25	20	20	19	18	9	6	**17%**	6%	Apr–Jun 26%	5–6 ft	5 ft @ 13 s S, surf ~8 ft	9 kt NNE
39	**Santa Bárbara**	Azores	26	29	21	18	11	9	4	7	14	24	24	24	**17%**	4%	Dec–Feb 27%	4–5 ft	5 ft @ 13 s NNW, surf ~8 ft	10 kt SW
40	**Fernando de Noronha**	Brazil	29	35	31	18	4	1	0	0	2	12	20	28	**15%**	0%	Jan–Mar 32%	6–8 ft	4 ft @ 15 s N, surf ~7 ft	14 kt ESE

Month cells use the map colours (% of mornings good+). Typical good morning = medians over the good+ mornings: swell height @ peak period and the direction it comes from, and estimated breaking surf (Komar–Gaughan). Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Each break is read from Météo-France MFWAM (Copernicus Marine) at its ~8 km cell: either swell train inside its exposure window, with ERA5 morning wind ≤ 8 kt or offshore. Reefs, points and sheltering inside that cell are not modelled.

Under-the-radar stretches, month by month

Coast where mornings are often good+ with swell aimed at the shore (≥40% year-round, or ≥65% over its best three months), at least 300 km from the well-known breaks and within 150 km of a town of 5,000+. Listed by year-round consistency; numbers match the ◆ markers on the maps.


#	Stretch	Region	J	F	M	A	M	J	J	A	S	O	N	D	Year	Worst	Best 3 months	Tide range	Typical good morning	Morning wind
◆10	**Marcona coast**	Peru	66	78	87	84	61	44	38	32	29	37	60	60	**56%**	29%	Feb–Apr 83%	3–3 ft	5 ft @ 14 s SSW, surf ~8 ft	7 kt SSE
◆8	**Greymouth coast**	New Zealand	41	50	53	63	63	58	66	65	57	51	46	39	**55%**	39%	Jun–Aug 63%	7–9 ft	6 ft @ 13 s WSW, surf ~9 ft	5 kt E
◆7	**Chañaral coast**	Chile	43	52	64	63	66	63	60	58	49	47	47	39	**54%**	39%	Mar–May 64%	3–4 ft	5 ft @ 13 s SW, surf ~8 ft	6 kt SW
◆6	**La Serena coast**	Chile	56	59	59	52	50	43	37	39	37	42	49	53	**48%**	37%	Jan–Mar 58%	4–5 ft	5 ft @ 12 s SW, surf ~8 ft	6 kt SSW
◆18	**Port Denison coast**	Australia	23	27	30	42	52	55	56	53	52	31	20	23	**39%**	20%	Jun–Aug 55%	2–2 ft	6 ft @ 14 s SW, surf ~9 ft	12 kt SSE
◆4	**Camaná coast**	Peru	53	64	70	65	30	30	28	27	20	16	27	33	**39%**	16%	Feb–Apr 66%	3–3 ft	5 ft @ 14 s SSW, surf ~8 ft	8 kt SE
◆1	**Ancud coast**	Chile	48	47	45	44	41	30	33	33	33	35	35	39	**39%**	30%	Jan–Mar 47%	4–5 ft	7 ft @ 13 s WSW, surf ~10 ft	9 kt NNW
◆20	**Nelson coast**	New Zealand	37	44	49	44	40	43	37	40	33	30	31	33	**39%**	30%	Feb–Apr 46%	8–11 ft	6 ft @ 13 s WSW, surf ~9 ft	9 kt SSW
◆14	**Oranjemund coast**	Namibia	19	24	33	35	52	52	51	46	37	28	23	22	**36%**	19%	May–Jul 52%	4–6 ft	6 ft @ 13 s SW, surf ~9 ft	8 kt SSE
◆3	**La Ligua coast**	Chile	43	51	45	36	33	32	27	31	25	27	30	37	**35%**	25%	Jan–Mar 46%	4–5 ft	6 ft @ 13 s SW, surf ~9 ft	9 kt S
◆22	**Bredasdorp coast**	South Africa	19	22	26	32	50	51	56	48	37	22	22	20	**34%**	19%	May–Jul 52%	5–6 ft	6 ft @ 12 s SSW, surf ~8 ft	9 kt E
◆13	**Meningie coast**	Australia	27	28	33	44	35	40	36	37	32	34	34	26	**34%**	26%	Apr–Jun 40%	2–3 ft	6 ft @ 13 s SW, surf ~8 ft	11 kt NNE
◆9	**Isabela coast**	Galápagos, Ecuador	28	41	60	69	57	30	15	14	11	11	8	11	**30%**	8%	Mar–May 62%	4–5 ft	4 ft @ 15 s SSW, surf ~8 ft	8 kt SSE
◆5	**Toltén coast**	Chile	20	26	28	39	34	33	26	25	33	31	25	21	**28%**	20%	Apr–Jun 35%	4–5 ft	7 ft @ 13 s SW, surf ~10 ft	11 kt S
◆17	**Blitar coast**	Indonesia	31	39	47	47	21	14	3	7	10	30	41	47	**28%**	3%	Feb–Apr 44%	5–7 ft	5 ft @ 14 s SSW, surf ~8 ft	10 kt ESE
◆11	**Port Lincoln coast**	Australia	43	33	36	27	20	18	11	19	23	32	31	37	**27%**	11%	Dec–Feb 38%	3–4 ft	6 ft @ 14 s SW, surf ~10 ft	13 kt SE
◆23	**Huarmey coast**	Peru	35	55	60	34	21	19	19	13	12	17	23	17	**27%**	12%	Jan–Mar 50%	3–3 ft	5 ft @ 15 s SSW, surf ~8 ft	9 kt S
◆21	**Kaitaia coast**	New Zealand	24	31	31	26	23	18	16	22	17	23	22	18	**22%**	16%	Feb–Apr 29%	7–9 ft	5 ft @ 14 s SW, surf ~8 ft	13 kt SSW
◆12	**Nzeto coast**	Angola	10	6	11	24	33	39	45	38	21	13	15	9	**22%**	6%	Jun–Aug 41%	4–5 ft	4 ft @ 14 s SSW, surf ~7 ft	6 kt SSE
◆16	**Pointe-Noire coast**	Congo (Brazzaville)	9	9	11	24	30	34	44	41	20	14	14	8	**22%**	8%	Jun–Aug 40%	4–5 ft	4 ft @ 13 s SSW, surf ~7 ft	5 kt SSE
◆19	**Sumbe coast**	Angola	7	5	6	17	31	41	45	37	25	16	13	6	**21%**	5%	Jun–Aug 41%	4–5 ft	4 ft @ 14 s SW, surf ~7 ft	5 kt S
◆25	**Salalah coast**	Oman	0	0	0	0	11	52	75	72	33	0	0	0	**21%**	0%	Jun–Aug 66%	4–5 ft	6 ft @ 10 s S, surf ~9 ft	4 kt SSW
◆15	**Quellón coast**	Chile	17	23	21	21	21	16	17	18	16	17	16	14	**18%**	14%	Feb–Apr 22%	4–5 ft	7 ft @ 12 s WSW, surf ~10 ft	14 kt WNW
◆27	**Chabahar coast**	Iran	0	0	0	0	4	58	59	57	17	4	1	0	**17%**	0%	Jun–Aug 58%	6–8 ft	6 ft @ 11 s S, surf ~8 ft	6 kt NE
◆2	**Antofagasta coast**	Chile	18	24	17	16	19	15	18	13	12	6	7	9	**15%**	6%	Jan–Mar 20%	3–4 ft	6 ft @ 13 s SW, surf ~9 ft	10 kt SSW
◆24	**Gwadar coast**	Pakistan	0	0	0	0	1	30	59	34	1	1	0	0	**11%**	0%	Jun–Aug 41%	6–8 ft	5 ft @ 12 s SSW, surf ~7 ft	7 kt WSW
◆26	**Karachi coast**	Pakistan	0	0	0	0	2	16	19	15	4	1	0	0	**5%**	0%	Jun–Aug 17%	7–9 ft	6 ft @ 11 s SSW, surf ~8 ft	10 kt W

Month cells use the map colours (% of mornings good+). Typical good morning = medians over the good+ mornings: swell height @ peak period and the direction it comes from, and estimated breaking surf (Komar–Gaughan). Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Stretches were found on the WW3 grid; each is rated at its coast from Météo-France MFWAM (Copernicus Marine, ~8 km), either swell train, with ERA5 morning wind ≤ 8 kt or offshore. Check local reefs and access before booking a trip.

October–March: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 1,737 mornings, Jan 2017 to Oct 2026, these months only



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks, October–March

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 4 kt SW	**63%**
2	**G-Land** Java, Indonesia · 6 kt W	**57%**
3	**Safi** Morocco · 8 kt ENE	**54%**
4	**Iquique** Chile · 5 kt SSW	**51%**
5	**Ocean Beach SF** California · 7 kt NW	**45%**
6	**Nias** Sumatra, Indonesia · 6 kt NW	**44%**
7	**Westport** Washington · 10 kt ESE	**44%**
8	**Margaret River** Western Australia · 13 kt SE	**43%**
9	**Imsouane** Morocco · 7 kt N	**40%**
10	**Krui** Lampung, Sumatra · 6 kt NW	**39%**
11	**Desert Point** Lombok, Indonesia · 8 kt W	**35%**
12	**Cimaja** Pelabuhan Ratu, West Java · 4 kt SE	**35%**
13	**Puerto Escondido** Oaxaca, Mexico · 4 kt N	**35%**
14	**Rapa Nui** Easter Island · 11 kt E	**35%**
15	**Zurriola** San Sebastián, Spain · 11 kt S	**33%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 6 kt SSE	**65%**
◆6	**La Serena coast** Chile · 6 kt SSW	**53%**
◆7	**Chañaral coast** Chile · 6 kt SW	**49%**
◆8	**Greymouth coast** New Zealand · 5 kt WSW	**47%**
◆4	**Camaná coast** Peru · 7 kt SE	**44%**
◆1	**Ancud coast** Chile · 8 kt S	**42%**
◆3	**La Ligua coast** Chile · 9 kt S	**39%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

April–September: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 1,824 mornings, Apr 2017 to Sep 2026, these months only



Best named breaks, April–September

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**78%**
2	**Uluwatu** Bali, Indonesia · 9 kt ESE	**76%**
3	**Iquique** Chile · 5 kt SSW	**69%**
4	**Nias** Sumatra, Indonesia · 6 kt SE	**68%**
5	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**68%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**68%**
7	**Pascuales** Colima, Mexico · 3 kt WNW	**64%**
8	**Krui** Lampung, Sumatra · 6 kt SE	**59%**
9	**Santa Teresa** Costa Rica · 4 kt WNW	**56%**
10	**Pavones** Costa Rica · 4 kt WNW	**53%**
11	**Cactus Beach** South Australia · 12 kt N	**46%**
12	**Tamarin** Mauritius · 12 kt ESE	**43%**
13	**Elands Bay** South Africa · 8 kt ENE	**43%**
14	**Mentawais** Sumatra, Indonesia · 6 kt SE	**42%**
15	**Skeleton Bay** Namibia · 7 kt S	**42%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆8	**Greymouth coast** New Zealand · 6 kt E	**62%**
◆7	**Chañaral coast** Chile · 6 kt SSW	**60%**
◆18	**Port Denison coast** Australia · 11 kt ENE	**52%**
◆10	**Marcona coast** Peru · 8 kt SSE	**48%**
◆22	**Bredasdorp coast** South Africa · 7 kt WNW	**46%**
◆14	**Oranjemund coast** Namibia · 8 kt SE	**46%**
◆6	**La Serena coast** Chile · 7 kt SSW	**43%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

November: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 9 seasons, 2017–2025 (255 mornings; 15 days missing from the archive)



Best named breaks in November

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**71%**
2	**G-Land** Java, Indonesia · 4 kt ESE	**61%**
3	**Safi** Morocco · 8 kt ENE	**57%**
4	**Iquique** Chile · 7 kt SSW	**54%**
5	**Ocean Beach SF** California · 6 kt ENE	**46%**
6	**Margaret River** Western Australia · 13 kt ESE	**45%**
7	**Krui** Lampung, Sumatra · 5 kt NW	**43%**
8	**Puerto Escondido** Oaxaca, Mexico · 3 kt N	**41%**
9	**Desert Point** Lombok, Indonesia · 7 kt SE	**39%**
10	**Imsouane** Morocco · 7 kt NNE	**39%**
11	**Westport** Washington · 11 kt ESE	**36%**
12	**Skeleton Bay** Namibia · 6 kt S	**35%**
13	**Nias** Sumatra, Indonesia · 7 kt WNW	**35%**
14	**Playa Hermosa** Costa Rica · 4 kt ESE	**35%**
15	**Shipstern Bluff** Tasmania, Australia · 14 kt NNE	**34%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 7 kt SSE	**60%**
◆6	**La Serena coast** Chile · 7 kt SSW	**49%**
◆7	**Chañaral coast** Chile · 7 kt SW	**47%**
◆8	**Greymouth coast** New Zealand · 5 kt WSW	**46%**
◆17	**Blitar coast** Indonesia · 7 kt ESE	**41%**
◆1	**Ancud coast** Chile · 9 kt S	**35%**
◆13	**Meningie coast** Australia · 10 kt WSW	**34%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

December: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 9 seasons, 2017–2025 (279 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in December

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Safi** Morocco · 8 kt ENE	**61%**
2	**G-Land** Java, Indonesia · 6 kt W	**51%**
3	**Ocean Beach SF** California · 8 kt ENE	**50%**
4	**Westport** Washington · 11 kt ESE	**50%**
5	**Arica** Chile · 4 kt SW	**50%**
6	**Imsouane** Morocco · 6 kt NNE	**49%**
7	**Margaret River** Western Australia · 13 kt SE	**45%**
8	**Salsa Brava** Caribbean Costa Rica · 4 kt NW	**39%**
9	**Iquique** Chile · 6 kt SSW	**38%**
10	**Nias** Sumatra, Indonesia · 6 kt NW	**38%**
11	**Zurriola** San Sebastián, Spain · 11 kt S	**37%**
12	**Todos Santos** Baja California · 6 kt NNW	**35%**
13	**Tamarin** Mauritius · 10 kt E	**35%**
14	**Rapa Nui** Easter Island · 12 kt E	**33%**
15	**Hanalei Bay** Kauai, Hawaii · 9 kt E	**33%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 6 kt SSE	**60%**
◆6	**La Serena coast** Chile · 6 kt SSW	**53%**
◆17	**Blitar coast** Indonesia · 7 kt W	**47%**
◆1	**Ancud coast** Chile · 9 kt S	**39%**
◆8	**Greymouth coast** New Zealand · 6 kt WSW	**39%**
◆7	**Chañaral coast** Chile · 7 kt SW	**39%**
◆3	**La Ligua coast** Chile · 9 kt SSW	**37%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

January: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (310 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in January

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Safi** Morocco · 8 kt ENE	**57%**
2	**Ocean Beach SF** California · 7 kt ENE	**53%**
3	**Westport** Washington · 11 kt ESE	**49%**
4	**Hanalei Bay** Kauai, Hawaii · 8 kt E	**47%**
5	**Arica** Chile · 3 kt SW	**46%**
6	**G-Land** Java, Indonesia · 7 kt W	**45%**
7	**Salsa Brava** Caribbean Costa Rica · 4 kt WNW	**45%**
8	**Todos Santos** Baja California · 6 kt NNW	**44%**
9	**Nias** Sumatra, Indonesia · 6 kt NW	**43%**
10	**Iquique** Chile · 5 kt SSW	**41%**
11	**Imsouane** Morocco · 7 kt NNE	**40%**
12	**Margaret River** Western Australia · 13 kt SE	**39%**
13	**Punta de Lobos** Chile · 9 kt SSW	**36%**
14	**Rapa Nui** Easter Island · 11 kt E	**34%**
15	**Sunset Beach** Oahu, Hawaii · 11 kt E	**34%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 5 kt SSE	**66%**
◆6	**La Serena coast** Chile · 5 kt SSW	**56%**
◆4	**Camaná coast** Peru · 6 kt SE	**53%**
◆1	**Ancud coast** Chile · 7 kt S	**48%**
◆3	**La Ligua coast** Chile · 7 kt SSW	**43%**
◆11	**Port Lincoln coast** Australia · 12 kt SE	**43%**
◆7	**Chañaral coast** Chile · 6 kt SW	**43%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

February: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (282 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in February

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Safi** Morocco · 8 kt ENE	**61%**
2	**Arica** Chile · 3 kt SW	**61%**
3	**Salsa Brava** Caribbean Costa Rica · 4 kt WSW	**56%**
4	**Iquique** Chile · 4 kt SSW	**51%**
5	**G-Land** Java, Indonesia · 7 kt W	**50%**
6	**Westport** Washington · 10 kt ESE	**48%**
7	**Ocean Beach SF** California · 8 kt NNW	**47%**
8	**Nias** Sumatra, Indonesia · 5 kt NW	**47%**
9	**Punta Hermosa** Peru · 5 kt S	**46%**
10	**Imsouane** Morocco · 7 kt N	**46%**
11	**Margaret River** Western Australia · 14 kt SE	**45%**
12	**Rapa Nui** Easter Island · 11 kt E	**42%**
13	**Zurriola** San Sebastián, Spain · 11 kt S	**41%**
14	**Punta de Lobos** Chile · 8 kt SSW	**41%**
15	**Skeleton Bay** Namibia · 5 kt S	**38%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 4 kt SSE	**78%**
◆4	**Camaná coast** Peru · 5 kt SE	**64%**
◆6	**La Serena coast** Chile · 5 kt SSW	**59%**
◆23	**Huarmey coast** Peru · 5 kt SSE	**55%**
◆7	**Chañaral coast** Chile · 6 kt SW	**52%**
◆3	**La Ligua coast** Chile · 7 kt S	**51%**
◆8	**Greymouth coast** New Zealand · 4 kt NE	**50%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

March: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (308 mornings; 2 days missing from the archive)



Best named breaks in March

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 3 kt SW	**72%**
2	**Iquique** Chile · 4 kt S	**66%**
3	**G-Land** Java, Indonesia · 5 kt W	**57%**
4	**Punta Hermosa** Peru · 6 kt S	**54%**
5	**Pavones** Costa Rica · 3 kt NW	**52%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**52%**
7	**Margaret River** Western Australia · 14 kt ESE	**49%**
8	**Safi** Morocco · 10 kt NE	**48%**
9	**Playa Hermosa** Costa Rica · 4 kt NNE	**47%**
10	**Nias** Sumatra, Indonesia · 5 kt NW	**45%**
11	**Chicama** Peru · 5 kt SSE	**45%**
12	**Desert Point** Lombok, Indonesia · 6 kt W	**45%**
13	**Pascuales** Colima, Mexico · 3 kt WNW	**43%**
14	**Westport** Washington · 9 kt S	**43%**
15	**Raglan** New Zealand · 10 kt E	**38%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 5 kt SSE	**87%**
◆4	**Camaná coast** Peru · 6 kt SE	**70%**
◆7	**Chañaral coast** Chile · 5 kt SW	**64%**
◆9	**Isabela coast** Galápagos, Ecuador · 3 kt SSE	**60%**
◆23	**Huarmey coast** Peru · 6 kt SSE	**60%**
◆6	**La Serena coast** Chile · 6 kt SSW	**59%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**53%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

April: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (295 mornings; 5 days missing from the archive)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in April

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Uluwatu** Bali, Indonesia · 6 kt E	**77%**
2	**Arica** Chile · 4 kt SW	**76%**
3	**Puerto Escondido** Oaxaca, Mexico · 3 kt W	**72%**
4	**Iquique** Chile · 4 kt S	**70%**
5	**Nias** Sumatra, Indonesia · 5 kt NW	**67%**
6	**Pascuales** Colima, Mexico · 3 kt WNW	**66%**
7	**Krui** Lampung, Sumatra · 4 kt NW	**66%**
8	**Pavones** Costa Rica · 3 kt WNW	**60%**
9	**Playa Hermosa** Costa Rica · 3 kt NNW	**55%**
10	**Cimaja** Pelabuhan Ratu, West Java · 3 kt ESE	**55%**
11	**Cactus Beach** South Australia · 10 kt NNE	**48%**
12	**Margaret River** Western Australia · 13 kt ESE	**45%**
13	**Raglan** New Zealand · 11 kt E	**41%**
14	**Tamarin** Mauritius · 11 kt ESE	**41%**
15	**Popoyo** Nicaragua · 14 kt ENE	**40%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆10	**Marcona coast** Peru · 6 kt SSE	**84%**
◆9	**Isabela coast** Galápagos, Ecuador · 3 kt SSE	**69%**
◆4	**Camaná coast** Peru · 7 kt SE	**65%**
◆7	**Chañaral coast** Chile · 5 kt SSW	**63%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**63%**
◆6	**La Serena coast** Chile · 6 kt SSW	**52%**
◆17	**Blitar coast** Indonesia · 8 kt E	**47%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

May: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (310 mornings)



Best named breaks in May

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Uluwatu** Bali, Indonesia · 10 kt ESE	**77%**
2	**Arica** Chile · 5 kt SW	**76%**
3	**Puerto Escondido** Oaxaca, Mexico · 3 kt W	**75%**
4	**Pascuales** Colima, Mexico · 3 kt WNW	**74%**
5	**Nias** Sumatra, Indonesia · 5 kt NW	**74%**
6	**Krui** Lampung, Sumatra · 5 kt ESE	**71%**
7	**Iquique** Chile · 4 kt S	**70%**
8	**Santa Teresa** Costa Rica · 4 kt NW	**65%**
9	**Pavones** Costa Rica · 4 kt WNW	**59%**
10	**Cimaja** Pelabuhan Ratu, West Java · 3 kt ESE	**59%**
11	**Elands Bay** South Africa · 6 kt ENE	**53%**
12	**Popoyo** Nicaragua · 10 kt ENE	**52%**
13	**Cactus Beach** South Australia · 11 kt NNE	**48%**
14	**Saquarema** Brazil · 6 kt NE	**48%**
15	**Mentawais** Sumatra, Indonesia · 6 kt ESE	**45%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 5 kt SSW	**66%**
◆8	**Greymouth coast** New Zealand · 5 kt E	**63%**
◆10	**Marcona coast** Peru · 7 kt SSE	**61%**
◆9	**Isabela coast** Galápagos, Ecuador · 6 kt SSE	**57%**
◆14	**Oranjemund coast** Namibia · 7 kt SE	**52%**
◆18	**Port Denison coast** Australia · 12 kt ENE	**52%**
◆6	**La Serena coast** Chile · 7 kt SSW	**50%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

June: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (300 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in June

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Nias** Sumatra, Indonesia · 5 kt SE	**82%**
2	**Arica** Chile · 5 kt SW	**82%**
3	**Uluwatu** Bali, Indonesia · 10 kt ESE	**80%**
4	**Krui** Lampung, Sumatra · 4 kt ESE	**80%**
5	**Iquique** Chile · 5 kt S	**75%**
6	**Cimaja** Pelabuhan Ratu, West Java · 4 kt ESE	**75%**
7	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**73%**
8	**Pascuales** Colima, Mexico · 4 kt WNW	**69%**
9	**Santa Teresa** Costa Rica · 4 kt WNW	**61%**
10	**Mentawais** Sumatra, Indonesia · 5 kt SE	**58%**
11	**Pavones** Costa Rica · 4 kt WNW	**53%**
12	**Popoyo** Nicaragua · 11 kt ENE	**52%**
13	**Cactus Beach** South Australia · 12 kt N	**49%**
14	**Skeleton Bay** Namibia · 8 kt S	**47%**
15	**Saquarema** Brazil · 5 kt NE	**44%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆7	**Chañaral coast** Chile · 6 kt SSW	**63%**
◆8	**Greymouth coast** New Zealand · 6 kt ESE	**58%**
◆27	**Chabahar coast** Iran · 6 kt ESE	**58%**
◆18	**Port Denison coast** Australia · 11 kt ENE	**55%**
◆14	**Oranjemund coast** Namibia · 8 kt NE	**52%**
◆25	**Salalah coast** Oman · 4 kt SW	**52%**
◆22	**Bredasdorp coast** South Africa · 7 kt NW	**51%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

July: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (309 mornings; 1 days missing from the archive)



Best named breaks in July

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**77%**
2	**Cimaja** Pelabuhan Ratu, West Java · 5 kt ESE	**76%**
3	**Nias** Sumatra, Indonesia · 6 kt SE	**72%**
4	**Uluwatu** Bali, Indonesia · 11 kt ESE	**72%**
5	**Iquique** Chile · 5 kt SSW	**70%**
6	**Puerto Escondido** Oaxaca, Mexico · 3 kt NNW	**68%**
7	**Pascuales** Colima, Mexico · 3 kt NE	**61%**
8	**Krui** Lampung, Sumatra · 7 kt ESE	**58%**
9	**Santa Teresa** Costa Rica · 4 kt ESE	**57%**
10	**Pavones** Costa Rica · 4 kt WNW	**54%**
11	**Skeleton Bay** Namibia · 8 kt S	**52%**
12	**Elands Bay** South Africa · 8 kt NE	**48%**
13	**Mentawais** Sumatra, Indonesia · 7 kt SE	**46%**
14	**Tamarin** Mauritius · 13 kt ESE	**44%**
15	**Saint-Leu** Réunion · 9 kt SE	**41%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆25	**Salalah coast** Oman · 5 kt SSW	**75%**
◆8	**Greymouth coast** New Zealand · 6 kt ESE	**66%**
◆7	**Chañaral coast** Chile · 6 kt SSW	**60%**
◆24	**Gwadar coast** Pakistan · 7 kt SW	**59%**
◆27	**Chabahar coast** Iran · 7 kt ESE	**59%**
◆22	**Bredasdorp coast** South Africa · 7 kt NW	**56%**
◆18	**Port Denison coast** Australia · 11 kt NE	**56%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

August: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (310 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in August

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**78%**
2	**Uluwatu** Bali, Indonesia · 10 kt ESE	**74%**
3	**Cimaja** Pelabuhan Ratu, West Java · 5 kt ESE	**73%**
4	**Iquique** Chile · 6 kt SSW	**70%**
5	**Puerto Escondido** Oaxaca, Mexico · 3 kt NW	**61%**
6	**Nias** Sumatra, Indonesia · 7 kt SE	**61%**
7	**Pascuales** Colima, Mexico · 3 kt ESE	**57%**
8	**Playa Hermosa** Costa Rica · 4 kt WNW	**52%**
9	**Saint-Leu** Réunion · 6 kt SE	**50%**
10	**Tamarin** Mauritius · 12 kt ESE	**49%**
11	**Cactus Beach** South Australia · 12 kt N	**49%**
12	**Skeleton Bay** Namibia · 7 kt S	**47%**
13	**Pavones** Costa Rica · 4 kt WNW	**45%**
14	**Elands Bay** South Africa · 8 kt NNE	**42%**
15	**Krui** Lampung, Sumatra · 8 kt SE	**40%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆25	**Salalah coast** Oman · 4 kt SSW	**72%**
◆8	**Greymouth coast** New Zealand · 6 kt E	**65%**
◆7	**Chañaral coast** Chile · 6 kt SSW	**58%**
◆27	**Chabahar coast** Iran · 6 kt SE	**57%**
◆18	**Port Denison coast** Australia · 11 kt E	**53%**
◆22	**Bredasdorp coast** South Africa · 8 kt WNW	**48%**
◆14	**Oranjemund coast** Namibia · 9 kt SE	**46%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

September: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (300 mornings)



Share of mornings with good-or-better surf

0% 2% 5% 10% 15% 20% 30% 40% 50% 60% 80% 100%

No model data (sea ice, or a sea neither source covers)

→ Predominant swell direction (power-weighted; omitted where swell comes from mixed directions)

Best named breaks in September

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Arica** Chile · 5 kt SW	**78%**
2	**Uluwatu** Bali, Indonesia · 8 kt ESE	**75%**
3	**Cimaja** Pelabuhan Ratu, West Java · 6 kt SE	**71%**
4	**Puerto Escondido** Oaxaca, Mexico · 3 kt WNW	**58%**
5	**Pascuales** Colima, Mexico · 4 kt SE	**58%**
6	**Iquique** Chile · 7 kt SSW	**56%**
7	**Playa Hermosa** Costa Rica · 3 kt WNW	**52%**
8	**Nias** Sumatra, Indonesia · 8 kt SE	**52%**
9	**Pavones** Costa Rica · 4 kt W	**49%**
10	**Tamarin** Mauritius · 13 kt ESE	**45%**
11	**Cactus Beach** South Australia · 13 kt N	**44%**
12	**Krui** Lampung, Sumatra · 8 kt SE	**39%**
13	**Saint-Leu** Réunion · 5 kt SE	**38%**
14	**Skeleton Bay** Namibia · 7 kt S	**37%**
15	**Elands Bay** South Africa · 8 kt SSE	**37%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆8	**Greymouth coast** New Zealand · 6 kt WSW	**57%**
◆18	**Port Denison coast** Australia · 11 kt E	**52%**
◆7	**Chañaral coast** Chile · 7 kt SW	**49%**
◆14	**Oranjemund coast** Namibia · 9 kt SSE	**37%**
◆6	**La Serena coast** Chile · 8 kt SSW	**37%**
◆22	**Bredasdorp coast** South Africa · 9 kt WNW	**37%**
◆20	**Nelson coast** New Zealand · 11 kt SW	**33%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.

Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

October: where the surf is good

Share of mornings with good-or-better surf in the wave-model record, 10 seasons, 2017–2026 (303 mornings; 7 days missing from the archive)



Best named breaks in October

% of mornings good+ at the break: swell inside its window, wind light or offshore; best per 100 miles; then typical morning wind


1	**Uluwatu** Bali, Indonesia · 5 kt ESE	**80%**
2	**Arica** Chile · 5 kt SW	**77%**
3	**Puerto Escondido** Oaxaca, Mexico · 3 kt NNW	**61%**
4	**Pascuales** Colima, Mexico · 3 kt NW	**58%**
5	**Cimaja** Pelabuhan Ratu, West Java · 5 kt SE	**56%**
6	**Krui** Lampung, Sumatra · 6 kt SE	**55%**
7	**Nias** Sumatra, Indonesia · 7 kt SE	**54%**
8	**Iquique** Chile · 7 kt SSW	**53%**
9	**Playa Hermosa** Costa Rica · 4 kt WNW	**47%**
10	**Pavones** Costa Rica · 5 kt W	**45%**
11	**Tamarin** Mauritius · 11 kt ESE	**41%**
12	**Ocean Beach SF** California · 5 kt NW	**40%**
13	**Safi** Morocco · 7 kt NE	**40%**
14	**Rapa Nui** Easter Island · 12 kt E	**38%**
15	**Elands Bay** South Africa · 6 kt S	**37%**

Under-the-radar stretches


◆ numbered on the map; month by month on page 3

◆8	**Greymouth coast** New Zealand · 6 kt WSW	**51%**
◆7	**Chañaral coast** Chile · 7 kt SW	**47%**
◆6	**La Serena coast** Chile · 8 kt SSW	**42%**
◆10	**Marcona coast** Peru · 8 kt SSE	**37%**
◆1	**Ancud coast** Chile · 9 kt SSE	**35%**
◆13	**Meningie coast** Australia · 11 kt NNE	**34%**
◆11	**Port Lincoln coast** Australia · 13 kt E	**32%**


Great Lakes · good = 4 ft @ 6 s



Mediterranean & Black Sea · good = 4 ft @ 6 s



Caspian Sea
good = 4 ft @ 6 s




Good+ morning (Jon's Criteria): swell of at least 4 ft (1.22 m) with peak period over 9 s, or 3 ft (0.91 m) over 14 s; breaking under 16 ft (Komar–Gaughan from swell height and period), and wind-sea height ≤ 0.35× swell height. Judged on one sample near 08:00 local solar time.

Ocean: NOAA WAVEWATCH III global model (Univ. of Hawai'i run, PacIOOS ERDDAP), 1° sampling. Enclosed seas (MFWAM via Open-Meteo and Copernicus Marine; 0.75° lakes, 1.5–2° seas) use a relaxed standard: total waves 4–10 ft at a dominant period of at least 6 s.


Map colours: offshore sea state only (no bathymetry, sheltering or local wind). Marked breaks and ◆ stretches: either swell train at each break's ~8 km MFWAM cell (CDIP nearshore in California), with ERA5 morning wind ≤ 8 kt or offshore instead of the wind-sea test.

Lake Michigan: when and where it's good

Good lake surf = total wave height 4–10 ft (1.22–3 m) with dominant period ≥ 6 s (taken as 1.29× the mean period), arriving within 75° of the shore's facing, on the ~08:00 sample. Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with good lake surf




#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good morning	Morning wind
1	**Holland**	Michigan	25	18	12	10	2	1	1	2	4	13	23	25	**11%**	Nov–Jan 24%	0%	none	5 ft @ 7 s W	12 kt SSW
2	**Grand Haven**	Michigan	25	14	11	9	2	1	0	2	4	13	22	23	**10%**	Nov–Jan 23%	0%	none	5 ft @ 7 s W	11 kt SSW
3	**Ludington**	Michigan	21	14	11	7	3	1	1	2	4	12	22	24	**10%**	Nov–Jan 22%	0%	none	5 ft @ 7 s W	12 kt SSW
4	**Frankfort**	Michigan	18	14	11	7	2	2	0	1	3	11	22	22	**9%**	Nov–Jan 21%	0%	none	5 ft @ 7 s W	13 kt SSW
5	**St. Joseph**	Michigan	21	14	10	7	2	1	1	1	4	10	20	17	**9%**	Nov–Jan 19%	0%	none	5 ft @ 7 s NW	11 kt SSW
6	**New Buffalo**	Michigan	16	11	8	6	2	1	0	1	3	8	12	11	**7%**	Nov–Jan 13%	0%	none	5 ft @ 7 s NNW	11 kt SSW
7	**Portage**	Indiana	12	7	5	6	2	1	1	1	3	7	8	8	**5%**	Nov–Jan 9%	0%	none	5 ft @ 7 s N	9 kt SSW
8	**Gary**	Indiana	10	6	5	5	1	1	1	1	3	5	7	6	**4%**	Nov–Jan 8%	0%	none	5 ft @ 7 s N	9 kt SSW
9	**Sheboygan**	Wisconsin	6	5	8	7	2	1	0	1	2	6	4	5	**4%**	Feb–Apr 7%	0%	none	5 ft @ 7 s ENE	11 kt SSW
10	**Racine**	Wisconsin	6	4	6	4	2	1	1	1	2	5	2	3	**3%**	Jan–Mar 6%	0%	none	5 ft @ 7 s NE	11 kt SSW
11	**Milwaukee**	Wisconsin	6	3	5	5	1	0	0	0	3	4	3	5	**3%**	Dec–Feb 5%	0%	none	5 ft @ 7 s ENE	11 kt SSW
12	**Whiting**	Indiana	6	2	4	4	1	1	1	0	2	4	3	4	**3%**	Nov–Jan 4%	0%	none	5 ft @ 7 s N	9 kt SSW
13	**Chicago**	Illinois	6	3	5	3	2	1	1	1	2	3	2	1	**2%**	Jan–Mar 5%	0%	none	5 ft @ 7 s NNE	10 kt SSW

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good morning = medians over good mornings: total wave height @ dominant period and the direction waves come from.


Coasts are ranked by year-round good %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Good lake surf doesn't use wind (lake and sea surf is windswell); Ocean good+ does: ≤ 8 k

Lake Superior: when and where it's good

Good lake surf = total wave height 4–10 ft (1.22–3 m) with dominant period ≥ 6 s (taken as 1.29× the mean period), arriving within 75° of the shore's facing, on the ~08:00 sample. Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with good lake surf



#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good morning	Morning wind
1	**Grand Marais MI**	Michigan	25	15	11	5	2	2	0	2	6	14	28	24	**11%**	Nov–Jan 26%	0%	none	5 ft @ 7 s NW	11 kt SSW
2	**Au Train**	Michigan	20	13	9	7	3	1	0	1	4	11	24	23	**9%**	Nov–Jan 22%	0%	none	5 ft @ 7 s NNW	11 kt SSW
3	**Whitefish Point**	Michigan	20	12	7	4	1	2	0	2	4	11	22	23	**9%**	Nov–Jan 21%	0%	none	5 ft @ 7 s NW	12 kt SSE
4	**Marquette**	Michigan	15	12	11	7	2	1	0	1	3	11	19	18	**8%**	Nov–Jan 17%	0%	none	5 ft @ 7 s N	12 kt NW
5	**Agawa Bay**	Ontario	17	8	4	3	1	1	0	2	4	10	22	19	**7%**	Nov–Jan 19%	0%	none	5 ft @ 7 s W	11 kt SSE
6	**Ontonagon**	Michigan	15	4	7	8	1	0	0	2	4	10	18	19	**7%**	Nov–Jan 17%	0%	none	5 ft @ 7 s NW	10 kt WSW
7	**Terrace Bay**	Ontario	11	7	5	2	1	0	1	1	5	11	15	12	**6%**	Oct–Dec 13%	0%	none	5 ft @ 7 s SSW	12 kt NE
8	**Little Girl's Point**	Michigan	5	2	5	5	2	0	0	0	1	6	6	9	**3%**	Oct–Dec 7%	0%	none	5 ft @ 7 s NNE	10 kt SSW
9	**Park Point**	Duluth, Minnesota	2	2	5	5	1	0	0	0	0	2	1	2	**2%**	Feb–Apr 4%	0%	none	6 ft @ 7 s ENE	8 kt ENE
10	**Grand Marais MN**	Minnesota	2	0	0	0	0	0	0	0	0	3	2	1	**1%**	Oct–Dec 2%	0%	none	4 ft @ 6 s S	11 kt SW
11	**Stoney Point**	Minnesota	0	0	0	1	0	0	0	0	0	1	0	0	**0%**	Feb–Apr 1%	0%	none	6 ft @ 7 s ENE	8 kt ENE

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good morning = medians over good mornings: total wave height @ dominant period and the direction waves come from.


Coasts are ranked by year-round good %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Good lake surf doesn't use wind (lake and sea surf is windswell); Ocean good+ does: ≤ 8 k

Mediterranean: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell



Mediterranean: coast by coast

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.


#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Susa**	Cyrenaica, Libya	48	46	45	35	22	17	33	27	34	40	36	46	**36%**	Dec–Feb 47%	1%	0–0 ft	4 ft @ 6 s NNW	9 kt W
2	**Capo Mannu**	Sardinia, Italy	49	40	40	32	30	20	24	22	23	30	47	43	**33%**	Nov–Jan 46%	2%	1–1 ft	5 ft @ 7 s WNW	8 kt ESE
3	**Alexandria**	Egypt	45	42	40	29	24	19	38	28	30	24	26	39	**32%**	Jan–Mar 42%	0%	1–1 ft	4 ft @ 6 s NW	9 kt NW
4	**Ajaccio**	Corsica, France	49	40	39	29	27	19	23	18	25	28	45	43	**32%**	Nov–Jan 45%	2%	1–1 ft	5 ft @ 7 s W	6 kt WNW
5	**Tabarka**	Tunisia	49	43	36	29	22	10	19	15	18	27	44	45	**29%**	Nov–Jan 46%	1%	1–1 ft	5 ft @ 7 s NW	10 kt W
6	**Paphos**	Cyprus	41	37	39	28	25	17	20	23	25	15	19	34	**27%**	Jan–Mar 39%	0%	1–1 ft	4 ft @ 6 s W	6 kt WNW
7	**Falasarna**	Crete, Greece	47	35	35	25	18	14	18	12	16	18	32	44	**26%**	Dec–Feb 42%	0%	0–0 ft	5 ft @ 6 s W	12 kt NE
8	**Tripoli**	Libya	45	34	35	34	19	9	12	7	19	25	29	43	**26%**	Dec–Feb 41%	1%	1–1 ft	4 ft @ 6 s N	9 kt ESE
9	**Benghazi**	Libya	45	34	29	26	17	12	17	9	14	20	28	48	**25%**	Dec–Feb 42%	1%	0–1 ft	5 ft @ 7 s NW	10 kt NNE
10	**Bizerte**	Tunisia	37	33	28	24	16	7	18	13	14	25	28	32	**23%**	Dec–Feb 34%	0%	1–1 ft	5 ft @ 7 s NNW	12 kt WNW
11	**Algiers**	Algeria	39	26	33	27	16	6	10	13	17	17	36	32	**22%**	Nov–Jan 36%	1%	0–0 ft	4 ft @ 7 s N	9 kt ENE
12	**Gaza**	Palestine	42	34	34	23	20	8	15	10	12	13	18	36	**22%**	Dec–Feb 37%	1%	1–1 ft	4 ft @ 7 s WNW	5 kt WSW
13	**Beirut**	Lebanon	41	30	34	21	19	8	10	12	10	10	15	33	**20%**	Jan–Mar 35%	1%	1–1 ft	4 ft @ 7 s W	8 kt SSW
14	**Kalo Nero**	Messinia, Greece	44	35	26	18	10	5	6	4	9	15	33	43	**20%**	Dec–Feb 41%	1%	0–0 ft	4 ft @ 6 s WSW	5 kt NNW
15	**Livorno**	Tuscany, Italy	30	25	24	17	19	10	10	11	21	17	26	30	**20%**	Nov–Jan 29%	1%	1–1 ft	5 ft @ 7 s WSW	7 kt E
16	**Santa Marinella**	Lazio, Italy	25	22	25	19	16	6	7	9	14	16	29	28	**18%**	Nov–Jan 27%	0%	1–1 ft	4 ft @ 6 s SW	8 kt NE
17	**Marseille**	France	25	21	21	14	11	6	6	5	8	14	22	24	**15%**	Nov–Jan 24%	0%	1–1 ft	5 ft @ 6 s WSW	9 kt NW
18	**Varazze**	Liguria, Italy	21	18	21	11	11	5	3	4	7	15	18	19	**13%**	Jan–Mar 20%	1%	1–1 ft	4 ft @ 7 s SSW	7 kt NNW
19	**Barcelona**	Spain	16	16	28	19	4	3	0	3	9	15	18	11	**12%**	Feb–Apr 21%	1%	0–1 ft	4 ft @ 7 s ESE	7 kt NE
20	**Kelibia**	Cap Bon, Tunisia	13	11	25	25	12	3	1	1	7	15	11	14	**11%**	Mar–May 21%	0%	0–0 ft	4 ft @ 6 s E	10 kt NW
21	**Mondello**	Sicily, Italy	20	15	13	8	3	2	3	2	7	11	10	18	**9%**	Dec–Feb 18%	0%	1–1 ft	5 ft @ 6 s NNW	6 kt WSW
22	**Kastro**	Kyllini, Greece	17	13	4	4	2	0	0	0	1	3	16	18	**6%**	Nov–Jan 17%	0%	0–1 ft	4 ft @ 6 s SSW	9 kt NNW
23	**Hammamet**	Tunisia	6	5	15	15	6	1	0	0	2	7	4	6	**6%**	Mar–May 12%	0%	0–1 ft	4 ft @ 6 s ESE	9 kt NW
24	**Antalya**	Turkey	13	5	3	1	0	0	0	0	0	0	2	9	**3%**	Dec–Feb 9%	0%	1–1 ft	4 ft @ 6 s SSE	4 kt NNW

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Greece: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Falasarna**	West Crete	47	35	35	25	18	14	18	12	16	18	32	44	**26%**	Dec–Feb 42%	0%	0–0 ft	5 ft @ 6 s W	12 kt NE
2	**Zakynthos west**	Ionian Islands	46	35	30	24	16	8	14	8	13	20	40	45	**25%**	Nov–Jan 44%	1%	0–1 ft	5 ft @ 6 s W	9 kt NNW
3	**Kokkini Hani**	North Crete	32	31	28	18	14	9	20	19	22	25	23	25	**22%**	Jan–Mar 30%	0%	0–0 ft	4 ft @ 6 s N	10 kt WNW
4	**Kalo Nero**	Messinia, W Peloponnese	44	35	26	18	10	5	6	4	9	15	33	43	**20%**	Dec–Feb 41%	1%	0–0 ft	4 ft @ 6 s WSW	5 kt NNW
5	**Komos**	South Crete	40	28	31	22	14	6	7	5	8	12	24	40	**20%**	Dec–Feb 36%	1%	0–0 ft	4 ft @ 6 s WSW	6 kt N
6	**Chania**	North Crete	28	25	24	16	11	8	14	16	22	25	22	19	**19%**	Jan–Mar 26%	0%	0–0 ft	5 ft @ 6 s N	10 kt W
7	**Agios Gordios**	Corfu, west coast	35	27	23	15	9	3	5	2	9	15	25	36	**17%**	Dec–Feb 33%	0%	1–1 ft	5 ft @ 6 s WSW	9 kt NNW
8	**Tinos north**	Cyclades	22	21	20	12	9	6	9	16	19	23	19	14	**16%**	Jan–Mar 21%	0%	0–1 ft	6 ft @ 6 s N	16 kt N
9	**Kymi**	East Evia	24	24	21	13	7	2	4	9	17	14	17	16	**14%**	Jan–Mar 23%	0%	1–1 ft	6 ft @ 6 s NE	11 kt NNE
10	**Kastro**	Kyllini, NW Peloponnese	17	13	4	4	2	0	0	0	1	3	16	18	**6%**	Nov–Jan 17%	0%	0–1 ft	4 ft @ 6 s SSW	9 kt NNW
11	**Ialysos**	Rhodes, northwest	8	7	6	4	2	1	0	0	1	1	4	6	**3%**	Dec–Feb 7%	0%	1–1 ft	4 ft @ 5 s WNW	9 kt NW


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Caspian Sea: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell




#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Nabran**	Azerbaijan	31	22	22	13	9	4	7	6	17	23	32	34	**18%**	Nov–Jan 32%	0%	none	5 ft @ 6 s NE	8 kt SE
2	**Ramsar**	Iran	16	17	16	11	9	5	11	9	16	15	18	14	**13%**	Sep–Nov 16%	0%	none	4 ft @ 6 s N	5 kt E
3	**Babolsar**	Iran	14	15	14	12	7	6	14	9	13	10	16	11	**12%**	Jan–Mar 14%	0%	none	4 ft @ 6 s NNW	6 kt W
4	**Derbent**	Dagestan, Russia	19	10	13	9	4	1	2	6	10	16	23	28	**11%**	Nov–Jan 23%	0%	none	4 ft @ 6 s E	5 kt NNW
5	**Novkhani**	Absheron, Azerbaijan	15	16	12	8	6	5	9	8	10	12	14	11	**10%**	Jan–Mar 14%	0%	none	5 ft @ 6 s N	11 kt NNW
6	**Makhachkala**	Dagestan, Russia	19	9	10	7	2	0	1	1	8	13	20	28	**10%**	Nov–Jan 22%	0%	none	4 ft @ 6 s ESE	9 kt SE
7	**Awaza**	Turkmenistan	10	13	10	7	7	4	9	5	7	8	10	10	**8%**	Jan–Mar 11%	0%	none	4 ft @ 6 s NW	9 kt E
8	**Aktau**	Kazakhstan	15	14	9	8	5	2	3	0	2	10	13	10	**7%**	Dec–Feb 13%	0%	none	5 ft @ 6 s WSW	12 kt ESE
9	**Lankaran**	Azerbaijan	6	7	4	1	1	1	2	2	4	5	5	5	**4%**	Dec–Feb 6%	0%	none	4 ft @ 6 s NE	5 kt SSE
10	**Shikhov**	Baku, Azerbaijan	0	0	0	0	0	0	0	0	0	0	0	0	**0%**	Oct–Dec 0%	0%	none	5 ft @ 5 s SE	11 kt N


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.
Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Black Sea: when and where it's surfable

Surfable windswell = total wave height 3–10 ft (0.9–3 m) with mean period ≥ 5 s, arriving within 75° of the shore's facing, on the ~08:00 sample.
Enclosed seas rarely see groundswell, so this regional standard sits alongside ocean good+, the open-ocean standard used on the other pages.



Average of these coasts: % of mornings with surfable windswell




#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical surfable morning	Morning wind
1	**Kilyos**	Istanbul, Turkey	31	35	25	17	14	9	13	35	36	28	29	33	**25%**	Aug–Oct 33%	0%	0–0 ft	5 ft @ 6 s NNE	11 kt NE
2	**Şile**	Istanbul, Turkey	30	33	22	15	9	7	10	28	32	28	25	32	**22%**	Dec–Feb 32%	0%	0–0 ft	4 ft @ 6 s NNE	8 kt ENE
3	**Sozopol**	Bulgaria	26	27	18	11	8	4	5	19	26	19	21	21	**17%**	Dec–Feb 25%	0%	0–0 ft	4 ft @ 6 s ENE	10 kt N
4	**Vama Veche**	Romania	23	26	19	11	9	3	2	13	22	20	23	24	**16%**	Dec–Feb 24%	0%	0–0 ft	5 ft @ 6 s ENE	10 kt N
5	**Batumi**	Georgia	24	25	12	13	5	6	9	5	12	13	16	20	**13%**	Dec–Feb 23%	1%	0–0 ft	4 ft @ 6 s WNW	5 kt SW
6	**Sochi**	Russia	28	26	11	12	3	4	5	2	7	10	17	21	**12%**	Dec–Feb 25%	1%	0–0 ft	4 ft @ 6 s WSW	5 kt SE
7	**Varna**	Bulgaria	17	22	14	7	6	1	1	10	17	15	14	18	**12%**	Dec–Feb 19%	0%	0–0 ft	4 ft @ 6 s ENE	10 kt N
8	**Anapa**	Russia	22	17	9	10	4	3	3	1	4	8	12	19	**9%**	Dec–Feb 19%	0%	0–0 ft	5 ft @ 6 s WSW	11 kt NE
9	**Odesa**	Ukraine	9	6	4	2	2	1	1	0	1	2	8	9	**4%**	Nov–Jan 9%	0%	0–0 ft	4 ft @ 5 s SSE	10 kt NNE


Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical surfable morning = medians over surfable mornings: total wave height @ mean period and the direction waves come from.

Coasts are ranked by year-round surfable %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore. Surfable windswell doesn't use wind (lake and sea surf is windswell); Ocean good+ doe

Madagascar: when and where it's good+

Good+ = swell ≥ 4 ft over 9 s, or ≥ 3 ft over 14 s; breaking under 16 ft; either swell train, aimed at the shore; morning wind ≤ 8 kt or offshore; on the ~08:00 sample.
Read from Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, with ERA5 wind just offshore.






#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good+ morning	Morning wind
1	**Ifaty**	Toliara, southwest	26	23	29	40	55	54	63	59	40	32	25	30	**40%**	Jun–Aug 59%	40%	7–9 ft	5 ft @ 14 s SSW	7 kt SE
2	**Lavanono**	Deep south	20	19	14	22	40	33	39	43	28	28	23	26	**28%**	Jun–Aug 38%	28%	5–6 ft	5 ft @ 14 s SSW	9 kt E
3	**Manakara**	Southeast	21	25	33	38	28	35	36	25	15	11	7	14	**24%**	Apr–Jun 34%	24%	1–1 ft	5 ft @ 11 s SE	9 kt NNE
4	**Anakao**	Toliara, southwest	13	17	15	21	26	33	42	37	23	17	13	19	**23%**	Jun–Aug 37%	23%	6–9 ft	4 ft @ 14 s SSW	10 kt SE
5	**Andavadoaka**	Morombe, west	5	9	11	16	18	20	27	25	15	12	6	11	**15%**	Jun–Aug 24%	15%	7–10 ft	4 ft @ 14 s SSW	9 kt SSE
6	**Fort Dauphin**	Tolagnaro, southeast	4	2	4	9	5	9	11	7	3	4	2	3	**6%**	Jun–Aug 9%	6%	1–1 ft	5 ft @ 12 s SSE	11 kt NNE
7	**Mahambo**	East	4	5	5	3	6	5	4	10	7	6	2	4	**5%**	Aug–Oct 8%	5%	2–2 ft	5 ft @ 10 s ESE	10 kt SSE
8	**Maintirano**	West	1	2	3	3	2	4	6	6	6	7	3	2	**4%**	Aug–Oct 6%	4%	10–13 ft	5 ft @ 11 s SW	7 kt SSE
9	**Morondava**	West	1	3	2	2	3	5	6	7	5	4	2	3	**4%**	Jul–Sep 6%	4%	8–12 ft	4 ft @ 13 s SW	7 kt E
10	**Sainte-Marie**	Nosy Boraha, east	3	5	4	2	4	3	3	5	4	1	0	1	**3%**	Jan–Mar 4%	3%	2–3 ft	4 ft @ 11 s ESE	10 kt SSE
11	**Ramena**	Antsiranana, north	2	1	1	0	1	1	0	0	0	0	1	3	**1%**	Nov–Jan 2%	1%	5–7 ft	4 ft @ 12 s E	16 kt SE
12	**Mahajanga**	Northwest	0	0	0	1	0	0	0	0	0	0	0	1	**0%**	Nov–Jan 0%	0%	9–12 ft	5 ft @ 11 s N	10 kt ESE
13	**Nosy Be**	Northwest	0	0	0	0	0	0	0	0	0	0	0	0	**0%**	Aug–Oct 0%	0%	8–11 ft	4 ft @ 10 s WSW	3 kt NE

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good+ morning = medians over good+ mornings: swell height @ peak period and the direction it comes from.
Coasts are ranked by year-round good+ %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.

Peru: when and where it's good+

Good+ = swell ≥ 4 ft over 9 s, or ≥ 3 ft over 14 s; breaking under 16 ft; either swell train, aimed at the shore; morning wind ≤ 8 kt or offshore; on the ~08:00 sample.
Read from Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, with ERA5 wind just offshore.





#	Coast	Area	J	F	M	A	M	J	J	A	S	O	N	D	Year	Best 3 months	Ocean good+	Tide range	Typical good+ morning	Morning wind
1	**Ilo**	Moquegua	56	63	72	64	40	40	47	46	40	40	53	42	**50%**	Feb–Apr 67%	50%	3–4 ft	5 ft @ 14 s SSW	7 kt SE
2	**Camaná**	Arequipa	57	71	76	69	32	32	30	29	20	18	30	39	**42%**	Feb–Apr 72%	42%	3–3 ft	5 ft @ 14 s SSW	8 kt SE
3	**Miraflores**	Lima	41	61	63	39	33	31	28	23	17	28	32	28	**35%**	Jan–Mar 55%	35%	2–3 ft	5 ft @ 14 s SSW	8 kt SSE
4	**Mollendo**	Arequipa	45	65	52	42	20	17	20	20	17	19	29	32	**31%**	Jan–Mar 54%	31%	3–4 ft	5 ft @ 14 s SSW	9 kt SE
5	**Cerro Azul**	Lima	43	58	73	46	29	20	17	13	7	17	23	28	**31%**	Feb–Apr 59%	31%	2–3 ft	5 ft @ 15 s SSW	8 kt SSW
6	**Punta Hermosa**	Lima	34	53	58	34	29	27	25	20	12	20	25	23	**30%**	Feb–Apr 49%	30%	2–3 ft	5 ft @ 15 s SSW	8 kt S
7	**Huarmey**	Áncash	35	55	60	34	21	19	19	13	12	17	23	17	**27%**	Jan–Mar 50%	27%	3–3 ft	5 ft @ 15 s SSW	9 kt S
8	**Huanchaco**	Trujillo	35	48	59	34	16	13	17	12	14	13	24	20	**25%**	Jan–Mar 47%	25%	3–4 ft	5 ft @ 14 s SSW	9 kt SSE
9	**Chicama**	La Libertad	24	33	38	19	7	6	13	9	9	10	21	11	**17%**	Jan–Mar 32%	17%	3–4 ft	4 ft @ 15 s SSW	10 kt SSE
10	**Pacasmayo**	La Libertad	6	9	20	12	7	2	9	3	4	6	8	3	**8%**	Feb–Apr 14%	8%	3–4 ft	4 ft @ 13 s SSW	9 kt SSE
11	**Máncora**	Piura	7	6	17	9	7	5	2	0	2	3	1	3	**5%**	Mar–May 11%	5%	5–6 ft	4 ft @ 17 s SW	10 kt SSW
12	**Lobitos**	Piura	4	5	6	4	2	4	2	1	0	1	0	2	**3%**	Feb–Apr 5%	3%	4–6 ft	4 ft @ 17 s WSW	12 kt SSE
13	**Cabo Blanco**	Piura	4	1	1	0	0	1	0	0	0	0	0	0	**1%**	Jan–Mar 2%	1%	5–6 ft	4 ft @ 17 s W	13 kt S

Météo-France MFWAM (Copernicus Marine) at each coast's ~8 km cell, a few km offshore; ERA5 wind. Typical good+ morning = medians over good+ mornings: swell height @ peak period and the direction it comes from.
Coasts are ranked by year-round good+ %. Tide range = typical to big-tide daily range (EOT20, DGFI-TUM). Morning wind = median speed and most common direction over all mornings of the period, ERA5 10 m wind just offshore.