CIM GenericCFSUnitListener Fields

CFS FieldName	DataType	Length	Required	Note
RequestID	nvarchar	50	0	Can be GUID or datetime and type. Just used to pass back with the result.
CFSNumber	nvarchar	25	0	Only if we allow updates in the future. Should not be sent with a create request.
ActiveCFS	bit	1	0	Required only if the CFSCreateActiveStatus is set to InMsg.
InterfaceRecordID	nvarchar	50	0	ID on sending side to be logged with the CFS for future reference and use
Jurisdiction	nvarchar	10	0	For future use
CFSStartWhen	datetime	8	0	Will default to save time if not supplied. In local time zone for agency.
IncAptLoc	nvarchar	60	0	Apartment, Suite, fractional part of street number etc for the incident location.
IncCommunity	nvarchar	100	0	Incident location community.
IncIntersection	nvarchar	255	0	Primary and Secondary Street Names including any pre-directionals for the Occurrence location.
IncPreDir	nvarchar	2	0	Incident Pre-Directional, E,N,NE,NW,S,SE,SW,W.
IncState	nvarchar	4	0	State\Providence abbreviation such as NC for North Carolina
IncStreetName	nvarchar	100	0	Incident Street Name, Type, and Post-Directional E,N,NE,NW,S,SE,SW,W.
IncStreetNum	int	4	0	Incident Street Number.
CallerAptLoc	nvarchar	60	0	Apartment, Suite, fractional part of street number etc for the caller location.
CallerCommunity	nvarchar	100	0	Community for the caller location.
CallerPreDir	nvarchar	2	0	Caller Pre-Directional, E,N,NE,NW,S,SE,SW,W.
CallerState	nvarchar	4	0	State\Providence abbreviation such as NC for North Carolina
CallerStreetName	nvarchar	100	0	Caller Street Name, Type, and Post-Directional E,N,NE,NW,S,SE,SW,W.
CallerStreetNum	int	4	0	Caller Street Number.
CallerName	nvarchar	50	0	Name of the caller L, F M or F M L
CallerPhone	varchar	15	0	Caller phone number without any puncutation.
CallTypeAlias	nvarchar	50	1	Will link first to Alias, then CallType and lastly CallTypeID
InProgress	bit	1	0	Is the potentially CFS currently an active situation
AlarmLevel	tinyint	1	0	Should match the values in your configuration and can be left blank to default for CallType
PriorityAlias	nvarchar	50	0	Should match the values in your configuration and can be left blank to default for CallType
HowReceived	nvarchar	50	0	Should match the values in your configuration and can be left blank to default for the interface
XCoor	float	8	0	Longitude in decimal degrees WGS84
YCoor	float	8	0	Latitude in decimal degrees WGS84
ZCoor	float	8	0	Altitude in feet.
AgencyComboField1	nvarchar	50	0	Only saved when enabled and when set limit to list must match values.
AgencyComboField2	nvarchar	50	0	Only saved when enabled and when set limit to list must match values.
AgencyComboField3	nvarchar	50	0	Only saved when enabled and when set limit to list must match values.
AgencyBitField1	bit	1	0	Only saved when enabled

AgencyBitField2	bit	1	0	Only saved when enabled
Comment	nvarchar	255	0	Caller Comment
Note	nvarchar	4000	0	
DispositionAlias	nvarchar	50	0	Show not be sent when creating a new CFS.
CreateBy	nvarchar	50	0	Will default to the IF-InterfaceInitID if not supplied

Http Methods	Path
GET,POST	CFS

CIM GenericCFSListener CFS Fields

CallType FieldName	DataType	Length	Required	Note
RequestID	nvarchar	50	0	Can be GUID or datetime and type. Just used to pass back with the result.
CFSNumber	nvarchar	25	1	CFS # to add the note for.
InterfaceRecordID	nvarchar	50	0	ID to lookup the CFS #. Do not have to supply this one.
RecordID	bigint	8	0	When saving a CallType the ID generated by saving the record.
CallTypeAlias	nvarchar	50	0	Alias for the CallType or the CallTypeID in the system.
InProgress	bit	1	0	Will default to FALSE if not supplied.
CreateBy	nvarchar	50	0	Will default to the IF-InterfaceInitID if not supplied

(CFS # or InterfaceRecordID) and CallTypeAlias required to save

Http Methods	Path	Max
PATCH	CFSCallType	2

Dataset FieldName	DataType	Length	Required	Note
RequestID	nvarchar	50	0	Passed back with the result.
Guid	uniqueidentifier	16	1	Each must be enabled.
Name	nvarchar	50	0	

DatasetGuid	DatasetName
5AAC0922-A030-4EA4-8E5A-F0FDEBCFE14A	AddressCategory
97289A29-E74B-44CF-A2F8-3DE9521E6667	Agency
1D959D5F-D092-4AE9-BB3D-4387EAB349FD	AgencyDefinedComboList
437952A4-C6FA-4CD1-B2BD-C6D7A9C8B02F	AlarmLevel
E06AEA9E-3BC2-4283-B552-F0AFFA7F620D	ALIClassOfServiceOverrides
59031160-C2DA-4308-93D4-8C65E040E311	AptLoc
5A9122C0-9841-48FF-B77C-342B89F4DF6B	Area
338C8F7F-98B2-48B7-81F8-2F9A6CF06EAD	ASAPCallTypeLinkup
3ABC1979-3099-4588-9877-C2E3036756A6	ASAPResponseCodes
22778A61-0D26-4A71-AFA1-21C76B39AC11	AVLRank
AB1F3A15-F746-471A-9B0B-C97D6A1D28DC	BoloType
13D78331-7EEA-4E9F-B20C-BAFDFFEF3C83	CallRoute
60430A67-EED4-49F0-9981-A528A0030A07	CallType
EE29C562-6AF1-467E-B62A-DB39084525FE	CallTypeGroup
65F50CF0-F598-41B9-8A14-916C7C6351CD	CallTypeGuideGlobalComboList
AED85BBB-90F3-42CC-91AE-166FBF263A0F	CallTypeGuidePromptType
7F3A219F-6C8E-4134-90EE-0AAA81FB416B	CallTypeIcon
9537E2CF-E6AB-465C-B31F-E18F5C7B6D10	CFSAction
DE028585-1B3D-45E8-9FCE-5AB857350158	CFSDisposition
0524B478-BD35-4CAA-B571-957EB9ACB8B4	CFSInvolvementType
83E37E98-3122-4711-A263-2A45CD18C4BB	CFSPriority
0DE197E6-998B-4F22-AD42-A5FCA16B3170	CFSReopenReason
EB0FBCD1-6931-49CA-8F9F-A2530525017A	Community
40C4A5F2-51BF-42C8-815A-5FF779ACBF4B	CommunityAlias
C8F4FB67-A636-474C-962D-BCB7160EC8C2	ContactType
C7AE859E-7DD7-4B66-B2E5-24FD7A91748E	County
617BD730-ABEE-417F-BC3F-EAE39FB78D4A	Data Update Field List
11235BDB-7C59-433A-8376-166B198D80C1	DayTimeGroups

0F997EA9-BB2B-4460-8079-86C747F6E3AD	Department
E907AE72-0AD4-46E4-A8F9-A08687D87BD4	DepartmentCFSOCAType
ECCB71E4-1B62-416E-AFF2-7B53DBA0C0F6	DepartmentType
57CD4BB1-CA4B-4BE6-B178-6E31937903EC	DepartmentVehicle
3CD03E60-873C-4C53-A132-028324194879	Device
FFEDB27A-47D8-4CEC-970B-2CCA87E743B4	Directionals
032A40FB-4DC1-45DC-A1F5-40A716E0C8D9	DispatchCenters
0418C5FE-71A1-4E56-A48D-11E43C53DBF9	DispatchGroup
2A1FA00D-7FCE-40D4-BA5E-D42EAAC65A68	District
489E5E68-2FF3-4008-9689-829E39D2BA1A	DiversionType
0EF2C949-7B08-4E84-AB1E-EEA5D31F262E	EDCodeGroups
84000D95-24F7-4A76-AB9B-451088E7DF71	EmailConnections
9957873B-0A3A-4298-A133-B579AAA3CCC8	EMSTract
AB45CD00-A342-48FB-A6DD-C1B71BDC08FD	EOB
EFBCF7AF-9412-4AD1-99EE-E7BA9586ED38	ESN
379A9DAF-4EEF-46FF-95FD-9F8DB441F858	EyeColor
143B9D61-EE9E-4B10-AAF9-4AB0E803ADB7	FireArmMake
2583DABF-469C-4819-97DA-822318A51B9B	FireArmModel
CE65269E-C238-42CA-86AA-0D06890AC69C	FireTract
DE1CCC59-0926-4CF8-99D1-9001241B6E79	FMPType
1D5B2D11-F8B0-4EAE-AC12-55BA255F76C5	FrameworkColors
59AE4C8B-CFB8-4823-AF4E-408B28FC413A	FTPConnections
8BA49955-5D77-418C-A49B-F13300C67DA0	GeoFencePolys
80BDDC85-8554-4C11-B71C-F376E58A224C	Grid
23956A3D-3144-4E10-B0A6-EA155686AD1B	HairColor
26FE3D3C-CA0A-4ED2-BA07-DBBCDE8C20F2	HotListRequestType
4A8AB749-9979-4C2C-8AD3-D354DCACD2FD	HowReceived
0F2A873B-78B5-4BE1-81F5-CA6E8FDE9414	JMSConnections
D913A04A-EBB8-4A32-BBF9-45C1445B9D57	Jurisdiction
2DA51DA2-1789-4866-9291-FCB7EEA1337C	Landmark
0D5B2530-0789-46F1-A922-2485C0EEA0EB	LandmarkType
A10CCBA8-0C96-4EB0-9FDC-305A7EC451CC	LawTract
46CE2678-376D-46F4-A097-2B0654776263	MainType
BAF22011-636B-4AB3-8C38-73453507A2EC	ManualUnitTimer

7C3DD332-00C9-4C10-9821-DF777812DFC8	Months
F9E6E3A6-46ED-48C8-82A6-61E5FDFE6B46	MSAG
8CB99E1C-2360-4BF1-A8B7-E3A616DE7D9E	NCICArticleType
B0BD627D-76C9-420B-B8F6-1D90D2BB1E00	NCICKeyWords
005DF1FE-A6AE-4F90-BEC3-46362F44561E	NCICPurpose
B89B93FD-4CD6-4A65-921D-9253A7636A4A	NCICReqestType
92920ABC-096E-42AD-A8D5-CB341C199445	NCICTagType
3B178B4A-34B4-4602-9277-C8D5AA60061A	OAuthConnections
DDBD3232-5ECD-44FD-8919-4F7758B3AB4D	Personnel
A4B022EC-C3A4-4588-BDB0-9BF35DE64C61	PersonnelAttribute
891DF55C-4213-48B3-95BE-526AD975F6E7	PersonnelSkill
9A7496CE-5D41-444B-8F96-6064445D2705	PhoneListCategory
234580FF-9F77-42D4-ADC8-1D92821D87DF	PlaceholderClearType
B4253A26-D2BF-4F96-993A-22DF489471CA	PrePlannedEventType
ADEC077E-B101-4B06-800C-63661C6EBBDB	PrinterConnections
8C2C87DD-41D4-46E6-8EB8-ED9AA594E247	PSAP
0D37CDC2-3B00-41FF-B644-49180F5621F1	Race
CE9425CF-5E40-4FE1-97BB-76018BEBB801	ReportTract
40121A9A-0AB0-41E9-BC01-D698E714BC2A	ResponseCategory
8CDCEE5D-9CEC-480F-ADF2-D1DEA33DE786	ResponseLevel
DF90D8AF-7390-4AC1-8A81-9AAAC4323B34	ResponsePlanMatchWeight
7D0748EE-84AA-42A9-9FF9-35AFCB977BD3	ResponsePoly
37361E59-9A1F-4AE3-8BD5-9B7FDC502D6F	ResposePlanType
D25A6BF8-8E09-4305-8DFE-C05F9557B70D	RMSConnection
1C5B9E23-3356-426B-A794-84F915127BB4	RMSPersonType
0E906421-C673-412B-B897-23F8C6DFB751	RMSReportType
C6D0A9CC-EBAE-4975-9C98-90D6C85CA851	SearchPriority
3BDD6999-9099-4CE7-B5FF-08E3CAC9CB0E	SecurityCheckDisposition
7595ED3C-2894-46F4-9BA8-759C81769F8D	SecurityCheckList
2FB77B23-793B-416F-9509-82011559E887	SecurityCheckType
852A805E-A26E-492B-9AB1-66056BB93C7D	SerialConnections
DCC9725A-F170-4B18-827F-5F7DFF4270BC	ServiceClass
2806D6B4-3E08-43AD-BF3B-363A58B9C257	ServiceCode
C117395E-0467-49F4-944A-AC26193EDC1C	Sex

2060DAEA-D10E-44E1-9E2A-1452987B3124	SNPPConnections
A42DF4FD-F660-4F7B-B927-7FF6595561A3	SSPConnections
F34E74A6-4502-4C45-807A-4605808A4E47	StateList
AE3975C9-F826-4AB2-BD35-639220A7B2A8	Station
5A320615-F475-4A6F-8BDF-F3127C3E7659	StationNotificationAlias
9FBBE8AD-0081-4E32-A7E5-5165D95F5D6D	StationNotificationFormatText
30CA8B58-A5F5-4B36-BC00-C978ED1BAB51	StationNotificationFormatTextFields
170223CC-9A51-4F83-A4BA-734D0B18B65B	StationNotificationResource
F623934C-6ED4-4E46-87E7-B38671A42EC3	StationNotificationStatus
D0ED2D5B-D102-40EE-8D20-3EDDB9F90241	StationNotificationTone
689BAFA1-8AFB-49A1-9882-CE351CC68413	StationNotificationUnitStatus
A9B4D35F-4384-4E27-A6FB-549E6071501A	StationNotificationUnitTypeAlias
66E18BBB-54E0-4290-9FA4-4D1ACB178D89	StationNotificationZetronRequest
C2B722F8-2651-443F-95F4-DFD15A917ACC	StationNotificationZetronRequestSteps
E92622A7-03DE-4AE3-993D-2C2CE32783FC	StationNotificationZone
A3A99A8F-6ECB-43F3-89BC-16479B992AF3	StreetList
B840550F-20E9-47E1-B76C-586E7AFAB7E2	StreetNameAlias
1732D163-1DE8-4C49-97E8-59DBA730A8C7	StructureType
9F8BCB1B-BF32-4959-ACFB-7195C90985A8	SuggestField
850DB6CB-7677-4368-A6BB-75A0B357F2A8	SuggestType
15DD4D20-9B66-4862-8E34-FC64400C1EEC	TelType
56081445-CF61-44A2-A7F2-6FDE53F98753	TextCarrier
974793AB-2404-46C1-B53D-7CFEF15F4A83	TextGroup
046DB0BE-123F-45CB-AEDC-0811750E56B2	TextMsgFormatFieldList
093B7B22-FA3F-474B-935B-F749563E8E59	TextMsgFormats
2CDBFD3D-D7BC-4A42-975A-54B0E82ECC57	TextReceiver
65CD4C70-930A-45F8-930E-8E7A9481AAD0	TwilioPhoneNumbers
30035F12-A722-404B-B24D-CC707DB5C42B	Unit
5474F729-0E12-4A53-A5C1-9B75BDE7E6BA	UnitIcons
4CE9844D-4C5F-4784-98E3-0B668DFBE57B	UnitPost
DE8149B6-0533-4178-9F92-3A1BC2DBDC2D	UnitShift
1C5869D1-DE8F-4128-A44F-EFE1CCE918BA	UnitStatus
ABCCF6FA-3B50-4764-9B7A-5E8D7CE5B8CE	UnitStatusAlias
D4CA5178-02E1-4BC6-8895-C6C27E6143DF	UnitStatusAliasWithOff

5BEB9AF8-5677-471E-A9C4-8D21DD80C322	UnitStatusNote
1709AE57-208F-4C3D-9A0F-B312F5A27041	UnitType
C7BF5E45-E84E-4A7D-B482-EC3C55271C9D	User
C6052C46-E8A9-4DF2-9C10-9F6474432783	UserPwdBlockList
8B2DBE63-434B-4AE9-9671-1F17F4AE93ED	Vehicle Groups
FD08B662-0B2C-47F2-8BE3-CA6048237969	VehicleColor
6FC67C92-27A9-4D3A-80C1-88EB1153902D	VehicleCondition
40AB54B4-5039-4E86-BF51-59C4D95215C5	VehicleStatus
6E3752A5-D625-4627-BD42-B7A6A2E11E1F	VehicleStyle
2650F591-FD9F-484B-8871-0A870898C932	VehicleType
EF485795-AA04-41CA-88DF-FEB73C4DE8B4	WebServiceConnections
E9BE3A7C-6FB0-428D-9A0A-8BBD9C8BDF35	WorkspaceAppearance
1596063C-CD45-47D3-BE98-1EFF5AE7C239	WreckerClearReason
B5E1632B-CA99-4B8B-8A6A-427D352FFB6A	WreckerCompany
95D97E96-1624-442E-8C8C-4EDC79FF8478	WreckerRequestReason
17D1AD7F-DF8A-41E7-88C1-6E9E9FC828E9	WreckerRequestType
50090773-3E69-43C7-9F7D-FD8F45E34B61	WreckerTract_WorkArea

Http Methods	Path
GET	Dataset

Loc FieldName	DataType	Length	Required	Note
RequestID	nvarchar	50	0	Can be GUID or datetime and type. Just used to pass back with the result.
CFSNumber	nvarchar	25	1	CFS # to add the note for.
InterfaceRecordID	nvarchar	50	0	ID to lookup the CFS #. Do not have to supply this one.
RecordID	bigint	8	0	When saving a note the ID generated by saving the record.
StreetNum	int	4	0	Recommended to include
PreDir	nvarchar	2	0	Pre-Directional, E,N,NE,NW,S,SE,SW,W.
StreetName	nvarchar	100	0	Recommended to include. Street Name, Type, and Post-Directional.
AptLoc	nvarchar	60	0	Apartment, Suite, fractional part of street number etc.
Community	nvarchar	100	0	Location community.
State	nvarchar	4	0	State\Providence abbreviation such as NC for North Carolina
Intersection	nvarchar	255	0	Primary and Secondary Street Names including any pre-directionals.
XCoor	float	8	0	Longitude in decimal degrees WGS84
YCoor	float	8	0	Latitude in decimal degrees WGS84
ZCoor	float	8	0	Alitude in feet.
Note	nvarchar	100	1	Unformatted note text to save for the CFS Location.
CreateBy	nvarchar	50	0	Will default to the IF-InterfaceInitID if not supplied

(CFS # or InterfaceRecordID) and (StreetName or Intersection) required to save

Http Methods	Path	Max
PATCH	CFSLocation	3

CIM GenericCFSListener CFS Fields

Note FieldName	DataType	Length	Required	Note
RequestID	nvarchar	50	0	Can be GUID or datetime and type. Just used to pass back with the result.
CFSNumber	nvarchar	25	1	CFS # to add the note for.
InterfaceRecordID	nvarchar	50	0	ID to lookup the CFS #. Do not have to supply this one.
RecordID	bigint	8	0	When saving a note the ID generated by saving the record.
Note	nvarchar	1000	1	Unformatted note text to save for the CFS.
CreateBy	nvarchar	50	0	Will default to the IF-InterfaceInitID if not supplied
DisciplineLock	tinyint	1	0	Will default to interface default if not supplied.

(CFSNumber or InterfaceRecordID) and Note required to save

Http Methods	Path	Max
POST	CFSNote	5

CIM GenericCFSListener CFS Fields

Path FieldName	DataType	Length	Required	Note
RequestID	nvarchar	50	0	Can be GUID or datetime and type. Just used to pass back with the result.
CFSNumber	nvarchar	25	1	CFS # to add the note for.
ParentRecordID	nvarchar	25	1	Can be used instead of CFS # for future use for other modules.
RecordID	bigint	8	0	When saving a CallType the ID generated by saving the record.
Description	nvarchar	100	0	Description for the path being attatched. Unique for CFS preferred
Path	nvarchar	1000	0	Web path (http or https)
CreateBy	nvarchar	50	0	Will default to the IF-InterfaceInitID if not supplied

(CFS # or ParentRecordID) and Description and Web Path required to save

Http Methods	Path	Max
POST	CFSPathAttach	5

CIM GenericCFSListener CFS Fields

Person FieldName	DataType	Length	Required	Note
RequestID	nvarchar	50	0	Can be GUID or datetime and type. Just used to pass back with the result.
CFSNumber	nvarchar	25	1	CFS # to add the note for.
InterfaceRecordID	nvarchar	50	0	ID to lookup the CFS #. Do not have to supply this one.
RecordID	bigint	8	0	When saving a Person the ID generated by saving the record.
InvolvementType	nvarchar	50	0	Involvement Type from the list of codes in CAD-DE for the person or vehicle involvement.
LastName	nvarchar	50	0	Last Name of the person
FirstName	nvarchar	50	0	First Name of the person
MiddleName	nvarchar	50	0	Middle Name of the person
SSN	varchar	15	0	Just numbers without punctuation
OLN	varchar	15	0	Operator's License Number
OLNState	nvarchar	4	0	State Abbreviation for where the OLN was issued.
OIDNumber	nvarchar	50	0	not tied to any specifc number identifier
DOB	date	4	0	ISO8601 date only
Race	nvarchar	1	0	abbreviation
Sex	nvarchar	1	0	abbreviation
EyeColor	nvarchar	5	0	abbreviation
HairColor	nvarchar	5	0	abbreviation
Height	smallint	2	0	501 would represent 5 feet 1 inch
Weight	smallint	2	0	Only positive values >= 1 and <= 1000 accepted lbs
Phone	varchar	15	0	No punctuation
PersonDescriptoin	nvarchar	500	0	
ConsentGiven	bit	1	0	For Search
AgencyPersonWhenField1	datetime	8	0	Can be formatted to be datetime, date or time
AgencyPersonComboField1	nvarchar	50	0	
AgencyPersonBitField1	bit	1	0	
UnitID	nvarchar	50	0	
CreateBy	nvarchar	50	0	Will default to the IF-InterfaceInitID if not supplied
CreateWhen	datetime	8	0	
DisciplineLock	tinyint	1	0	1-31 bitwise fields. Will default to interface default if not supplied.

(CFSNumber or InterfaceRecordID) and (LastName or SSN or OIDNumber or Race or Sex or PersonDescription) required to save.

Http Methods	Path	Max
POST	CFSPerson	5

01/13/26 10:27

CIM GenericCFS
Listener CFS Fields

Vehicle FieldName	DataType	Length	Required	Note
RequestID	nvarchar	50	0	Can be GUID or datetime and type. Just used to pass back with the result.
CFSNumber	nvarchar	25	1	CFS # to add the note for.
InterfaceRecordID	nvarchar	50	0	ID to lookup the CFS #. Do not have to supply this one.
RecordID	bigint	8	0	When saving a Person the ID generated by saving the record.
InvolvementType	nvarchar	50	0	Involvement Type from the list of codes in CAD-DE for the person or vehicle involvement.
Tag	varchar	25	0	Vehicle license plate value
TagState	nvarchar	4	0	State Abbreviation for where the Tag was issued.
VIN	varchar	50	0	Vehicle Identification Number
Make	nvarchar	50	0	
Model	nvarchar	50	0	
Color	nvarchar	10	0	abbreviation
SecondaryColor	nvarchar	10	0	abbreviation
VehicleYear	varchar	4	0	year only
VehicleStyle	nvarchar	15	0	abbreviation
VehicleDescription	nvarchar	500	0	
VehicleSearched	bit	1	0	
AgencyVehicleWhenField1	datetime	8	0	Can be formatted to be datetime, date or time
AgencyVehicleComboField1	nvarchar	50	0	
AgencyVehicleBitField1	bit	1	0	
UnitID	nvarchar	50	0	
CreateBy	nvarchar	50	0	Will default to the IF-InterfaceInitID if not supplied
CreateWhen	datetime	8	0	
DisciplineLock	tinyint	1	0	1-31 bitwise fields. Will default to interface default if not supplied.

(CFSNumber Or InterfaceRecordID) and (Tag or VIN Or Make Or Model or VehicleDescription)

Http Methods	Path	Max
POST	CFSVehicle	5