


Jacksum for macOS



Abstract

Jacksum for macOS is an installation program that gives you easy access to the features of [Jacksum](#) on macOS. In other words, it adds 586 algorithms (crypto hash functions, CRCs and checksums) to your Mac, and it lets you use them from several different user interfaces in order to calculate hash values, verify data integrity, and more. See the [Jacksum](#) page for details.

The installation program installs

- [Jacksum](#), the hash engine, which also provides the command line interface (CLI)
- [HashGarten](#), a standalone graphical user interface (GUI) for Jacksum
- script glue that calls Jacksum and HashGarten from your preferred file manager

See also the [Architecture](#) of the interaction between those components.

Download

Download the latest [.dmg](#).

Installation

1. Open the .dmg

Open the [.dmg](#).

2. Open the .app

For users of macOS Sequoia 15 and later

Since macOS Sequoia, an app from an unidentified developer no longer opens on a Control-click; macOS reports that the app cannot be opened.

Tip


To open such an app, try to open it once, then open "System Settings" and go to "Privacy & Security". Scroll down to the "Security" section, where you will find the option to open the app that was just blocked. Click "Open Anyway" and follow the prompts.

If you prefer to allow apps from anywhere, open a Terminal and enter `sudo spctl --global-disable` (the older `spctl --master-disable` has been deprecated). An "Anywhere" option then appears in System Settings under "Privacy & Security" → "Allow applications from", which restores the behavior of Sonoma and earlier releases of macOS. Note that this lowers the security of your entire system, not just for this app, so consider re-enabling it afterwards.

To verify the integrity of the app, compare its hash values with the ones published in the release notes of the respective release. To calculate hash values you can use a hash tool such as [Jacksum for macOS](#).

For users of macOS Sonoma 14 and earlier

Control-click the app icon and choose "Open" from the shortcut menu. Gatekeeper warns you about the app, but it also offers you the option to bypass its default policy and open the app anyway.



For users of the command line interface


Tip

You can open a Terminal in order to bypass both the graphical installation program and the security warnings, and run the script that is bundled with the installer app directly. Example for Jacksum 4.0.0:

```
% cd /Volumes/Jacksum\ for\ macOS
% ./Jacksum\ 4.0.0\ for\ macOS.app/Contents/Resources/script
```

3. Check the results

At the end of the task, a summary tells you which file managers have been found and where Jacksum and HashGarten have been integrated.



System Requirements

Hardware

- Intel Mac (x64) or Apple silicon (aarch64)
- 200 MiB of disk space (the installed HashGarten.app requires about 185 MiB, most of it the bundled Java runtime)

Software

- macOS 11 (Big Sur) or later, tested up to macOS 15.7.7 (Sequoia) on x64 and macOS 26.6.2 on aarch64
- optional: a supported file manager (see below), so that you can call Jacksum and HashGarten from your file manager

Supported File Managers

Finder, which supports the Apple Script Menu, is fully supported by this integration program. In addition, some file managers that provide proprietary interfaces are supported as well.

The installation program sets up the integration for **Finder**, **Path Finder**, **muCommander** and **Marta**. All other file managers in the table below either work by drag & drop only, or require a few manual steps that are documented in the wiki.

Tip

If your preferred file manager supports neither the Apple Script Menu nor external scripts nor plug-ins, chances are high that it supports at least **drag & drop**. In that case you can drag file and directory paths from your file manager onto the HashGarten GUI and process them there, for example to calculate hash values.

The following file managers have been tested successfully with Jacksum and HashGarten:


File Manager	Integration	Comment
Commander One	Drag & drop	Commercial Software
CRAX Commander	Drag & drop	Commercial Software (Demo)
Dropover	Drag & drop	Commercial Software
EasyFind	Drag & drop	Freeware
Fileside	Drag & drop + proprietary API (manual)	Commercial Software (Trial), a few extra steps required
Finder	Drag & drop + Script Menu (installer)	Bundled with macOS, the standard file manager from Apple
ForkLift 4	Drag & drop + proprietary API (manual)	Commercial Software (Trial), a few extra steps required
HiFile	Drag & drop	Commercial Software (Trial)
Marta	Drag & drop + plug-in (installer)	Freeware
muCommander	Drag & drop + plug-in (installer)	Free/Libre Open Source Software (GPLv3)
Nimble Commander	Drag & drop	Free/Libre Open Source Software (GPLv3)
Path Finder	Drag & drop + Script Menu (installer)	Commercial Software
Transmit	Drag & drop	Commercial Software (Trial)
VioletGiraffe FileCommander	Drag & drop	Free/Libre Open Source Software (Apache 2.0)

"(installer)" means that the installation program creates the integration for you. "(manual)" means that the file manager offers a suitable interface, but that you have to set it up yourself as described on the linked wiki page.

How to use it


Using HashGarten

Open Spotlight Search and search for HashGarten, or go to Applications and open HashGarten from there.



Using Finder and the Script Menu


Go to Finder, select files and folders, and choose an action from the Jacksum script folder.



From here, [HashGarten](#) takes over and you can calculate checksums, CRCs and hash values of the selected files.

Using Path Finder and the Script Menu


Open Path Finder, select files and folders, and choose an action from the Jacksum script folder.



From here, [HashGarten](#) takes over and you can calculate checksums, CRCs and hash values of the selected files.

Using muCommander


Open muCommander, select files and folders, right-click, and choose an action from the "Open with..." menu.



From here, [HashGarten](#) takes over and you can calculate checksums, CRCs and hash values of the selected files.

Using Marta

Open Marta, select files and folders, and go to Tools → Actions..., enter "Jacksum" in "Search Action" and choose one of the entries.



From here, [HashGarten](#) takes over and you can calculate checksums, CRCs and hash values of the selected files.

Using the Command Line Interface (CLI)

Open a Terminal to get full access to the CLI. You can then use all the features that Jacksum provides. The launcher is not added to your `$PATH`, so call it by its absolute path:

```
% /Applications/HashGarten.app/jacksum
```

For more information, see [Jacksum](#).

How to configure it

Finder

Open Finder, click the script menu, and select "Open Scripts Folder", followed by "Open Finder Scripts Folder". Alternatively, press `⇧⌘G`, enter the path to the Finder scripts folder `~/Library/Scripts/Applications/Finder`, and click the "Go" button.

Open `Jacksum 4.0.0` and remove any `.sct` file that you do not want to see.

Path Finder

Open Path Finder, click the script menu, and select "Open Scripts Folder", followed by "Open Path Finder Scripts Folder". Open `Jacksum 4.0.0` and remove any `.sct` file that you do not want to see.

muCommander

The commands for muCommander are defined in `/Applications/HashGarten.app/mucommander.commands.xml`. Modify that file to match your needs.

Important

`~/Library/Preferences/muCommander/commands.xml` is only a symbolic link to that file inside the app bundle, so any changes you make there are lost the next time you run the installation program. To keep your own commands permanently, replace the symbolic link with a regular file:

```
% cd ~/Library/Preferences/muCommander
% cp commands.xml commands.xml.mine && mv commands.xml.mine commands.xml
```

How to recreate all items again

Just run the `Jacksum for macOS.app` again. Note that this also recreates the muCommander commands file, which discards any changes you made to it.

How to uninstall it

Jacksum and HashGarten

Regardless of which file managers were integrated, remove the app itself. This also removes the CLI launcher, the bundled Java runtime and the muCommander commands file:

```
% rm -rf /Applications/HashGarten.app
```

Finder

Since Finder is always found during the installation, type

```
% rm -rf ~/Library/Scripts/Applications/Finder/Jacksum*
```

Path Finder

If Path Finder was found during the installation, type

```
% rm -rf ~/Library/Scripts/Applications/Path\ Finder/Jacksum*
```

muCommander

If muCommander was found during the installation, remove the symbolic link that the installation program created:

```
% rm ~/Library/Preferences/muCommander/commands.xml
```

If you already had a `commands.xml` before, the installation program moved it aside as `commands.xml.before_jacksum.<date>`. In that case, restore it:

```
% cp ~/Library/Preferences/muCommander/commands.xml.before_jacksum.* ~/Library/Preferences/muCommander/
% rm ~/Library/Preferences/muCommander/commands.xml.before_jacksum.*
```

Marta

If Marta was found during the installation, type

```
% cd ~/Library/Application\ Support/org.yanex.marta/Plugins/
% rm $(grep -il jacksum *.lua | xargs)
```

Note that `grep` searches the contents of the plug-ins, so review the list first if you have other plug-ins that happen to mention Jacksum.

For Developers

Go to <https://github.com/jonelo/jacksum-for-macos/wiki/Developer-Notes>

Further Information

- <https://jacksum.net>
- <https://github.com/jonelo/jacksum>
- <https://github.com/jonelo/jacksum/wiki/Architecture>

Show your support

Please 🌟 [this repository](#) if this project helped you!