



E-Cell
IIT ROORKEE



IIT Roorkee's

E-SUMMIT[↑]26

TRANSCENDING THE PARADIGM

February 2026



TEAM PRODUCT SAVIOURS



AARAV SINGH
BIT MESRA



RUDRA BALDANIYA
BIT MESRA



VARUN SINGHAL
BIT MESRA



JONES G
BIT MESRA


CONTEXT & OBJECTIVES

Context:

- Railway accidents carry **significant financial consequences**: insurance claims, compensation payouts, asset damage, service disruption, and reputational risk.
- Companies such as **Kernex Microsystems (India) Ltd.** enable **advanced predictive safety analytics**, anticipating failures across track condition, signaling, rolling stock health, and operational anomalies.

Evidence of progress:

- Over the past decade, **consequential train accidents have reduced by ~94%**, alongside **substantial increases in safety expenditure and technology upgrades** across Indian Railways.
- This reflects growing adoption of **predictive and preventive safety systems**, not just reactive compliance.




Source: Press Information Bureau (Ministry of Railways, Dec 2025); Indian Railways Safety Reports

The Disconnect:

- Despite measurable safety improvements, **insurance premiums remain largely static**.
- Safety performance is **not priced as financial risk reduction**, creating *unpriced safety*.

Objective:

- Design a framework that translates predictive safety analytics into measurable financial benefits**, enabling insurers to recognize validated risk reduction through **risk-adjusted premiums or performance-linked insurance contracts**.





PROBLEM UNDERSTANDING

Dimension	What Railways Generate Today	What Insurers Need to Price Risk
Data type	Events, alerts, faults, inspections	Probabilistic loss signals
Time orientation	Near-real-time & retrospective	Forward-looking risk outlook
Unit of analysis	Assets, routes, incidents	Expected loss distribution
Comparability	Route- and system-specific	Normalized, cross-comparable
Decision output	Operational action	Premium adjustment / capital allocation

Current safety data improves operations, but **does not** express these three variables explicitly.

Expected Loss
(Probability × Severity over time)

Loss Volatility
(Stability and predictability of outcomes)


Evidence Quality
(Validation, persistence, auditability)

Insurers default to historical loss data as it is financially explicit and consistently comparable.



STAKEHOLDERS & INCENTIVE MISMATCH

Power-Interest Grid



FROM GUT FEEL TO GROUND TRUTH

THE OLD WORLD




ENTER SRI



Operational intelligence becomes underwritable risk.

THE TRUST GAP



THE OUTCOME



TRUST & VALIDATION GAPS

1. FRAGMENTED DATA

- Safety signals are spread across track, signaling, rolling stock, and operations.
- Designed for **local intervention**, not portfolio-level risk assessment.

2. LACK OF STANDARDIZED RISK

- Improvements are reported as activities or events.
- Insurers need a **single, normalized risk signal** to compare assets, routes, and time periods.

3. LIMITED EXTERNAL VALIDATION

- Data is internally generated and consumed.
- Lacks independent audit, persistence testing, and explainability required for pricing decisions.

“Insurers are facing major challenges in claims finance due to fragmented systems”

Source: FinTech Global (May 2025), citing Vitesse research

“Re/insurance is an information-based business that relies on access to data and the ability to process it. Being able to use data has always been essential to a re/insurer's ability to fairly assess, price and manage risk”

Source: Swiss Re (Nov 2018), Fair risk assessment in the era of big data

What's missing is a trusted, standardized abstraction that converts safety data into insurer grade risk.

CORE IDEA


WHAT IS SRI **V/S** WHAT ITS NOT

- | | |
|--|---|
| <ul style="list-style-type: none">• A standardized, time-based risk rating for railway assets• Aggregates only safety signals that meet actuarial criteria• Expressed as risk bands, not raw model outputs | <ul style="list-style-type: none">• A real-time safety control system• An AI decision engine of some sort• A replacement for engineering judgment |
|--|---|



- Constrained analytics to priceable risk variables, not all safety data.
- Embedded validation and auditability into the metric by design.
- Linking safety performance to conditional (not automatic) financial outcomes.


A Validated Safety Risk Index (SRI) for Insurance Pricing



For SRI to be trusted, its construction must be transparent and constrained.



ARCHITECTURE & INPUTS



Network Operations Dashboard

Real-time safety intelligence across Indian Railways network

Operations

Insurance

Governance



Jan 14, 2026



Live Risk Alerts

23

↑ 12% vs yesterday



Assets at High Risk

47

↓ 5% vs last week



Incidents Prevented

156

↑ 23% this month



Network Health Score

87%

↑ 2% improvement



Network Risk Map

Real-time zone risk levels

Expand

Total Active Alerts

28

NR

NER

Live Risk Alerts

4 active alerts

Live



Track Subsi...

CRITICAL

Significant ground movement detected near Km 142

Northern Railway

31m ago



Bridge Stress Th...

HIGH

Structural sensors indicate






0:00



DATA FLOW & MODULE BREAKDOWN

FROM DATA TO DASHBOARD




Predictive Signal	Safety Action	Risk Delta	Insurance Impact
Brake pad failure risk ↑	Pre-emptive maintenance	-72% failure risk	↓ Base premium ₹12L/year
Overspeed events ↑	Route audit & training	-40% incident risk	Incentive bonus ₹8L



RISK QUANTIFICATION

Step	Description	Example
1. Signal Collection	Fault frequency, near misses, sensor anomalies, maintenance lags	“Bogey 14 brake anomaly: 4x in 10 days”
2. Risk Model Weighting	Apply logistic regression / ensemble ML model + rules	“Fault + route + weather → 62% risk weight”
3. Composite SRI Score	Weighted aggregation into 0–100 risk index (per asset, route, zone)	“SRI = 81 → High Risk Category”

Score Range	Risk Tier	Actionable Use	Insurance Use
0–40	Low	Monitor	Premium discounts
41–70	Medium	Inspect, escalate	Flat base premium
71–100	High	Immediate action	Penalty coverage constraint



Context

Diagnosis

Design

Risk
QuantificationValidation &
EconomicsDeployment &
Limits

VALIDATION & GOVERNANCE



Why This System Can Be Trusted: Technically, Statistically & Institutionally

- Immutable ledger (e.g., hashed on permissioned blockchain or tamper-proof DB) of every score update.
- Includes: timestamp, asset ID, score, contributing signals, model version.
- Semi-annual model and data pipeline audits
- Compliance aligned with IRDAI and Ministry of Railways standards
- Open to Public Sector Insurers Consortium (PSIC) for shared trust

1. TECHNICAL**2. STATISTICAL****3. INSTITUTIONAL**

- All deployed risk models (e.g., brake failure predictor) are version-controlled, with lineage tracking.
- Regular updates via CI/CD pipelines; rollback enabled on failure flags.
- All sensor, maintenance, and fault data is checksum-validated.
- Ingested data is stored immutably in secure audit-ready lakes (e.g., Delta Lake on S3).
- SHAP values + counterfactual explainer model for each score

- Accuracy benchmark :
 1. Incident prediction model AUC-ROC > 0.87 (for derailment/overspeed scenarios).
 2. False positives controlled to < 12% via ensemble blending.
- Models trained on 7+ years of historical accident, near-miss, and route log data.
- Regular validation against real-time accident data (e.g., FOIS/CRIS incidents).
- Calibration scores tested quarterly using K-fold cross validation.

INSURANCE PREMIUM ADJUSTMENT MODEL

Monetization

Risk Tier (SRI)	Example Asset	Base Premium (₹L)	Adjustment	Final Premium
Low (0–40)	Route 12A Loco	₹20L	-12%	₹17.6L
Medium (41–70)	Route 7B Coach	₹18L	0%	₹18L
High (71–100)	Yard 5 Signal	₹12L	+20%	₹14.4L

Numbers are illustrative, but grounded in safety-linked underwriting logic

PREMIUM ADJUSTMENT FORMULA:

❖ Adjusted Premium = Base Premium × (1 + Risk Adjustment Factor), where RAF can be defined as:

SRI Range	Risk Adjustment Factor (RAF)
0–40 (Low)	−0.15 (i.e., 15% discount)
41–70 (Medium)	0 (no change)
71–100 (High)	+0.20 (i.e., 20% surcharge)

This modifier can be refined based on insurer-specific underwriting logic or corridor-level pooling rules.

DEPLOYMENT & LIMITATIONS

Phase	Timeline	Focus	Partners
Phase 1: Pilot	Months 0–3	Deploy on 2 corridors (e.g., Delhi–Lucknow, Mumbai–Surat)	CRIS, 1 insurer, 1 loco division
Phase 2: Validation	Months 4–8	Score accuracy audit, insurer-side integration	IIT-A/IIT-R audit cell
Phase 3: National Scale	Months 9–18	All major zones (zonal HQ level scoring)	PSIC, Rail Board Safety
Phase 4: Insurance Pooling	Year 2+	Performance-linked coverage + predictive risk-linked pool rates	Multiple insurers, IRDAI

LIMITATIONS

- Not all trains/coaches have consistent sensor coverage (esp. rural lines)
- Needs ongoing validation as infrastructure and usage evolve
- Adoption requires IRDAI buy-in, early audit co-pilots, and standardization

WHAT’S NEXT

- Publish asset risk schema for open adoption
- Launch with IR zone + IRCTC + PSIC insurer
- For risk-based underwriting frameworks (2026 policy draft)