MAT 67 Homework 3

Hardy Jones
999397426
Professor Bandyopadhyay
Fall 2013

1. Let V be the set of all pairs (x, y) of real numbers and suppose vector addition and scalar multiplication are defined in the following way:

$$(x_1, y_1) + (x_2, y_2) = (x_1 + x_2, y_1 + y_2)$$
$$a(x, y) = (ax, y)$$

for any scalar a in the field of real numbers.

Is the set V a vector space over the field $\mathbb{R}$?

The set V is not a vector space over the field $\mathbb{R}$ for it fails to hold for distributivity of scalar addition over scalar multiplication.

Proof. Let $\vec{u} \in V$ and $c, k \in \mathbb{R}$. Let's check distributivity of scalar addition over scalar multiplication. We should have $(c + k)\vec{u} = c\vec{u} + k\vec{u}$.

$$\begin{aligned}(c + k)\vec{u} &= ((c + k)u_1, u_2) \\ &= (cu_1 + ku_1, u_2)\end{aligned}$$

$$\begin{aligned}c\vec{u} + k\vec{u} &= (cu_1, u_2) + (ku_1, u_2) \\ &= (cu_1 + ku_1, u_2 + u_2) \\ &= (cu_1 + ku_1, 2u_2)\end{aligned}$$

But $(cu_1 + ku_1, u_2) \neq (cu_1 + ku_1, 2u_2)$, so V does not hold for distributivity of scalar addition over scalar multiplication.

Thus V is not a vector space. $\square$

2. Let W_1 and W_2 be subspaces of a vector space V such that their union $W_1 \cup W_2$ is also a subspace of V.

Prove that either W_1 is contained in W_2 or vice versa.