

Global map with relevant minor-maps

Root

Main

		1	2	3	4	5	6	7	8	9	0	-	=	Backspace
														⌫-↓-char
C		①	①	①	①	①	①	①	①	①	①	negative-argument		↓-⌫- word
C-S														⌫-whole- line
M	tmm-menubar	①	①	①	①	①	①	①	①	①	①	negative-argument	count-lines-region	↓-⌫- word
C-M		①	①	①	①	①	①	①	①	①	①	negative-argument		

	~	!	@	#	\$	%	^	&	*	()	_	+	
C			set-mark-command									undo		
M	not-modified	shell-command	mark-word		ispell-word	query-replace	⌫-indentation	async-shell-command	pop-tag-mark	insert-parentheses	move-past-close-and-reindent			
C-M			mark-sexp			query-replace-regexp								

	q	w	e	r	t	y	u	i	o	p	[]	\	{	}	
C	quoted-insert	⌫-region	move-end-of-line	isearch-↓	transpose-chars	yank	universal-argument	indent-for-⌫-command	open-line	⇐-line	ESC-prefix	abort-recursive-edit	toggle-input-method			
M	fill-¶	⌫-ring-save	↑-sentence	move-to-window-line-top-bottom	transpose-words	yank-pop	upcase-word	⌫-to-tab-stop	facemenu-keymap				⌫-horizontal-space	↓-¶	↑-¶	shell-command-on-region
C-M		append-⇒-⌫	end-of-defun	isearch-↓-regex	transpose-sexps		↓-up-list	complete-symbol	split-line	↓-list	keymap		indent-region			

	a	s	d	f	g	h	j	k	l	;	'	:	"	Return	
														newline	
C	move-beginning-of-line	isearch-↑	⌫-char	↑-char	keyboard-quit	help-command	newline-and-indent	⌫-line	recenter-top-bottom						

M	↓ - sentence	keymap	[x]-word	↑ - word	keymap	mark-¶	indent-new-comment-line	[x]-sentence	downcase-word	comment-dwim	abbrev-prefix-mark	eval-expression		
C-M	beginning-of-defun	isearch- ↑ - regexp	down-list	↑ -sexp		mark-defun	indent-new-comment-line	[x]-sexp	reposition-window					
	z	x	c	v	b	n	m	,	.	/			?	SPC
C	suspend-frame	Control-X-prefix	mode-specific-command-prefix	scroll-up	↓ -char	⇒ -line	newline			undo				set-mark-command
M	zap-to-char	execute-extended-command	capitalize-word	scroll-down	↓ -word		back-to-indentation	tags-loop-continue	find-tag	dabbrev-expand	beginning-of-buffer	end-of-buffer		just-one-space
C-M			exit-recursive-edit	scroll-other-window	↓ -sexp	↑ -list			find-tag-regexp	dabbrev-completion				mark-sexp
S-C-M				scroll-other-window-down										

Function keys

	ESC	F1	F2	F3	F4	F5	F6	F10
	ESC-prefix	help-command	2C-command	kmacro-start-macro-or-insert-counter	kmacro-end-or-call-macro	keymap	imenu	menu-bar-open
M	keymap							

Miscellaneous keys

	Scroll_Lock	pause	Insert	Delete	Home	PgUp	Next	End
			overwrite-mode		move-beginning-of-line	scroll-down	scroll-up	move-end-of-line
S			yank	[x]-region				
C			[x]-ring-save	[x]-word	beginning-of-buffer	scroll-right	scroll-left	end-of-buffer
M				↓ - [x]-word	beginning-of-buffer-other-window	scroll-other-window-down	scroll-other-window	end-of-buffer-other-window
M-C					beginning-of-defun			end-of-defun
	←	→	↑	↓	lwindow	rwindow		
	↓ -char	↑ -char	⇐ -line	⇒ -line	ignore	ignore		
C	↓ -word	↑ -word	↓ -¶	↑ -¶				

M	↓ -word	↑ -word			
M-C	↓ -sexp	↑ -sexp	↓ -up-list	down-list	

Mouse events

	mouse-1	mouse-2	mouse-3	wheel-↓	wheel-↑
click	mouse-set-point	mouse-do-nothing	mouse-save-then-☒	mwheel-scroll	mwheel-scroll
S-click			kmacro-end-call-mouse	mwheel-scroll	mwheel-scroll
C-click				mwheel-scroll	mwheel-scroll
M-click	mouse-start-secondary	mouse-yank-secondary	mouse-secondary-save-then-☒		
down	mouse-drag-region		imenu		
S-down	mouse-appearance-menu				
C-down	mouse-buffer-menu	facemenu-menu	keymap		
M-down	mouse-drag-secondary				
double	mouse-set-point				
drag	mouse-set-region				
M-drag	mouse-set-secondary				
triple	mouse-set-point				

--

<f1>

Main

	`	1	2	3	4	5	6	7	8	9	0	-	=	Backspace		
					keymap											
	~	!	@	#	\$	%	^	&	*	()	_	+			
	q	w	e	r	t	y	u	i	o	p	[]	\	{	}	
	help-quit	where-is	view-echo-area-messages	info-emacs-manual	help-with-tutorial			info		finder-by-keyword						
S								describe-input-method								
C		describe-no-warranty	view-external-packages		view-emacs-todo				describe-distribution	view-emacs-problems			describe-input-method			
	a	s	d	f	g	h	j	k	l	;	'	:	"	Return		
	apropos-command	describe-syntax	apropos-documentation	describe-function	describe-gnu-project	view-hello-file		describe-key	view-lossage					view-order-manuals		

S		info-lookup-symbol		Info-goto-emacs-command-node				Info-goto-emacs-key-command-node	describe-language-environment					
C	about-emacs		view-emacs-debugging	view-emacs-FAQ		help-for-help								
	z	x	c	v	b	n	m	,	.	/			?	SPC
			describe-key-briefly	describe-variable	describe-bindings	view-emacs-news	describe-mode		display-local-help				help-for-help	
S			describe-coding-system											
C			describe-copying			view-emacs-news	view-order-manuals							

Function keys

F1
help-for-help

<f1> 4

i	info-other-window
---	-------------------

<f2>

2	2C-two-columns	s	2C-split
b	2C-associate-buffer	F2	2C-two-columns

<f5>

1	bookmark-set	3	bookmark-menu-list
2	bookmark-jump		

ESC

Main

	Backspace	 	:
C	↓- x -sexp	keymap	
M			eval-expression
C-M		keyboard-escape-quit	

Function keys

	ESC
	keymap
M	keyboard-escape-quit

Miscellaneous keys

	Delete	Home	PgUp	Next	End	←	→	↑	↓
		beginning-of-buffer-other-window	scroll-other-window-down	scroll-other-window	end-of-buffer-other-window	↓-word	↑-word		
C	↓-[x]-sexp	beginning-of-defun			end-of-defun	↓-sexp	↑-sexp	↓-up-list	down-list

ESC ESC

ESC	keyboard-escape-quit	ESC	keyboard-escape-quit
-----	----------------------	-----	----------------------

C-c

1	"//D:/Jon-Note-Docs/Documents/Physics/"	3	"//c:/Users/jon/Desktop/"
2	"//D:/Jon-Note-Docs"		

C-h

Main

[illegible]

	~	!	@	#	\$	%	^	&	*	()	_	+			
	q	w	e	r	t	y	u	i	o	p	[]	\	{	}	
	help-quit	where-is	view-echo-area-messages	info- emacs-manual	help-with-tutorial			info		finder-by-keyword						
S								describe-input-method								
C		describe-no-warranty	view-external-packages		view- emacs-todo			describe-distribution	view- emacs-problems				describe-input-method			
	a	s	d	f	g	h	j	k	l	;	'	:	"	Return		
	apropos-command	describe-syntax	apropos-documentation	describe-function	describe-gnu-project	view-hello-file		describe-key	view-lossage					view-order-manuals		
S		info-lookup-symbol		Info-goto- emacs-command-node				Info-goto- emacs-key-command-node	describe-language-environment							
C	about- emacs		view- emacs-debugging	view- emacs-FAQ		help-for-help										
	z	x	c	v	b	n	m	,	.	/			?	SPC		
			describe-key-briefly	describe-variable	describe-bindings	view- emacs-news	describe-mode		display-local-help				help-for-help			
S			describe-coding-system													
C			describe-copying			view- emacs-news	view-order-manuals									

Function keys

	F1
	help-for-help

C-h 4

i	info-other-window
---	-------------------

C-x

Main

	`	1	2	3	4	5	6	7	8	9	0	-	=	Backspace		
	⇒-error	⌘-other-windows	split-window-vertically	split-window-horizontally	ctl-x-4-prefix	ctl-x-5-prefix	2C-command		keymap		⌘-window	shrink-window-if-larger-than-buffer	what-cursor-position	↓-⌘-sentence		
C											text-scale-adjust	text-scale-adjust	text-scale-adjust			
	~	!	@	#	\$	%	^	&	*	()	_	+			
					set-selective-display		enlarge-window		calc-dispatch	kmacro-start-macro	kmacro-end-macro		balance-windows			
C			pop-global-mark										text-scale-adjust			
	q	w	e	r	t	y	u	i	o	p	[]	\	{	}	
	kbd-macro-query		kmacro-end-and-call-macro	keymap			undo	insert-file	other-window		↓-page	↑-page		shrink-window-horizontally	enlarge-window-horizontally	
C	toggle-read-only	write-file	eval-last-sexp	find-file-read-only	transpose-lines		upcase-region	indent-rigidly	⌘-blank-lines	mark-page	keymap					
C-M											repeat-complex-command					
	a	s	d	f	g	h	j	k	l	;	'	:	"	Return		
	keymap	save-some-buffers	dired	set-fill-column		mark-whole-buffer		⌘-buffer	count-lines-page	comment-set-column	expand-abbrev			keymap		
C		save-buffer	list-directory	find-file				kmacro-keymap	downcase-region							
M												repeat-complex-command				
	z	x	c	v	b	n	m	,	.	/			?	SPC		
	repeat			vc-prefix-map	switch-to-buffer	keymap	compose-mail		set-fill-prefix		scroll-left	scroll-right				
C	suspend-frame	exchange-point-and-mark	save-buffers-⌘-terminal	find-alternate-file	list-buffers	set-goal-column	keymap							pop-global-mark		

Function keys

C				find-file-other-frame										
	z	x	c	v	b	n	m	,	.	/			?	SPC
					switch-to-buffer-other-frame		compose-mail-other-frame		find-tag-other-frame					

C-x 6

2	2C-two-columns	s	2C-split
b	2C-associate-buffer	F2	2C-two-columns

C-x 8

Return	ucs-insert	RET	ucs-insert
--------	------------	-----	------------

C-x a

	'	+	-	a	e	g	i	l	n	p
	expand-abbrev	add-mode-abbrev	inverse-add-global-abbrev		expand-abbrev	add-global-abbrev	keymap	add-mode-abbrev	expand-jump-to- \implies -slot	expand-jump-to- \impliedby -slot
C				add-mode-abbrev						

C-x a i

g	inverse-add-global-abbrev	I	inverse-add-mode-abbrev
---	---------------------------	---	-------------------------

C-x n

d	narrow-to-defun	p	narrow-to-page
n	narrow-to-region	w	widen

C-x r

Main

	`	1	2	3	4	5	6	7	8	9	0	-	=	Backspace		
	~	!	@	#	\$	%	^	&	*	()	_	+			
													increment-register			
C			point-to-register													
	q	w	e	r	t	y	u	i	o	p	[]	\	{	}	
		window-configuration-to-register		copy-rectangle-to-register	string-rectangle	yank-rectangle		insert-register	open-rectangle							
	a	s	d	f	g	h	j	k	l	;	'	:	"	Return		
		copy-to-register	⌕-rectangle	frame-configuration-to-register	insert-register		jump-to-register	⌕-rectangle	bookmark-bmenu-list							
	z	x	c	v	b	n	m	,	.	/			?	SPC		
		copy-to-register	clear-rectangle		bookmark-jump	number-to-register	bookmark-set							point-to-register		
C														point-to-register		

C-x v

Main

	`	1	2	3	4	5	6	7	8	9	0	-	=	Backspace		
													vc-diff			
	~	!	@	#	\$	%	^	&	*	()	_	+			
	vc-revision-other-window												vc-update			
	q	w	e	r	t	y	u	i	o	p	[]	\	{	}	
				vc-retrieve-tag			vc-revert	vc-register								
	a	s	d	f	g	h	j	k	l	;	'	:	"	Return		
	vc-update-change-log	vc-create-tag	vc-dir		vc-annotate	vc-insert-headers			vc-print-log							
S			vc-root-diff						vc-print-root-log							
	z	x	c	v	b	n	m	,	.	/			?	SPC		

		vc-rollback	vc- \implies -action	vc-switch-backend		vc-merge							
--	--	-------------	------------------------	-------------------	--	----------	--	--	--	--	--	--	--

C-x ESC

ESC	repeat-complex-command	ESC	repeat-complex-command
-----	------------------------	-----	------------------------

C-x C-k

Main

	`	1	2	3	4	5	6	7	8	9	0	-	=	Backspace		
	~	!	@	#	\$	%	^	&	*	()	_	+			
	q	w	e	r	t	y	u	i	o	p	[]	\	{	}	
	kbd-macro-query		edit-kbd-macro	apply-macro-to-region-lines												
C			kmacro-edit-macro-repeat		kmacro-swap-ring			kmacro-insert-counter		kmacro-cycle-ring-⬅						
	a	s	d	f	g	h	j	k	l	;	'	:	"	Return		
		kmacro-start-macro							kmacro-edit-lossage					kmacro-edit-macro		
C	kmacro-add-counter	kmacro-start-macro	kmacro-ⓧ-ring-head	kmacro-set-format				kmacro-end-or-call-macro-repeat	kmacro-call-ring-2nd-repeat							
	z	x	c	v	b	n	m	,	.	/			?	SPC		
					kmacro-bind-to-key	kmacro-name-last-macro								kmacro-step-edit-macro		
C			kmacro-set-counter	kmacro-view-macro-repeat		kmacro-cycle-ring-➡	kmacro-edit-macro									

C-x RET

	\	c	f	f	k	l	p	r	t	x	x
		universal-coding-system-argument	set-buffer-file-coding-system		set-keyboard-coding-system	set-language-environment	set-buffer-process-coding-system	revert-buffer-with-coding-system	set-terminal-coding-system	set-selection-coding-system	
S				set-file-name-coding-system							set- \Longrightarrow -selection-coding-system
C	set-input-method										

M-g

		g	n	p	ESC
		goto-line	\Longrightarrow -error	\Longleftarrow -error	keymap
C	keymap				
M		goto-line	\Longrightarrow -error	\Longleftarrow -error	

M-o

		b	d	i	l	o	s	u	ESC
		("bold" . facemenu-set-bold)	("default" . facemenu-set-default)	("italic" . facemenu-set-italic)	("bold-italic" . facemenu-set-bold-italic)	("Other..." . facemenu-set-face)		("underline" . facemenu-set-underline)	keymap
C	keymap								
M						font-lock-fontify-block	center-line		
S-M							center-¶		

M-s

h	keymap	w	isearch- ↑ -word
o	occur		

M-s h

f	hi-lock-find-patterns	r	highlight-regexp
l	highlight-lines-matching-regexp	u	unhighlight-regexp
p	highlight-phrase	w	hi-lock-write-interactive-patterns

Legend

escape	ESC	backward	⇓
left	←	next	⇒
right	→	previous	⇐
up	↑	paragraph	¶
down	↓	tab	⇄
digit-argument	①	kill	✖
forward	⇑	delete	✂