


GARAIO REM


Qualitätssicherung

Silvan Kohler & Jon Jampen

Entwicklung



CI Pipeline



 **All checks have passed**
5 successful checks

-  CI / lint (pull_request) Successful in 19s
-  CI / scan_js (pull_request) Successful in 15s
-  CI / scan_ruby (pull_request) Successful in 16s
-  CI / system-test (pull_request) Successful in 59s
-  CI / test (pull_request) Successful in 1m

 **No conflicts with base branch**
Merging can be performed automatically.

 **This pull request is still a work in progress**
Draft pull requests cannot be merged. Ready for review

Merge pull request  You can also merge this with the command line. [View command line instructions.](#)

Brakeman



```
1 def show
2   @user = User.where("id = #{params[:id]}").first
3 end
```

Possible SQL injection

`http://localhost:3000/users/1' UNION SELECT password ... --`



bundler-audit

Title: Trix has a Stored XSS vulnerability through serialized attributes

Solution: update to '>= 2.1.17'



Dependabot



chore(deps): bump puma from 8.0.0 to 8.0.1 #88

Open [dependabot\[bot\]](#) wants to merge 1 commit into [main](#) from [dependabot/bundler/puma-8.0.1](#)

Conversation 0 Commits 1 Checks 5 Files changed 1

dependabot Bot commented on behalf of github 5 days ago

Bumps [puma](#) from 8.0.0 to 8.0.1.

- ▶ Release notes
- ▶ Changelog
- ▶ Commits

compatibility 94%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

▶ Dependabot commands and options

chore(deps): bump puma from 8.0.0 to 8.0.1 Verified ✓ f92c8c6

dependabot Bot added [dependencies](#) [ruby](#) labels 5 days ago



Rubocop

```
1 def my_method(a,b)
2   name = 'John Doe'
3   if a > b
4     return a
5   else
6     "Hello, #{name.to_s}!"
7   end
8 end
```

Space missing after comma.

Prefer double-quoted strings ...

Redundant return detected.

Redundant use of Object#to_s
in interpolation.

Minitest

Testing


- RoR Framework für Testing



Beispiel: Controller-Test

```
1 class ServersControllerTest < ActionDispatch::IntegrationTest
2   test "should not get new if not signed in" do
3     get new_server_url
4     assert_response :redirect
5     assert_redirected_to new_user_session_url
6     assert_equal I18n.t("devise.failure.unauthenticated"), flash.alert
7   end
8
9   test "should get new if signed in" do
10    sign_in @user
11    get new_server_url
12    assert_response :success
13  end
14 end
```

Test Konzept



Beispiel: System-Test

```
1 require "application_system_test_case"
2
3 class InlineEditingsTest < ApplicationSystemTestCase
4   setup do
5     @user = users(:regular_user)
6     @query_filter = query_filters(:one)
7     sign_in @user
8   end
9
10  test "should inline edit a query filter name" do
11    visit filters_path
12    target_frame = "##{dom_id(@query_filter, :name)}"
13    within target_frame do
14      click_on @query_filter.name.truncate(70)
15
16      assert_selector "input[name='query_filter[name]']", visible: :visible
17
18      fill_in "query_filter[name]", with: "New Filter Name"
19      find("input[name='query_filter[name]']").send_keys(:enter)
20
21      assert_no_selector "input[name='query_filter[name]']"
22    end
23    assert_text "New Filter Name"
24    assert_text "Query Filter was successfully updated."
25  end
26 end
27
```

Manage Filters

Query Filters

name	filter	Add
-----------------------------------	-------------------------------------	------------------------------------

Name	Filter Value	Action
Updated Query Fil	Query Filter Option 3	Delete
Query Name 4	Query Filter Option 4	Delete

PR Review



feat: add interactive flash messages with timer effect #52

Merged jonjampen merged 3 commits into main from feature/interactive-flashes last week

Conversation 1 Commits 3 Checks 5 Files changed 5 +73 -7

4 / 5 viewed Submit comments 0

Filter files...

- app
 - assets/tailwind
 - application.css
 - javascript/controllers
 - hide_on_click_controller.js
 - views
 - application
 - _flash.html.erb
 - _flashes.html.erb
 - layouts
 - application.html.erb

app/assets/tailwind/application.css +23 -2 Viewed

app/javascript/controllers/hide_on_click_controller.js +28 Viewed


app/views/application/_flash.html.erb +14 Viewed

app/views/application/_flashes.html.erb +7 Viewed

app/views/layouts/application.html.erb +1 -5 Viewed

```
28 28 <body class="relative min-h-screen bg-background text-foreground">
29 29   <%= render 'layouts/header' %>
30 30   <main class="container mx-auto mt-28">
31 -   <div class="flex flex-col w-full gap-3 mb-5">
32 -     <% flash.each do |message_type, message| %>
33 -       <%= content_tag :div, message, class: "py-3 px-4 font-medium rounded-md inline-block w-full #{message_type == "notice" ? "notice" : "alert"}" %>
34 -     <% end %>
35 -   </div>
31 +   <%= render "application/flashes" %>
36 32
37 33   <%= yield %>
38 34 </main>
```


Rebase




Semi-Linear History



Merge



Resultate



Controller Model Job Integration System

277

Tests



1138

Assertions



Fragen?