

Notebook Switch

Home > en > Products > Keyboard switch > Notebook Switch >



CPG142501D02


用途：

产品详情




Product code		CPG142501D02
Rating		DC12V10mA
Cotact resistance		200mΩMax
Insulation resistance		100MΩMinDC500V
withstanding voltage		AC100V(50-60HZ)for1Minute
Tactile force		60±10gf
Actuation force		50±10gf
Actuation travel		1.2±0.3mm
Total travel		2.0±0.3mm
Mechanical life		20,000,000Cycles
Operating temperature		-20°C-+70°C
Weather resistance		
low temperature resistance	-20°C±2°C	96H
heat resisting property	70°C±2°C	96H
Moisture resistance	60°C±2°C90~95%RH	96H

Outline view



Circuit



Package		
Quantity(PCS)	1 bag	750PCS
	1CTN	4500PCS
Wave peak automatic welding condition		
Item	preheat temperature	100±5℃
	preheating time	60S(max.)
	welding temperature	260±5℃
	welding time	3±0.5S
Manual welding condition		
	welding temperature	350℃±10℃
	welding time	3S±0.5S
	Soldering iron power	20W(max.)

Precautions :

- 1.the product color in the catalogue is differ from the material object
- 2.Please use the thickness 1.6mm PCB
- 3.Please order with the n (integer) times of the MOQ
- 4.Please check with me when you use it in auto

