

Moto - CFMoto UTV Terracross CF625-3, CF500-6, CF625-6. Owner_s Manual.English.EU12

CF625-3

CF500-6

CF625-6 4x4

NEVER Operate:

Without first viewing owner 's manual and quick start guide.

With more than one passenger.

On hills steeper than 15 degrees

On public roads

On paved surfaces-pavement may seriously affect handling and control.

With Non-CFMOTO approved accessories.

ALWAYS:

Keep hands and feet inside vehicle.

Reduce speed and use extra caution when carrying a passenger.

Operate slowly in reverse-avoid sharp turns or sudden braking.

Make sure passenger reads and understands all safety labels

Watch for branches or other hazards that could enter vehicle.

Locate and Read Owner 's manual, Follow all INSTRUCTIONS and WARNINGS. If Owner 's manual is missing, contact a CFMOTO dealer for replacement.

Read, understand, and follow all of the instructions and safety precautions in this manual and on all product labels.

Failure to follow the safety precautions could result in serious injury or death.

The engine exhaust gas from this product contains CO, which is a deadly gas and could cause headache, giddy, disgusting or lose consciousness, even death.

Instructions

Thank you for purchasing a CFMOTO vehicle, and welcome to our worldwide family of CFMOTO owners. We proudly produce an exciting line of utility and recreational products.

All terrain vehicle (UTV)

Utility vehicle (patrol, forest protecting and hunting)

Motorcycles

CFMOTO, a company which is specialized in production of liquid-cooled engine, is the top-level supplier in China. Compared to same displacement of air-cooled engine, engine cooling effect is better, oil temperature can be adjusted more freely, more powerful and lower fuel consumption, longer engine working life.

For safe and enjoyable operation of your vehicle, be sure to follow the instructions and recommendations in this owner 's manual. Your manual contains instructions for minor maintenance, but informations about major repairs is outlined in the CFMOTO service manual and should be performed only by CFMOTO service dealer and technician.

Your CFMOTO dealer knows your vehicle best and is interested in your total satisfaction. Be sure to return to your dealership for all of your service.

Due to constant improvements in the design and quality of production components, some minor discrepancies may result between the actual vehicle and the information presented in this publication. Depictions and/or procedures in this publication are intended for reference use only.

-1-Table of Contents

VIN No. 2

3 Safety

Features and Controls 31
Operation 51
Emission control systems 71
Maintenance 72
Specification 122
Troubleshooting 125
Circuit layout 130

-2-Vehicle Identification Number

Record your vehicle 's identification number and engine serial number in the spaces provided, remove ignition key and store it in a safe place for duplicating spare key if keys are lost, otherwise ignition key can only be replaced.

Vehicle Identification No.:

Engine Serial No.:

SAFETY

Rider Safety

The following signals or symbols appear throughout this manual and on your vehicle. Your safety is involved when words or symbols are used. Become familiar with these meanings before reading the manual.

The safety alert warning indicates a potential hazard that may result in serious injury or death.

A caution indicates a situation that may result in damage to your vehicle.

A note alert you to important informations or instructions.

CAUTION

NOTE

-3-

-4- Safety Decals and Locations

Warning decals have been placed on your vehicle for your protection.

Read and follow the instructions of the decals on the vehicle very carefully. If any of the decals depicted on the vehicle in this manual differ from the decals on your vehicle, always read and follow the instructions of decals on your vehicle.

Cargo box warning Towing load waring

Warning

Passengers can be thrown off. This can cause serious injury or death.

Never carry passengers in cargo box.

Max. load of cargo box: 100kg

Towing bracket vertical load: 50kg, Towing load: 125kg (including cargo)

Tire pressure and overload warning

Improper tire, tire pressure or overloading can cause loss of control resulting in SEVERE INJURY OR DEATH.

Tire pressure: PSI (kpa)

12 in. Front tire: 10(70) 12 in. Rear tire: 12 (84)

Maximum weight capacity:

Including driver, passenger, cargo and accessories: 250kg

Reduce speed and allow greater distance for braking when Carrying cargo. Overloading or carrying tall, off-center or Unsecured loads will increase your risk to control. Loads should be centered and carried as low as possible in box. For stability on rough or hill terrain, reduce speed and cargo. Be careful if load extends over the side of box.

14 in. Front tire: 7(50) 14 in. Rear tire: 7 (50)

BL Motorcycles Ltd

Professional Workshop Manual - English Translation

Safety Decals & Locations

Cab frame

Warning

ALWAYS WEAR YOUR SEAT BELT and make sure passenger wears seat belt.

VEHICLE OVER TURN can cause severe injury or death. The cab frame is not designed or intended to rollover protection.

Shift cautionwarning

Caution

To avoid transmission damage, Shift only when vehicle is stationary or at idle. When vehicle is stopped, place shift in the parked position.

Age warning

Warning

Operating this vehicle if you 're under age of 16 increase your chance of Severe injury or death. Never operating this vehicle under age 16 or without valid driver 's licence.

Overturn warning

Warning

Improper operation can cause this vehicle to overturn and lead to serious injury or death.

This vehicle handles dif ferently than cars, trucks or other of f-road vehicles. In order to avoid oveturns

Avoid sharp overturns

Never turn when applying heavy throttle.

Never make abrupt steering maneuvers.

Operate at speeds appropriate for your skills, the conditions And the terrain.

DO NOT do power slides, donuts, jumps or other Jumping stunts.

-5-

Safety Decals and Locations

Passenger safety warning

Warning

Never carry passenger under age 12

Never carry more than one passenger

Never ride after using drugs or alcohol

To reduce the risk of SEVERE INJURY or DEA TH, Never carry a passenger under age 12 or too small to Firmly plant feet on the floor and securely grasp hand holds.

The passenger must always

Wear seat belt.

Use an approved helmet and protective gear.

Securely grasp hand holds and plant feet firmly on the floor.

Tell operator to slow down or stop if uncomfortable get-of f and walk if conditions require.

Keep hands and feet inside vehicle at all times.

Watch for branches, brush, and other hazards that could enter vehicle.

-6-Operation warning