

SimplePlugz Locations

User Guide

Store Finder Extension for Magento® 2
Version 1.0

Developer: Jonny Eggins

Email: mail@simpleplugz.com

Table of Contents

Table of Contents	1
1. Introduction	3
1.1 Full Feature List	3
For Customers	3
For Admins	3
2. Quick Start	4
Step 1 - Get Google® Maps API Key	4
Step 2 - Update Config with API Key	4
Step 3 - Clear Cache	5
Step 4 - Add Locations	5
Step 5 - View Store Finder	7
3. How to Configure	8
Store Locations Config Settings	10
Google® API Code	11
Request Customer geolocation coordinates	11
Distance Metric	11
Search Radius	12
Show Link in Menu	12
Default Pointer Icon	12
User Icon	13
Autocomplete Country	13
Change Tab display Text	14
4. How to Add Store Locations	15
4.1 Add Location	15
Name	15
Location Address	17
Pin	17
Image	18
Active	18
4.2 Add Store Location Page	18
Store Url	20
Phone/Email/Content(HTML)	20
Manager	21

4.3 Add Store Opening Hours	22
Backend Options	22
Mass importing Opening hours	22
Front end Display	23
5. How to Import Multiple Store Locations using CSV	24
Example CSV's	24
Locations CSV Format	24
Updating	25
Inserting	25
Exporting	26
Deleting	26
Images	26
Importing Weekly Hours	27
Importing Special Occasion Hours	28
6. Frontend Features	29
7. FAQ	30
8. Changing Theme	31
9. Troubleshooting	33

1. Introduction

Simpleplugz Locations is an store finder extension for Magento 2.

Google Maps API key required

It is designed to be easy to setup, and start using as quick as possible. Then when you need to add more information and use advanced features, you can do that. Perfect for New Magento 2 admins.

1.1 Full Feature List

For Customers

- Search by postcode/zipcode (autocomplete)
- Search by full address (autocomplete)
- Requests customer's location
- Customer see stores closest to them, based off distance
- Path shown of how to get to store from their location
- Links straight to Google maps for turn by turn navigation
- Popup information
- Mobile Friendly

For Admins

- Designed for New Magento Admins.
- Quick Setup
- Add/remove new locations forms
- Manage unusual opening hours like holidays (years in advance)
- Import/Update Mass Locations/opening times using CSV upload
- Customisable locator pins for each location
- Setup full store details pages easily with pretty url for sharing/SEO
- Template overrides for easy customizations to suit your site
- Detail like Manager/Phone/Email/Images/ easy to update
- Allows HTML descriptions to embed videos or iframes.

2. Quick Start

Step 1 - Get Google® Maps API Key

This extension relies on Google® Maps Javascript API which requires an API Key.

To obtain a key go here:


<https://developers.google.com/maps/documentation/directions/get-api-key>

And look out for the “Get A Key” Button

GET A KEY

Step 2 - Update Config with API Key

Stores → Configuration → General → Store Locations



Save Config

Store Locations ↻

Google Api code [store view] xx

Need Google API Key? [Click here to get one](#)

Request Customers Geo Location [store view] No Must use https for this to work

Look for the input box that is asking for the Google® API Code.

Enter in your code that you have got from **Google®**. (Make sure you don't enter in any blank spaces at the end).

The default settings are there to get you started. (Info about all settings below, Section 3)

Hit Save Config.

Step 3 - Clear Cache

Next it is a good idea to clear the Magento Cache.

Cache Management 🔍 🔔

Flush Cache Storage Flush Magento Cache

Refresh Submit
13 records found (2 selected)


	Cache Type	Description	Tags	Status
<input checked="" type="checkbox"/>	Configuration	Various XML configurations that were collected across modules and merged	CONFIG	INVALIDATED
<input type="checkbox"/>	Layouts	Layout building instructions	LAYOUT_GENERAL_CACHE_TAG	ENABLED
<input type="checkbox"/>	Blocks HTML output	Page blocks HTML	BLOCK_HTML	ENABLED
<input type="checkbox"/>	Collections Data	Collection data files	COLLECTION_DATA	ENABLED
<input type="checkbox"/>	Reflection Data	API interfaces reflection data	REFLECTION	ENABLED
<input type="checkbox"/>	Database DDL operations	Results of DDL queries, such as describing tables or indexes	DB_DDL	ENABLED
<input type="checkbox"/>	EAV types and attributes	Entity types declaration cache	EAV	ENABLED
<input type="checkbox"/>	Customer Notification	Customer Notification	CUSTOMER_NOTIFICATION	ENABLED
<input checked="" type="checkbox"/>	Page Cache	Full page caching	FPC	INVALIDATED
<input type="checkbox"/>	Integrations Configuration	Integration configuration file	INTEGRATION	ENABLED

System → Tools → Cache management

Step 4 - Add Locations


(Note: This is the abbreviated instructions - For full instructions see section “4. How to Add Store Locations”)

Stores → Other Settings → Store Locations



This is where it displays all the store locations, from initial install there is already a store as an example you can edit, but we are going to add a new location.

[Click Add Location]



[Enter in Location Name]

[Enter in a Location Address - Selecting from the autocomplete.]

[Click the Save Location button]

New Location



← Back Reset Save and Continue Edit **Save Location**

Location Information

Location Name *

Location Address *

Custom Pointer No file chosen

Location Image No file chosen

Location Information Page

Show Details Page ☐ Show Details Page ☒ Hide Details Page

Settings

Active * ☒ Enabled ☐ Disabled

Step 5 - View Store Finder

[Click View Frontend]

Store Locations



Config Import CSV Locations/Opening Times **Add New Location**

✓ Location saved

View Frontend

Default View Columns

Actions 2 records found 20 per page 1 of 1

ID	Icon	Store Name	Address	Status	Action
2		2nd Store Location	5th Avenue, New York, NY, United States	✓ Enabled	Edit
1		New Store Example	Avenue A & E 7th St, New York, NY 10014, USA	✓ Enabled	Edit

This will take you to the store finder on your site, showing your stores.



Search entire store here...

Store Finder

Store Finder

Zip Code/Suburb Address

8th Avenue, New York, NY, United States

X

Map Satellite

Google

2nd Store Location Distance: 3.44km

5th Avenue, New York, NY, United States

Get Directions →

New Store Example Distance: 3.93km

Avenue A & E 7th St, New York, NY 10014, USA


More Details → Get Directions →

Congratulations you have a working store finder. - Now you can go back and add more details (Section: 4.2 Add Store Locations Page) to the locations.



3. How to Configure

The settings to configure the overall store finder settings of the store finder is located in Magento's general settings.

Stores → Configuration → General → Store Locations



Store Locations Config Settings

Google Api code <small>[store view]</small>	<input type="text" value="XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"/> Need Google API Key? Click here to get one
Request Customers Geo Location <small>[store view]</small>	<input type="text" value="Yes"/> Must use https for this to work
Distance Metric <small>[store view]</small>	<input type="text" value="Miles"/> Metric to display to the customer
Search Radius <small>[store view]</small>	<input type="text"/> Display stores with-in * km/miles. Leave blank for no limit
Show Link in menu <small>[store view]</small>	<input type="text" value="No"/> Display Link to locations page in main menu
Default Pointer Icon <small>[store view]</small>	 <input type="button" value="Choose file"/> No file chosen <input type="checkbox"/> Delete Image Allowed file types: jpeg, gif, png.
User Icon <small>[store view]</small>	 <input type="button" value="Choose file"/> No file chosen <input type="checkbox"/> Delete Image Allowed file types: jpeg, gif, png.
Autocomplete Country <small>[global]</small>	<input type="text" value="--Please Select--"/> Google Autocomplete only searches selected country, "--Please Select--" for all Countries
Postcode/ZipCode/Region tab display text <small>[store view]</small>	<input type="text"/> Override: Display text to be shown on Postcode/ZipCode/Region/Suburb tab

Google® API Code

Google Api code
[store view]

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Need Google API Key? [Click here to get one](#)

Google® Maps Require an APIcode. You can get one here

<https://developers.google.com/maps/documentation/directions/get-api-key>

Request Customer geolocation coordinates


Request Customers Geo Location
[store view]

Yes

Must use https for this to work

When the customer first comes to this page a message like this will come up on the user's screen, requesting permission to their location.

If they say yes the geo coordinates are looked up and the stores that are closest to them are displayed. If they say no, or if this feature is turned off default stores will be displayed.



A message like this will come up on the user's screen, requesting permission to their location.


Note: This only works if your site is https

Distance Metric

Distance Metric
[store view]

Miles

Metric to display to the customer



Changing this setting will change how the distance is displayed in the stores list on the frontend.

Search Radius

Search Radius
[store view]

Display stores with-in * km/miles. Leave blank for no limit

This determines how far away the customer has to be to show a “No locations found closeby” message. If no limit it will not show the message.

Note: The message “No locations found closeby” will come up if it is not possible to get from the user’s location to the stores via car. Regardless of the this option.

Show Link in Menu

Show Link in menu
[store view]

Display Link to locations page in main menu

This adds a link to store finder on the main menu. This is so you can quickly get it working, and newer Magento 2 Admins can have it working without know how to add new menu items. Depending on template theme.

Default Pointer Icon

This will change all locations that do not override with their own unique pointer.

Default Pointer Icon
[store view]




Choose file

No file chosen

☐ Delete Image


Allowed file types: jpeg, gif, png.

There are two places where this image is used



User Icon


You can change when the user icon defaults to. Allowed file types, jpeg,gif,png



Autocomplete Country



This affects the Google® Autocomplete on the frontend.



To better assist the customer if you only show locations from their country instead of all countries in the world, it is a better experience.

Change Tab display Text

This features is here to better assist Newer Magento admins who don't know how to use language files overrides, and so you can quickly change this to best suit your store. If left blank it just uses language files as normal

Postcode/ZipCode/Region tab display text


[store view]

Override: Display text to be shown on Postcode/ZipCode/Region/Suburb tab



4. How to Add Store Locations

Stores → Other Settings → Store Locations



4.1 Add Location

Name

Location Name *

The Location Name is what will be displayed in the [In the list | On the popup | On the Store Details Page]

New York Cafe (South)




Address

54 Cooper Sq, New York, NY 10003

Email: someemail@address.com

About this store

[Get Directions](#)



Manager: Manager Name

Email: email@email.com

Phone: 989080980

Trading hours

Day	Time
Today (Thursday)	1:30pm - 9:00pm
Tomorrow (Friday)	2:30pm - 10:00pm

Store Finder

Zip Code/Suburb

Address

New York, NY, United States

X

A map view showing the location of New York Cafe (South) at 54 Cooper Sq, New York, NY 10003. The map includes labels for nearby streets like W 23rd St, W 24th St, and W 25th St, as well as landmarks like Washington Square Park and Webster Hall. A red pin marks the store's location.

New York Cafe (South)
Address:
54 Cooper Sq, New York, NY
10003

A small thumbnail image showing the interior of the New York Cafe (South) store.

[Full store details →](#) [Get Directions →](#)

A red pin icon with a white location marker.

New York Cafe (South)
54 Cooper Sq, New York,
NY 10003
[More Details →](#) [Get Directions →](#)

A red pin icon with a white location marker.

New York Cafe (North)
Central Park East Dr, New
York, NY 10021
[More Details →](#) [Get Directions →](#)

Distance:
2.19km

Distance:
7.68km

Location Address

Location Address *

30

✓

Custom Pointer

Paseo de la Castellana 304, Madrid, Spain

30365 Princes Highway, Millicent, South Australia, Australia

304 U.S. 1, Orange, CT, United States

3038 Massachusetts Avenue, Lexington, MA, United States

300 Boylston Street, Boston, MA, United States

Location Image

powered by Google



This determines where to put the pin and the text to be put in the locations list. You must select from the locations in the Google® Autocomplete. This stores the geo location coordinates.

Note: If you are having trouble finding your address in the autocomplete, chances are you would have trouble mapping it on Google® maps.


Pin

This changes just this locations pin. If no pin is given it will default to the pin image defined in the config.

Custom Pointer

Choose file

No file chosen




This is where the image will be displayed.

Image

Location Image No file chosen

Upload an Image (png,jpg,gif). This image will display on the info popup on the map as well as the image on the full store info page. If there is no image, nothing will be shown.



Active

Active ☒ Enabled ☐ Disabled

This option is there so you can setup the stores without having to make them live to the public.

4.2 Add Store Location Page

Show Details Page ☒ Show Details Page ☐ Hide Details Page




Search entire store here...



Store Finder

Store Name
New York Cafe (South)

Manager Details



Address
54 Cooper Sq, New York, NY 10003

[Get Directions](#)

Link to Directions

Email: someemail@address.com

Trading hours

Opening Hours

Day	Time
Today (Thursday)	1:30pm - 9:00pm
Tomorrow (Friday)	2:30pm - 10:00pm
Saturday	Closed
Sunday	Closed
Monday	10:30am - 6:00pm
Tuesday	11:30am - 7:00pm
Wednesday	12:30pm - 8:00pm

About this store

Custom HTML

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nam eos molestias modi, repellat sit, hic optio explicabo eligendi quisquam quibusdam veritatis. Minima aspernatur itaque aperiam eos quam, ad culpa placeat.

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nam eos molestias modi, repellat sit, hic optio explicabo eligendi quisquam quibusdam veritatis. Minima aspernatur itaque aperiam eos quam, ad culpa placeat.

Parking is easy

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nam eos molestias modi, repellat sit, hic optio explicabo eligendi quisquam quibusdam veritatis. Minima aspernatur itaque aperiam eos quam, ad culpa placeat.

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nam eos molestias modi, repellat sit, hic optio explicabo eligendi quisquam quibusdam veritatis. Minima aspernatur itaque aperiam eos quam, ad culpa placeat.


Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nam eos molestias modi, repellat sit, hic optio explicabo eligendi quisquam quibusdam veritatis. Minima aspernatur itaque aperiam eos quam, ad culpa placeat.

Location

Google Map

[Get Directions](#)





If the full store details page is turn on there will be these links available on the store finder.

If the page is turned off no links will be shown.

Store Url

Store URL

store-name

om/store-name

This will be the url that the full store details page will be located for that store location. This is especially useful for linking directly to particular stores on the net, and for SEO reasons.

Phone/Email/Content(HTML)

These field are there so you can quickly populate the information and have it display nicely without having the use html, to have it look nice.

The content area can have any custom information you want. E.g you can put Iframes/Images/Videos. Whatever you need to easily customise each store.

4.3 Add Store Opening Hours

Backend Options

There is an option to turn on/off opening hours.

Closing Times ☒ Show Closing Times | ☐ Hide Closing Times

Weekly Closing Times

	Opening Time			Closing Time			Closed All Day
Sunday	9	00	AM	5	00	PM	<input type="checkbox"/> Closed
Monday	9	00	AM	5	00	PM	<input type="checkbox"/> Closed
Tuesday	9	00	AM	5	00	PM	<input type="checkbox"/> Closed
Wednesday	9	00	AM	5	00	PM	<input type="checkbox"/> Closed
Thursday	9	00	AM	5	00	PM	<input type="checkbox"/> Closed
Friday	9	00	AM	5	00	PM	<input type="checkbox"/> Closed
Saturday	9	00	AM	5	00	PM	<input type="checkbox"/> Closed

Special Closing Times

Date	Day Name	Opening Times		Closing Times		Closed All Day
12/25/2017	Christmas Day	9	00	5	00	<input checked="" type="checkbox"/> Closed Cancel
		AM		PM		
Add New						

You can select the weekly opening hours for that store. Ticking the closed box mean it will show up on the full store details as being closed.

The special closing times are dates that you can preset in advance that override the weekly opening times.

This is especially useful because admins can set dates years in advance so they don't have to keep regularly updating for special occasions.

Mass importing Opening hours

Special Dates can be Mass Imported to save hours of time, maintaining over lots of Locations.

(See Section 5 - "Importing Weekly Hours" for how to do this.)

Front end Display

How it displays on the frontend.

Trading hours

Day	Time
Today (Thursday)	1:30pm - 9:00pm
Tomorrow (Friday)	2:30pm - 10:00pm
Saturday	Closed
Sunday	Closed
Monday	10:30am - 6:00pm
Tuesday	11:30am - 7:00pm
Wednesday	12:30pm - 8:00pm

Special occasion days that are setup will also be displayed throughout.

Note: days are based off the timezone that is selected in the Magento Config for timezone.

Note: Admin should do tests to make sure they are setting it up correctly. Developer is not liable for any mistaken times, or issues that people have in result to data not being displayed correctly. Regardless of who is at fault.

5. How to Import Multiple Store Locations using CSV

Example CSV's

Example CSV's can be downloaded from Link next the the entity type selection.



The image shows a web interface with a label 'Entity Type' followed by a red asterisk. Next to it is a dropdown menu with 'Store Locations' selected. To the right of the dropdown is a button labeled 'Download Sample File', which is highlighted with a red rectangular border.

Or they can be downloaded from github here

https://github.com/jonnyeggins/Simpleplugz_Locations/tree/master/ImportExamples

Locations CSV Format

The order the csv file needs to be in is

```
location_id,location_name,location_address,geo_location_lat,geo_location_lng,custom_pointer,details_texts,show_details_page,page_url,show_closing_times,phone,email,image,show_manager,manager_image,manager_name,manager_email,manager_phone,active
```

* Required data in column

[location_id]* => Leave blank for inserting new locations or add location id to update. (int)

[location_name]* => The name you want to display on that location.

[location_address]* => The Address of the location.

[geo_location_lat]* => The geocoordinate latitude of the location.


[geo_location_lng]* => The geocoordinate Longitude of the location.

[custom_pointer] => 'Image filename' or link to image

[details_texts] => The HTML of what you want to display on the full store details page

[show_details_page]* => 0 = Do not show the link to the full store details page. 1 = show the page and url is then active.

[page_url] => What url you want to full page details to be displayed on.



[show_closing_times] => 0 = do not show the closing times, 1= show the closing times.

[phone] => phone number for the fullstore details page.

[email] => email address for the fullstore details page.

[image] => filename inset image directory or link to image.

[show_manager] => 0 = do not show the manger details on the full store details page 1 = show.

[manager_image] => filename inset image directory or link to image.

[manager_name] => display name on the manager details on the full store details page

[manager_email] => display email on the manager details on the full store details page

[manager_phone] => display phone on the manager details on the full store details page

[active]* => 0 = Dsiabled, 1 = Active


Updating

To update the locations the location_id field needs to have the locationid of the location that is to be updated.

Inserting

When inserting new locations the location_id field is to remain blank a location_id will be assigned to it when it is created.

Exporting



Once location_ids are inserted using the CSV import feature. It is recommended to do an export, to build the CSV needed to do an update.

Deleting

For safety reasons we don't allow doing a import to delete locations, if you wish to delete locations go to locations list page and select the location you wish to be deleted and click the drop down to delete.

Images

To add in images, point to the directory that is holding all the images.

Then in the csv just put the filename of the image.

green.png

Images File Directory

tools/testimages/

For Type "Local Server" use relative path to Magento installation, e.g. var/export, var/import, var/export/some/dir

This example will copy an image that is located

```
tools/testimages/green.png
```

You can also point to images directly from a web url

Example. In the csv put `http://google.com/somepin.png`

Importing Weekly Hours

Github example

https://github.com/jonnyeggins/Simpleplugz_Locations/blob/master/ImportExamples/ImportWeeklyHours.csv

```
Location_id,day,starttime,endtime,closed
```

* Required data in column

[location_id]* => The Id of the location with those hours (int)

Note: You can also assign multiple locations for each line using "1,2,3" format

[day]* => Options are [Sunday,Monday,Tuesday.....](varchar)

[starttime] => 24 hour time format e.g. 18:30 (varchar)

[endtime] => 24 hour time format e.g. 18:30(vvarchar)

[closed]* => Either [0|1] - 1 means closed (int)

Importing Special Occasion Hours

Github example

https://github.com/jonnyeggins/Simpleplugz_Locations/blob/master/ImportExamples/ImportSpecialHours.csv

```
Location_id,date,day,starttime,endtime,closed
```

* Required data in column

[location_id]* => The Id of the location with those hours (int),

Note: You can also assign multiple locations for each line using “1,2,3” format

[date] => date (in the format that your webstore is setup with e.g. US = 01/19/2017)



[day]* => Name you would like to display(varchar)

[starttime] => 24 hour time format e.g. 18:30 (varchar)

[endtime] => 24 hour time format e.g. 18:30(varchar)

[closed]* => Either [0|1] - 1 means closed (int)

6. Frontend Features





7. FAQ

Do I require a Google® API Key?

Yes

How do I change what default stores are displayed first when the user's location is unknown?

You can change this in the database. Under the default field. Just put an Int (1,2,3,4) on the location. This will now display in ASC order e.g. 1 for 1st, 2 for 2nd,3 for 3rd

Where do I report a problem?


https://github.com/jonnyeggins/Simpleplugz_Locations

Where do I check for updates?

https://github.com/jonnyeggins/Simpleplugz_Locations

8. Changing Theme

It was designed so you can easily override these files in your own theme. That what it is easier to tie into your stores branding/theming.



Yellow Shoe Shop

storeDetails.phtml



Address

[Get Directions](#)

2619 Kenwood Ave, Los Angeles, CA 90007

Email: someemail@address.com

About this store

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nam eos molestias modi, repellat sit, hic optio explicabo eligendi quisquam quibusdam veritatis. Minima aspernatur itaque aperiam eos quam, ad culpa placeat.

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nam eos molestias modi, repellat sit, hic optio explicabo eligendi quisquam quibusdam veritatis. Minima aspernatur itaque aperiam eos quam, ad culpa placeat.



Manager: Manager Name

Email: email@email.com

Phone: 989080980

Trading hours

Day	Time
Today (Thursday)	1:30pm - 9:00pm
Tomorrow (Friday)	2:30pm - 10:00pm
Saturday	Closed
Sunday	Closed
Monday	10:30am - 6:00pm

Simpleplugz\Locations\view\frontend\templates\locationsList.phtml

Simpleplugz\Locations\view\frontend\templates\storeDetails.phtml

Simpleplugz\Locations\view\frontend\templates\locations.phtml

Simply copy this file to your own theme and edit it to make it look how you want it to.

app/design/frontend/<VENDOR>/<THEMENAME>/Simpleplugz_Locations/templates/**locations.phtml**



9. Troubleshooting

It says Google Maps API required and you already have put it in the Store Locations Config?

Try clearing the cache.
