

## Problem 2: Particle Kinematics I

The truck travels in a circular path having a radius of 50 m at a speed of  $v = 4 \text{ m/s}$ . For a short distance from  $s = 0$ , its speed is increased by  $\dot{v} = (0.05s) \text{ m/s}^2$ , where  $s$  is in meters. Determine its speed and the magnitude of its acceleration when it has moved  $s = 10 \text{ m}$ .

$$a_t = \frac{dv}{dt} = \frac{dv}{ds} \frac{ds}{dt}$$

$$\text{but } \frac{ds}{dt} = v$$

$$a_t = v \frac{dv}{ds}$$

$$a_t ds = v dv$$

$$\int_{s_1=0}^{s_2=10\text{m}} (0.05s) ds = \int_{v_i=4\text{m/s}}^{v_2} v dv$$

$$\frac{0.05s^2}{2} \Big|_0^{10} = \frac{v^2}{2} \Big|_4^{v_2}$$

$$\frac{0.05}{2}(10)^2 = \frac{v_2^2}{2} - \frac{4^2}{2}$$

$$v_2 = 4.583 \text{ m/s} = \underline{\underline{4.58 \text{ m/s}}}$$

$$a_n = \frac{v^2}{r} = \frac{(4.583)^2}{50} = \underline{\underline{0.420 \text{ m/s}^2}}$$

$$a_t = \frac{dv}{dt} = \dot{v} = 0.05s = 0.05(10) = 0.5 \text{ m/s}^2$$

$$a = \sqrt{a_t^2 + a_n^2} = \sqrt{(0.420)^2 + (0.5)^2} = \underline{\underline{0.653 \text{ m/s}^2}}$$

