FONTFONT OPENTYPE®



FONTFONT INFO GUIDE FOR

FF Nuvo Regular Italic

OT | Pro

SECTIONS

A | Introduction to OpenType®

B | Font and Designer Information

C | Supported Layout Features

D | Language Support

E | Type Specimens

SECTION A

INTRODUCTION TO OPENTYPE®

WHAT IS OPENTYPE?

OpenType® is a cross-platform font file format developed jointly by Adobe and Microsoft. The two main benefits of the OpenType format are its cross-platform compatibility (the same font file works on Macintosh and Windows computers), and its ability to support widely expanded character sets and layout features, which provide rich linguistic support and advanced typographic control.

OpenType fonts can be installed and used alongside PostScript® Type 1 and TrueType fonts.

The range of supported layout features may differ in the various FontFont OpenType packages, therefore each OpenType package will be accompanied by this FF Info Guide listing the layout features supported by this specific font package.

You'll find a glossary of all available OpenType layout features in Section B of the general FF OpenType User Guide.

Please see the FontFont OpenType® User Guide at http://www.fontfont.com/opentype

©FSI, 2005 All rights reserved.
All information in this document is provided "AS IS" without warranty of any kind, either expressed or implied, and is subject to change without notice.

All trademarks mentioned in this document are the trademarks or registered trademarks of their respective holders.

You may reproduce and distribute this document as long as you do not remove FSI's copyright information and do not make any changes in the document.

FF Nuvo Regular Italic

SECTION B

FONT & DESIGNER INFORMATION

Handgloves

ABOUT FF NUVO REGULAR ITALIC

During a stay in Paris, French magazines with their elegant, extravagant appearance inspired Siegfried Rückel for this typeface. He wanted to design a kind of rounded typeface without using the common methods. So, he took advantage from the visual limitations of our eyes: the stroke endings appear soft when seen from a distance or in small point sizes but reveal their peculiar forms at a closer look. It's a contemporary type design with vertical contrast, and especially the characters a, g and y show the calligraphic touch. Alternate characters, for example a, g, k, s, y, add typographic versatility. Siegfried is sure that it's a very suitable typeface for magazine design from headlines to longer texts as well as for advertising, packaging, corporate design,….

Since 2011, a monospaced variant for all weights, including Small Caps and Italics offers new options for traditional and unusual designs. The slightly lower x-height in comparison to FF Nuvo emphasizes FF Nuvo Mono's typewriter character.

ABOUT SIEGFRIED RÜCKEL

Siegfried Rückel lives in Berlin and works as a freelance designer. He studied design at the University of Applied Science in Potsdam under Lucas de Groot and Lex Drewinski. After releasing a number of "fun" faces he started his first earnest type project, FF Alega, followed by the magazine typeface FF Nuvo in 2008.

FF Nuvo Regular Italic

9081 | 2011_05_24_16_53_57_01

SECTION C

SUPPORTED LAYOUT FEATURES

FONTFONT OPENTYPE®

		EXAMPLES
	STANDARD LIGATURES	*fftffiffj* ▸ *fftffiffj*
	DISCRETIONARY LIGATURES	*stch* ▸ *ſtch*
	HISTORICAL FORMS	*hist* ▸ *hiſt*
	SMALL CAPITALS	*Small* ▸ *Small*
	SMALL CAPITALS FROM CAPITALS	*CAPS* ▸ *CAPS*
	CASE-SENSITIVE FORMS	*(H-o)* ▸ *(H-O)*
	CAPITAL SPACING	*HOH* ▸ *HOH*
	LINING FIGURES	*167* ▸ *167* *167* ▸ *167*

FF Nuvo Regular Italic

		EXAMPLES
|1|3|	PROPORTIONAL FIGURES	167 ▶ 167 167 ▶ 167
|1|3|	TABULAR FIGURES	167 ▶ 167 167 ▶ 167
1/4	FRACTIONS	2 5/16 ▶ 2 5/16
7/	NUMERATORS	123/ ▶ 123/
/7	DENOMINATORS	/123 ▶ /123
1ª	ORDINALS	1a2o ▶ 1ª2º
H_2O	SCIENTIFIC INFERIORS	CO2 ▶ CO_2
F^2	SUPERSCRIPT	m3 ▶ m^3

FF Nuvo Regular Italic

		EXAMPLES
	SUBSCRIPT	N2 ▶ N_2
	ACCESS ALL ALTERNATES	1 ▶ $1 1 1_{1} 1^{1}$
	STYLISTIC ALTERNATES	aàæ ▶ aàæ
	STYLISTIC SET 1	aàæ ▶ aàæ
	STYLISTIC SET 2	gĝğ ▶ gĝğ
	STYLISTIC SET 3	ckskk ▶ ckskk
	STYLISTIC SET 4	sśŝ ▶ sśŝ
	STYLISTIC SET 5	yŷỳ ▶ yŷỳ

		EXAMPLES
	STYLISTIC SET 6	tzzž ▶ tʒʒž
	STYLISTIC SET 7	ß ▶ ſs
	STYLISTIC SET 8	1+1 ▶ 1+1
	STYLISTIC SET 9	hist ▶ hiſt
	LOCALIZED FORMS	ŞşŢţ ▶ ŞşŢţ

SECTION D

LANGUAGE SUPPORT

SUPPORTED CODE PAGES STANDARD

STD

MACOS

MACOS ICELANDIC
MACOS ROMAN

IBM

IBM-37 UNITED STATES - EBCDIC (IBM-28709)
IBM-273 GERMANY - EBCDIC
IBM-277 DENMARK, NORWAY - EBCDIC
IBM-278 FINLAND, SWEDEN - EBCDIC
IBM-280 ITALY - EBCDIC
IBM-282
IBM-284 SPAIN, LATIN AMERICA - EBCDIC
IBM-285 UNITED KINGDOM - EBCDIC
IBM-297 FRANCE - EBCDIC
IBM-500 INTERNATIONAL - EBCDIC
IBM-871 ICELAND - EBCDIC
IBM-1047 OPEN SYSTEMS - EBCDIC

WINDOWS

MS WINDOWS 1252 LATIN 1

ISO

ISO 8859- 1 W EU LATIN 1
ISO 8859-15 WEST EUROPE LATIN 9

ADDITIONAL SUPPORTED CODE PAGES PRO

PRO

MACOS

MACOS CENTRAL EUROPE
MACOS CROATIAN
MACOS ROMANIAN
MACOS TURKISH

IBM

IBM-921 BALTIC
IBM-1112 BALTIC - EBCDIC

WINDOWS

MS WINDOWS 1250 EASTERN EUROPEAN
MS WINDOWS 1254 TURKISH
MS WINDOWS 1257 BALTIC

ISO

ISO 8859- 2 C EU LATIN 2
ISO 8859- 3 TU, MALT, GAL, ESP LATIN 3
ISO 8859- 4 BALTIC LATIN 6
ISO 8859- 9 W EU+TURKISH LATIN 5
ISO 8859-10 SCANDINAVIAN LATIN 6
ISO 8859-13 BALTIC LATIN 7
ISO 8859-16 SOUTHEAST EUROPE LATIN 10

SUPPORTED LANGUAGES STANDARD

STD

Afrikaans
Albanian
Amharic (ethiopic) [Romanization system BGN/PCGN 1967]
Arvanitika (latin)
Asturian
Baraba Tatar
Bats (Latin)
Bislama
Bokmål Norwegian
Breton
Burmese (burmese) [Romanization; BGN/PCGN 1970]
Catalan
Chamorro
Danish
Dutch
East Frisian
English
Estonian
Faeroese
Finnish
Franco-Provencal
French
Frisian
Friulian
Galician
German
Greek (greek) [Romanization; BGN/PCGN 1962]
Greenlandic
Icelandic
Indonesian
Interlingua
Irish
Italian
Japanese (sino-japanese) [Romanization; Kunrei]
Karaim (latin)
Kazan Tatar (latin)
Kurdish (latin)
Kyrgyz (cyrillic) [Romanization; BGN/PCGN 1979]
Ladin
Laotian (laotian) [Romanization; National]
Low German
Luxembourgian
Malagasy
Malay (latin)
Manx Gaelic
North Frisian
Northern Sotho
Nynorsk Norwegian
Occitan
Pilipino (Tagalog)
Portuguese
Rhaeto-Romance
Romansch
Russian (cyrillic) [Romanization; BGN/PCGN 1947]
Scottish Gaelic
Somali
Southern Sami
Southern Sotho
Spanish
Swedish
Tahitian
Tsakhur (latin)
Tsonga
Tswana
Turkmen (cyrillic) [Romanization; BGN/PCGN 1979]
Ukrainian (cyrillic) [Romanization; National, 1993]
Ume Sami
Walloon
West Frisian
Xhosa
Yapese
Yiddish [Romanization]
Zulu

ADDITIONAL SUPPORTED LANGUAGES PRO

PRO

Älvdalska
Amharic (ethiopic) [Romanization; UN 1967]
Aragonese
Arumanian
Azerbaijani (latin)
Basque
Bosnian (Latin)
Bulgarian (cyrillic) [Romanization; BGN/PCGN 1952]
Byelorussian (Belarusian latin)
Chechen (latin)
Chichewa
Cook Islands Maori
Crimean Tatar (latin)
Croatian
Czech
Esperanto
Gagauz (latin)
Greenlandic (pre-1973)
Hawaiian
Hungarian
Inari Sami
Istro-Romanian
Japanese (sino-japanese) [Romanization; Modified Hepburn]
Kashubian
Kazakh (cyrillic) [Romanization; BGN/PCGN 1979]
Khmer (khmer) [Romanization; UN 1972]
Korean (hangul) [Romanization; 1939 & 1984]
Kurmanji
Ladino (latin)
Latin
Latvian (Lettish)
Lithuanian
Lule Sami
Macedonian (cyrillic) [Romanization; UN 1977]
Maltese
Maori
Marshallese
Moldavian (latin)
Mongolian (cyrillic) [Romanization; BGN/PCGN 1964]
Northern Sami
Polish
Portunhol
Romani (latin)
Romanian
Russian (cyrillic) [Romanization; Russian Academy of Sciences system]
Russian (cyrillic) [Romanization; UN 1987, National]
Samoan
Sardinian
Serbian (latin)
Slovak
Slovenian
Sorbian Lower
Sorbian Upper
Tajik (cyrillic) [Romanization; BGN/PCGN 1994]
Tongan
Turkish
Ubykh
Uzbek (cyrillic) [Romanization; BGN/PCGN 1979]
Våmhusmål
Vepsian
Wallisian
Welsh
Wolof

Supported Unicode Ranges

Title	Number of Characters STD	PRO	Examples
Basic Latin	97	97	! " # … | } ~
Latin-1 Supplement	96	96	¡ ¢ £ … ý þ ÿ
Latin Extended-A	13	128	Ā ā Ă … Ž ž ſ
Latin Extended-B	1	15	Ə ƒ Ƶ … Ţ ţ ȷ
IPA Extensions		1	ə
Spacing Modifier Letters	10	10	‘ ’ ˆ … ˛ ˜ ˝
Combining Diacritical Marks	18	18	̀ ́ … ̂ ̧ ̶ ̿
Greek and Coptic	4	4	Δ Ω μ π
Latin Extended Additional		10	Ẁ ẁ Ẃ … ẋ Ỳ ỳ
General Punctuation	19	19	– — ‘ … ‹ › /
Superscripts and Subscripts	17	17	0 4 5 … 7 8 9
Currency Symbols	1	1	€
Letterlike Symbols	2	2	™ Ω
Number Forms	17	17	1/7 1/9 1/10 … 7/8 1/∅3

Title	Number of Characters STD	PRO	Examples
Mathematical Operators	14	14	∂ Δ ∏ … ≤ ≥ ·
Geometric Shapes	1	1	◊
Alphabetic Presentation Forms	6	6	ﬀ ﬁ ﬂ ﬃ ﬄ ﬅ
Arabic Presentation Forms-B	1	1	

FF Nuvo Regular Italic

Shag pile i13

AaBbCcDdEeFfGgHhIiJjKkLlMm

abcdefghijklmnopqrstuvwxyz 0123456789

ABCDEFGHIJKLMNOPQRSTUVWXYZ

FF Nuvo Regular Italic 14/16 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on

FF Nuvo Regular Italic 12/14 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-

FF Nuvo Regular Italic 10/12 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne

FF Nuvo Regular Italic 8/10 pt

Sempre domenica prenderà vita una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne genießen. Ayer, todavía en pleno echazo, celebraban su aniversario de boda.