


FONTFONT OPENTYPE®



FONTFONT INFO GUIDE FOR

FF Nuvo Bold Italic

OT | Pro



SECTIONS

- A | Introduction to OpenType®
- B | Font and Designer Information
- C | Supported Layout Features
- D | Language Support
- E | Type Specimens

SECTION A

INTRODUCTION TO OPENTYPE®

WHAT IS OPENTYPE?

OpenType® is a cross-platform font file format developed jointly by Adobe and Microsoft. The two main benefits of the OpenType format are its cross-platform compatibility (the same font file works on Macintosh and Windows computers), and its ability to support widely expanded character sets and layout features, which provide rich linguistic support and advanced typographic control.

OpenType fonts can be installed and used alongside PostScript® Type 1 and TrueType fonts.

The range of supported layout features may differ in the various FontFont OpenType packages, therefore each OpenType package will be accompanied by this FF Info Guide listing the layout features supported by this specific font package.

You'll find a glossary of all available OpenType layout features in Section B of the general FF OpenType User Guide.

Please see the FontFont OpenType® User Guide
at <http://www.fontfont.com/opentype>

©FSI, 2005 All rights reserved.
All information in this document is provided "AS IS" without
warranty of any kind, either expressed or implied, and is subject
to change without notice.

All trademarks mentioned in this document are the trademarks
or registered trademarks of their respective holders.

You may reproduce and distribute this document as long as you
do not remove FSI's copyright information and do not make any
changes in the document.

Handgloves

ABOUT FF NUVO BOLD ITALIC

During a stay in Paris, French magazines with their elegant, extravagant appearance inspired Siegfried Rückel for this typeface. He wanted to design a kind of rounded typeface without using the common methods. So, he took advantage from the visual limitations of our eyes: the stroke endings appear soft when seen from a distance or in small point sizes but reveal their peculiar forms at a closer look. It's a contemporary type design with vertical contrast, and especially the characters a, g and y show the calligraphic touch. Alternate characters, for example a, g, k, s, y, add typographic versatility. Siegfried is sure that it's a very suitable typeface for magazine design from headlines to longer texts as well as for advertising, packaging, corporate design,....

Since 2011, a monospaced variant for all weights, including Small Caps and Italics offers new options for traditional and unusual designs. The slightly lower x-height in comparison to FF Nuvo emphasizes FF Nuvo Mono's typewriter character.

ABOUT SIEGFRIED RÜCKEL

Siegfried Rückel lives in Berlin and works as a freelance designer. He studied design at the University of Applied Science in Potsdam under Lucas de Groot and Lex Drewinski. After releasing a number of "fun" faces he started his first earnest type project, FF Alega, followed by the magazine typeface FF Nuvo in 2008.

SECTION C
SUPPORTED
LAYOUT FEATURES

FONTFONT OPENTYPE®

EXAMPLES



STANDARD LIGATURES

fftffiffj ▶ *fftffiffj*



DISCRETIONARY
LIGATURES

stch ▶ *sẗch*



HISTORICAL FORMS

hist ▶ *hif*



SMALL CAPITALS

Small ▶ *SMALL*



SMALL CAPITALS FROM
CAPITALS

CAPS ▶ *CAPS*



CASE-SENSITIVE FORMS

(H-o) ▶ *(H-O)*



CAPITAL SPACING

HOH ▶ *HOH*



LINING FIGURES

167 ▶ *167*
167 ▶ *167*

EXAMPLES



PROPORTIONAL FIGURES

167 ▶ *167*
167 ▶ *167*



TABULAR FIGURES

167 ▶ *167*
167 ▶ *167*



FRACTIONS

2 5/16 ▶ *2⁵/16*



NUMERATORS

123/ ▶ *123/*



DENOMINATORS

/123 ▶ */123*



ORDINALS

1a20 ▶ *1^a2^o*



SCIENTIFIC INFERIORS

CO2 ▶ *CO₂*



SUPERSCRPT

m3 ▶ *m³*

EXAMPLES

N₂

SUBSCRIPT

N2 ▶ *N₂*

Jj

ACCESS ALL ALTERNATES

1 ▶ *111₁1¹*

gg

STYLISTIC ALTERNATES

aâæ ▶ *aâæ*

01

STYLISTIC SET 1

aâæ ▶ *aâæ*

02

STYLISTIC SET 2

gĝğ ▶ *gĝğ*

03

STYLISTIC SET 3

ċkŝkk ▶ *ċkŝkk*

04

STYLISTIC SET 4

sŝŝ ▶ *ŝŝŝ*

05

STYLISTIC SET 5

yÿÿ ▶ *yÿÿ*

EXAMPLES



STYLISTIC SET 6

tzzž ▶ *tʒʒž*



STYLISTIC SET 7

β ▶ *ƒ*



STYLISTIC SET 8

1+1 ▶ *1+1*



STYLISTIC SET 9

hist ▶ *hif*



LOCALIZED FORMS

ſſTt ▶ *ſſTt*

SECTION D
LANGUAGE
SUPPORT

SUPPORTED
CODE PAGES
STANDARD



MACOS

MACOS ICELANDIC
MACOS ROMAN

IBM

IBM-37 UNITED STATES - EBCDIC (IBM-28709)
IBM-273 GERMANY - EBCDIC
IBM-277 DENMARK, NORWAY - EBCDIC
IBM-278 FINLAND, SWEDEN - EBCDIC
IBM-280 ITALY - EBCDIC
IBM-282
IBM-284 SPAIN, LATIN AMERICA - EBCDIC

IBM-285 UNITED KINGDOM - EBCDIC
IBM-297 FRANCE - EBCDIC
IBM-500 INTERNATIONAL - EBCDIC
IBM-871 ICELAND - EBCDIC
IBM-1047 OPEN SYSTEMS - EBCDIC

WINDOWS

MS WINDOWS 1252 LATIN 1
ISO
ISO 8859- 1 W EU LATIN 1
ISO 8859-15 WEST EUROPE LATIN 9

ADDITIONAL
SUPPORTED
CODE PAGES
PRO



MACOS

MACOS CENTRAL EUROPE
MACOS CROATIAN
MACOS ROMANIAN
MACOS TURKISH

IBM

IBM-921 BALTIC
IBM-1112 BALTIC - EBCDIC

WINDOWS

MS WINDOWS 1250 EASTERN EUROPEAN

MS WINDOWS 1254 TURKISH
MS WINDOWS 1257 BALTIC
ISO
ISO 8859- 2 C EU LATIN 2
ISO 8859- 3 TU, MALT, GAL, ESP LATIN 3
ISO 8859- 4 BALTIC LATIN 6
ISO 8859- 9 W EU+TURKISH LATIN 5
ISO 8859-10 SCANDINAVIAN LATIN 6
ISO 8859-13 BALTIC LATIN 7
ISO 8859-16 SOUTHEAST EUROPE LATIN 10

**SUPPORTED
LANGUAGES
STANDARD**

STD

AFRIKAANS	KYRGYZ (CYRILLIC) [ROMANIZATION; BGN/PCGN 1979]
ALBANIAN	LADIN
AMHARIC (ETHIOPIC) [ROMANIZATION SYSTEM BGN/PCGN 1967]	LAOTIAN (LAOTIAN) [ROMANIZATION; NATIONAL]
ARVANITIKA (LATIN)	LOW GERMAN
ASTURIAN	LUXEMBOURGIAN
BARABA TATAR	MALAGASY
BATS (LATIN)	MALAY (LATIN)
BISLAMA	MANX GAELIC
BOKMÅL NORWEGIAN	NORTH FRISIAN
BRETON	NORTHERN SOTHO
BURMESE (BURMESE) [ROMANIZATION; BGN/PCGN 1970]	NYNORSK NORWEGIAN
CATALAN	OCCITAN
CHAMORRO	PILIPINO (TAGALOG)
DANISH	PORTUGUESE
DUTCH	RHAETO-ROMANCE
EAST FRISIAN	ROMANSCH
ENGLISH	RUSSIAN (CYRILLIC) [ROMANIZATION; BGN/PCGN 1947]
ESTONIAN	SCOTTISH GAELIC
FAEROESE	SOMALI
FINNISH	SOUTHERN SAMI
FRANCO-PROVENCAL	SOUTHERN SOTHO
FRENCH	SPANISH
FRISIAN	SWEDISH
FRIULIAN	TAHITIAN
GALICIAN	TSAKHUR (LATIN)
GERMAN	TSONGA
GREEK (GREEK) [ROMANIZATION; BGN/ PCGN 1962]	TSWANA
GREENLANDIC	TURKMEN (CYRILLIC) [ROMANIZATION; BGN/PCGN 1979]
ICELANDIC	UKRAINIAN (CYRILLIC) [ROMANIZATION; NATIONAL, 1993]
INDONESIAN	UME SAMI
INTERLINGUA	WALLOON
IRISH	WEST FRISIAN
ITALIAN	XHOSA
JAPANESE (SINO-JAPANESE) [ROMANIZATION; KUNREI]	YAPESE
KARAIM (LATIN)	YIDDISH [ROMANIZATION]
KAZAN TATAR (LATIN)	ZULU
KURDISH (LATIN)	

**ADDITIONAL
SUPPORTED
LANGUAGES**

PRO

ÄLVDALSKA	LULE SAMI
AMHARIC (ETHIOPIC) [ROMANIZATION; UN 1967]	MACEDONIAN (CYRILLIC) [ROMANIZATION; UN 1977]
ARAGONESE	MALTESE
ARUMANIAN	MAORI
AZERBAIJANI (LATIN)	MARSHALLESE
BASQUE	MOLDAVIAN (LATIN)
BOSNIAN (LATIN)	MONGOLIAN (CYRILLIC) [ROMANIZATION; BGN/PCGN 1964]
BULGARIAN (CYRILLIC) [ROMANIZATION; BGN/PCGN 1952]	NORTHERN SAMI
BYELORUSSIAN (BELARUSIAN LATIN)	POLISH
CHECHEN (LATIN)	PORTUNHOL
CHICHEWA	ROMANI (LATIN)
COOK ISLANDS MAORI	ROMANIAN
CRIMEAN TATAR (LATIN)	RUSSIAN (CYRILLIC) [ROMANIZATION; RUSSIAN ACADEMY OF SCIENCES SYSTEM]
CROATIAN	RUSSIAN (CYRILLIC) [ROMANIZATION; UN 1987, NATIONAL]
CZECH	SAMOAN
ESPERANTO	SARDINIAN
GAGAUZ (LATIN)	SERBIAN (LATIN)
GREENLANDIC (PRE-1973)	SLOVAK
HAWAIIAN	SLOVENIAN
HUNGARIAN	SORBIAN LOWER
INARI SAMI	SORBIAN UPPER
ISTRO-ROMANIAN	TAJIK (CYRILLIC) [ROMANIZATION; BGN/ PCGN 1994]
JAPANESE (SINO-JAPANESE) [ROMANIZATION; MODIFIED HEPBURN]	TONGAN
KASHUBIAN	TURKISH
KAZAKH (CYRILLIC) [ROMANIZATION; BGN/PCGN 1979]	UBYKH
KHMER (KHMER) [ROMANIZATION; UN 1972]	UZBEK (CYRILLIC) [ROMANIZATION; BGN/PCGN 1979]
KOREAN (HANGUL) [ROMANIZATION; 1939 & 1984]	VÅMHUSMÅL
KURMANJI	VEPSIAN
LADINO (LATIN)	WALLISIAN
LATIN	WELSH
LATVIAN (LETTISH)	WOLOF
LITHUANIAN	

**SUPPORTED
UNICODE RANGES**

TITLE

**NUMBER
OF CHARACTERS**
STD PRO

EXAMPLES

BASIC LATIN

97

97

! " # ... | } ~

LATIN-1 SUPPLEMENT

96

96

ı ç £ ... ú þ ÿ

LATIN EXTENDED-A

13

128

Ā ā Ą ... Ž ž ƒ

LATIN EXTENDED-B

1

15

Ɔ ƒ Ƶ ... Ț ț ƶ

IPA EXTENSIONS

1

ə

SPACING MODIFIER LETTERS

10

10

‘ ’ ^ ... ~ “

COMBINING DIACRITICAL MARKS

18

18

˘ ˙ ... ˆ ˚ - —

GREEK AND COPTIC

4

4

Δ Ω μ π

LATIN EXTENDED ADDITIONAL

10

Ŵ ŵ Ŷ ... ẋ Ÿ ÿ

GENERAL PUNCTUATION

19

19

– — ‘ ... ‹ › /

SUPERSCRIPTS AND SUBSCRIPTS

17

17

⁰ ⁴ ⁵ ... ₇ ₈ ₉

CURRENCY SYMBOLS

1

1

€

LETTERLIKE SYMBOLS

2

2

™ Ω

NUMBER FORMS

17

17

⅓ ⅔ ⅓ ⅓ ... ⅔ ⅓ ⅓

TITLE	NUMBER OF CHARACTERS		EXAMPLES
	STD	PRO	
MATHEMATICAL OPERATORS	14	14	∂ Δ Π ... ≤ ≥ .
GEOMETRIC SHAPES	1	1	◊
ALPHABETIC PRESENTATION FORMS 6		6	<i>ff fi fl ffi ffl st</i>
ARABIC PRESENTATION FORMS-B	1	1	

Shag pile i13

AaBbCcDdEeFfGgHhIiJjKkLlM

abcdefghijklmnopqrstuvwxyz 0123456789

ABCDEFGHIJKLMNOPQRSTUVWXYZ

FF Nuvo Bold Italic 14/16 pt

*SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im
Neptungras steht ein Kuckuckslipp. Serán, a juicio de los
científicos, tres épocas Onks tää vika kysymys. Hän on*

FF Nuvo Bold Italic 12/14 pt

*SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im
Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres
épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de*

FF Nuvo Bold Italic 10/12 pt

<i>SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika</i>	<i>kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne</i>
---	---

FF Nuvo Bold Italic 8/10 pt

<i>SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de</i>	<i>los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several</i>	<i>tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne genießen. Ayer, todavía en pleno echazo,</i>
--	--	---