Student Task Manager Source Code

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1,
viewport-fit=cover">

<title>Study Desk - Task Manager</title>

<script src="https://cdn.tailwindcss.com"></script>

<script>

  tailwind.config = {

    theme: {

      extend: {

        fontFamily: {

          sans: ['system-ui', '-apple-system', 'Segoe UI', 'Roboto',
'sans-serif'],

        },

        colors: {

          beige: {

            50: '#FAF8F5',

            100: '#F4EFEA',

            200: '#E8DFC8',
```

```
  300: '#DCCEB8',
  400: '#C7B299',
  500: '#B0987D',
  700: '#755F49',
  800: '#534333',
  900: '#382D22',
},
terracotta: {
  50: '#FBF5F2',
  100: '#F7E8E0',
  500: '#C86D51',
  600: '#B25B40',
  700: '#91452E',
},
sage: {
  50: '#F3F6F3',
  100: '#E2EBE2',
  500: '#6C8C74',
  600: '#55725C',
  700: '#415947',
}
```

```
        }
      }
    }
  }
</script>
<style>
  :root {
    box-sizing: border-box;
    padding-top: env(safe-area-inset-top, 0px);
    padding-bottom: env(safe-area-inset-bottom, 0px);
  }
  * { box-sizing: inherit; }
  body {
    background-color: #FAF8F5;
    color: #382D22;
  }
</style>
</head>
<body class="min-h-screen flex flex-col md:flex-row antialiased
selection:bg-amber-100">
  <!-- Sidebar -->
  <aside class="w-full md:w-64 bg-[#F4EFEA] border-r border-[#E8DFC8]
flex-shrink-0 flex flex-col">
```

```
    <div class="p-6 border-b border-[#E8DFC8]">

      <div class="flex items-center gap-2">

        <span class="text-xl">☕</span>

        <h1 class="text-xl font-bold tracking-tight text-[#382D22]">Study
Desk</h1>

      </div>

      <p class="text-xs text-[#755F49] mt-1 font-medium">Personal Study &
Tasks</p>

    </div>



    <nav class="p-4 space-y-1.5 flex md:flex-col gap-2 md:gap-1.5">

      <button onclick="showView('dashboard')" id="nav-dashboard"

        class="flex items-center gap-3 px-4 py-2.5 rounded-xl font-semibold
text-sm transition bg-[#DCCEB8] text-[#382D22] w-full text-left shadow-sm">

        Task Overview

      </button>

      <button onclick="openForm()" id="nav-add"

        class="flex items-center gap-3 px-4 py-2.5 rounded-xl font-medium text-sm
transition text-[#755F49] hover:bg-[#E8DFC8] hover:text-[#382D22] w-full
text-left">

        New Task

      </button>

    </nav>

    <div class="mt-auto hidden md:block p-4 border-t border-[#E8DFC8]">
```

```
      <div class="bg-[#FAF8F5] p-3 rounded-xl border border-[#E8DFC8]">

        <div class="flex items-center justify-between text-xs text-[#755F49]
mb-1">

          <span>Overall Progress</span>

          <span id="sidebar-progress-label">0%</span>

        </div>

        <div class="w-full bg-[#E8DFC8] h-2 rounded-full overflow-hidden">

          <div id="sidebar-progress-bar" class="bg-[#55725C] h-full rounded-full
transition-all duration-300" style="width: 0%"></div>

        </div>

      </div>

    </div>

  </aside>

  <!-- Main Content -->

  <main class="flex-1 p-5 md:p-8 max-w-6xl mx-auto w-full overflow-x-hidden">

    <!-- Toast Notification -->

    <div id="toast" class="hidden mb-5 bg-[#E2EBE2] border border-[#6C8C74]/30
text-[#415947] px-4 py-3 rounded-xl text-sm font-medium flex items-center gap-2
shadow-sm transition"></div>

    <!-- Dashboard View -->

    <div id="view-dashboard" class="space-y-6">



      <!-- Header with Action -->
```

```
      <div class="flex flex-col sm:flex-row justify-between sm:items-center
gap-4">

        <div>

          <h2 class="text-2xl md:text-3xl font-bold tracking-tight
text-[#382D22]">Task Overview</h2>

          <p class="text-sm text-[#755F49] mt-0.5">Stay on track with assignments
and personal projects</p>

        </div>

        <button onclick="openForm()" class="inline-flex items-center
justify-center gap-2 bg-[#91452E] hover:bg-[#783622] text-white font-semibold px-5
py-2.5 rounded-xl shadow-sm text-sm transition">

          + Add Task

        </button>

      </div>

      <!-- Quick Summary Cards -->

      <div class="grid grid-cols-1 sm:grid-cols-3 gap-4">

        <div class="bg-white border border-[#E8DFC8] rounded-2xl p-4 shadow-sm">

          <p class="text-xs uppercase tracking-wider font-semibold
text-[#755F49]">Total Tasks</p>

          <p class="text-2xl font-bold text-[#382D22] mt-1" id="stat-total">0</p>

        </div>

        <div class="bg-white border border-[#E8DFC8] rounded-2xl p-4 shadow-sm">

          <p class="text-xs uppercase tracking-wider font-semibold
text-[#B25B40]">In Progress</p>
```

```
          <p class="text-2xl font-bold text-[#B25B40] mt-1"
id="stat-pending">0</p>

        </div>

        <div class="bg-white border border-[#E8DFC8] rounded-2xl p-4 shadow-sm">

          <p class="text-xs uppercase tracking-wider font-semibold
text-[#55725C]">Completed</p>

          <p class="text-2xl font-bold text-[#55725C] mt-1"
id="stat-completed">0</p>

        </div>

      </div>

      <!-- Main Tasks Card -->

      <div class="bg-white border border-[#E8DFC8] rounded-2xl shadow-sm p-4
sm:p-6">



        <!-- Filter Bar & Search -->

        <div class="flex flex-col sm:flex-row justify-between items-stretch
sm:items-center gap-3 pb-5 border-b border-[#E8DFC8]">

          <div class="inline-flex bg-[#F4EFEA] p-1 rounded-xl gap-1 border
border-[#E8DFC8]">

            <button onclick="setFilter('all')" id="filter-all" class="px-3.5
py-1.5 rounded-lg text-xs font-semibold bg-white text-[#382D22] shadow-sm
transition">All</button>

            <button onclick="setFilter('Pending')" id="filter-Pending"
class="px-3.5 py-1.5 rounded-lg text-xs font-medium text-[#755F49]
hover:text-[#382D22] transition">In Progress</button>
```

```
            <button onclick="setFilter('Completed')" id="filter-Completed"
class="px-3.5 py-1.5 rounded-lg text-xs font-medium text-[#755F49]
hover:text-[#382D22] transition">Completed</button>

          </div>



          <div class="relative w-full sm:w-64">

            <input type="text" id="search-input" oninput="render()"
placeholder="Search tasks or subjects..."

              class="w-full pl-3 pr-3 py-1.5 bg-[#FAF8F5] border border-[#E8DFC8]
rounded-xl text-xs focus:outline-none focus:border-[#91452E] text-[#382D22]
placeholder-[#755F49]/60">

          </div>

        </div>

        <!-- Task List -->

        <div id="task-list" class="divide-y divide-[#E8DFC8]/60 mt-2"></div>

      </div>

    </div>

    <!-- Form View -->

    <div id="view-form" class="hidden max-w-2xl mx-auto">

      <div class="mb-5">

        <button onclick="showView('dashboard')" class="inline-flex items-center
gap-1.5 text-xs font-semibold text-[#755F49] hover:text-[#382D22] mb-3">

          Back to Overview

        </button>
```

```
        <h2 class="text-2xl font-bold tracking-tight text-[#382D22]"
id="form-title">Add New Task</h2>

        <p class="text-xs text-[#755F49] mt-0.5">Fill in the details for your
study assignment or task</p>

      </div>

      <div class="bg-white border border-[#E8DFC8] rounded-2xl shadow-sm p-6">

        <div id="form-error" class="hidden mb-4 bg-red-50 border border-red-200
text-red-700 px-4 py-3 rounded-xl text-sm font-medium"></div>



        <form id="task-form" class="space-y-4" onsubmit="return saveTask(event)">

          <input type="hidden" id="f-id">



          <div>

            <label class="block font-semibold text-xs text-[#534333] mb-1">Task
Title *</label>

            <input type="text" id="f-name" class="w-full bg-[#FAF8F5] border
border-[#E8DFC8] rounded-xl px-3.5 py-2 text-sm text-[#382D22] focus:outline-none
focus:border-[#91452E]" placeholder="e.g. Mechanics Problem Set 4" required>

          </div>

          <div class="grid grid-cols-1 sm:grid-cols-2 gap-4">

            <div>

              <label class="block font-semibold text-xs text-[#534333]
mb-1">Course / Subject</label>

              <input type="text" id="f-subject" placeholder="e.g. Structural
Theory, CE 312" class="w-full bg-[#FAF8F5] border border-[#E8DFC8] rounded-xl
px-3.5 py-2 text-sm text-[#382D22] focus:outline-none focus:border-[#91452E]">
```

```
            </div>

            <div>

              <label class="block font-semibold text-xs text-[#534333]
mb-1">Priority</label>

              <select id="f-priority" class="w-full bg-[#FAF8F5] border
border-[#E8DFC8] rounded-xl px-3.5 py-2 text-sm text-[#382D22] focus:outline-none
focus:border-[#91452E]">

                <option value="Normal">Normal</option>

                <option value="High">High</option>

                <option value="Low">Low</option>

              </select>

            </div>

          </div>

          <div>

            <label class="block font-semibold text-xs text-[#534333]
mb-1">Description / Notes</label>

            <textarea id="f-desc" rows="3" placeholder="Add specific notes,
submission requirements, or links..." class="w-full bg-[#FAF8F5] border
border-[#E8DFC8] rounded-xl px-3.5 py-2 text-sm text-[#382D22] focus:outline-none
focus:border-[#91452E]"></textarea>

          </div>

          <div class="grid grid-cols-1 sm:grid-cols-2 gap-4">

            <div>

              <label class="block font-semibold text-xs text-[#534333] mb-1">Due
Date</label>
```

```
              <input type="date" id="f-due" class="w-full bg-[#FAF8F5] border
border-[#E8DFC8] rounded-xl px-3.5 py-2 text-sm text-[#382D22] focus:outline-none
focus:border-[#91452E]">

            </div>

            <div>

              <label class="block font-semibold text-xs text-[#534333]
mb-1">Status</label>

              <select id="f-status" class="w-full bg-[#FAF8F5] border
border-[#E8DFC8] rounded-xl px-3.5 py-2 text-sm text-[#382D22] focus:outline-none
focus:border-[#91452E]">

                <option value="Pending">In Progress</option>

                <option value="Completed">Completed</option>

              </select>

            </div>

          </div>

          <div class="flex items-center gap-3 pt-3 border-t border-[#E8DFC8]">

            <button type="submit" class="bg-[#91452E] hover:bg-[#783622]
text-white font-semibold px-5 py-2.5 rounded-xl text-sm shadow-sm transition">Save
Task</button>

            <button type="button" onclick="showView('dashboard')"
class="bg-[#F4EFEA] hover:bg-[#E8DFC8] text-[#534333] font-semibold px-5 py-2.5
rounded-xl text-sm transition">Cancel</button>

          </div>

        </form>

      </div>
```

```
    </div>

  </main>

<script>

const STORAGE_KEY = 'study_desk_tasks';

let currentFilter = 'all';

function loadTasks(){

  try {

    const raw = localStorage.getItem(STORAGE_KEY);

    if(raw) return JSON.parse(raw);

  } catch(e) { console.error('load failed', e); }

  const seed = [

    {id: crypto.randomUUID(), name:'Kean pisot', subject:'History', desc:'done',
due:'2026-09-26', status:'Pending', priority:'Normal'},

    {id: crypto.randomUUID(), name:'Finish Laravel project', subject:'IT',
desc:'Build CRUD for tasks and submit repo link', due:'2026-10-03',
status:'Pending', priority:'High'},

    {id: crypto.randomUUID(), name:'Read Chapter 3', subject:'Math', desc:'Review
before quiz', due:'2026-09-20', status:'Completed', priority:'Normal'}

  ];

  saveTasks(seed);

  return seed;

}

function saveTasks(tasks){
```

```
  try { localStorage.setItem(STORAGE_KEY, JSON.stringify(tasks)); }

  catch(e) { console.error('save failed', e); }

}

let tasks = loadTasks();

function fmtDate(iso){

  if(!iso) return '';

  const d = new Date(iso + 'T00:00:00');

  return d.toLocaleDateString('en-US', {month:'short', day:'2-digit',
year:'numeric'});

}

function getDueBadge(dueIso, status){

  if(!dueIso || status === 'Completed') return '';

|---|Date().toISOString().split('T')[0];

  if(dueIso < today) {

    return '<span class="inline-flex items-center px-2 py-0.5 rounded-md
text-[10px] font-bold bg-red-100 text-red-800">Overdue</span>';

  } else if(dueIso === today) {

    return '<span class="inline-flex items-center px-2 py-0.5 rounded-md
text-[10px] font-bold bg-amber-100 text-amber-800">Due Today</span>';

  }

  return '';

}

function setFilter(filter){
```

```
  currentFilter = filter;

  ['all', 'Pending', 'Completed'].forEach(f => {

    const el = document.getElementById('filter-' + f);

    if(!el) return;

    if(f === filter) {

      el.className = 'px-3.5 py-1.5 rounded-lg text-xs font-semibold bg-white
text-[#382D22] shadow-sm transition';

    } else {

      el.className = 'px-3.5 py-1.5 rounded-lg text-xs font-medium text-[#755F49]
hover:text-[#382D22] transition';

    }

  });

  render();

}

function render(){

  const list = document.getElementById('task-list');

  const query = (document.getElementById('search-input')?.value ||
'').toLowerCase().trim();

  const total = tasks.length;

  const completed = tasks.filter(t => t.status === 'Completed').length;

  const pending = total - completed;

  document.getElementById('stat-total').textContent = total;
```

```
  document.getElementById('stat-pending').textContent = pending;
  document.getElementById('stat-completed').textContent = completed;
  const pct = total === 0 ? 0 : Math.round((completed / total) * 100);
  const progBar = document.getElementById('sidebar-progress-bar');
  const progLabel = document.getElementById('sidebar-progress-label');
  if(progBar) progBar.style.width = pct + '%';
  if(progLabel) progLabel.textContent = pct + '%';
  let filtered = tasks.filter(t => {
    if(currentFilter !== 'all' && t.status !== currentFilter) return false;
    if(query) {
      const matchName = t.name.toLowerCase().includes(query);
      const matchSub = (t.subject || '').toLowerCase().includes(query);
      const matchDesc = (t.desc || '').toLowerCase().includes(query);
      return matchName || matchSub || matchDesc;
    }
    return true;
  });
  if(filtered.length === 0){
    list.innerHTML = '<div class="py-12 text-center"><p class="text-sm
font-semibold text-[#755F49]">No tasks found</p><p class="text-xs
text-[#755F49]/70 mt-1">Try switching filters or add a new task above.</p></div>';
    return;
```

```
  }

  list.innerHTML = filtered.map(t => {

    const isDone = t.status === 'Completed';

    const prioColor = t.priority === 'High' ? 'bg-red-50 text-red-700 border
border-red-200' :

                      t.priority === 'Low'  ? 'bg-zinc-100 text-zinc-600 border
border-zinc-200' :

                      'bg-amber-50 text-amber-700 border border-amber-200';

    return `

      <div class="py-4 flex flex-col sm:flex-row sm:items-center justify-between
gap-4 group transition">

        <div class="min-w-0 flex-1">

          <div class="flex items-center gap-2 flex-wrap">

            <h4 class="font-bold text-sm text-[#382D22] break-words ${isDone ?
'line-through text-[#755F49]/70' : ''}">

              ${escapeHtml(t.name)}

            </h4>

            ${t.priority && t.priority !== 'Normal' ? `<span class="text-[10px]
font-semibold px-2 py-0.5 rounded-md ${prioColor}">${t.priority}</span>` : ''}

            ${getDueBadge(t.due, t.status)}

          </div>



          <div class="flex items-center gap-2 mt-1.5 flex-wrap">
```

```
            ${t.subject ? `<span class="bg-[#F4EFEA] border border-[#E8DFC8]
text-[#755F49] text-[11px] font-semibold px-2.5 py-0.5
rounded-md">${escapeHtml(t.subject)}</span>` : ''}

            ${t.due ? `<span class="text-xs text-[#755F49]/80 font-medium">Due:
${fmtDate(t.due)}</span>` : ''}

          </div>

          ${t.desc ? `<p class="text-xs text-[#534333] mt-2 break-words
leading-relaxed">${escapeHtml(t.desc)}</p>` : ''}

        </div>

        <div class="flex flex-wrap items-center gap-1.5 self-start
sm:self-center">

          <button onclick="toggleStatus('${t.id}')"

            class="px-3 py-1.5 rounded-lg text-xs font-semibold transition
${isDone ? 'bg-[#F4EFEA] hover:bg-[#E8DFC8] text-[#534333]' : 'bg-[#55725C]
hover:bg-[#415947] text-white shadow-sm'}">

            ${isDone ? 'Undo' : 'Done'}

          </button>

          <button onclick="editTask('${t.id}')"

            class="px-3 py-1.5 rounded-lg text-xs font-semibold text-[#534333]
bg-[#F4EFEA] hover:bg-[#E8DFC8] transition">

            Edit

          </button>

          <button onclick="deleteTask('${t.id}')"

            class="px-2.5 py-1.5 rounded-lg text-xs font-medium text-red-600
hover:bg-red-50 transition">

            Delete
```

```
          </button>

        </div>

      </div>

    `;

  }).join('');

}

function escapeHtml(str){

  const div = document.createElement('div');

  div.textContent = str || '';

  return div.innerHTML;

}

function showView(name){

  document.getElementById('view-dashboard').classList.toggle('hidden', name !==
'dashboard');

  document.getElementById('view-form').classList.toggle('hidden', name !==
'form');



  const dBtn = document.getElementById('nav-dashboard');

  const aBtn = document.getElementById('nav-add');

  if(name === 'dashboard'){

    dBtn.className = 'flex items-center gap-3 px-4 py-2.5 rounded-xl font-semibold
text-sm transition bg-[#DCCEB8] text-[#382D22] w-full text-left shadow-sm';
```

```
    aBtn.className = 'flex items-center gap-3 px-4 py-2.5 rounded-xl font-medium
text-sm transition text-[#755F49] hover:bg-[#E8DFC8] hover:text-[#382D22] w-full
text-left';

  } else {

    aBtn.className = 'flex items-center gap-3 px-4 py-2.5 rounded-xl font-semibold
text-sm transition bg-[#DCCEB8] text-[#382D22] w-full text-left shadow-sm';

    dBtn.className = 'flex items-center gap-3 px-4 py-2.5 rounded-xl font-medium
text-sm transition text-[#755F49] hover:bg-[#E8DFC8] hover:text-[#382D22] w-full
text-left';

  }

}

function openForm(){

  document.getElementById('form-title').textContent = 'Add New Task';

  document.getElementById('task-form').reset();

  document.getElementById('f-id').value = '';

  document.getElementById('f-priority').value = 'Normal';

  document.getElementById('f-status').value = 'Pending';

  document.getElementById('form-error').classList.add('hidden');

  showView('form');

}

function editTask(id){

  const t = tasks.find(x => x.id === id);

  if(!t) return;

  document.getElementById('form-title').textContent = 'Edit Task';
```

```
  document.getElementById('f-id').value = t.id;
  document.getElementById('f-name').value = t.name;
  document.getElementById('f-subject').value = t.subject || '';
  document.getElementById('f-desc').value = t.desc || '';
  document.getElementById('f-due').value = t.due || '';
  document.getElementById('f-priority').value = t.priority || 'Normal';
  document.getElementById('f-status').value = t.status || 'Pending';
  document.getElementById('form-error').classList.add('hidden');
  showView('form');
}
function saveTask(e){
  e.preventDefault();
  const name = document.getElementById('f-name').value.trim();
  const errBox = document.getElementById('form-error');
  if(!name){
    errBox.textContent = 'Task Title is required.';
    errBox.classList.remove('hidden');
    return false;
  }
  const id = document.getElementById('f-id').value;
  const data = {
```

```
    name,
    subject: document.getElementById('f-subject').value.trim(),
    priority: document.getElementById('f-priority').value,
    desc: document.getElementById('f-desc').value.trim(),
    due: document.getElementById('f-due').value,
    status: document.getElementById('f-status').value,
  };
  if(id){
    const t = tasks.find(x => x.id === id);
    Object.assign(t, data);
    toast('Task updated successfully.');
  } else {
    tasks.unshift({id: crypto.randomUUID(), ...data});
    toast('Task added successfully.');
  }
  saveTasks(tasks);
  render();
  showView('dashboard');
  return false;
}
function toggleStatus(id){
  const t = tasks.find(x => x.id === id);
```

```
  if(!t) return;

  t.status = t.status === 'Pending' ? 'Completed' : 'Pending';

  saveTasks(tasks);

  render();

  toast(t.status === 'Completed' ? 'Task marked as done!' : 'Task moved back to In
Progress.');

}

function deleteTask(id){

  if(!confirm('Are you sure you want to delete this task?')) return;

  tasks = tasks.filter(x => x.id !== id);

  saveTasks(tasks);

  render();

  toast('Task removed.');

}

function toast(msg){

  const el = document.getElementById('toast');

  el.textContent = msg;

  el.classList.remove('hidden');

  setTimeout(() => el.classList.add('hidden'), 2500);

}

render();

</script>
```

```
</body>

</html>
```