


CSE 305 – Project Assignment 1

Team/Dating Site Name
JewelBond - “Discover the Key to the Heart. Love’s Treasure Awaits”

ER Diagram



Relational Model
SQL Description

```
CREATE TABLE Customer(  
    CustomerId                INTEGER,  
    LastName                  CHAR(25),  
    FirstName                  CHAR(25),  
    Address                    CHAR(50),  
    City                       CHAR(50),  
    State                      CHAR(2),  
    ZipCode                    CHAR(10),  
    Telephone                  CHAR(10),  
    Email                      CHAR(255),  
    ProfilePlacementPriority   PPP,  
    Rating                     Rating,  
    LastActive                 DATETIME,  
    PRIMARY KEY(CustomerId)  
)  
  
CREATE TABLE Account(  
    AccountNumber              INTEGER,  
    Customer                    INTEGER,  
    CreationDate                DATE,  
    CreditCardNumber            CHAR(16),  
    PRIMARY KEY(AccountNumber),  
    FOREIGN KEY(Customer) REFERENCES Customer(CustomerId)  
)  
  
CREATE TABLE Profile(  
    ProfileId                  CHAR(24),  
    ProfileName                 CHAR(24),  
    Customer                    INTEGER,  
    Age                         INTEGER,  
    Address                     CHAR(50),  
    Sex                         Sex,  
    Height                      DOUBLE,  
    Weight                      DOUBLE,  
    HairColor                   INTEGER,  
    DatingGeoRange              INTEGER,  
    DatingAgeRangeBegin         INTEGER,  
    DatingAgeRangeEnd           INTEGER,  
    PRIMARY KEY(ProfileId),  
    FOREIGN KEY(Customer) REFERENCES Customer(CustomerId)  
)  
  
CREATE TABLE Photo(  
    PhotoNo                     INTEGER,  
    User                        CHAR(24),  
    Path                        CHAR(255),  
    PRIMARY KEY(PhotoId)  
    FOREIGN KEY(User) REFERENCES Profile(ProfileId)  
)  
  
CREATE TABLE Hobby(  
    User                        CHAR(24),  
    Name                        CHAR(20),  
    PRIMARY KEY(HobbyId)  
    FOREIGN KEY(User) REFERENCES Profile(ProfileId)  
)
```

```

CREATE TABLE Like(
    LikerId                CHAR(24),
    LikeeId                CHAR(24),
    DateTime               DATETIME,
    PRIMARY KEY(LikerId,LikeeId),
    FOREIGN KEY(LikerId) REFERENCES Profile(ProfileId)
    FOREIGN KEY(LikeeId) REFERENCES Profile(ProfileId)
)

```

```

CREATE TABLE Referral(
    UserA                  CHAR(24),
    UserB                  CHAR(24),
    UserC                  CHAR(24),
    DateTime               DATETIME,
    PRIMARY KEY(UserA,UserB,UserC),
    FOREIGN KEY(UserA) REFERENCES Profile(ProfileId)
    FOREIGN KEY(UserB) REFERENCES Profile(ProfileId)
    FOREIGN KEY(UserC) REFERENCES Profile(ProfileId)
)

```

```

CREATE TABLE Date(
    DateId                 INTEGER,
    User1                  CHAR(24),
    User2                  CHAR(24),
    CustomerRep            INTEGER,
    DateTimeStart          DATETIME,
    DateTimeEnd            DATETIME,
    GeoLocation            CHAR(?),
    BookingFee             DOUBLE,
    User1DateRating        Rating,
    User2DateRating        Rating,
    PRIMARY KEY(DateId),
    FOREIGN KEY(User1) REFERENCES Profile(ProfileId),
    FOREIGN KEY(User2) REFERENCES Profile(ProfileId),
    FOREIGN KEY(CustomerRep) REFERENCES Employee(SSN)
)

```

```

CREATE TABLE Comment(
    Author                 CHAR(24),
    Date                   INTEGER,
    DateTime               DATETIME,
    PRIMARY KEY(Author,Date,DateTime),
    FOREIGN KEY(Date) REFERENCES Date(DateId)
)

```

```

CREATE TABLE Employee(
    SSN                    INTEGER,
    LastName               CHAR(25),
    FirstName              CHAR(25),
    Address                CHAR(50),
    City                   CHAR(50),
    State                  CHAR(2),
    ZipCode                CHAR(10),
    Telephone              CHAR(10),
    StartDate              DATE,
    HourlyRate             DOUBLE,
    PRIMARY KEY(SSN))

```

```

CREATE DOMAIN Sex CHAR(1)
    CHECK( VALUE IN('M','F'))
CREATE DOMAIN PPP CHAR()

```

```
CHECK( VALUE IN('Super','Good','User'))
CREATE DOMAIN Rating CHAR(9)
CHECK( VALUE IN('Excellent','Very Good','Good','Fair','Poor'))
```

Rationale/Explanation

From the specification, obvious entities, corresponding attributes, and keys were simply produced accordingly. For example, for the most part, categories of data are listed as entities and items of data are listed as attributes. This includes Customer, Profile, Referral, Like, Date, Employee.

Examining further, items of data that would become set valued attributes were converted to individual entities, since it is best for a column to only hold one value. This is with the exception of Physical Characteristics which was broken down into individual attributes of height, weight, and hair color within Profile, since these attributes have a 1 to 1 relationship. New additional entities include Account, Photo, Hobby, and Comment.

All together the design has the following entities:

- Customer
- Profile
- Referral
- Like
- Date
- Employee
- Account
- Photo
- Hobby
- Comment

Next, entity relationships are examined.

Customers Have

- Customers can have one or more Profiles.
- Customers can have one or more Accounts.
- Profiles and Accounts must be associated with a Customer.

Profiles Have

- Profiles contain zero or more Photos.
- Profiles contain zero or more Hobbies.
- Photos and Hobbies must be associated with a Profile.

Profile Actions

- Profiles can Like other Profiles.
- Profiles can make a Referral for two other Profiles to Date;
- Profiles can Date other Profiles.
- Profiles can Comment on Dates.

Dates Have Comments

Employees Supervise Dates

- Dates must be supervised by an Employee.
- Employee may be vacant and does not always have to be supervising a Date.

Then, entity types.

Strong entities are independent of other entities and uniquely identified by a single attribute primary key.

Strong Entities Include:

- Employee
 - Employees can exist w/o requiring the Supervision of a Date
- Customer
 - Customers are uniquely identified by Customer Id independent of Profiles and Accounts

Weak entities are uniquely identified by a composite primary key that includes an attribute which is a foreign key reference to the primary key of a Strong entity which their existence is dependent upon.

Weak Entities Include:

Likes

Like(LikeeId,LikerId) depends upon Profile(ProfileId)

Referrals

Referral(UserA,UserB,UserC) depends upon Profile(ProfileId)

Comments

Comment(Author,Date,DateTime) depends upon Profile(ProfileId) and Date(DateId)

Photos

Photo(User,No) depends upon Profile(ProfileId)

Hobbies

Hobby(User,Name) depends upon Profile(ProfileId)

Not Sure:

Profiles - Strong?

Profile have Id but must be associated with Customer

Accounts - Weak?

Accounts have AccountNumber but cannot exist w/o Customer owner

Dates - Weak?

Dates have Id but cannot exist without participating Profiles

Finally, domains:

Sex

Must be Male or Female.

Profile Placement Priority

Categories include:

Super-User, Good-User, and User-User

Rating

Scale from:

Poor, Fair, Good, Very Good, Excellent

Collaboration Plan

Three-Way Division of Labor (Somewhat Equal)		Attributes	Teammate
<ul style="list-style-type: none">One Teammate will handle aspects associated w/ Customers and Account transactions.	Customer	12	A
	Account	4	A
		16	
<ul style="list-style-type: none">One Teammate will handle aspects associated w/ Profile and Actions.	Profile	11	B
	Referral	4	B
	Like	3	B
	Photo	3	B
	Hobby	2	B
<ul style="list-style-type: none">One Teammate will handle aspects associated w/ Dates, Employee Supervision, and Comment feature.		23	
	Employee	10	C
	Date	9	C
	Comment	3	C
		22	
	Total	61	