

# DADman - Everything You Need To Know - The Manual That Never Was

Sunday 04.24.22

With an ever-growing range of DAD products like the Core 256 and the AX Center, as well as the Avid MTRX II and MTRX Studio, many more people need to get to grips with the DADman software to configure, control and operate their interface.

Need some help using the DADman software? Not sure how to set it up? As far as we can tell, there isn't a dedicated DADman manual. However, the good news is that there is a lot of information and support available. In this article, we aim to curate as many of the DADman related resources as possible together in one place to create the DADman manual that never was.

Struggling with DADman? This is the article for you.

# What Hardware Needs DADman To Operate and Configure?

Here is the complete list, as of the time of writing (August 2025)...

- DAD AX Center
- DAD Core 256
- DAD Thunder|Core
- DAD AX64
- DAD AX32
- DAD DX32
- DAD AX24
- NTP Penta 720
- NTP Penta 721s
- Avid MTRX II
- Avid MTRX
- Avid MTRX Studio

## What Is DADman?

## DADman Feature Sumary

- Complete control of the interface parameters
- A/D Analogue Input and Mic pre control
- D/A output level control
- Routing Matrix control
- Settings configuration
- Controls multiple units
- Avid(TM) Eucon and PRE compatible
- Flexible Monitor control configuration
- PRO | MON monitor control (optional)

- Cue | Mix zero latency mixer

DADman software has been designed to configure and control one or more compatible units over Ethernet. DADman is a channel strip-oriented, software control interface working over your system's computer network.

It shows all connected units in the Device List from left to right. Units are shown in sequence according to their unit ID number. Each unit has a coloured border surrounding the functions of the unit. The settings of each unit are stored in the unit itself.

DADman shows the current status of all settings on each connected unit. DADman lets you save Configuration files on your computer to backup and store all the unit's settings and network configurations.

DADman can be set to automatically load the last used settings on launch. If no configuration file is loaded on launch, connections to units in the Device List must be reestablished after launch. DADman can also be automated from various external sources. For example, DADman can be connected by MIDI to Pro Tools so that MTRX units can emulate Pro Tools PRE hardware and so control the MTRX preamps from within Pro Tools as if they were Avid PRE preamps.

## **DADman Works Over IP**

Because DADman communicates with the connected units over your computer network, it is important to consider how the connection between the computer running the DADman software and the connected

units is made.

You can use your normal studio computer network, just as you can with audio over IP. However, we recommend having dedicated networks for applications such as Eucon, Audio Over IP, and control by DADman of connected units. The number of dedicated networks you need will depend on the complexity of your requirements.

For example, I have an Avid MTRX Studio and I am using Audio Over IP to route the Mac audio into my monitoring and to run DADman on the same computer. I started by using my home gigabit network with an Audio Over IP approved router, but I soon found I was experiencing issues with audio and data dropouts between the computer and the MTRX Studio. So I split off the connection between the computer and the MTRX Studio with a separate Ethernet port (NIC) on my computer with a dedicated Ethernet cable going to my MTRX Studio.

We cover this, and more, in much more detail in our article [Using Audio Over IP Or EuControl? Read This Now](#).

## Check You Have The Latest Version Of DADman

If you are an Avid hardware user you can find links to the latest version of DADman approved for Avid hardware in your [Avid Master Account](#) or from the [Avid Download Center](#).

If you are using DAD or NTP hardware, you can download the DAD

software from the [DAD Support website](#). You will need to have a free DAD / Penta account to access the Download section. If you don't have one, you can set one up.

## Does DADman Work On Apple Silicon Computers?

DADman has been Apple silicon native since v 5.5.0. The latest macOS version at the time of writing (August 2025) is 5.8.1.6 and is supported on macOS: Sequoia (15), Sonoma (14), Ventura (13), Monterey (12), Big Sur (11) (Intel and Apple Silicon), Catalina (10.15), Mojave (10.14), High Sierra (10.13).

However, there is a note regarding macOS Sequoia saying...

"The short answer is: Almost...

DADman works fine once everything is loaded, however DADman may not be able to connect to devices on the network when launching the DADman application.

As a workaround the problem, leave DADman open, log out of the system and log in again.

The problem is of a general nature, which has appeared in the recent Sequoia macOS version and is therefore also an issue with previous DADman versions running on Sequoia.

When connecting to devices via the Thunderbolt 3 connection everything is loaded correctly.

We hope to be able to resolve this issue soon."

If you experience this problem with DADman and macOS Sequoia, then check out [this detailed workaround from DAD](#).

# What Is New In DADman V5.8.1.6

DAD | Digital Audio Denmark



Watch on

In this DAD video, Jon Schumann covers several new features introduced in the free DADman control software with v5.8.1.6, including Mic Gain Groups and Device List Sorting. Additionally, Jon delves into the Control | Pack side of DADman.

The standout new feature is mic input channel grouping, supported on all devices except the MTRX Studio. With this, engineers can adjust the gain or mute status across a group of mic channels simultaneously, while still retaining fine control via modifier keys (like alt/option for per-channel tweaks). This feature helps avoid inconsistent levels when dealing with ensembles or multi-mic setups on drums, strings, or location recordings.

## Additional Improvements Include:

- Reordering of routing presets within the Routing Preset dialog (firmware update required).
- Visual trigger status display in routing presets.
- Device sorting by column headers (macOS only).

## Firmware Gains

The firmware side also gets its share of attention. Key updates include:

- Support for Dante 256 IPCore on units like AX64, AX Center, and MTRX II (v1.1.1.1).
- Updated Brooklyn 2 Dante module support for AX32 and Penta units (v2.4.5.1).
- Main board firmware for MTRX Studio updated to v1.1.5.1.

Do note that firmware updates will reset unit settings, so saving configuration files before updating is essential.

## Smaller Fixes That Matter

Bug fixes address both stability and usability:

- Enhanced meter graphics in Routing Preset on Windows.
- MIDI handling crash resolved in Windows.
- Fixes to status colour updates and graphical issues on macOS, especially when working with large DADman windows on scaled displays.

## For Eucon Users

For those controlling DADman via Avid's Eucon protocol, mic gain grouping works as expected through gain sliders and knobs, though mute still affects all grouped channels at once.

## Why This Matters

In post-production, where consistency and speed matter, grouped mic gain control cuts down repetitive clicks and ensures reliable level relationships. In music production, it's a small but crucial step toward faster tracking sessions and consistent gain staging.

The DADman update doesn't reinvent the wheel, but it does offer welcome quality-of-life improvements. It's a reminder that precision software doesn't always need big headlines—it just needs to do the job better.

## Does DADman Run On Windows?

Yes, there are Windows versions of DADman. Please note that version 5.7.0. was the last version to run on Windows 7 and 8. All later versions are only supported with Windows 10 and 11. At the time of writing (August 2025), the latest version is 5.8.1.6.

## Where Is the DADman Manual?

It may seem strange that there isn't a dedicated DADman manual, but the information is out there. Rather than having a dedicated DADman manual, it is included in the manual for the device you are using DADman to control, whether that be the Avid MTRX, Avid MTRX II, Avid MTRX Studio, the DAD Core 256, Thunder|Core, AX Center, AX64, AX32, DX32, AX24, MOM, Penta 720, Penta 721s series, or Penta 721 units.

Here are links to the manuals for each of these units. You will need a free DAD support account to access any of the DAD guides.

- [Avid MTRX Installation Guide](#)
- [Avid MTRX Operation Guide](#)
- [Avid MTRX Studio Installation Guide](#)
- [Avid MTRX Studio Operation Guide](#)
- [Avid MTRX II Guide](#)
- [DAD AX Center Installation Guide](#)
- [DAD AX32 Installation Guide](#)
- [DAD AX32 User Guide](#)
- [DAD AX64 Installation Guide](#)
- [DAD DX32R Installation Guide](#)
- [DAD Core 256 Installation Guide](#)
- [DAD Thunder|Core Installation Guide](#)
- [DAD MOM Getting Started Guide](#)
- [NTP Penta 720 Installation Guide](#)
- [NTP Penta 721s Installation Guide](#)

You will find all the information to install and set up DADman in the respective Installation Guides. In the Operation or User guides, you will find information on using DADman including sections, where appropriate on controlling the MTRX Preamps and setting up the SPQ card.

## Tutorials

There are a wide range of tutorials; videos, articles and tips & tricks that will help you to better understand how to use the DADman software. Here are some to get you going...

## How To Install DAD Software And Firmware on macOS Systems

DAD | Digital Audio Denmark



Watch on

In this video, DAD's Jon Schumann goes through the different installation processes on macOS for:

- DADman
- Thunderbolt Driver
- Firmware Updates

## How To Install DAD Software And Firmware on Windows

# Systems

DAD | Digital Audio Denmark



Watch on

In this video, DAD's Jon Schumann goes through the different installation processes on Windows for:

- DADman
- Thunderbolt Driver
- Firmware Updates

## DADman Overview from DAD

DAD | Digital Audio Denmark



Watch on

Digital Audio Denmark (DAD) has produced this video tutorial for the DADman software, which gives an overview of the software. As this is a DAD tutorial, it only covers using DADman with DAD and NTP hardware; however, all the principles shown apply to the Avid hardware that also utilises DADman software.

## DADman Overview

Avid Pro Tools



Watch on

In this short video from Avid, although it refers to DADman Preferences, it actually takes you through the different tabs in DADman and is an excellent introduction overview of DADman...

- The AD (Analogue to Digital) tab includes metering and control for the analogue inputs, including Mic, DI and Line Level. You can adjust the Gain, Mutes, Phase, Channel Labels and more.
- The DA (Digital to Analogue) tab includes metering and control for the analogue outputs, including Level Faders, Mutes and Channel Labels.
- The Con (Connections) tab displays a Crosspoint Matrix with Inputs displayed in rows on the left and Outputs on the right in columns.
- The Con (configuration) tab provides control over Sync Source, Sample Rate, Adapt To, in addition to parameters for Dante & DigiLink

I/O.

- Moving to the Save setting in the File menu, the primary Save or Save As options store a DADman Settings File (.dms) which preserves the state of the AD, DA, Con and Conf tabs.
- The Mon (monitor) tab provides control for the currently loaded Monitor Profile, including Sources, Outputs, Folddowns, Delay, Talkback and more.
- The Monitor Profile is accessed and configured from Settings > Monitor Profile.
- The Stereo Default profile for the MTRX Studio includes 3 Monitors - Control Room, Headphone 1 and Headphone 2. These will vary depending on the features of the unit you are using with the DADman software.
- Use Save Profile or Save Profile As to store a new or modified Monitor Profile. The Monitor profile stores a DADman Profile File (.dmprof), which can be set to load automatically when DADman is opened.

It is also possible to clone (copy) settings from one unit to another. Either between two connected units or by extracting the settings from a settings file and applying these to a connected unit. Cloning is only allowed between units within the same family. The following 3 family groups exist:

1. MTRX, AX32, DX32, Penta 720, Penta 721 and Penta 721s
2. MTRX II, AX64, AX Center and Core 256
3. MTRX Studio

Ideally, the two units should be identical in configuration (same type of cards in the same slots). All settings for cards in the target unit that do not

have a similar card present in the same slot position in the settings source will be set to factory default values.

## DADman Patchbay Overview

Avid Pro Tools



Watch on

In this Avid video, they demonstrate how to route, split, and patch audio quickly and efficiently using DADman software, which features a matrix capacity of up to 1,500 x 1,500 crosspoints. Although this video demonstrates DADman with an Avid MTRX, the principles it demonstrates apply to any device that uses the DADman software.

## DADman Monitor Setup

Avid Pro Tools



Watch on

With the DADman software, you can create multiple monitor profiles, making it easy to switch multichannel audio formats for the project at hand, from stereo and 7.1, up to 64-channel Dolby Atmos.

## Monitor Profiles In DADman

As well as configuration files, DADman also uses monitor profiles. These are separate from the configuration files. A monitor profile is a control room or cue system using the available analog and digital I/O of a connected unit, like an Avid MTRX Studio.

A monitor profile is a control room or cue system using the available analog and digital I/O DADman compatible hardware. You can add sources, outputs, fold downs, and meters to define a monitor within DADman. A single monitor can contain multiple sources (inputs) and output sets, including stereo, surround, and expanded Atmos configurations using analog or digital I/O. You can efficiently switch between near-field stereo, 5.1 or 7.1 surround, as well as Atmos speaker configurations using a EUCON-compatible control surface (such as S1, S6, or the Avid Control app or from the front panel of your compatible hardware.

To use the monitoring and cue functionality of DADman compatible hardware, you need to create or import a Monitor Profile (.dmprof files). To get started, you can download a default stereo monitor profile

configuration from your [Avid Master Account](#) if you have one. These include Stereo, 5.1, 7.1, and 7.1.2 profiles.

Avid



Watch on

In this [free video tutorial](#) from [Avid](#), Jeff Komar shows how to create a basic Monitor Profile including Source Inputs, Speaker Outputs, Fold Downs and external Meter Outputs.

## Using the Dane Virtual Soundcard as a Monitor Source in DADman

Avid Pro Tools



Watch on

In this video, Avid shows how to assign a Dante Virtual Sound Card as a source in your DADman Monitor Profile.

1. Launch DVS (Dante Virtual Soundcard) and choose 8x8 (8 inputs and 8 outputs). Press Start to enable the service.
2. In Dante Controller, we can set up a patch from DVS (in this example, RADCLIFFroad) to the MTRX Input channels 1-8.
3. Next, assign the Sound Output Device for the Mac computer to the Dante Virtual Soundcard using the Option Key.
4. Within DADman, go to Settings > Monitor Profile to add a DVS Source.
5. Right-click Sources and then Add New Source. Double-click to rename it to DVS.

6. Right-click under Mode to Set Group Format. Since DVS is 8 channels, you may choose up to a 7.1 Output.
7. Now, assign each of the 8 channels by right-clicking on each Assign Channel. An I/O type populated into the interface can be used.
8. In this example, Avid is using the first 8 channels of Dante Main to correlate with the patch made in Dante Controller.
9. Now you can check the DVS stream by playing back some music in iTunes.
10. Returning to DADman, you should see the meter showing on the new 'Source DVS-Rr'.

## **How To Set Up The DAD/Avid SPQ Card Using The Free Room EQ Wizard**

Ever since DAD released the SPQ card for their AX32 and then with the version for the Avid MTRX and now with the smaller version built into the

MTRX Studio, users need to be able to analyse their speakers and room, and somehow transfer the results onto the SPQ card using the DADman software. In this article, [How To Set Up The DAD/Avid SPQ Card Using The Free Room EQ Wizard](#), we show how this can be achieved using the free Room EQ Wizard software, a low-cost USB measurement mic, and most importantly, how to transfer the measurements to the SPQ card.

## Setting Interface Output Levels In DADman

The purpose of this setting is to align the analog output level of the DADman controlled interface with other equipment to avoid clipping and/or noise issues. The output level controls may not appear intuitive at first. This is because the sliders are designed to configure the analog levels which correspond to 0dBFS.

Setting a high output level is not always a good idea. When users complain about distorted audio when they have a loud sound level (e.g. above -6 dBFS), it is often traced to them setting the output level to +24 dBu without realising that the input of the following equipment could clip at +18 dBu. The correct use of these sliders is to match the analog output to the inputs specs of the equipment they are feeding. The advice is to always make sure you have set the max. output level so it doesn't exceed the max input level of the following equipment.

There is also a range switch on the output levels. You can choose

between two output level ranges for the line outputs (DB25 connectors) to either -66 dBu to +18 dBu or -60 dBu to +24 dBu by enabling the 6dB Gain button.

As you can see from this image I have set my first 3 monitor outputs to the appropriate output level for my PMC LB1 Bryston amps, whereas my surround speakers are fed from Samson amps and so I have adjusted those outputs to best suit them.

[Read more...](#)

## **Blank Monitoring Page In Avid Control**

If all you see in the Avid Control app is master fader but nothing else, it may be that you need to bind the DADman software to EuControl.

To do this, open the Assign tab, and while DADman is in the foreground, tick the box near the bottom of the window to assign monitoring to DADman. As well as making sure that EUCON is enabled in DADman. For example, if you set the output level in DADman to +18 dBu and apply a 0 dBFS signal from Pro Tools, you will have +18 dBu on the analog output. The setting determines the conversion factor between the digital signal,

measured in dBFS, and the analog output level, measured in dBu.

[Read more...](#)

## Setting The Reference Level In The Monitor Profile

The output level in the DADman monitor profile can be locked to a pre-defined level by pressing the Ref button in the DADman software, or on the MOM remote control. Alternatively, if like me you have a MTRX Studio, you can configure the Ref function to one of the front panel controls. I have it set to the Rotary Encoder push button, so by pressing the monitor level it becomes calibrated This will move the output fader to 0 dB and lock it so it cannot be changed with the volume control.

This allows you to work at a pre-defined SPL level without the risk of accidentally changing the output level. But you may need to work with a number of different reference levels.

Once you have set your primary reference level with test signals and a sound pressure meter, the solution is to define multiple speaker sets. One of the features of DADman is that it is possible to define multiple speaker sets that all use the same physical outputs. For example, you could have two 5.1 speaker sets, one named "85 dB SPL" and the other "75 dB SPL". Both of them use Dante ch. 1-6, but they have different trim settings to accommodate different SPL levels. The trim levels provide the appropriate offset from one reference level to another.

[Read more...](#)

## Fold Down Hacks

In the fold-down section of the monitor profile, you can set up appropriate fold-down paths, for example, 5.1 to stereo. But did you know that you can also do up matching where you can create your own custom presets to spread from, say 5.1 to some flavour of Atmos including 7.1.4, 9.1.6 and beyond. Alternatively, you can also create some custom presets that only enable certain speakers when selected.

For example, I have a fold-down preset labelled Tops Only (see above). When selected it effectively mutes everything except the four ceiling speakers. In the Monitor Profile Configuration window, go to the Fold down tab, select one of the settings you already have and right-click. You will be offered 'Add new matrix'. Once you have selected a new matrix, select the input and output to be 7.1.4 as in this case we do not want to fold-down or up-match, we need to keep it the same.

Then use the matrix to route audio from the Lt1 input to the Lt1 output and set the signal gain to 0dB. Do the same for the other 3 ceiling channels, then rename the new 'fold down' matrix, something useful, in my case Top Only. Now when you go back to the fold-down options in the Groups tab,

when you right-click on the fold-down option you will be offered your new 'fold down' option, in my case Top Only.

## **Headphone Follows Control Room Monitor**

When I first started using my MTRX Studio, I wanted a way to have the front panel headphones follow whatever is on my speaker monitoring. When I couldn't work out how to do it, I asked the DAD team if there was a way of doing it and there is.

The key is to make sure that in the Monitor Profile window in DADman, the monitor mode for the headphone feed is set to Master rather than Cue.

Then set the monitor mode for the speakers to Cue.

When you do this, you will be able to set the source of the headphones output, which you set to the Master Monitoring mode to the monitor feed selection, in my case CR.

There is a downside to this setup. When DADman is not running, any device DADMan would be controlling (in my case my MTRX Studio) defaults to a basic setup. Although you can still control the inputs, output and headphone levels, you don't get is any of the custom functions you might have set in the MTRX Studio tab of the DADman profile. For me, this means that because my speakers are fed via a Cue group rather than a Control Room Group, this doesn't translate to the MTRX Studio default

mode.

What I chose to do to get around this is to use a script to automatically run DADman when I start up my computer.

## **Delay Start To Autoboot DADman**

There was a time when you could drop DADman into your macOS Startup Items, and set it to hide the DADman application. But since Apple released macOS Sonoma, it is no longer possible to hide an app in Login Items (what Apple now calls Startup Items). I found that I wasn't alone with this problem, and there were 2 suggestions: one from Avid's Jeff Komar was to use a dedicated [Delay Start app](#), and the other was to create an AppleScript. 'Jschmit' even posted the AppleScript that he used...

```
delay 5
```

---

```
tell application "Finder"
```

---

```
activate
```

---

```
open application file "DADman.app" of folder "Applications" of folder  
"System" of startup disk
```

---

```
end tell
```

---

```
delay 8
```

---

```
tell application "System Events"
```

---

```
set visible of process "DADman" to false
```

---

```
end tell
```

---

You use the Script Editor app (in the Utilities folder in Applications) and paste the above text in there. Then export it, choosing 'Application' as the File Format. Finally, add the resulting app to your user Login Items in Mac System Prefs, ideally as the last item in the list.

Now, when I boot my computer after a delay, it automatically starts DADman, and then after another delay, it automatically hides DADman.

Now I get the best of both worlds.

## **Lock Avid Control Monitoring To DADman**

In EuControl, it is possible to lock various parts of your Eucon surfaces including the control app to different Eucon controllable applications. You will need to have the appropriate application in focus (on top) on your computer to enable the Avid Control app to lock them to EuControl. For example, you can lock the monitor section to DADman, and the Transport section to your DAW. In EuControl go to > Assign Tab > Lock the monitoring section (while DADman is focused), then switch over to Pro Tools and could also choose to lock the Pro Tools Transport to the Transport part of Avid Control or any Eucon enabled control surface. Once monitoring is locked it won't matter what app is in the foreground.

Avid has made a simple video to demonstrate this feature...

Avid



Watch on

One question off the back of this video from Avid was is there any way to make a bigger Talkback button in Avid Control? Avid's Jeff Komar came back with a great suggestion...

"Use the Soft Keys page and map multiple squares (buttons) to enable Talkback."

This way you don't need to be as precise with your finger. Nice one Jeff.

[Learn more...](#)

## Want To Learn More About DADman?

### Pro Tools MTRX - A Comprehensive Overview

Avid



Watch on

Although this video is billed as a Pro Tools MTRX overview, the reality is that once Avid Production Specialist Jeff Komar gets past outlining the hardware I/O, the rest of the video really is all about how to use DADman to configure and control your Pro Tools MTRX. Again, even though this video focuses on the MTRX, all the principles apply to any compatible hardware that uses DADman software.

## **Avid Coffee & Consoles: Getting the Most Out of MTRX and MTRX Studio**

Avid Pro Tools



Watch on

This extended 1-hour video tutorial, again from Jeff Komar, examines the concepts of signal flow and I/O patching and monitoring with the MTRX and MTRX Studio products. Understanding and managing the PRO | MON monitoring environment in DADman, whether for stereo or Dolby Atmos workflows, is a critical part of working with the MTRX devices. Some creative and unconventional uses for Fold Downs, Talkback, and Monitor paths are also explored.

To help you jump to the topic you need help on, here are links to allow you to jump straight to the chapter that you are specifically interested in...

- [00:00](#) Introduction
- [02:55](#) Device List in DADman - connected devices overview
- [03:35](#) PRO | MON and Monitor Profiles - structure of Monitors

- [06:00](#) Control Room Sources
- [08:15](#) Control Room Outputs
- [09:20](#) Control Room Fold Downs
- [10:06](#) Control Room Meters
- [10:30](#) Monitor Sources - Add Existing
- [10:55](#) Import from Profile
- [12:15](#) Signal Flow using the Con patchbay
- [13:30](#) Labeling DigiLink and MADI ports in DADman
- [14:20](#) Patching Analog I/O into Pro Tools
- [16:50](#) Monitoring and Patching Sources
- [18:50](#) Patching the Dolby Renderer to MTRX
- [23:30](#) Returning Speakers and ReRenders into Monitor Profile
- [25:20](#) Patching 5.1 and BIN ReRenders from MADI to Dante
- [28:55](#) Dante Optimization and Best Practices
- [30:40](#) Creating and assigning a 9.1.6 Custom Group format
- [34:55](#) Bass Management
- [38:26](#) Control Systems: MOM, MTRX Studio & EUCON
- [39:45](#) Unconventional Applications of Fold Down Matrix
- [42:30](#) Speaker Group Solos with Fold Matrix

- [45:30](#) Alternative Applications for the Meter Path
- [50:10](#) Setting up a Talkback Slate to Pro Tools
- [51:55](#) Sending LTC over the Dante Network
- [54:10](#) Input EQ and Delay Processing

## Setting Up Avid MTRX II For Dolby Atmos

Avid Pro Tools



Watch on

This Avid video covers the complete process to set up the Avid MTRX II for a Dolby Atmos workflow, but there are two very useful chapters covering the setup and configuration of the MTRX II in DADman.

- [03:34](#) DADman Configuration & Monitor Creation
- [07:55](#) DADman Headphone Monitor for Binaural

# Avid Pro Tools Tech Tips Series

Avid



Watch on

Avid has put together an excellent [YouTube Playlist of MTRX and MTRX Studio](#) single issue video tutorials. Most are simple short videos with video and text overlays rather than a voiceover but don't write them off, they contain a lot of useful information.

- Control Pro Tools | MTRX Studio from a Tablet or Avid Dock
- Pro Tools Tech Tip — MTRX Studio in Focus
- Pro Tools Tech Tip — MTRX 101 Part 1
- Pro Tools Tech Tip — MTRX Dante Creative
- Pro Tools Tech Tip — MTRX Studio Overview

- Pro Tools Tech Tip — MTRX Master Meters
- Pro Tools Tech Tip — Patching MTRX to the DAW
- Pro Tools Tech Tip — MTRX Studio Preamps
- Pro Tools Tech Tip — MTRX Studio Footswitch
- Pro Tools Tech Tip — Connecting MTRX Devices
- Pro Tools Tech Tip — MTRX Studio Cue Mixes
- Pro Tools Tech Tip — MTRX Labeling Inputs & Outputs
- Pro Tools Tech Tip — Clocking with MTRX Studio
- Pro Tools Tech Tip — Get Up & Running with MTRX Studio
- Pro Tools Tech Tip — Dolby Audio Bridge & MTRX Studio
- Pro Tools Tech Tip — MTRX Slate Input
- Pro Tools | MTRX — MOM Layers
- Pro Tools Tech Tip — Custom Groups
- Pro Tools Tech Tip — DADman Basics
- Pro Tools Tech Tip — Re-Recording with Dante
- Pro Tools Tech Tip — Dante Virtual Soundcard
- Pro Tools Tech Tip — SRC with Dante-128
- Pro Tools Tech Tip — Creating Solo Shortcuts
- Pro Tools Tech Tip — Parallel Cue Outputs

- Pro Tools Tech Tip — DADman Preferences
- Pro Tools Tech Tip — MTRX Studio & External Reverb
- Pro Tools Tech Tip — MTRX DigiLink Expansion

## First Steps With MTRX Studio

There is an excellent thread on the DUC with lots of useful tips called [First Steps With MTRX Studio](#). Enjoy.

## Conclusion

We hope you find this article helpful. If you were hoping that having bought an interface from the Avid MTRX range or any of the DAD interfaces, you would need to know how to set it all up, then, like me, you may be disappointed. I started collating it because I couldn't find a one-stop-shop on all things DADman when I was setting up my MTRX Studio.

DADman is incredibly powerful, and because of that, it isn't really possible to have a Quick Start guide. To configure any devices that depend on DADman, the key is to first establish what you need it to do and then spend some time configuring it using DADman to meet your specific requirements.

I found that once I got my head into it, it became easier to get to grips with DADman and so be able to configure it to do so many clever things. Be patient, and you will get there.

Featured