

TOC

Whats new API v11	2
Added Resources	2
Removed Resources	5
Modified Resources	5
Glossary	29

Whats new API v11

- [Added Resources](#)
- [Removed Resources](#)
- [Modified Resources](#)

Added Resources

- [LoginAsAccessRule](#)
- [LoginAsAdditionalRule](#)
- [LoginAsSettings](#)
- [ReportableBudgetedHour](#)

LoginAsAccessRule

Direct Fields	<ul style="list-style-type: none">• accessExpirationDate• accessorID• customerID• ID• userID
Reference Fields	<ul style="list-style-type: none">• accessor• customer• user
Core Fields	<ul style="list-style-type: none">• ID• objCode

LoginAsAdditionalRule

Direct Fields	<ul style="list-style-type: none">• customerID• ID• loginAsSettingsID• objID• objObjCode
Reference Fields	<ul style="list-style-type: none">• customer
Core Fields	<ul style="list-style-type: none">• ID• objCode

LoginAsSettings

Direct Fields	<ul style="list-style-type: none">• customerID• licenseTypes• ID• restrictedLoginAs
Reference Fields	<ul style="list-style-type: none">• customer
Collection Fields	<ul style="list-style-type: none">• additionalRules
Core Fields	<ul style="list-style-type: none">• ID• objCode

ReportableBudgetedHour

Reportable Budgeted Hour has been added to the Workfront API as a resource for Reporting. It features reference fields, core fields, and default fields that are absent in Budgeted Hour.

Direct Fields	<ul style="list-style-type: none">• allocationDate The Allocation Date is the first day (a Sunday) of the week for which you budgeted the hours in the Resource Planner.• budgetedHours Budgeted Hours are hours that the resource manager budgets for the work that resources need to complete on projects• ID The unique Workfront ID assigned to a specific Reportable Budgeted Hour object.• plannedBudgetedHours• projectID The unique Workfront ID assigned to a specific Project.• roleID The unique Workfront ID assigned to a specific Job Role.• userID The unique Workfront ID assigned to a specific User.
Reference Fields	<ul style="list-style-type: none">• project The Project that a ReportableBudgetedHour is associated with.• role The Job Role that a ReportableBudgetedHour is associated with.• user The User that a ReportableBudgetedHour is associated with.

Core Fields	<ul style="list-style-type: none">• ID• name• objCode
Default Fields	<ul style="list-style-type: none">• name
Operations	<ul style="list-style-type: none">• COUNT• GET• REPORT• SEARCH

Removed Resources

No resources were removed for API v11.

Modified Resources

- [AccessLevelPermissions](#)
- [AccessRequest](#)
- [AccessRule](#)
- [Approval](#)
- [ApprovalPath](#)
- [ApprovalProcess](#)
- [Assignment](#)
- [BaselineTask](#)
- [Whats new API v11](#)
- [Category](#)
- [Company](#)
- [CustomEnum](#)
- [Customer](#)
- [CustomerPreferences](#)
- [DocMetaLinkGroup](#)
- [Document](#)

- [Iteration](#)
- [Layout Template](#)
- [MilestonePath](#)
- [Note](#)
- [OpTask](#)
- [Parameter](#)
- [Portfolio](#)
- [Program](#)
- [Project](#)
- [ProofApproval](#)
- [QueueDef](#)
- [ReservedTime](#)
- [ResourcePlannerFilter](#)
- [Risk](#)
- [ScheduledReport](#)
- [ScoreCardQuestion](#)
- [Task](#)
- [Team](#)
- [Template](#)
- [TemplateAssignment](#)
- [TemplateTask](#)
- [Timesheet](#)
- [Update](#)
- [User](#)
- [UserNote](#)
- [Work](#)

AccessLevelPermissions

An AccessLevelPermissions object represents the set of permissions. This set of permissions can then be associated with an Access Level.

Direct Fields

The following fields added the possible value BUDGETING_INFORMATION. This allows users with permission to edit priorities and budget hours in the planner.

- **coreAction**
- **forbiddenActions**
- **secondaryActions**

AccessRequest

If a User does not have access to an object in Workfront that they need, they can request access to that object. The AccessRequest object represents this request.

Direct Fields

- **action**

Added the possible value BUDGETING_INFORMATION. This allows users with permission to edit priorities and budget hours in the planner.

AccessRule

An AccessRule object represents a rule set in custom access levels that determines how users can share projects they create.

Direct Fields

The following fields added the possible value BUDGETING_INFORMATION. This allows users with permission to edit priorities and budget hours in the planner.

- **coreAction**
- **forbiddenActions**
- **secondaryActions**

Approval

A given work item, such as a task, document, or timesheet, may require that a supervisor or other user sign off on the work item. An Approval object represents the action of signing off on a work item.

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **constraintDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to the public API for transparency in calculating EAC (Estimate at Completion).

- **bcwp**

Also known as the Earned Value, the Budgeted Cost of Work Performed (BCWP) is a project performance metric that represents the budgeted cost of the amount of the task that has actually completed at the time when this metric is calculated. For tasks, $BCWP = \text{Actual Percent Complete} \times \text{Task Budget}$. For Projects, $BCWP = \text{SUM}(\text{BCWP values of all parent and individual tasks})$.

- **bcws**

Also known as the Planned Value, the Budgeted Cost of Work Scheduled (BCWS) is a project performance metric that represents the budgeted cost of the amount of the task that should have completed at the time when this metric is calculated. For tasks, $BCWS = \text{Planned Percent Complete} \times \text{Task Budget}$. For projects, $BCWS = \text{SUM}(\text{BCWS values of all parent and individual tasks})$.

The following fields added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

- **durationUnit**
- **workUnit**

The following fields added the flag CURRENCY

- **projectBudgetedCost**
- **projectNetValue**

The following fields were removed from the Approval object.

- **reservedTimeID**
- **timelineExceptionInfo**

The following field was added to the Approval object.

- **storyPoints**

Reference Fields

- **reservedTime**

Removed from the Approval object

Collection Fields

- **allConditions**

Added to the Approval object.

ApprovalPath

An ApprovalPath object is a branch within an Approval Process. Approval Paths are based on the status of the object that the Approval Process is associated with.

Direct Fields

- **durationUnit**

Added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

ApprovalProcess

An ApprovalProcess is a multi-step Approval that can be associated with a Project, Task, or Issue.

Direct Fields

- **isActive**

This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.

Default Fields

- **isActive**

Added.

Assignment

Direct Fields

- **workUnit**

Added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

BaselineTask

Baselines are snapshots of what the performance of a project looked like at a given moment in time. They store key pieces of information about the project, like key dates, progress, cost and revenue values. When you create a baseline, the task information is also captured on the baseline tasks of that baseline.

Direct Fields

- **durationUnit**

Added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

Category

A Category object is a custom form. You can build reports for this object and you can show it in other object reports, as well.

Direct Fields

- **isActive**

This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.

Default Fields

- **isActive**

Added

Company

A Company object represents an organization consisting of a collection of people. Companies are associated with a user or a project.

Direct Fields	<ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p>
Default Fields	<ul style="list-style-type: none"> • isActive <p>Added</p>

CustomEnum

Actions	<p>The following actions were added to the CustomEnum object</p> <ul style="list-style-type: none"> • getDefaultOpTaskConditionEnum • getDefaultProjectConditionEnum • getDefaultTaskConditionEnum
Queries	<p>The following queries were added to the CustomEnum object</p> <ul style="list-style-type: none"> • opTaskConditions • projectConditions • opTaskConditions

Customer

A Customer object represents an organization that uses an instance of Workfront.

Direct Fields	<ul style="list-style-type: none"> • customEnumTypes <p>Added possible values:</p> <ul style="list-style-type: none"> ◦ CONDITION_PROJ (Project Conditions) ◦ CONDITION_TASK (Task Conditions) ◦ CONDITION_OPTASK (Issue Conditions)
Reference Fields	<ul style="list-style-type: none"> • loginAsSettings <p>Added.</p>
Actions	<p>The following actions were added to the Customer object</p> <ul style="list-style-type: none"> • goalsEnabled • updateLoginAsSettings

CustomerPreferences

A CustomerPreferences object represents the set of preferences that a customer has set for their instance of Workfront.

Direct Fields	<ul style="list-style-type: none"> • name <p>Added possible values:</p> <ul style="list-style-type: none"> ◦ password:password.eauthPolicy (Password Complexity Requirements) ◦ password:password.minimumLength (Minimum Password Length) ◦ password:mobileSessionTimeout (Mobile Session Time Out) ◦ project.mgmt:default.project.usertimeoff (User Time Off) ◦ timesheet:default.timesheet.manualrole (Manual control role) ◦ proof:defaultNonRecipientRole (config.proofhq.defaultnonrecipientrole) ◦ proof:defaultNonRecipientGuestRole (config.proofhq.defaultnonrecipientguestrole)
----------------------	--

DocMetaLinkGroup

Actions

- **getMetadataDetailsForDocument**

Added

Document

A Document object represents a file (such as written material, images, or other forms of information).

Actions

The following actions were added to the Document object.

- **completeLargeDocument**
- **createLargeDocument**
- **createProofRest**
- **getDocumentProofTemplate**
- **getProofRecipients**
- **getProofStages**
- **getProofTemplate**

Iteration

An Iteration object represents a single Agile Iteration. Iterations are discrete periods of time used to plan and complete Agile stories.

Direct Fields

The following fields were added to the Iteration object.

- **originalTotalPoints**
- **points Completed**
- **totalPoints**

Layout Template

A Layout Template object represents a particular arrangement of layout elements, such as the main menu, navigation panel, or the Home area. Layout templates can be assigned to users, teams, groups, or job roles.

Direct Fields	<ul style="list-style-type: none"> • showHomeTimestamps <p>This field was added, and is a boolean parameter that has a value of true if a Layout Template is set to show timestamps for due dates in the Work List and Calendar, and false if it is set to hide timestamps.</p>
Default Fields	<ul style="list-style-type: none"> • showHomeTimestamps <p>Added</p>

MilestonePath

A milestone is a marker on a task indication that it is a key point in the Project. Generally used to denote a significant event such as the completion of a phase of the project or a set of critical activities. A MilestonePath object is a collection of milestones.

Direct Fields	<ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p>
Default Fields	<ul style="list-style-type: none"> • isActive <p>Added</p>

Note

A Note object is a comment or update made on a Workfront object.

Direct Fields	<p>The following fields were added to the Note object.</p> <ul style="list-style-type: none"> • proofID
Collection Fields	<ul style="list-style-type: none"> • likes <p>Added</p>

OpTask

An OpTask object is commonly known as an Issue. An issue is a work item that usually indicates that there is a problem preventing the completion of a task or project. An Issue can also be a Help Desk request. Change Orders, Requests, and Bugs are also Issues.

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to OpTask.

- **kanbanBoardID**
The unique Workfront ID of a Kanban Board object.
- **percentComplete**
Percent Complete is a parameter that will return the completed amount of an issue, as a percentage.
- **storyPoints**
- **work**

Collection Fields

- **allConditions**

Added

Search Fields

- **work**

Removed

Default Fields

- **percentComplete**

Added

Actions

The following actions were added to the OpTask object

- **bulkMove**
- **copyIssue**

Parameter

A Parameter object is a custom field.

Direct Fields

- **displayType**

Added possible value TYAH (Typeahead).

- **refObjCode**

This field was added and refers to the object code of a referenced object. Object codes for all objects can be found in the [API Explorer in the new Workfront experience](#).

Portfolio

A Portfolio object is a collection of projects that compete for the same resources, typically money or people to complete them.

Direct Fields

- **description**

Added the validator MAX_LENGTH, which specifies that the length of the description is no more than 4000 characters.

Program

A Program object is a subset within a portfolio, where similar projects can be grouped together.

Direct Fields	<ul style="list-style-type: none">• description Added the validator MAX_LENGTH, which specifies that the length of the description is no more than 4000 characters.• isActive This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.• name Added the validator MAX_LENGTH, which specifies that the length of the name is no more than 255 characters.
Default Fields	<ul style="list-style-type: none">• isActive Added

Project

Projects are work items within Workfront, and are a main building block in the way Workfront helps people to do work. A Project object represents a group of tasks with a common, specific goal.

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to the public API for transparency in calculating EAC (Estimate at Completion).

- **bcwp**

Also known as the Earned Value, the Budgeted Cost of Work Performed (BCWP) is a project performance metric that represents the budgeted cost of the amount of the task that has actually completed at the time when this metric is calculated. For tasks, $BCWP = \text{Actual Percent Complete} \times \text{Task Budget}$. For Projects, $BCWP = \text{SUM}(\text{BCWP values of all parent and individual tasks})$.

- **bcws**

Also known as the Planned Value, the Budgeted Cost of Work Scheduled (BCWS) is a project performance metric that represents the budgeted cost of the amount of the task that should have completed at the time when this metric is calculated. For tasks, $BCWS = \text{Planned Percent Complete} \times \text{Task Budget}$. For projects, $BCWS = \text{SUM}(\text{BCWS values of all parent and individual tasks})$.

The following fields added the flag CURRENCY

- **projectBudgetedCost**
- **projectNetValue**

The following field was removed from the Project object.

- **timelineExceptionInfo**

Collection Fields

- **allConditions**

Added

ProofApproval

Direct Fields

- **isAwaitingDecision**

This field was added, and is a boolean parameter that has a value of true if a proof is awaiting a decision and false if it is not.

QueueDef

A QueueDef object represents a Queue, which is a Project that has been published to the Help Desk area to allow users to submit Issues to it.

Direct Fields

The following fields added the possible value BUDGETING_INFORMATION. This allows users with permission to edit priorities and budget hours in the planner.

- **requestorCoreAction**
- **requestorForbiddenActions**

ReservedTime

The ReservedTime object represents days specified on a User's Personal Time, indicating that the User will not be available for work.

The ReservedTime object added the flag REPORTABLE.

Direct Fields

The following fields removed the flag NOT_GROUPABLE.

- **endDate**
- **extRefID**
- **startDate**

The following field was removed from the ReservedTime object.

- **taskID**

Reference Fields

- **task**

Removed

Operations	<ul style="list-style-type: none"> • EDIT <p>Added</p>
-------------------	--

ResourcePlannerFilter

A ResourcePlannerFilter object is a set of rules that determine which items will display in the Resource Planner.

The ResourcePlannerFilter object added the flag SHARABLE. There were no other changes to the object.

Risk

Direct Fields	<p>The following fields were added to the Risk object:</p> <ul style="list-style-type: none"> • enteredByID <p>The ID of the user that originally created the object.</p> <ul style="list-style-type: none"> • entryDate <p>The date an object was submitted by a user in Workfront.</p> <ul style="list-style-type: none"> • lastUpdateDate <p>The Last Update Date parameter will return that Date that the Last Update was made to an object,</p> <ul style="list-style-type: none"> • lastUpdatedByID <p>Last Updated By ID is a parameter that will return the User ID of the last User that updated the object.</p>
Reference Fields	<p>The following Reference Fields were added to the Risk object.</p> <ul style="list-style-type: none"> • enteredBy • lastUpdatedBy

ScheduledReport

A ScheduledReport object represents a report that has been configured to be scheduled for delivery.

Direct Fields

- **pageSize**

Added the following possible values:

- A2
- A1
- A0

ScoreCardQuestion

A ScoreCardQuestion object represents a question that has been added to a Scorecard. These questions are usually determined by the Portfolio manager, and Their answers allow the manager to understand how well a project aligns with the goals of the portfolio.

Direct Fields

- **displayType**

Added possible value TYAH (Typeahead)

Task

A Task object represents a work item that must be performed as a step toward achieving a final goal (completing a Project).

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **constraintDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to the public API for transparency in calculating EAC (Estimate at Completion).

- **bcwp**

Also known as the Earned Value, the Budgeted Cost of Work Performed (BCWP) is a project performance metric that represents the budgeted cost of the amount of the task that has actually completed at the time when this metric is calculated. For tasks, $BCWP = \text{Actual Percent Complete} \times \text{Task Budget}$. For Projects, $BCWP = \text{SUM}(\text{BCWP values of all parent and individual tasks})$.

- **bcws**

Also known as the Planned Value, the Budgeted Cost of Work Scheduled (BCWS) is a project performance metric that represents the budgeted cost of the amount of the task that should have completed at the time when this metric is calculated. For tasks, $BCWS = \text{Planned Percent Complete} \times \text{Task Budget}$. For projects, $BCWS = \text{SUM}(\text{BCWS values of all parent and individual tasks})$.

The following fields added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

- **durationUnit**
- **workUnit**

The following field was removed from the Task object.

- **reservedTimeID**

The following field was added to the Task object.

- **storyPoints**

Reference Fields	<ul style="list-style-type: none"> • reservedTime <p>Removed</p>
Collection Fields	<ul style="list-style-type: none"> • allConditions <p>Added</p>

Team

Direct Fields	<ul style="list-style-type: none"> • agileEstimateType <p>This field was added to the Team object. Agile Estimate Type determines how the work load of a story is estimated. If estimated in hours, then this is the number of Planned Hours that are added to the story. If estimated in points, each point will add a number of Planned Hours to the story based on how the points are set (default is 8 hours). Possible values for Agile Estimate Type are:</p> <ul style="list-style-type: none"> ◦ STORY_POINTS (Story Points) ◦ HOURS (Hours) ◦ LEGACY_POINTS (Hours as Points)
----------------------	---

Template

A Template object represents a pattern for a Project. Projects can be created from Templates to save time. A Template contains a Team and Tasks, which will be copied to a Project when the Template is used.

Direct Fields	<ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p>
Collection Fields	<ul style="list-style-type: none"> • allPriorities <p>Added</p>

Default Fields	<ul style="list-style-type: none"> • isActive <p>Added</p>
-----------------------	--

TemplateAssignment

Direct Fields	<ul style="list-style-type: none"> • workUnit <p>Added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.</p>
----------------------	---

TemplateTask

A TemplateTask object represents a Task that is part of a Template. Template Tasks become Tasks in the Project where the Template is used.

Direct Fields	<p>The following fields added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.</p> <ul style="list-style-type: none"> • durationUnit • workUnit
Collection Fields	<ul style="list-style-type: none"> • allPriorities <p>Added</p>

Timesheet

A Timesheet object represents a virtual timecard that allows Users to enter actual hours worked for Tasks, Projects, and overhead Hour Types.

Core Fields	<ul style="list-style-type: none"> • objCode <p>Removed</p>
--------------------	---

Update

Work Items in Workfront can be updated to keep users informed of the current status. An Update object represents one of these updates. Updates can be entered by users or created by the Workfront system.

Direct Fields	<ul style="list-style-type: none"> • updateType <p>Added possible value referenceObjectCustomData (enum.updatetypeenum.referenceobjectcustomdata)</p>
Queries	<p>The following queries were added to the Update object.</p> <ul style="list-style-type: none"> • objectUpdatesMobile • updateThreadMobile

User

Collection Fields	<ul style="list-style-type: none"> • loginAsAccessRules <p>Added</p>
Actions	<p>The following actions were added to the User object.</p> <ul style="list-style-type: none"> • hasGrantLoginAsAccess • isUserAdmin
Queries	<ul style="list-style-type: none"> • userAdmins <p>Added</p>

UserNote

Actions	<p>The following actions were added to the User object.</p> <ul style="list-style-type: none"> • acknowledgeMyNotifications • unacknowledgedAllObjectsTypeCount
Queries	<ul style="list-style-type: none"> • myAllObjectTypesUnreadNotifications <p>Added</p>

Work

A Work object is a common interface that both Task and OpTask inherit, and shares common code between the two.

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **constraintDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to the public API for transparency in calculating EAC (Estimate at Completion).

- **bcwp**

Also known as the Earned Value, the Budgeted Cost of Work Performed (BCWP) is a project performance metric that represents the budgeted cost of the amount of the task that has actually completed at the time when this metric is calculated. For tasks, $BCWP = \text{Actual Percent Complete} \times \text{Task Budget}$. For Projects, $BCWP = \text{SUM}(\text{BCWP values of all parent and individual tasks})$.

- **bcws**

Also known as the Planned Value, the Budgeted Cost of Work Scheduled (BCWS) is a project performance metric that represents the budgeted cost of the amount of the task that should have completed at the time when this metric is calculated. For tasks, $BCWS = \text{Planned Percent Complete} \times \text{Task Budget}$. For projects, $BCWS = \text{SUM}(\text{BCWS values of all parent and individual tasks})$.

The following fields added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

- **durationUnit**
- **workUnit**

The following field was removed from the Work object.

- **reservedTimeID**

The following field was added to the Work object.

- **storyPoints**

Reference Fields	<ul style="list-style-type: none">• reservedTime Removed
Collection Fields	<ul style="list-style-type: none">• allConditions Added
Actions	<p>The following actions were added to the Work object.</p> <ul style="list-style-type: none">• getWFHomeObjectsFilterSortBy• getWFHomeObjectsListWithoutDate• getWFHomeObjectsProjectItemList• getWFHomeObjectsProjectList

Glossary

M

My Term

My definition