

TOC

Whats new API v11	2
Added Resources	2
Removed Resources	7
Modified Resources	7
Glossary	41

Whats new API v11

- [Added Resources](#)
- [Removed Resources](#)
- [Modified Resources](#)

Added Resources

- [LoginAsAccessRule](#)
- [LoginAsAdditionalRule](#)
- [LoginAsSettings](#)
- [ProofAction](#)
- [ReportableBudgetedHour](#)
- [UITemplate](#)

LoginAsAccessRule

Direct Fields	<ul style="list-style-type: none">• accessExpirationDate• accessorID• customerID• ID• userID
Reference Fields	<ul style="list-style-type: none">• accessor• customer• user
Collection Fields	N/A
Search Fields	N/A
Core Fields	<ul style="list-style-type: none">• ID• objCode
Default Fields	N/A
Actions	N/A

Queries	N/A
Operations	N/A

LoginAsAdditionalRule

Direct Fields	<ul style="list-style-type: none"> customerID ID loginAsSettingsID objID objObjCode
Reference Fields	<ul style="list-style-type: none"> customer
Collection Fields	N/A
Search Fields	N/A
Core Fields	<ul style="list-style-type: none"> ID objCode
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

LoginAsSettings

Direct Fields	<ul style="list-style-type: none"> customerID licenseTypes ID restrictedLoginAs
Reference Fields	<ul style="list-style-type: none"> customer
Collection Fields	<ul style="list-style-type: none"> additionalRules
Search Fields	N/A
Core Fields	<ul style="list-style-type: none"> ID objCode
Default Fields	N/A

Actions	N/A
Queries	N/A
Operations	N/A

ProofAction

Direct Fields	<ul style="list-style-type: none"> • ID • name
Reference Fields	
Collection Fields	
Search Fields	
Core Fields	<ul style="list-style-type: none"> • ID • name • objCode
Default Fields	
Actions	
Queries	
Operations	<ul style="list-style-type: none"> • ADD This is the only operation available at present. • COUNT • GET • REPORT This object is not reportable • SEARCH This object is not searchable

ReportableBudgetedHour

Direct Fields	<ul style="list-style-type: none"> • allocationDate The Allocation Date is the first day (a Sunday) of the week for which you budgeted the hours in the Resource Planner. • budgetedHours Budgeted Hours are hours that the resource manager budgets for the work that resources need to complete on projects • ID The unique Workfront ID assigned to a specific Reportable Budgeted Hour object. • plannedBudgetedHours • projectID The unique Workfront ID assigned to a specific Project. • roleID The unique Workfront ID assigned to a specific Job Role. • userID The unique Workfront ID assigned to a specific User.
Reference Fields	<ul style="list-style-type: none"> • project The Project that a ReportableBudgetedHour is associated with. • role The Job Role that a ReportableBudgetedHour is associated with. • user The User that a ReportableBudgetedHour is associated with.
Collection Fields	N/A

Search Fields	N/A
Core Fields	<ul style="list-style-type: none"> • ID • name • objCode
Default Fields	<ul style="list-style-type: none"> • name
Actions	N/A
Queries	N/A
Operations	<ul style="list-style-type: none"> • COUNT • GET • REPORT • SEARCH

UITemplate

Direct Fields	<ul style="list-style-type: none"> • customerID • description • enteredByID • entryDate • extRefID • groupID • ID • lastUpdateDate • lastUpdatedByID • name
Reference Fields	<ul style="list-style-type: none"> • customer • enteredBy • group • lastUpdatedBy
Collection Fields	N/A
Search Fields	N/A

Core Fields	<ul style="list-style-type: none">• ID• name• objCode
Default Fields	<ul style="list-style-type: none">• name
Actions	N/A
Queries	N/A
Operations	<ul style="list-style-type: none">• COUNT• DELETE• GET• REPORT• SEARCH

Removed Resources

No resources were removed for API v11.

Modified Resources

- [AccessLevelPermissions](#)
- [AccessRequest](#)
- [AccessRule](#)
- [Approval](#)
- [ApprovalPath](#)
- [ApprovalProcess](#)
- [Assignment](#)
- [BaselineTask](#)
- [BurndownEvent](#)
- [Category](#)
- [Company](#)
- [CustomEnum](#)
- [Customer](#)

- [CustomerPreferences](#)
- [DocMetaLinkGroup](#)
- [Document](#)
- [Group](#)
- [Iteration](#)
- [Layout Template](#)
- [MilestonePath](#)
- [Note](#)
- [OpTask](#)
- [Parameter](#)
- [Portfolio](#)
- [Program](#)
- [Project](#)
- [ProofApproval](#)
- [QueueDef](#)
- [ReservedTime](#)
- [ResourcePlannerFilter](#)
- [Risk](#)
- [Role](#)
- [ScheduledReport](#)
- [ScoreCardQuestion](#)
- [Task](#)
- [Team](#)
- [Template](#)
- [TemplateAssignment](#)
- [Timesheet](#)
- [Update](#)
- [User](#)
- [UserNote](#)

- [Work](#)

AccessLevelPermissions

Direct Fields	<p>The following fields added the possible value BUDGETING_INFORMATION. This allows users with permission to edit priorities and budget hours in the planner.</p> <ul style="list-style-type: none"> • coreAction • forbiddenActions • secondaryActions
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

AccessRequest

Direct Fields	<ul style="list-style-type: none"> • action <p>Added the possible value BUDGETING_INFORMATION. This allows users with permission to edit priorities and budget hours in the planner.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A

Queries	N/A
Operations	N/A

AccessRule

Direct Fields	<p>The following fields added the possible value BUDGETING_INFORMATION. This allows users with permission to edit priorities and budget hours in the planner.</p> <ul style="list-style-type: none">• coreAction• forbiddenActions• secondaryActions
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Approval

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **constraintDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to the public API for transparency in calculating EAC (Estimate at Completion).

- **bcwp**

Also known as the Earned Value, the Budgeted Cost of Work Performed (BCWP) is a project performance metric that represents the budgeted cost of the amount of the task that has actually completed at the time when this metric is calculated. For tasks, $BCWP = \text{Actual Percent Complete} \times \text{Task Budget}$. For Projects, $BCWP = \text{SUM}(\text{BCWP values of all parent and individual tasks})$.

- **bcws**

Also known as the Planned Value, the Budgeted Cost of Work Scheduled (BCWS) is a project performance metric that represents the budgeted cost of the amount of the task that should have completed at the time when this metric is calculated. For tasks, $BCWS = \text{Planned Percent Complete} \times \text{Task Budget}$. For projects, $BCWS = \text{SUM}(\text{BCWS values of all parent and individual tasks})$.

The following fields added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

- **durationUnit**
- **workUnit**

The following fields added the flag CURRENCY

- **projectBudgetedCost**
- **projectNetValue**

The following fields were removed from the Approval object.

- reservedTimeID
- timelineExceptionInfo

The following field was added to the Approval object.

- storyPoints

Reference Fields	<ul style="list-style-type: none"> • reservedTime <p>Removed from the Approval object</p>
Collection Fields	<ul style="list-style-type: none"> • allConditions <p>Added to the Approval object.</p>
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

ApprovalPath

Direct Fields	<ul style="list-style-type: none"> • durationUnit <p>Added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

ApprovalProcess

Direct Fields	<ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	<ul style="list-style-type: none"> • isActive
Actions	N/A
Queries	N/A
Operations	N/A

Assignment

Direct Fields	<ul style="list-style-type: none"> • workUnit <p>Added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

BaselineTask

Direct Fields	<ul style="list-style-type: none"> • durationUnit Added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

BurndownEvent

Direct Fields	<ul style="list-style-type: none"> • eventType This field has been added to the BurndownEvent object, and has the valuetype of string.
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Category

Direct Fields	<ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not.</p> <p>Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	<ul style="list-style-type: none"> • isActive
Actions	N/A
Queries	N/A
Operations	N/A

Company

Direct Fields	<ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not.</p> <p>Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	<ul style="list-style-type: none"> • isActive

Actions	N/A
Queries	N/A
Operations	N/A

CustomEnum

Direct Fields	N/A
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	<ul style="list-style-type: none"> • getDefaultOpTaskConditionEnum • getDefaultProjectConditionEnum • getDefaultTaskConditionEnum
Queries	<ul style="list-style-type: none"> • opTaskConditions • projectConditions • opTaskConditions
Operations	N/A

Customer

Direct Fields	<ul style="list-style-type: none"> • customEnumTypes <p>Added possible values:</p> <ul style="list-style-type: none"> ◦ CONDITION_PROJ (Project Conditions) ◦ CONDITION_TASK (Task Conditions) ◦ CONDITION_OPTASK (Issue Conditions)
Reference Fields	<ul style="list-style-type: none"> • loginAsSettings <p>Field was added.</p>
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A

Default Fields	N/A
Actions	<ul style="list-style-type: none"> • goalsEnabled • updateLoginAsSettings
Queries	N/A
Operations	N/A

CustomerPreferences

Direct Fields	<ul style="list-style-type: none"> • name <p>Added possible values:</p> <ul style="list-style-type: none"> ◦ password:password.eauthPolicy (Password Complexity Requirements) ◦ password:password.minimumLength (Minimum Password Length) ◦ password:mobileSessionTimeout (Mobile Session Time Out) ◦ project.mgmt:default.project.usertimeoff (User Time Off) ◦ timesheet:default.timesheet.manualrole (Manual control role) ◦ proof:defaultNonRecipientRole (config.proofhq.defaultnonrecipientrole) ◦ proof:defaultNonRecipientGuestRole (config.proofhq.defaultnonrecipientguestrole)
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

DocMetaLinkGroup

Direct Fields	N/A
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	getMetadataDetailsForDocument
Queries	N/A
Operations	N/A

Document

Direct Fields	N/A
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	<ul style="list-style-type: none"> • completeLargeDocument • createLargeDocument • createProofRest • getDocumentProofTemplate • getProofRecipients • getProofStages • getProofTemplate
Queries	N/A
Operations	N/A

Group

Direct Fields	<ul style="list-style-type: none"> • uiTemplateID Added
Reference Fields	<ul style="list-style-type: none"> • uiTemplate Added
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Iteration

Direct Fields	<p>The following fields were added to the Iteration object.</p> <ul style="list-style-type: none"> • originalTotalPoints • points Completed • totalPoints
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Layout Template

Direct Fields	<ul style="list-style-type: none"> • showHomeTimestamps <p>This field was added, and is a boolean parameter that has a value of true if a Layout Template is set to show timestamps for due dates in the Work List and Calendar, and false if it is set to hide timestamps.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	<ul style="list-style-type: none"> • showHomeTimestamps
Actions	N/A
Queries	N/A
Operations	N/A

MilestonePath

Direct Fields	<ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not.</p> <p>Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	<ul style="list-style-type: none"> • isActive
Actions	N/A
Queries	N/A
Operations	N/A

Note

Direct Fields	<ul style="list-style-type: none"> • proofActionID • proofID
Reference Fields	N/A
Collection Fields	<ul style="list-style-type: none"> • likes
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

OpTask

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to OpTask.

- **kanbanBoardID**
The unique Workfront ID of a Kanban Board object.
- **percentComplete**
Percent Complete is a parameter that will return the the completed amount of an issue, as a percentage.
- **storyPoints**
- **work**

Reference Fields	N/A
Collection Fields	<ul style="list-style-type: none"> • allConditions <p>Added</p>
Search Fields	<ul style="list-style-type: none"> • work <p>Removed</p>
Core Fields	N/A
Default Fields	<ul style="list-style-type: none"> • percentComplete <p>Added</p>
Actions	<ul style="list-style-type: none"> • bulkMove <p>Added</p> <ul style="list-style-type: none"> • copyIssue <p>Added</p>
Queries	N/A
Operations	N/A

Parameter

Direct Fields	<ul style="list-style-type: none"> • displayType <p>Added possible value TYAH (Typeahead).</p> <ul style="list-style-type: none"> • refObjCode <p>This field was added and refers to the object code of a referenced object. Object codes for all objects can be found in the API explorer.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Portfolio

Direct Fields	<ul style="list-style-type: none"> • description <p>Added the validator MAX_LENGTH, which specifies that the length of the description is no more than 4000 characters.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Program

Direct Fields	<ul style="list-style-type: none"> • description <p>Added the validator MAX_LENGTH, which specifies that the length of the description is no more than 4000 characters.</p> <ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p> <ul style="list-style-type: none"> • name <p>Added the validator MAX_LENGTH, which specifies that the length of the name is no more than 255 characters.</p>
Reference Fields	N/A

Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	<ul style="list-style-type: none">• isActive
Actions	N/A
Queries	N/A
Operations	N/A

Project

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to the public API for transparency in calculating EAC (Estimate at Completion).

- **bcwp**

Also known as the Earned Value, the Budgeted Cost of Work Performed (BCWP) is a project performance metric that represents the budgeted cost of the amount of the task that has actually completed at the time when this metric is calculated. For tasks, $BCWP = \text{Actual Percent Complete} \times \text{Task Budget}$. For Projects, $BCWP = \text{SUM}(\text{BCWP values of all parent and individual tasks})$.

- **bcws**

Also known as the Planned Value, the Budgeted Cost of Work Scheduled (BCWS) is a project performance metric that represents the budgeted cost of the amount of the task that should have completed at the time when this metric is calculated. For tasks, $BCWS = \text{Planned Percent Complete} \times \text{Task Budget}$. For projects, $BCWS = \text{SUM}(\text{BCWS values of all parent and individual tasks})$.

The following fields added the flag CURRENCY

- **projectBudgetedCost**
- **projectNetValue**

The following field was removed from the Project object.

- **timelineExceptionInfo**

Reference Fields	N/A
Collection Fields	allConditions
Search Fields	N/A

Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

ProofApproval

Direct Fields	<ul style="list-style-type: none"> • isAwaitingDecision <p>This field was added, and is a boolean parameter that has a value of true if a proof is awaiting a decision and false if it is not.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

QueueDef

Direct Fields	<p>The following fields added the possible value BUDGETING_INFORMATION. This allows users with permission to edit priorities and budget hours in the planner.</p> <ul style="list-style-type: none"> • requestorCoreAction • requestorForbiddenActions
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A

Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

ReservedTime

The ReservedTime object added the flag REPORTABLE.

Direct Fields	<p>The following fields removed the flag NOT_GROUPABLE.</p> <ul style="list-style-type: none"> • endDate • extRefID • startDate <p>The following field was removed from the ReservedTime object.</p> <ul style="list-style-type: none"> • TaskID
Reference Fields	<ul style="list-style-type: none"> • task <p>Removed</p>
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	<ul style="list-style-type: none"> • EDIT <p>Added</p>

ResourcePlannerFilter

The ResourcePlannerFilter object added the flag SHARABLE. There were no other changes to the object.

Risk

Direct Fields	<p>The following fields were added to the Risk object:</p> <ul style="list-style-type: none"> • enteredByID The ID of the user that originally created the object. • entryDate The date an object was submitted by a user in Workfront. • lastUpdateDate The Last Update Date parameter will return that Date that the Last Update was made to an object, • lastUpdatedByID Last Updated By ID is a parameter that will return the User ID of the last User that updated the object.
Reference Fields	<ul style="list-style-type: none"> • enteredBy • lastUpdatedBy
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Role

Direct Fields	<ul style="list-style-type: none"> • uiTemplateID
Reference Fields	<ul style="list-style-type: none"> • uiTemplate
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A

Queries	N/A
Operations	N/A

ScheduledReport

Direct Fields	<ul style="list-style-type: none"> • pageSize <p>Added the following possible values:</p> <ul style="list-style-type: none"> ◦ A2 ◦ A1 ◦ A0
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

ScoreCardQuestion

Direct Fields	<ul style="list-style-type: none"> • displayType <p>Added possible value TYAH (Typeahead)</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Task

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **constraintDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to the public API for transparency in calculating EAC (Estimate at Completion).

- **bcwp**

Also known as the Earned Value, the Budgeted Cost of Work Performed (BCWP) is a project performance metric that represents the budgeted cost of the amount of the task that has actually completed at the time when this metric is calculated. For tasks, $BCWP = \text{Actual Percent Complete} \times \text{Task Budget}$. For Projects, $BCWP = \text{SUM}(\text{BCWP values of all parent and individual tasks})$.

- **bcws**

Also known as the Planned Value, the Budgeted Cost of Work Scheduled (BCWS) is a project performance metric that represents the budgeted cost of the amount of the task that should have completed at the time when this metric is calculated. For tasks, $BCWS = \text{Planned Percent Complete} \times \text{Task Budget}$. For projects, $BCWS = \text{SUM}(\text{BCWS values of all parent and individual tasks})$.

The following fields added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

- **durationUnit**
- **workUnit**

The following field was removed from the Task object.

- **reservedTimeID**

The following field was added to the Task object.

- **storyPoints**

Reference Fields	<ul style="list-style-type: none"> reservedTime Removed
Collection Fields	<ul style="list-style-type: none"> allConditions Added
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Team

Direct Fields	<ul style="list-style-type: none"> agileEstimateType <p>Agile Estimate Type determines how the work load of a story is estimated. If estimated in hours, then this is the number of Planned Hours that are added to the story. If estimated in points, each point will add a number of Planned Hours to the story based on how the points are set (default is 8 hours). Possible values for Agile Estimate Type are:</p> <ul style="list-style-type: none"> STORY_POINTS (Story Points) HOURS (Hours) LEGACY_POINTS (Hours as Points) <ul style="list-style-type: none"> uiTemplateID
Reference Fields	<ul style="list-style-type: none"> uiTemplate
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A

Operations	N/A
------------	-----

Template

Direct Fields	<ul style="list-style-type: none"> • isActive <p>This field was added, and is a boolean parameter that has a value of true if an object is active and false if it is not. Objects that are set to Active appear in drop-down menus and type-ahead fields and can be attached to other objects. Objects not set to Active are not visible in drop-down menus and type-ahead fields to attach to other objects.</p>
Reference Fields	N/A
Collection Fields	<ul style="list-style-type: none"> • allPriorities
Search Fields	N/A
Core Fields	N/A
Default Fields	<ul style="list-style-type: none"> • isActive
Actions	N/A
Queries	N/A
Operations	N/A

TemplateAssignment

Direct Fields	<ul style="list-style-type: none"> • workUnit <p>Added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A

Operations	N/A
------------	-----

TemplateTask

Direct Fields	The following fields added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays. <ul style="list-style-type: none"> durationUnit workUnit
Reference Fields	N/A
Collection Fields	<ul style="list-style-type: none"> allPriorities
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Timesheet

Direct Fields	N/A
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	<ul style="list-style-type: none"> objCode Removed
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Update

Direct Fields	<ul style="list-style-type: none"> • updateType <p>Added possible value referenceObjectCustomData (enum.updateTypeenum.referenceobjectcustomdata)</p>
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	<ul style="list-style-type: none"> • objectUpdatesMobile • updateThreadMobile
Operations	N/A

User

Direct Fields	<ul style="list-style-type: none"> • uiTemplateID
Reference Fields	<ul style="list-style-type: none"> • uiTemplate
Collection Fields	<ul style="list-style-type: none"> • loginAsAccessRules
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	<ul style="list-style-type: none"> • hasGrantLoginAsAccess • isUserAdmin
Queries	<ul style="list-style-type: none"> • userAdmins
Operations	N/A

UserNote

Direct Fields	N/A
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A

Core Fields	N/A
Default Fields	N/A
Actions	<ul style="list-style-type: none">• acknowledgeMyNotifications• unacknowledgedAllObjectsTypeCount
Queries	<ul style="list-style-type: none">• myAllObjectTypesUnreadNotifications
Operations	N/A

Work

Direct Fields

The following fields added the validators AT_DATE_BEFORE_YEAR and AT_DATE_AFTER_YEAR. These validators specify that dates on associated objects can't be set before the year 1900 or after 2200.

- **actualCompletionDate**
- **actualStartDate**
- **constraintDate**
- **plannedCompletionDate**
- **plannedStartDate**

The following fields were added to the public API for transparency in calculating EAC (Estimate at Completion).

- **bcwp**

Also known as the Earned Value, the Budgeted Cost of Work Performed (BCWP) is a project performance metric that represents the budgeted cost of the amount of the task that has actually completed at the time when this metric is calculated. For tasks, $BCWP = \text{Actual Percent Complete} \times \text{Task Budget}$. For Projects, $BCWP = \text{SUM}(\text{BCWP values of all parent and individual tasks})$.

- **bcws**

Also known as the Planned Value, the Budgeted Cost of Work Scheduled (BCWS) is a project performance metric that represents the budgeted cost of the amount of the task that should have completed at the time when this metric is calculated. For tasks, $BCWS = \text{Planned Percent Complete} \times \text{Task Budget}$. For projects, $BCWS = \text{SUM}(\text{BCWS values of all parent and individual tasks})$.

The following fields added the possible value ET. This value represents the unit of time Elapsed Months, which refers to months without regard to weekends or holidays.

- **durationUnit**
- **workUnit**

The following field was removed from the Work object.

- **reservedTimeID**

The following field was added to the Work object.

- **storyPoints**

Reference Fields	<ul style="list-style-type: none"> reservedTime Removed
Collection Fields	<ul style="list-style-type: none"> allConditions Added
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	<ul style="list-style-type: none"> getWFHomeObjectsFilterSortBy
Queries	N/A
Operations	N/A

Table Template **DO NOT UNDRAFT**

Direct Fields	N/A
Reference Fields	N/A
Collection Fields	N/A
Search Fields	N/A
Core Fields	N/A
Default Fields	N/A
Actions	N/A
Queries	N/A
Operations	N/A

Glossary

M

My Term

My definition