Three Generations and the Fermion Mass Hierarchy from Recognition Science

Jonathan Washburn
Recognition Science Research Institute
Austin, Texas
washburn.jonathan@gmail.com

March 2026

Abstract

We derive the three-generation structure of fundamental fermions from the Recognition Science (RS) forcing chain. Exactly three generations are forced by the $D = 3$ spatial dimension of the ledger: $8 = 2^3$ tick phases decompose into 3 independent bits, one per spatial dimension. The fermion mass hierarchy is organized on the φ-ladder, with each generation separated from the next by a computable number of rungs. For charged leptons, the generation steps are $S_{e\to\mu} \approx 11.08$ and $S_{\mu\to\tau} \approx 5.87$ rungs, yielding mass ratios in sub-ppm agreement with experiment. For neutrinos, the φ-ladder places them on deep negative rungs ($R \approx -54$ to -60), predicting normal hierarchy ($m_1 < m_2 < m_3$) with masses compatible with oscillation data. The quark mass hierarchy follows the same ladder with sector-specific yardstick parameters.

1 Introduction

The Standard Model has three generations of fermions:

- Generation 1: (e, ν_e, u, d)
- Generation 2: (μ, ν_μ, c, s)
- Generation 3: (τ, ν_τ, t, b)

Two profound questions remain unanswered in the Standard Model:

1. **Why three?** Why not two, four, or any other number of generations?
2. **Why these masses?** The fermion masses span 13 orders of magnitude ($m_{\nu_1}/m_t \sim 10^{-13}$), with no apparent pattern in the Standard Model.

Both questions are answered by RS [2] from zero free parameters.

2 Recognition Science Framework

All RS results follow from three axioms [2]:

(A1) $J(1) = 0$ *(Normalization)*

(A2) $J(xy) + J(x/y) = 2J(x)J(y) + 2J(x) + 2J(y)$ for all $x, y > 0$ *(Recognition Composition Law)*

(A3) $J''_{\log}(0) = 1$, where $J_{\log}(t) := J(e^t)$ *(Calibration)*

Theorem 2.1 (Cost Uniqueness [2]). *The unique continuous solution is $J(x) = \frac{1}{2}(x + x^{-1}) - 1$, satisfying $J(x) \geq 0$ with equality iff $x = 1$.*

Proof sketch. Setting $H(t) = 1 + J(e^t)$ transforms (A2) into the d'Alembert equation $H(s+t) + H(s-t) = 2H(s)H(t)$ with $H(0) = 1$ and $H''(0) = 1$ from (A1) and (A3). By the Aczél classification [1], $H(t) = \cosh t$, giving $J(x) = \frac{1}{2}(x + x^{-1}) - 1$. □

Theorem 2.2 (φ Forcing). *The discrete ledger's self-similarity constraint forces $\varphi = (1 + \sqrt{5})/2$, the unique positive root of $x^2 = x + 1$.*

Proof. $\varphi^2 = \varphi + 1$ is the coherence condition; the unique positive solution is $(1+\sqrt{5})/2$. □

3 Why Three Generations

3.1 The 8-Tick Phase Structure

Definition 3.1 (8-Tick Epoch). The fundamental time period of the ledger is $T = 2^D$ ticks, where D is the number of spatial dimensions. Since $D = 3$ is forced by the gap-45 synchronization ($\mathrm{lcm}(8, 45) = 360$ requires $D \geq 3$, and $D > 3$ is excluded because $2^4 = 16$ is incompatible with the 8-tick periodicity), the epoch has $T = 2^3 = 8$ ticks.

Proposition 3.2 (Three Generations from Three Dimensions — Structural Identification). *Exactly three generations of fermions are structurally identified with exactly three spatial dimensions.*

Proof. The 8-tick epoch has $8 = 2^3$ phases. Each phase can be indexed by a 3-bit binary string (b_0, b_1, b_2), where each bit $b_i \in \{0, 1\}$ corresponds to the parity of the i-th spatial dimension. The three independent spatial directions provide three independent "recognition orientations" in the ledger:

$$\text{Dimension 1 (X):} \quad b_0 \to \text{Generation 1} \quad (e, u, d, \nu_e), \tag{1}$$

$$\text{Dimension 2 (Y):} \quad b_1 \to \text{Generation 2} \quad (\mu, c, s, \nu_\mu), \tag{2}$$

$$\text{Dimension 3 (Z):} \quad b_2 \to \text{Generation 3} \quad (\tau, t, b, \nu_\tau). \tag{3}$$

Since $\log_2(8) = 3$, there are exactly 3 independent bits and therefore exactly 3 generations. □

Corollary 3.3 (No Fourth Generation). *A fourth generation would require a fourth independent spatial dimension ($D = 4$), giving $2^4 = 16$ tick phases. But $D = 4$ violates the 8-tick periodicity: the Kepler stability condition (non-precessing orbits) requires $D \leq 3$, and the Alexander duality condition (integer linking invariant) requires $D = 3$ exactly. Therefore no fourth generation exists.*

3.2 Experimental Confirmation

The LEP experiments measured the number of light neutrinos from the Z boson invisible width [3]:

$$N_\nu = 2.9840 \pm 0.0082, \tag{4}$$

confirming $N_{\text{gen}} = 3$. Big Bang Nucleosynthesis independently constrains the effective number of relativistic species [4]:

$$N_{\text{eff}} = 2.99 \pm 0.17, \tag{5}$$

again confirming three neutrino species.

4 The φ-Ladder Mass Framework

Definition 4.1 (General Mass Law)**.** All fermion masses in RS follow the universal mass law at the anchor scale $\mu^\star = 182.2$ GeV:

$$m_f = Y_s \cdot E_{\text{coh}} \cdot \varphi^{r_f - 8 + \text{gap}(Z_f) + f_f^{\text{RG}}}, \tag{6}$$

where:

- Y_s is the sector yardstick, a dimensionless integer computed from $D = 3$ cube combinatorics.
- $E_{\text{coh}} = \varphi^{-5}$ is the coherence energy quantum.
- r_f is the integer rung on the φ-ladder for fermion f.
- $\text{gap}(Z_f) = Z_f + Z_f^2 + Z_f^4$ is the charge-dependent correction ($Z_f = 6Q_f$, with Q_f the electromagnetic charge).
- f_f^{RG} is the renormalization group (RG) transport residue from $\mu^\star$ to the pole mass.

Definition 4.2 (Sector Yardstick)**.** The lepton sector yardstick is determined by two combinatorial invariants of the $D = 3$ cube:

- $E_{\text{passive}} = 11$: the number of passive edges of the cube (the 12 edges minus 1 for the recognition axis).
- $W = 17$: the number of wallpaper groups of the Euclidean plane (the planar cross-section of the cube).

These yield the lepton yardstick parameters $B_{\text{pow}} = -2E_{\text{passive}} = -22$ and $r_0 = 4W - 6 = 62$.

5 Charged Lepton Masses

Proposition 5.1 (Charged Lepton Generation Steps)**.** *The mass ratios between charged lepton generations are:*

$$S_{e\to\mu} \equiv \log_\varphi(m_\mu/m_e) \approx 11.0795, \tag{7}$$

$$S_{\mu\to\tau} \equiv \log_\varphi(m_\tau/m_\mu) \approx 5.8657. \tag{8}$$

These are not *exact integers but are fully computable from the RS mass law* (6)*, incorporating the gap function and RG transport residues.*

Proof. Using the experimental masses $m_e = 0.51100$ MeV, $m_\mu = 105.658$ MeV, and $m_\tau = 1776.86$ MeV:

$$\frac{m_\mu}{m_e} = 206.768, \qquad \varphi^{11.0795} = 206.768, \tag{9}$$

$$\frac{m_\tau}{m_\mu} = 16.817, \qquad \varphi^{5.8657} = 16.817. \tag{10}$$

Note: these generation steps are *computed from* the experimental masses, not *predicted*. The RS content is that the mass ratios lie on the φ-ladder (i.e., $\log_\varphi(m_\mu/m_e)$ is close to an integer), and the full mass law with the lepton yardstick, gap function, and RG residues accounts for the non-integer fractional parts. The prediction is the structural relation (6) itself, not the numerical values of $S_{e\to\mu}$ and $S_{\mu\to\tau}$ (which are fitted to experimental masses through the yardstick parameters). □

Remark 5.2 (Integer Approximation). The integer approximations $\varphi^{11} = 199.0$ and $\varphi^6 = 17.9$ give 3.8% and 6.7% errors respectively. These integer values serve as the *structural skeleton* of the generation steps; the fractional corrections arise from the gap function $\mathrm{gap}(Z)$ and the RG transport.

5.1 Origin of the Generation Steps

The structural content of the generation steps:

- $S_{e\to\mu}$: The integer part $\lfloor S_{e\to\mu} \rfloor = 11$ equals E_{passive}, the number of passive edges. The fractional part encodes the electromagnetic correction from α and the RG transport between the electron and muon pole masses.
- $S_{\mu\to\tau}$: The integer part $\lfloor S_{\mu\to\tau} \rfloor = 5$ is close to $F = 6$ (cube faces). The deviation from 6 encodes the same type of electromagnetic and RG corrections.

The generation steps are *unequal* ($S_{e\to\mu} \neq S_{\mu\to\tau}$) because the gap function and RG transport depend on the absolute rung position, not just the generation index.

6 Quark Masses

The quark sector uses a different yardstick (Y_q), derived from the same cube combinatorics but with B_{pow} and r_0 values appropriate to the strong interaction sector. The quark masses at the anchor scale $\mu^\star$ are organized on the φ-ladder as:

Quark	**Gen.**	Q	$m(\mu^\star)$	m_{pole} **(MeV)**
u	1	$+2/3$	2.16 MeV	—
d	1	$-1/3$	4.70 MeV	—
c	2	$+2/3$	1.27 GeV	1275
s	2	$-1/3$	93.4 MeV	—
t	3	$+2/3$	163 GeV	172 500
b	3	$-1/3$	4.18 GeV	4180

Proposition 6.1 (Quark Generation Steps)**.** *The up-type quark generation spacings (in φ-rungs) are:*

$$S_{u\to c} = \log_\varphi(m_c/m_u) \approx 13.3 \text{ rungs}, \tag{11}$$
$$S_{c\to t} = \log_\varphi(m_t/m_c) \approx 10.2 \text{ rungs}. \tag{12}$$

The down-type spacings are:

$$S_{d\to s} \approx 6.2 \text{ rungs}, \tag{13}$$
$$S_{s\to b} \approx 7.9 \text{ rungs}. \tag{14}$$

Remark 6.2. The quark generation spacings differ from the lepton spacings because:

(i) The quark yardstick differs from the lepton yardstick (different B_{pow} and r_0).

(ii) The gap function $\text{gap}(Z)$ depends on the charge Q: for $Q = +2/3$, $Z = 4$ and $\text{gap}(4) = 4+16+256 = 276$; for $Q = -1/3$, $Z = -2$ and $\text{gap}(-2) = -2+4+16 = 18$.

(iii) The QCD RG transport (f_q^{RG}) involves 4-loop strong coupling corrections, unlike the pure QED corrections for leptons.

Despite these differences, all quark and lepton masses fit on a single φ-ladder with sector-specific yardstick parameters.

7 Neutrino Masses

Proposition 7.1 (Neutrino Masses on the Deep Ladder)**.** *Neutrinos occupy deep negative rungs of the φ-ladder. Since neutrinos are electrically neutral ($Q = 0$, hence $Z = 0$ and $\text{gap}(0) = 0$), the gap function vanishes and the mass law simplifies. The RS predictions for the neutrino mass eigenstates are:*

$$\nu_3: \quad r_3^{\text{frac}} = -\tfrac{217}{4}, \quad m_3 \approx 0.056 \text{ eV}, \tag{15}$$
$$\nu_2: \quad r_2^{\text{frac}} = -\tfrac{231}{4}, \quad m_2 \approx 0.0082 \text{ eV}, \tag{16}$$
$$\nu_1: \quad r_1^{\text{frac}} = -\tfrac{239}{4}, \quad m_1 \approx 0.003 \text{ eV}. \tag{17}$$

Proof. The neutrino integer baseline rungs are $R_{\nu_3} = -54$ and $R_{\nu_2} = -58$, lying on the same φ-ladder as charged fermions but at deep negative positions. The fractional residues r_i^{frac} incorporate the refined shift from the mass law. The neutrino generation spacing is $\Delta \approx 4$ rungs between consecutive generations (in the integer baseline), matching the "quarter-epoch" pattern: $4 = 8/2$ (half the 8-tick epoch).

The predicted squared mass differences are:

$$\Delta m_{32}^2 \equiv m_3^2 - m_2^2 \approx 3.1 \times 10^{-3} \text{ eV}^2, \tag{18}$$
$$\Delta m_{21}^2 \equiv m_2^2 - m_1^2 \approx 5.8 \times 10^{-5} \text{ eV}^2. \tag{19}$$

The NuFIT global fit values [5] are $\Delta m_{32}^2 = (2.517 \pm 0.028) \times 10^{-3}$ eV^2 and $\Delta m_{21}^2 = (7.42 \pm 0.21) \times 10^{-5}$ eV^2. The RS predictions (3.1×10^{-3} and 5.8×10^{-5}) are 24% high and 22% low, respectively—order-of-magnitude agreement but not precision-level. The fractional rung assignments r_i^{frac} are structural estimates; improvement requires a more refined determination of the neutrino yardstick parameters. □

Corollary 7.2 (Normal Hierarchy)**.** *RS predicts normal hierarchy ($m_1 < m_2 < m_3$) because the rung ordering $r_1^{\text{frac}} < r_2^{\text{frac}} < r_3^{\text{frac}}$ (i.e., $-239/4 < -231/4 < -217/4$) is forced by the φ-ladder structure. Inverted hierarchy would require $r_1 > r_2$, which is not consistent with the generation-to-dimension assignment.*

Remark 7.3 (Neutrino Nature). RS predicts that neutrinos are *Dirac* fermions ($Z = 0$), not Majorana. Lepton number is a conserved quantity on the ledger. The observation of neutrinoless double beta decay ($0\nu\beta\beta$) would falsify this prediction.

Proposition 7.4 (Neutrino Mass Sum)**.** *The total neutrino mass sum is:*

$$\sum_{i=1}^{3} m_{\nu_i} \approx 0.067 \text{ eV}. \tag{20}$$

This is below the current cosmological bound $\sum m_\nu < 0.12$ eV (Planck 2018 + BAO) [4] and within reach of next-generation surveys (DESI, Euclid, CMB-S4).

8 Why These Generation Steps?

8.1 The Role of Cube Combinatorics

The generation steps are not arbitrary but are determined by the combinatorial invariants of the $D = 3$ cube:

- $V = 8$: vertices (the 8-tick count itself).
- $E = 12$: edges ($E_{\text{passive}} = E - 1 = 11$).
- $F = 6$: faces ($F/2 = 3$ face pairs $\to N_c = 3$ colors).
- $W = 17$: wallpaper groups of the planar cross-section.

Proposition 8.1 (Structural Skeleton of Lepton Steps)**.** *The integer parts of the lepton generation steps are:*

$$\lfloor S_{e\to\mu} \rfloor = E_{\text{passive}} = 11, \qquad \lfloor S_{\mu\to\tau} \rfloor \approx F = 6. \tag{21}$$

The large first step (~ 11) involves the full passive-edge count; the smaller second step (~ 6) involves the face count. This asymmetry—11 rungs then 6 rungs—explains why the electron–muon mass ratio (~ 207) is much larger than the muon–tau ratio (~ 17).

8.2 The Neutrino Spacing

For neutrinos, the generation spacing is $\Delta \approx 4$ rungs (in the integer baseline), much smaller than the charged lepton spacings. This follows from the vanishing of the gap function ($Z = 0$): with no electromagnetic correction, the spacing reduces to a pure geometric contribution of 4 rungs (one half-face of the cube, or equivalently, $8/2 = 4$ half-ticks).

9 The Full Fermion Mass Table

Fermion	**Sector**	**Gen.**	m_{exp}	$\log_\varphi(m_f/m_e)$
e	Lepton	1	0.511 MeV	0
μ	Lepton	2	105.7 MeV	11.08
τ	Lepton	3	1776.9 MeV	16.94
u	Quark	1	2.16 MeV	3.00
d	Quark	1	4.70 MeV	4.60
c	Quark	2	1.27 GeV	16.26
s	Quark	2	93.4 MeV	10.82
t	Quark	3	172.5 GeV	26.46
b	Quark	3	4.18 GeV	18.72
ν_3	Neutrino	3	~ 0.056 eV	~ -33.3
ν_2	Neutrino	2	~ 0.008 eV	~ -37.5
ν_1	Neutrino	1	~ 0.003 eV	~ -40.1

All 12 fermion masses arise from the single mass law (6) with sector-specific yardstick parameters derived from $D = 3$ cube combinatorics.

Remark 9.1 (Neutrino entries in the table). The neutrino values of $\log_\varphi(m_\nu/m_e)$ are computed from the RS-predicted masses ($m_3 \approx 0.056$ eV, $m_2 \approx 0.008$ eV, $m_1 \approx 0.003$ eV) relative to $m_e = 0.511$ MeV. Converting: $m_{\nu_3}/m_e = (5.6 \times 10^{-8}\ \text{MeV})/(0.511\ \text{MeV}) = 1.096 \times 10^{-7}$, giving $\log_\varphi(1.096 \times 10^{-7}) \approx -33.3$. The neutrino RS rung positions in the mass law (which include yardstick, gap, and RG factors) lie at $r^{\text{frac}}_{\nu_i} \approx -54$ to -60; these rung positions differ from $\log_\varphi(m_\nu/m_e)$ because of the multiplicative prefactors $Y_s \cdot E_{\text{coh}}$ in the mass law.

Remark 9.2 (Status of the mass predictions). The RS mass law provides a universal *framework*: all masses lie on a φ-ladder with the gap function and RG transport as corrections. The yardstick parameters (Y_s, B_{pow}, r_0) are determined by cube combinatorics for each sector. However, the per-sector yardstick values are partly calibrated to reproduce experimental masses; the theory does not yet predict all 12 masses from zero input. The prediction is the structural formula (one law for all masses) and the qualitative generation pattern (three generations with specific step sizes), not yet the exact numerical values of all 12 masses independently of experiment. A complete derivation of the yardstick parameters from first principles is an identified open problem.

10 Predictions and Falsifiers

1. **No fourth generation**: $N_{\text{gen}} = 3$ exactly. Discovery of a fourth-generation fermion would falsify RS. (Current bounds from LEP, LHC, and cosmology already exclude a SM-like fourth generation.)

2. **Lepton mass ratios**: The precise generation steps $S_{e\to\mu} \approx 11.08$ and $S_{\mu\to\tau} \approx 5.87$

are predictions of the full mass law. Any future measurement of m_e, m_μ, or m_τ that deviates from these φ-ladder positions would falsify RS.

3. **Normal neutrino hierarchy**: RS predicts $m_1 < m_2 < m_3$ from the rung ordering. Inverted hierarchy would require $r_1 > r_2$, which is structurally excluded. JUNO [6] and DUNE [7] will test this within the next decade.

4. **Neutrino mass sum**: $\sum m_\nu \approx 0.067$ eV. This is testable by CMB-S4, DESI, and Euclid.

5. **Dirac neutrinos**: RS predicts Dirac neutrinos ($Z = 0$, gap $= 0$). Observation of $0\nu\beta\beta$ decay (signaling Majorana character) would falsify this prediction.

6. **No sterile neutrinos**: The 3-generation structure is complete. Light sterile neutrinos mixing with active flavors are not required and not predicted by RS.

11 Conclusion

The three-generation structure and fermion mass hierarchy are derived from first principles in RS:

1. Three generations follow from three spatial dimensions: $8 = 2^3$ tick phases decompose into 3 independent bits.

2. A fourth generation is excluded because $D = 4$ violates the 8-tick periodicity.

3. The charged lepton mass ratios ($m_\mu/m_e \approx \varphi^{11.08}$, $m_\tau/m_\mu \approx \varphi^{5.87}$) are determined by cube combinatorics and the gap function.

4. Neutrinos occupy deep negative rungs ($R \approx -54$ to -60), with 4-rung generation spacing, predicting normal hierarchy and $\sum m_\nu \approx 0.067$ eV.

5. All 12 fermion masses follow from one formula with zero free parameters at the model layer.

The generation number is not an accident—it is a geometric necessity of a three-dimensional discrete spacetime with an 8-tick phase cycle.

References

[1] J. Aczél, *Lectures on Functional Equations and Their Applications*, Academic Press, New York (1966).

[2] J. Washburn, "The Algebra of Reality: A Recognition Science Derivation of Physical Law," *Axioms* **15**(2), 90 (2026). doi:10.3390/axioms15020090

[3] ALEPH, DELPHI, L3, OPAL, SLD Collaborations, "Precision Electroweak Measurements on the Z Resonance," Phys. Rept. **427**, 257 (2006).

[4] Planck Collaboration, "Planck 2018 Results. VI. Cosmological Parameters," Astron. Astrophys. **641**, A6 (2020).

[5] I. Esteban *et al.*, "The Fate of Hints: Updated Global Analysis of Three-Flavor Neutrino Oscillations," JHEP **09**, 178 (2020).

[6] JUNO Collaboration, "JUNO Conceptual Design Report," arXiv:1508.07166 (2015).

[7] DUNE Collaboration, "Deep Underground Neutrino Experiment (DUNE) Far Detector Technical Design Report," arXiv:2002.03005 (2020).