The Past Theorem: Low-Entropy Initial Conditions as a Mathematical Necessity

Jonathan Washburn
Recognition Science Research Institute
Austin, Texas
washburn.jonathan@gmail.com

March 2026

Abstract

The Past Hypothesis—the postulate that the universe began in a state of extraordinarily low entropy—is widely regarded as the most puzzling boundary condition in cosmology. Penrose estimated its improbability at $1 : 10^{10^{123}}$. We show that within Recognition Science [1], the puzzle is structurally dissolved. The cost functional $J(x) = \frac{1}{2}(x + x^{-1}) - 1$ possesses a *unique* global minimum at $x = 1$ with $J(1) = 0$. For any ledger configuration of N entries, the total defect $D_{\text{tot}} = \sum_{i=1}^{N} J(x_i)$ is zero if and only if every entry satisfies $x_i = 1$ (the unity configuration). This establishes: (i) the ground state of any cost-governed ledger is unique; (ii) there is exactly one zero-entropy configuration; (iii) cost minimization selects this unique configuration as the preferred initial state, leaving no room for alternative choices. The proof requires no statistical mechanics, no measure theory, and no fine-tuning. It follows from three axioms that uniquely determine J. We carefully distinguish the RS ground state (the unique equilibrium) from the cosmological initial state, and explain how the Past Hypothesis is resolved by uniqueness rather than by assertion.

1 Introduction

1.1 The Problem

One of the deepest puzzles in the foundations of physics is the low-entropy initial condition of the universe. The second law of thermodynamics tells us that entropy increases toward the future. Running this logic backward, the universe must have begun in a state of extraordinarily low entropy. But why?

Penrose [5] quantified the specialness of the initial state as follows. The phase-space volume of the observable universe's current macrostate is some V_{now}. The phase-space volume of the initial state is $V_{\text{init}} \approx e^{S_{\text{init}}}$, where S_{init} is minuscule compared to the maximum entropy $S_{\max} \sim 10^{123}$. The probability of the initial condition, measured in phase space, is approximately

$$P \sim \frac{V_{\text{init}}}{V_{\max}} \sim \frac{1}{10^{10^{123}}}.$$

This number is so small that no natural process could have "selected" it from an ensemble. The standard response is simply to postulate the initial condition—the Past Hypothesis [3]; see also [4, 6, 7] for critical assessments from different perspectives.

1.2 The Resolution

We show that the cost axioms of Recognition Science force the ground state to be a specific, unique configuration. The key steps are:

1. The cost functional $J(x) = \frac{1}{2}(x + x^{-1}) - 1$ is non-negative, vanishing only at $x = 1$.
2. For a configuration of N ledger entries, the total defect $D_{\text{tot}} = \sum_{i=1}^{N} J(x_i)$ is the sum of non-negative terms.
3. $D_{\text{tot}} = 0$ if and only if every entry equals 1.
4. The unity configuration $(1, \ldots, 1)$ is thus the unique global minimizer and the only zero-defect state.

The Past Hypothesis puzzle is resolved by uniqueness: there is exactly *one* configuration of zero entropy, so the "choice" of initial condition is not a free parameter but a mathematical necessity forced by the cost axioms. We distinguish two related but distinct claims:

- **Uniqueness Theorem (proved here)**: There is exactly one zero-defect configuration: the unity configuration.
- **Initial Condition Claim (structural, not proved here)**: The first recognition events initialize the ledger at the minimum-cost configuration consistent with their constraints, which is the unity configuration.

The former is mathematical; the latter is a physical application of cost minimization. Together, they convert the Past Hypothesis from an arbitrary boundary condition into a uniquely selected state.

2 The Cost Functional

Axiom 1 (A1 — Normalization)**.** $J(1) = 0$.

Axiom 2 (A2 — Recognition Composition Law)**.** $J(xy) + J(x/y) = 2J(x)J(y) + 2J(x) + 2J(y)$ for all $x, y > 0$.

Axiom 3 (A3 — Calibration)**.** $J''_{\log}(0) = 1$, where $J_{\log}(t) := J(e^t)$.

Theorem 2.1 (Cost Uniqueness)**.** *The unique continuous solution to A1–A3 is*

$$J(x) = \frac{1}{2}\left(x + \frac{1}{x}\right) - 1. \tag{1}$$

Proof. Setting $H(t) = 1 + J(e^t)$, A2 becomes $H(s+t) + H(s-t) = 2H(s)H(t)$ (d'Alembert's equation). A1 gives $H(0) = 1$; A3 gives $H''(0) = 1$. By the Aczél classification theorem [2], the unique continuous even solution is $H = \cosh$, yielding (1). □

Lemma 2.2 (Fundamental Properties of J)**.** *For all $x > 0$:*

(i) $J(x) \geq 0$ *(non-negativity).*

(ii) $J(x) = 0 \iff x = 1$ *(unique zero).*

(iii) $J(x) = J(1/x)$ *(reciprocal symmetry).*

(iv) $J(x) > 0$ *whenever* $x \neq 1$ *(strict positivity away from unity).*

Proof. (i)–(ii): $x + x^{-1} \geq 2$ by AM–GM, with equality iff $x = 1$. (iii): $x^{-1} + x = x + x^{-1}$. (iv): Immediate from (i) and (ii). □

3 Configurations and Total Defect

Definition 3.1 (Configuration)**.** A *configuration* of size $N \geq 1$ is a tuple $(x_1, x_2, \ldots, x_N) \in \mathbb{R}^N_{>0}$.

Definition 3.2 (Total Defect)**.** The *total defect* (or entropy) of a configuration is

$$D_{\text{tot}}(x_1, \ldots, x_N) := \sum_{i=1}^{N} J(x_i) = \sum_{i=1}^{N} \left[\frac{1}{2}\left(x_i + \frac{1}{x_i}\right) - 1\right]. \tag{2}$$

Lemma 3.3 (Total Defect is Non-negative)**.** $D_{\text{tot}} \geq 0$ *for every configuration.*

Proof. Each summand $J(x_i) \geq 0$ by Lemma 2.2(i). □

Definition 3.4 (Unity Configuration)**.** The *unity configuration* of size N is the vector $\mathbf{1} := (1, 1, \ldots, 1)$ in $\mathbb{R}^N_{>0}$.

Theorem 3.5 (Unity Has Zero Defect)**.** $D_{\text{tot}}(\mathbf{1}) = 0$.

Proof. $J(1) = 0$, so every summand vanishes. □

4 The Past Theorem

Theorem 4.1 (Zero Defect Characterization)**.** $D_{\text{tot}}(x_1, \ldots, x_N) = 0$ *if and only if* $x_i = 1$ *for every* $i \in \{1, \ldots, N\}$.

Proof. ($\Leftarrow$): Theorem 3.5.

($\Rightarrow$): Suppose $\sum_i J(x_i) = 0$. Since each $J(x_i) \geq 0$, we must have $J(x_i) = 0$ for every i. (Otherwise, some $J(x_j) > 0$ and the sum would be positive: $\sum_i J(x_i) \geq J(x_j) > 0$.) By Lemma 2.2(ii), $J(x_i) = 0$ implies $x_i = 1$. □

Theorem 4.2 (Global Minimum)**.** *For every configuration* $\mathbf{x}$, $D_{\text{tot}}(\mathbf{1}) \leq D_{\text{tot}}(\mathbf{x})$.

Proof. $D_{\text{tot}}(\mathbf{1}) = 0 \leq D_{\text{tot}}(\mathbf{x})$ by Theorem 3.5 and Lemma 3.3. □

Theorem 4.3 (Unique Global Minimizer)**.** *If* $D_{\text{tot}}(\mathbf{x}) = D_{\text{tot}}(\mathbf{1})$, *then* $\mathbf{x} = \mathbf{1}$. *The unity configuration is the unique global minimizer.*

Proof. $D_{\text{tot}}(\mathbf{x}) = 0$ by hypothesis, so $x_i = 1$ for all i by Theorem 4.1. □

Theorem 4.4 (Positive Entropy Away from Unity)**.** *If* $x_j \neq 1$ *for some* j, *then* $D_{\text{tot}} > 0$.

Proof. $J(x_j) > 0$ by Lemma 2.2(iv), and all other terms are non-negative, so $D_{\text{tot}} \geq J(x_j) > 0$. □

Theorem 4.5 (The Past Theorem — Ground State Uniqueness)**.** *The following hold simultaneously for every $N \geq 1$:*

(i) There exists a unique configuration with zero total defect: the unity configuration $\mathbf{1} = (1, \ldots, 1)$.

(ii) $\mathbf{1}$ is the strict global minimizer of D_{tot}.

(iii) Every configuration $\mathbf{x} \neq \mathbf{1}$ has strictly positive total defect: $D_{\text{tot}}(\mathbf{x}) > 0$.

Proof. Combine Theorems 4.1, 4.2, 4.3, and 4.4. □

Corollary 4.6 (Uniqueness Resolves the Past Hypothesis)**.** *Because there is exactly one zero-defect configuration, the "choice" of low-entropy initial condition is not arbitrary. Cost minimization has a unique selection: the unity configuration. The Past Hypothesis ceases to be a puzzle requiring a fine-tuned boundary condition; it becomes the unique output of the cost axioms.*

5 Discussion

5.1 Why This Resolves Penrose's Puzzle

Penrose's $1 : 10^{10^{123}}$ improbability assumes a measure on a set of possible initial conditions. In our framework, there is no such set: the cost axioms admit exactly *one* zero-cost configuration. The "probability" of the initial condition is not $10^{-10^{123}}$; it is exactly 1. The question "Why this initial condition rather than another?" has no content because no alternative exists.

5.2 Comparison with Albert's Past Hypothesis

Albert [3] treats the Past Hypothesis as a fundamental law, coordinate with the dynamical laws and the probability postulate. In RS, the Past Hypothesis is not a separate law but a consequence of the cost axioms that already generate the dynamics. The number of independent postulates is reduced: where Albert needs three (dynamics + statistics + boundary condition), RS needs only the cost axioms.

5.3 No Fine-Tuning

Fine-tuning requires a space of alternatives against which the actual value is special. The unity configuration is not "fine-tuned" because there is no parameter to tune. Every entry is 1, and no other value is admissible at zero cost. This is analogous to the fact that the unique real root of $x^2 = 0$ is $x = 0$—not fine-tuned, simply forced.

5.4 Comparison with Other Approaches

Several approaches to the Past Hypothesis exist in the literature. Penrose's Weyl Curvature Hypothesis [5] constrains the initial singularity to have vanishing Weyl tensor, enforcing low gravitational entropy. This is a geometric constraint analogous in spirit to the RS approach, but it requires a separate postulate about curvature that does not follow from general relativity. Carroll [4] proposes a multiverse framework in which the low-entropy initial condition is a typical fluctuation in a larger ensemble. This shifts the puzzle from "why this initial condition?" to "why these multiverse dynamics?" Callender [7] argues that the Past Hypothesis is not genuinely puzzling because entropy is a macroscopic concept lacking micro-physical significance. The RS approach differs from all three: it derives the uniqueness of the ground state from three cost axioms that simultaneously generate the dynamics, requiring no additional postulate, no multiverse, and no appeal to the anthropic principle.

5.5 RS Defect, Entropy, and the Second Law

We define the RS defect of a configuration as $D_{\mathrm{RS}} := D_{\mathrm{tot}} = \sum_i J(x_i)$. This quantity measures departure from the identity ratio:

- $D_{\mathrm{RS}} \geq 0$ (non-negative).
- D_{RS} is additive over independent subsystems.
- $D_{\mathrm{RS}} = 0$ at the unique ground state $\mathbf{x} = \mathbf{1}$.
- $D_{\mathrm{RS}} > 0$ for every other configuration.

The zero-defect state $\mathbf{1}$ is the *equilibrium* of the RS ledger—the configuration of maximum symmetry and minimum cost. In thermodynamics, equilibrium corresponds to *maximum* Boltzmann entropy $S_B = k_B \ln \Omega$. Therefore the two quantities are *anti-correlated*:

$$D_{\mathrm{RS}} = 0 \longleftrightarrow S_B = S_{B,\max} \quad \text{(thermodynamic equilibrium).}$$

As the RS ledger evolves toward the ground state, D_{RS} decreases and S_B increases. The RS direction of time (decreasing D_{RS}) and the thermodynamic direction of time (increasing S_B) are the *same* direction: both point toward equilibrium.

This resolves an apparent paradox: the RS ground state has zero *defect* but maximum thermodynamic *entropy*. These are different quantities. The Past Hypothesis (low thermodynamic entropy past) corresponds to the early universe having *high* D_{RS} (many ledger entries far from unity). The future equilibrium (maximum thermodynamic entropy) corresponds to low D_{RS} (entries relaxed to unity). Both the RS and the thermodynamic arrow of time point from the high-D_{RS} past toward the low-D_{RS} future.

5.6 Clarification: Ground State vs. Big Bang Epoch

Remark 5.1 (Two Distinct Uses of "Initial"). The Past Theorem proves that the unique zero-defect state is the RS ground state and the unique minimum-cost configuration. This is a logical and mathematical claim. The physical cosmological story is complementary:

- The *ground state* $\mathbf{1}$ (zero defect, formal minimum) is the ultimate attractor of RS dynamics and the unique "initial" configuration in the sense that cost minimization selects no other.

- The *cosmological Big Bang epoch* corresponds to the first departure from **1**: a large-defect state in which many ledger entries are far from unity. This is the state of high D_{RS} (and low thermodynamic entropy) that Penrose identified.

- Both are consistent: the ground state is the logical starting point (no alternatives), and the Big Bang is the first *physical* tick that creates high defect from that starting point. The universe then evolves toward the ground state—decreasing D_{RS}, increasing thermodynamic entropy—which is the second law.

5.7 Cosmological Implications

The Past Theorem has several consequences:

1. **Unique ground state.** There is exactly one zero-defect configuration: the unity configuration. This is the unique equilibrium that all RS trajectories converge toward. The Past Hypothesis is explained because there is no alternative zero-defect state from which the universe could have "chosen" to start; the ground state is unique.

2. **Structure corresponds to positive defect.** Physical structure (particles, forces, spacetime geometry) corresponds to configurations with nonzero defect—departures from the featureless unity state. The observed complexity of the universe is precisely the nonzero defect of the current configuration relative to unity. The early universe (high D_{RS}, low thermodynamic entropy) had more structure (departure from unity) than the future will.

3. **Asymptotic return to unity.** Since recognition events drive the ledger toward $x_i = 1$ (decreasing D_{RS}), the far future of the universe is a return to the ground state. This corresponds to thermodynamic maximum entropy ("heat death"): maximum S_B, minimum D_{RS}, all ratios equilibrated to unity.

4. **Coherent temporal picture.** The universe's history runs from high D_{RS} (early universe, many particles and structures far from unity, low thermodynamic entropy) toward low D_{RS} (late universe, equilibration, high thermodynamic entropy). This is the second law of thermodynamics as derived from RS cost minimization.

6 Falsifiable Predictions

1. **Unique ground state.** The Past Theorem predicts that the zero-defect configuration is unique: all ratios equal to unity. If a physical system were found to have multiple distinct ground states with equal minimum cost and zero defect simultaneously, the theorem would be falsified.

2. **No arbitrary initial conditions.** RS predicts that the initial state of any cost-governed system is not a free parameter but selected by cost minimization. A cosmological model that requires a continuous family of admissible initial conditions (rather than a unique cost-minimizing one) would be in tension with the RS framework.

3. **Monotone defect decrease.** For a closed system evolving under RS dynamics, D_{tot} must be non-increasing. If an isolated system's RS defect were observed to increase over time (departing further from the unity ratio configuration), this would refute the cost-minimization principle.

4. **No recurrence.** Since the ground state **1** is a unique global attractor and the dynamics are dissipative (not Hamiltonian), Poincaré recurrence cannot occur. An observation of a fundamental-level recurrence to a higher-defect state would refute the framework.

7 Conclusion

The Past Hypothesis—one of the most stubborn puzzles in the foundations of physics—is structurally dissolved within Recognition Science. The unity configuration $(1, \ldots, 1)$ is the unique zero-cost state and the strict global minimizer of total defect. Penrose's estimate of $1 : 10^{10^{123}}$ implicitly assumes a set of possible initial conditions from which one is selected; in RS, no such set exists. The cost axioms admit exactly one zero-cost configuration, making the "probability" of the initial condition exactly 1.

The resolution rests on two results: (i) the Past Theorem (uniqueness of the ground state), which is a mathematical consequence of the cost axioms; and (ii) the identification of RS defect D_{RS} with thermodynamic entropy S_B as anti-correlated quantities, so that the direction of defect decrease (toward the unique ground state) is the same as the direction of entropy increase (the second law). Together, these convert the Past Hypothesis from an unexplained boundary condition into a structural inevitability.

References

[1] J. Washburn, "The Algebra of Reality: A Recognition Science Derivation of Physical Law," *Axioms* **15**(2), 90 (2026).

[2] J. Aczél, *Lectures on Functional Equations and Their Applications*, Academic Press, New York (1966).

[3] D. Z. Albert, *Time and Chance* (Harvard University Press, 2000).

[4] S. Carroll, *From Eternity to Here* (Dutton, 2010).

[5] R. Penrose, *The Emperor's New Mind* (Oxford University Press, 1989).

[6] J. Earman, "The 'Past Hypothesis': Not even false," *Studies in History and Philosophy of Modern Physics* **37**, 399 (2006).

[7] C. Callender, "There is no puzzle about the low-entropy past," in *Contemporary Debates in Philosophy of Science*, ed. C. Hitchcock (Blackwell, 2004).